1979

1979

昭和54年1月～12月

かつお竿釣漁業漁場別
統計調査結果報告

ANNUAL REPORT OF EFFORT AND CATCH STATISTICS BY AREA

JAPANESE SKIPJACK BAITBOAT FISHERY

1979

LIBRARY
AUG 3 1981
National Marine Fisheries Service
2570 Dole Street
Honolulu, Hawaii

昭和55年3月

1980

水産庁　研究部

RESEARCH DIVISION, FISHERIES AGENCY OF JAPAN

Digitized by the Internet Archive
in 2025

https://archive.org/details/annual-report-effort-catch-statistics-japanese-tuna_1979_1

昭和54年1月～12月

かつお竿釣漁業漁場別統計調査結果報告

ANNUAL REPORT OF EFFORT AND CATCH STATISTICS BY AREA

JAPANESE SKIPJACK BAITBOAT FISHERY

1979

昭和55年3月

水産庁　研究部

RESEARCH DIVISION, FISHERIES AGENCY OF JAPAN

本統計表について

東北区水産研究所
資　源　部　第２研究室

統計表の内容について

本統計表は、漁場別統計・陸揚統計の２つを収めた。

各々の内容は次のとおり。

Ⅰ. 漁場別統計の内容は…

その期間毎に（旬・月・年の単位）、緯度・経度1°毎の結果を求めてある。即ち表の左から、操業位置（POSITION）、屯数階層毎の操業隻数（50屯毎区切り、300屯以上、屯数不明及び全隻数）、平均竿数（ＮＰ、尚報告船の一部に竿数の報告が無い場合はその報告を除いて集計し、右肩に＊をつけてある）、全漁獲量（単位・屯）及びカツオ（S.J.）、ビンナガ（ＡＬB.）、キハダ（Y.F.）、クロマグロ（B.F.）、メバチ（B.E.）、ソーダ（F.M.）及びその他（ＥＬＳ）の漁獲量を示した。

又、操業位置（POSITION）は、緯度は西から東に並べ、緯度・経度がとんでいる場合、左肩又は右肩に＊がついている。

Ⅱ. 陸揚統計の内容は…

その期間毎に（旬・月・年の単位）全国計（ZENKOKU）、以下太平洋岸を北から県別に（北海道ＨＫ、岩手ＩＴ、宮城MG、福島ＦＳ、茨城ＩＧ、千葉ＣＢ、神奈川ＫＮ、静岡ＳＯ、三重ＭＥ、和歌山WK、愛媛ＥＨ、高知ＫＯ、宮崎ＭＺ、鹿児島ＫＧ、長崎ＮＳ、新潟ＮＧ、不明？）に並べた。内容は屯数階層毎に（50屯毎区切り、300屯以上、屯数不明及び全隻数）、入港船数（ＮＢ）、平均航海日数（ＮＤ）、平均操業日数（ＯＤ）、平均乗組員数（ＮＣ）、平均竿数（ＮＰ）、平均陸揚金額（ＭＥ）、全漁獲量（TOTAL）及びカツオ（S.J.）ビンナガ（ＡＬB.）、キハダ（Y.F.）、クロマグロ（B.F.）、メバチ（B.E.）、ソーダ（F.M.）、その他（ＥＬＳ）漁獲量を示した。平均値を求めた平均航海日数から平均陸揚金額迄の数値の右に＊がついている場合は一部の船に報告がなかった場合である。

はしがき

昭和54年度かつお竿釣漁業漁場別統計表を発刊したが、これは農林省令に定めるかつお・まぐろ漁獲成績報告書から、かつお竿釣によるものを集計したものである。

かつお類は、なお未利用資源があるものと考えられているが、かつお竿釣漁業を取り巻く環境は、最近の世界各国の経済水域の設定、石油事情の窮迫等により一段と厳しさを増している。

このような情勢のなかで、本統計表が資源研究および行政諸施策のための基礎資料並びに漁業者の合理的操業のための参考資料として有効に利用されれば幸いである。今後ともひき続き内容の充実、精度の向上を図るために関係者各位の一層の御協力をお願いする。

終りに、本統計表の編集を担当した東北区水産研究所資源部第2研究室はじめ関係者の労を感謝する。

昭和56年3月

水産庁研究部長

尾島雄一

目　　　　次

旬別・漁場別努力量及び漁獲量

1月	上　旬	1
	中　旬	2
	下　旬	4
2月	上　旬	8
	中　旬	13
	下　旬	18
3月	上　旬	22
	中　旬	26
	下　旬	30
4月	上　旬	35
	中　旬	39
	下　旬	44
5月	上　旬	48
	中　旬	52
	下　旬	56
6月	上　旬	60
	中　旬	64
	下　旬	67
7月	上　旬	71
	中　旬	75
	下　旬	79
8月	上　旬	84
	中　旬	89
	下　旬	93
9月	上　旬	97
	中　旬	100
	下　旬	104

10月　上　旬 …… 108
中　旬 …… 112
下　旬 …… 116
11月　上　旬 …… 121
中　旬 …… 125
下　旬 …… 130
12月　上　旬 …… 135
中　旬 …… 140
下　旬 …… 143
月別・漁場別努力量及び漁獲量
1　月 …… 145
2　月 …… 150
3　月 …… 157
4　月 …… 164
5　月 …… 171
6　月 …… 178
7　月 …… 184
8　月 …… 191
9　月 …… 199
10　月 …… 206
11　月 …… 213
12　月 …… 222
年・漁場別努力量及び漁獲量 …… 229
旬別・全国・屯数階層別入港船数及び陸揚量 …… 253
旬別・県別・屯数階層別入港船数及び陸揚量 …… 256
月別・全国・屯数階層別入港船数及び陸揚量 …… 286
月別・県別・屯数階層別入港船数及び陸揚量 …… 287
年・全国・屯数階層別入港船数及び陸揚量 …… 304
年・全国及び県別・屯数階層別入港船数及び陸揚量 …… 305

旬別・漁場別努力量及び漁獲量

JUN -BETSU   ••• GYOJYO-BETSU TOUKEI •••   JAN -1-001   JUN -001   1月上旬

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
31N	139E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
30N	139E	-	1	-	-	-	-	-	-	1	16.0	4.3	-	-	-	-	-	-	4.3
	140E	-	4	-	-	-	-	-	-	4	15.0	1.3	-	-	1.3	-	-	-	-
	•153E	-	1	-	-	-	-	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
29N	140E	-	5	-	-	-	-	-	-	5	16.0	1.6	-	-	1.6	-	-	-	-
•27N	127E	-	1	-	-	-	-	-	-	1	15.0	2.0	1.8	-	0.2	-	-	-	-
	•140E	-	3	-	-	-	-	-	-	3	17.3	1.6	-	-	1.4	-	-	-	0.2
	141E	-	4	-	-	-	-	-	-	4	18.0•	3.6	3.5	-	0.1	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	18.0	0.3	-	-	0.3	-	-	-	-
	•145E	-	4	-	-	-	-	-	-	4	12.7	5.4	0.1	-	5.1	-	-	-	0.2
26N	135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	•140E	-	9	-	-	-	-	-	-	9	16.5	5.0	1.4	-	2.8	-	-	-	0.8
	141E	-	2	-	-	-	-	-	-	2	18.5	2.2	2.1	-	0.1	-	-	-	-
•24N	134E	-	1	-	-	-	-	-	-	1	17.0	1.1	-	-	1.0	-	-	-	0.1
23N	141E	-	1	-	-	-	-	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
•20N	142E	-	1	-	-	-	-	-	-	1	17.0	2.0	-	-	1.3	-	-	-	0.7
	•145E	-	2	-	-	-	-	-	-	2	17.0	2.5	-	-	2.5	-	-	-	-
19N	145E	-	5	-	-	-	-	-	-	5	17.0	8.4	-	-	8.4	-	-	-	-
•10N	151E	-	-	-	-	-	-	1	-	1	30.0	3.1	3.1	-	-	-	-	-	-
09N	151E	-	-	-	-	-	-	1	-	1	30.0	9.5	9.5	-	-	-	-	-	-
•07N	137E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	•139E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
06N	149E	-	-	-	-	-	2	-	-	2	21.0	9.0	9.0	-	-	-	-	-	-
	•158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
05N	137E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	•156E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	•158E	-	-	-	-	-	-	2	-	2	21.0	33.0	32.5	-	-	-	0.5	-	-
	159E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	•163E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	•165E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
04N	140E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	•143E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	•157E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	•165E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	•168E	-	-	-	-	-	1	2	-	3	18.0	12.9	12.9	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	20.0	11.7	11.5	-	0.2	-	-	-	-
	•171E	-	-	-	-	-	1	1	-	2	23.0	1.8	1.8	-	-	-	-	-	-
	•173E	-	-	-	-	-	1	-	-	1	18.0	0.3	0.3	-	-	-	-	-	-
03N	159E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	•162E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	•164E	-	-	-	-	-	1	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	20.0	1.4	1.4	-	-	-	-	-	-
	•167E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	23.5	13.0	13.0	-	-	-	-	-	-
	169E	-	-	-	-	-	2	-	-	2	20.0	6.8	5.0	-	1.8	-	-	-	-
	170E	-	-	-	-	-	20	4	-	24	23.6•	225.3	225.0	-	0.3	-	-	-	-
	171E	-	-	-	-	-	3	-	-	3	16.0•	34.5	34.5	-	-	-	-	-	-
	172E	-	-	-	-	-	1	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
02N	165E	-	-	-	-	-	-	1	-	1	21.0	14.0	14.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	27.0	18.0	18.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	20.0	3.5	3.5	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	170E	-	-	-	-	-	5	-	-	5	23.6	29.0	29.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	2	-	2	28.0	18.0	18.0	-	-	-	-	-	-
01N	163E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	21.0	8.5	8.5	-	-	-	-	-	-
•00S	164E	-	-	-	-	-	-	1	-	1	29.0	0.5	0.5	-	-	-	-	-	-
	•166E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
•03S	166E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
•06S	167E	-	-	-	-	-	-	1	-	1	29.0	6.5	6.5	-	-	-	-	-	-
•09S	169E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
•12S	170E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
•15S	173E	-	-	-	-	-	-	1	-	1	29.0	1.5	1.5	-	-	-	-	-	-
16S	177E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
17S	176E	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JAN -2-001 JUN -004 1月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
34N	136E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*31N	139E	-	3	-	-	-	-	-	-	3	17.0	2.0	-	-	0.8	-	-	-	1.2
30N	140E	-	8	-	-	-	-	-	-	8	17.8	3.8	-	-	2.7	-	-	-	1.1
29N	129E	-	1	-	-	-	-	-	-	1	15.0	1.0	0.5	-	0.5	-	-	-	-
	*140E	-	10	-	-	-	-	-	-	10	15.7*	4.8	-	-	3.6	-	-	-	1.2
	*150E	-	1	-	-	-	-	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
28N	142E	-	4	-	-	-	-	-	-	4	18.0	4.4	-	-	2.6	-	-	-	1.8
27N	140E	-	4	-	-	-	-	-	-	4	16.5	4.5	-	-	2.8	-	0.2	-	1.5
	141E	-	1	-	-	-	-	-	-	1	19.0	0.2	-	-	-	-	-	-	0.2
	142E	-	12	-	-	-	-	-	-	12	15.9*	6.7	0.5	-	4.6	-	-	-	1.6
	*145E	-	44	-	-	-	-	-	-	44	14.0	42.2	0.5	-	33.7	-	-	-	8.0
26N	140E	-	16	-	-	-	-	-	-	16	15.7*	8.6	2.3	-	5.1	-	0.2	-	1.0
	141E	-	7	-	-	-	-	-	-	7	17.0*	2.4	0.6	-	1.5	-	-	-	0.3
	142E	-	5	-	-	-	-	-	-	5	17.0*	5.0	1.1	-	3.1	-	-	0.8	-
25N	140E	-	1	-	-	-	-	-	-	1	14.0	0.3	0.2	-	0.1	-	-	-	-
24N	134E	-	1	-	-	-	-	-	-	1	17.0	0.2	-	-	0.2	-	-	-	-
	*154E	-	4	-	-	-	-	-	-	4	13.0	7.0	-	-	6.4	-	-	-	0.6
*21N	120E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.0	-	0.5	-	-	-	-
	121E	-	5	-	-	-	-	-	-	5	16.0	3.0	2.0	-	1.0	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	16.0	0.2	0.2	-	-	-	-	-	-
20N	136E	-	6	-	-	-	-	-	-	6	14.0	6.7	-	-	6.7	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	14.0	1.6	-	-	1.5	-	-	-	0.1
	*142E	-	2	-	-	-	-	-	-	2	13.0	1.0	-	-	1.0	-	-	-	-
19N	145E	-	2	-	-	-	-	-	-	2	13.0	1.0	-	-	1.0	-	-	-	-
18N	135E	-	-	-	-	-	1	-	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	*142E	-	2	-	-	-	-	-	-	2	15.0	0.4	-	-	0.4	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	12.0	12.0	-	-	-	-	-	-
17N	135E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*142E	-	3	-	-	-	-	-	-	3	17.0	5.1	-	-	5.1	-	-	-	-
16N	135E	-	-	1	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	*143E	-	2	-	-	-	-	-	-	2	13.0	1.4	-	-	0.5	-	-	-	0.9
*13N	134E	-	-	1	-	-	-	-	-	1	14.0	8.0	8.0	-	-	-	-	-	-
12N	134E	-	-	3	-	-	-	-	-	3	14.0	13.0	13.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
11N	139E	-	-	-	-	-	1	-	-	1	27.0	18.0	18.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
10N	133E	-	-	1	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	14.0	0.8	0.8	-	-	-	-	-	-
	151E	-	-	-	-	-	2	-	-	2	23.5	13.0	13.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
09N	131E	-	-	1	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	151E	-	-	-	-	-	3	-	-	3	22.0	9.1	8.9	-	0.2	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	24.0	8.0	8.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	26.0	7.5	7.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
08N	143E	-	-	-	-	-	1	-	-	1	27.0	2.6	2.6	-	-	-	-	-	-
	*150E	-	-	-	-	-	3	-	-	3	21.0*	18.0	18.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	20.0	2.4	2.4	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	21.0	11.0	10.5	-	-	-	0.5	-	-
	*154E	-	-	-	-	-	3	-	-	3	23.0	6.0	6.0	-	-	-	-	-	-
	155E	-	-	-	-	-	11	-	-	11	26.9	66.3	66.0	-	0.3	-	-	-	-
	156E	-	-	-	-	-	3	-	-	3	24.0	5.3	5.3	-	-	-	-	-	-
07N	148E	-	-	-	-	-	-	1	-	1	21.0	4.8	4.0	-	-	-	-	0.8	-
	*150E	-	-	-	-	-	1	-	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	151E	-	-	-	-	-	2	-	-	2	20.0*	6.9	6.9	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	27.0	6.0	6.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	25.0	0.3	0.3	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	26.0	2.5	2.5	-	-	-	-	-	-
06N	145E	-	-	-	-	-	1	-	-	1	17.0	0.6	0.6	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	14.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	23.0	3.5	3.5	-	-	-	-	-	-
	150E	-	-	-	-	-	4	-	-	4	23.7	18.7	18.4	-	0.3	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	24.0	23.2	23.0	-	0.2	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JAN -2-003 JUN -006 1月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
06N	*165E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
05N	148E	-	-	-	-	-	1	-	-	1	17.0	0.8	0.8	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	24.0	4.6	4.5	-	0.1	-	-	-	-
	*152E	-	-	-	-	-	2	-	-	2	21.0*	7.0	7.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	20.0	2.9	2.5	-	0.4	-	-	-	-
	*158E	-	-	-	-	-	-	2	-	2	20.5	3.0	3.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	160E	-	-	-	-	-	1	2	-	3	18.0	7.7	7.7	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	2	-	2	22.0	14.0	14.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
04N	148E	-	-	-	-	-	-	1	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*152E	-	-	-	-	-	3	-	-	3	19.0	7.4	7.4	-	-	-	-	-	-
	153E	-	-	-	-	-	6	-	-	6	19.0*	31.2	31.2	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	15.0*	3.5	3.4	-	0.1	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	3.0	2.5	-	-	-	0.5	-	-
	157E	-	-	-	-	-	2	2	-	4	20.0	14.8	14.8	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	1	-	2	23.0	1.5	1.5	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	14.0	6.0	6.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	28.0	11.0	11.0	-	-	-	-	-	-
	166E	-	-	-	-	-	2	1	-	3	18.6	25.3	25.3	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	26.0	6.5	6.0	-	0.5	-	-	-	-
03N	152E	-	-	-	-	-	1	-	-	1	15.0	5.5	5.5	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	17.5	8.0	8.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	18.0	0.3	0.3	-	-	-	-	-	-
	170E	-	-	-	-	-	2	-	-	2	22.0	10.0	10.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
02N	158E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	27.0	33.0	33.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	29.0	11.0	11.0	-	-	-	-	-	-
*00N	175W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*01S	151E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
02S	157E	-	-	-	-	-	1	-	-	1	17.0	13.0	13.0	-	-	-	-	-	-
03S	154E	-	-	-	-	-	1	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	17.0	7.5	7.5	-	-	-	-	-	-
04S	176W	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*09S	177W	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-
*12S	178W	-	-	-	-	-	-	1	-	1	29.0	0.5	0.5	-	-	-	-	-	-
*15S	179E	-	-	-	-	-	-	1	-	1	29.0	9.0	9.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JAN -3-001　　　JUN -008　　　1月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
31N	139E	-	8	-	-	-	-	-	-	8	15.2*	7.5	-	-	5.5	-	-	-	2.0
	*141E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	13.0	0.1	-	-	-	-	-	-	0.1
30N	140E	-	1	-	-	-	-	-	-	1	16.0	0.2	-	-	-	-	-	-	0.2
	*150E	-	1	-	-	-	-	-	-	1	13.0	0.1	-	-	-	-	-	-	0.1
29N	131E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*140E	-	18	-	-	-	-	-	-	18	14.8	8.9	0.3	-	7.0	-	-	-	1.6
	*142E	-	1	-	-	-	-	-	-	1	19.0	0.4	-	-	0.4	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	13.0	0.6	-	0.2	-	-	0.3	-	0.1
	146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
28N	142E	-	3	-	-	-	-	-	-	3	16.6	1.2	-	-	1.2	-	-	-	-
27N	132E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*140E	-	12	-	-	-	-	-	-	12	15.9	3.6	-	-	1.9	-	-	-	1.7
	141E	-	3	-	-	-	-	-	-	3	17.3	1.5	1.0	-	0.2	-	-	-	0.3
	142E	-	15	-	-	-	-	-	-	15	16.4	8.0	2.3	-	3.1	-	-	-	2.6
	*144E	-	1	-	-	-	-	-	-	1	14.0	0.3	-	-	-	-	-	-	0.3
	145E	-	21	-	-	-	-	-	-	21	14.4	10.7	0.1	-	8.6	-	-	-	2.0
26N	134E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*140E	-	22	-	-	-	-	-	-	22	15.2*	14.0	7.9	0.3	5.5	-	-	-	0.3
	141E	-	2	-	-	-	-	-	-	2	15.5	0.9	0.7	-	0.2	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	16.0	0.4	0.1	-	0.1	-	-	-	0.2
	*150E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
25N	140E	-	1	-	-	-	-	-	-	1	15.0	0.7	0.7	-	-	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	15.5	3.5	3.3	-	0.1	-	-	-	0.1
24N	131E	-	2	-	-	-	-	-	-	2	15.0	0.9	-	-	0.6	-	-	-	0.3
	*134E	-	2	-	-	-	-	-	-	2	17.0	0.5	-	-	0.5	-	-	-	-
	*154E	-	5	-	-	-	-	-	-	5	13.0	6.7	-	-	6.6	-	-	-	0.1
23N	137E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*142E	-	2	-	-	-	-	-	-	2	27.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
22N	120E	-	2	-	-	-	-	-	-	2	12.0	1.3	0.3	-	1.0	-	-	-	-
	121E	-	2	-	-	-	-	-	-	2	12.0	4.6	2.5	-	2.0	-	-	-	0.1
	122E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
21N	119E	-	2	-	-	-	-	-	-	2	15.0	3.0	3.0	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	16.5	1.0	1.0	-	-	-	-	-	-
	*143E	-	3	-	-	-	-	-	-	3	15.3	2.7	1.7	-	0.4	-	-	-	0.6
21N	144E	-	10	-	-	-	-	-	-	10	16.7	28.9	25.2	-	2.3	-	0.3	-	1.1
	145E	-	4	-	-	-	-	-	-	4	18.0	21.2	19.3	-	0.4	-	1.2	-	0.3
20N	134E	-	4	-	-	-	-	-	-	4	13.0	9.2	9.2	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	13.6	8.5	8.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*142E	-	4	-	-	-	-	-	-	4	13.0	2.4	-	-	2.4	-	-	-	-
	*144E	-	17	-	-	-	-	-	-	17	15.3*	87.8	77.4	-	8.1	-	-	-	2.3
	*162E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
19N	130E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	13.0	1.5	1.0	-	0.5	-	-	-	-
	*136E	-	3	-	-	-	-	-	-	3	13.0	4.0	4.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	13.0	5.0	5.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
18N	135E	-	10	-	-	-	-	-	-	10	15.2	38.2	33.2	0.3	0.4	-	-	-	4.3
	136E	-	12	-	-	-	-	-	-	12	15.9	35.8	33.0	-	0.5	-	-	-	2.3
	*142E	-	2	-	-	-	-	-	-	2	17.0	1.7	-	-	1.7	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	17.0	0.8	-	-	0.8	-	-	-	-
17N	129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	11.0	1.0	1.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	11.0	3.0	3.0	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	16.3	5.0	5.0	-	-	-	-	-	-
	135E	-	5	1	-	-	-	-	-	6	13.6*	16.7	16.7	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*142E	-	9	-	-	-	-	-	-	9	14.7	15.1	-	-	15.1	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
16N	129E	-	1	-	-	-	-	-	-	1	12.0	1.9	1.2	-	0.7	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	11.0	1.2	1.2	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	11.0	4.0	4.0	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	15.5	5.0	5.0	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	20.0	2.3	2.3	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.5	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
15N	134E	-	1	-	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
	135E	-	10	-	-	-	-	-	-	10	14.1	19.7	19.7	-	-	-	-	-	-
	136E	-	5	-	-	-	-	-	-	5	14.8	24.5	24.5	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	18.0*	14.2	14.2	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	17.0	17.0	-	-	-	-	-	-
14N	133E	-	2	-	-	-	-	-	-	2	19.0	7.0	7.0	-	-	-	-	-	-
	134E	-	13	-	-	-	-	-	-	13	14.6	54.5	54.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JAN -3-003　　　JUN -010　　　1月下旬

操業位置		毛数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
14N	135E	-	19	-	-	-	-	-	-	19	16.2	101.1	101.1	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	16.2	8.0	8.0	-	-	-	-	-	-
	137E	-	2	1	-	-	-	-	-	3	21.0	54.0	54.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
13N	130E	-	1	-	-	-	-	-	-	1	12.0	0.7	0.7	-	-	-	-	-	-
	*132E	-	5	-	-	-	-	-	-	5	16.4	12.5	12.5	-	-	-	-	-	-
	133E	-	6	-	-	-	-	-	-	6	17.6	13.5	13.5	-	-	-	-	-	-
	134E	-	9	-	-	-	-	-	-	9	16.1	23.7	23.7	-	-	-	-	-	-
	135E	-	-	1	-	-	-	-	-	1	27.0	2.5	2.5	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	20.0	3.2	3.2	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	3	-	3	21.0	24.0	24.0	-	-	-	-	-	-
12N	133E	-	5	-	-	-	-	-	-	5	15.0	13.7	13.7	-	-	-	-	-	-
	134E	-	7	-	-	-	-	-	-	7	15.8	20.9	20.9	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	26.0	0.3	0.3	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	18.0	11.0	11.0	-	-	-	-	-	-
11N	130E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	12.0	3.7	3.3	-	-	-	-	-	0.4
	132E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
10N	131E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	18.3	7.0	7.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	16.5	20.3	20.3	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	18.0	4.5	4.5	-	-	-	-	-	-
09N	132E	-	1	-	-	-	-	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	17.0	7.0	7.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	24.0	2.5	2.5	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	24.0	15.0	15.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	28.0	16.0	16.0	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	24.0	8.0	8.0	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	24.5	12.5	12.5	-	-	-	-	-	-
	156E	-	-	-	-	-	1	2	-	3	24.6	14.0	14.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	23.0	14.0	14.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	22.0	5.0	5.0	-	-	-	-	-	-
09N	*166E	-	-	-	-	-	1	1	-	2	25.5	6.0	6.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.0	7.0	7.0	-	-	-	-	-	-
08N	144E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	-	-	2	18.0*	22.0	22.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	17.0*	11.0	11.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	17.0	6.0	6.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	9	2	-	11	24.7	92.4	92.4	-	-	-	-	-	-
	156E	-	-	-	-	-	1	4	-	5	23.4	27.8	27.8	-	-	-	-	-	-
	157E	-	-	-	-	-	2	1	-	3	25.6	23.2	23.0	-	0.2	-	-	-	-
	*159E	-	-	-	-	-	2	1	-	3	26.6	6.0	6.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	1	-	2	25.5	8.0	8.0	-	-	-	-	-	-
	163E	-	-	-	-	-	3	4	-	7	22.1	14.5	14.5	-	-	-	-	-	-
	164E	-	-	-	-	-	1	3	-	4	25.5	13.2	13.2	-	-	-	-	-	-
	165E	-	-	-	-	-	2	2	-	4	24.7	19.5	19.0	-	-	-	0.5	-	-
	166E	-	-	-	-	-	3	6	-	9	25.4	66.0	66.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	2	-	3	23.3	18.0	18.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.0	7.0	7.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	29.0	7.5	7.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	2	-	2	32.0	3.8	3.8	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
07N	146E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	2	-	2	22.0	10.4	10.3	-	0.1	-	-	-	-
	149E	-	-	-	-	-	6	1	-	7	21.4	31.9	31.9	-	-	-	-	-	-
	150E	-	-	-	-	-	3	1	-	4	20.0*	22.5	22.5	-	-	-	-	-	-
	151E	-	-	-	-	-	2	-	-	2	21.5	9.5	9.5	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	21.5	0.3	0.3	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	24.0	13.0	13.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	2	-	4	24.0	37.0	37.0	-	-	-	-	-	-
	157E	-	-	-	-	-	3	-	-	3	17.0	11.0	10.6	-	-	-	-	-	0.4
	158E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	26.0	9.0	9.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	27.5	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	4	-	5	25.8	14.1	14.1	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	25.5	1.6	1.5	-	0.1	-	-	-	-
	*166E	-	-	-	-	-	-	3	-	3	24.6	8.9	8.5	-	0.4	-	-	-	-
	167E	-	-	-	-	-	5	-	-	5	24.8	8.5	8.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	27.0	0.5	0.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	32.0	0.4	0.2	-	0.1	-	-	-	0.1
	*174E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
06N	145E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	4	-	-	4	22.0	24.5	24.5	-	-	-	-	-	-
	147E	-	-	-	-	-	8	1	-	9	22.5	47.7	47.7	-	-	-	-	-	-
	148E	-	-	-	-	-	3	-	-	3	20.6	15.0	15.0	-	-	-	-	-	-
	149E	-	-	-	-	-	7	-	-	7	23.0	46.7	44.5	-	-	-	-	-	2.2
	150E	-	-	-	-	-	9	3	-	12	18.9*	67.9	67.3	-	0.4	-	-	-	0.2
	151E	-	-	-	-	-	2	1	-	3	22.0	15.1	15.0	-	0.1	-	-	-	-
	152E	-	-	-	-	-	10	-	-	10	18.0*	53.8	53.7	-	0.1	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JAN -3-005 JUN -012 1月下旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
06N 153E	-	-	-	-	-	8	1	-	9	18.7*	29.4	29.1	-	0.3	-	-	-	-
154E	-	-	-	-	-	2	1	-	3	21.5*	8.3	8.3	-	-	-	-	-	-
155E	-	-	-	-	-	3	3	-	6	19.6*	32.2	32.2	-	-	-	-	-	-
156E	-	-	-	-	-	5	5	-	10	18.6*	65.8	65.3	-	0.2	-	-	-	0.3
157E	-	-	-	-	-	1	3	-	4	20.0	36.5	36.5	-	-	-	-	-	-
158E	-	-	-	-	-	2	1	-	3	23.6	14.0	14.0	-	-	-	-	-	-
*160E	-	-	-	-	-	1	2	-	3	19.3	10.1	10.1	-	-	-	-	-	-
161E	-	-	-	-	-	1	1	-	2	26.0	4.5	4.5	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	23.0	19.7	19.0	-	0.3	-	-	-	0.4
163E	-	-	-	-	-	-	3	-	3	23.0	11.6	11.6	-	-	-	-	-	-
*165E	-	-	-	-	-	-	2	-	2	22.0	3.0	3.0	-	-	-	-	-	-
166E	-	-	-	-	-	1	1	-	2	25.5	5.5	5.5	-	-	-	-	-	-
167E	-	-	-	-	-	-	5	-	5	27.4	49.2	48.0	-	0.4	-	-	-	0.8
168E	-	-	-	-	-	1	1	-	2	26.5	2.0	1.5	-	0.5	-	-	-	-
169E	-	-	-	-	-	1	2	-	3	21.6	10.5	10.5	-	-	-	-	-	-
*171E	-	-	-	-	-	3	4	-	7	24.8	28.1	27.8	-	-	-	0.3	-	-
172E	-	-	-	-	-	-	2	-	2	27.5	5.0	5.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	3	-	3	28.6	17.5	17.5	-	-	-	-	-	-
174E	-	-	-	-	-	-	3	-	3	28.0	3.0	3.0	-	-	-	-	-	-
175E	-	-	-	-	-	1	-	-	1	32.0	0.5	0.5	-	-	-	-	-	-
05N 145E	-	-	-	-	-	2	-	-	2	19.5	4.0	4.0	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	20.0	5.5	5.0	-	0.5	-	-	-	-
150E	-	-	-	-	-	11	2	-	13	18.1	71.6	71.0	-	0.6	-	-	-	-
151E	-	-	-	-	-	3	1	-	4	18.2	20.0	20.0	-	-	-	-	-	-
152E	-	-	-	-	-	4	2	-	6	18.7*	19.1	17.8	-	0.6	-	-	-	0.7
153E	-	-	-	-	-	4	-	-	4	17.0*	12.5	12.5	-	-	-	-	-	-
154E	-	-	-	-	-	11	7	-	18	20.9*	141.1	139.8	-	-	-	-	-	1.3
155E	-	-	-	-	-	5	1	-	6	20.6	47.0	45.9	-	1.1	-	-	-	-
156E	-	-	-	-	-	2	-	-	2	22.0	10.5	10.5	-	-	-	-	-	-
*159E	-	-	-	-	-	1	1	-	2	23.0	1.0	1.0	-	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	17.0	0.1	-	-	-	-	-	-	0.1
161E	-	-	-	-	-	-	1	-	1	23.0	10.0	10.0	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	30.0	4.5	4.5	-	-	-	-	-	-
163E	-	-	-	-	-	1	4	-	5	25.8	16.5	16.5	-	-	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	24.5	15.0	15.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	8	-	8	23.6	33.7	33.7	-	-	-	-	-	-
167E	-	-	-	-	-	-	13	-	13	25.2	120.0	120.0	-	-	-	-	-	-
168E	-	-	-	-	-	2	10	-	12	25.7	40.0	40.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	11	-	11	25.2	53.6	53.6	-	-	-	-	-	-
170E	-	-	-	-	-	-	12	-	12	25.5	53.5	53.5	-	-	-	-	-	-
171E	-	-	-	-	-	-	13	-	13	24.4	60.0	59.0	-	-	-	0.5	-	0.5
172E	-	-	-	-	-	-	3	-	3	23.3	33.0	33.0	-	-	-	-	-	-
173E	-	-	-	-	-	1	5	-	6	27.5	48.0	48.0	-	-	-	-	-	-
*175E	-	-	-	-	-	-	2	-	2	24.0	0.3	0.3	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
04N 145E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	28.0	4.5	4.5	-	-	-	-	-	-
*149E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
150E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
151E	-	-	-	-	-	3	3	-	6	14.0*	63.5	63.5	-	-	-	-	-	-
152E	-	-	-	-	-	4	2	-	6	19.0*	45.0	45.0	-	-	-	-	-	-
153E	-	-	-	-	-	7	2	-	9	21.3*	21.0	20.5	-	0.5	-	-	-	-
04N 154E	-	-	-	-	-	19	6	-	25	18.8*	141.5	139.8	-	1.5	-	-	-	0.2
155E	-	-	-	-	-	3	-	-	3	18.5*	8.4	8.4	-	-	-	-	-	-
*157E	-	-	-	-	-	1	1	-	2	25.0	2.5	2.5	-	-	-	-	-	-
158E	-	-	-	-	-	2	-	-	2	27.0	5.7	5.5	-	0.2	-	-	-	-
159E	-	-	-	-	-	3	-	-	3	26.0	21.7	20.0	-	1.7	-	-	-	-
160E	-	-	-	-	-	1	2	-	3	22.6	12.7	12.5	-	0.2	-	-	-	-
161E	-	-	-	-	-	8	-	-	8	27.1	57.0	57.0	-	-	-	-	-	-
162E	-	-	-	-	-	2	1	-	3	24.6	6.5	6.5	-	-	-	-	-	-
163E	-	-	-	-	-	2	1	-	3	27.0	4.5	4.5	-	-	-	-	-	-
164E	-	-	-	-	-	-	3	-	3	22.6	9.0	9.0	-	-	-	-	-	-
165E	-	-	-	-	-	2	1	-	3	24.6	8.5	8.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
167E	-	-	-	-	-	2	6	-	8	25.8	23.8	23.8	-	-	-	-	-	-
168E	-	-	-	-	-	-	6	-	6	24.5	24.3	24.3	-	-	-	-	-	-
169E	-	-	-	-	-	-	3	-	3	24.6	23.0	23.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	2	-	2	21.5	10.0	10.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	4	-	4	22.5	20.0	20.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	8	-	8	22.2	36.5	36.5	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
174E	-	-	-	-	-	2	1	-	3	24.6	14.0	14.0	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
03N 147E	-	-	-	-	-	1	-	-	1	22.0	0.2	0.2	-	-	-	-	-	-
148E	-	-	-	-	-	3	-	-	3	27.0	10.7	10.7	-	-	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
*151E	-	-	-	-	-	2	-	-	2	18.5	20.0	20.0	-	-	-	-	-	-
152E	-	-	-	-	-	1	3	-	4	19.3*	26.0	26.0	-	-	-	-	-	-
153E	-	-	-	-	-	1	1	-	2	18.5	20.5	20.5	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
*158E	-	-	-	-	-	1	-	-	1	32.0	1.5	1.5	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*166E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
*168E	-	-	-	-	-	-	5	-	5	23.4	23.0	23.0	-	-	-	-	-	-
169E	-	-	-	-	-	1	1	-	2	27.0	4.5	4.5	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	21.0	1.6	1.6	-	-	-	-	-	-
*172E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
174E	-	-	-	-	-	-	4	-	4	26.0	15.0	15.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
02N 166E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
*173E	-	-	-	-	-	1	-	-	1	30.0	4.0	4.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	25.0	1.2	1.2	-	-	-	-	-	-
175E	-	-	-	-	-	1	1	-	2	27.5	3.5	3.5	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	29.0	4.0	4.0	-	-	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
01N 161E	-	-	-	-	-	2	-	-	2	21.0	20.0	20.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*174E	-	-	-	-	-	1	1	-	2	28.5	3.0	3.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JAN -3-007 JUN -014 1月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
01N	175E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
00N	167E	-	-	-	-	-	1	-	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	20.0	0.4	0.4	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*00S	162E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	7.0	7.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
01S	170E	-	-	-	-	-	-	2	-	2	21.0	1.1	1.1	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	20.0	3.2	3.2	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
02S	157E	-	-	-	-	-	2	-	-	2	17.0	11.0	11.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	4	-	-	4	17.0	26.5	26.5	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	20.0	0.7	0.7	-	-	-	-	-	-
03S	157E	-	-	-	-	-	2	-	-	2	17.0	7.0	7.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
04S	157E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.0	-	-	-	-	-	0.5
*08S	163E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.3

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -1-001 JUN -015 2月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
31N	139E	-	16	-	-	-	-	-	-	16	15.8*	9.5	0.1	-	9.4	-	-	-	-
30N	138E	-	44	-	-	-	-	-	-	44	15.4*	34.3	0.4	0.1	31.5	-	-	-	2.3
	*140E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*146E	-	6	-	-	-	-	-	-	6	13.0	3.1	-	1.1	0.1	-	1.0	-	0.9
29N	128E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.5	-	-	-	-
	*140E	-	5	-	-	-	-	-	-	5	14.6	1.5	0.1	-	0.5	-	-	-	0.9
	*146E	-	2	-	-	-	-	-	-	2	13.0	0.3	-	0.1	-	-	0.1	-	0.1
*27N	131E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	16.0	0.2	-	-	0.2	-	-	-	-
26N	135E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	15.0	2.3	0.1	-	2.2	-	-	-	-
25N	131E	-	1	-	-	-	-	-	-	1	25.0	-	-	-	-	-	-	-	-
24N	132E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*154E	-	6	-	-	-	-	-	-	6	13.0	7.3	-	-	7.0	-	-	-	0.3
23N	122E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
22N	120E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	121E	-	3	-	-	-	-	-	-	3	15.6	3.6	2.6	-	1.0	-	-	-	-
21N	120E	-	4	1	-	-	-	-	-	5	18.0	6.3	6.3	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	25.0	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*144E	-	4	-	-	-	-	-	-	4	16.2	11.3	11.3	-	-	-	-	-	-
	145E	-	2	-	-	-	-	-	-	2	14.5	6.0	6.0	-	-	-	-	-	-
20N	121E	-	1	-	-	-	-	-	-	1	11.0	8.0	8.0	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*144E	-	11	-	-	-	-	-	-	11	16.0*	37.0	35.7	-	1.3	-	-	-	-
	145E	-	12	-	-	-	-	-	-	12	16.6*	87.7	85.5	-	1.1	-	-	-	1.1
19N	132E	-	2	-	-	-	-	-	-	2	16.0	4.0	4.0	-	-	-	-	-	-
	*135E	-	3	-	-	-	-	-	-	3	16.0	3.0	3.0	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
19N	*145E	-	4	-	-	-	-	-	-	4	15.3*	30.6	29.8	-	0.7	-	-	-	0.1
18N	133E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	15.0	52.5	52.5	-	-	-	-	-	-
	136E	-	3	-	-	-	-	-	-	3	20.0	1.1	1.1	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	142E	-	8	-	-	-	-	-	-	8	15.6	9.5	-	-	9.5	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	16.0	0.3	-	-	0.3	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
17N	129E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.2	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	19.5	11.0	11.0	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	25.0	-	-	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	14.3	12.0	12.0	-	-	-	-	-	-
	135E	-	11	-	-	-	-	-	-	11	17.8	40.4	40.4	-	-	-	-	-	-
	136E	-	1	-	-	-	1	-	-	2	19.5	3.5	3.5	-	-	-	-	-	-
	*142E	-	3	-	-	-	-	-	-	3	15.3	3.2	-	-	3.2	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
16N	129E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.2	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	16.0	2.5	2.5	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	135E	-	4	-	-	-	-	-	-	4	16.0	9.7	9.5	-	0.2	-	-	-	-
	136E	-	5	-	-	-	-	-	-	5	18.0	15.0	15.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
15N	133E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	16.2	15.5	15.5	-	-	-	-	-	-
	135E	-	8	-	-	-	-	-	-	8	15.1	12.5	12.5	-	-	-	-	-	-
	136E	-	52	-	-	-	-	-	-	52	16.9*	160.1	160.1	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	17.5	6.0	6.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	2	-	2	22.0	21.0	21.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	5	-	5	28.8	27.5	27.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	3	-	3	29.3	18.0	18.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
14N	132E	-	3	-	-	-	-	-	-	3	15.0	1.3	1.3	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	19.0	9.0	9.0	-	-	-	-	-	-
	134E	-	13	-	-	-	-	-	-	13	16.0	12.9	12.4	-	-	-	-	-	0.5
	135E	-	3	-	-	-	-	1	-	4	16.5	6.3	6.3	-	-	-	-	-	-
	136E	-	3	-	-	-	-	2	-	5	20.2	15.0	14.5	-	-	-	-	-	0.5
	137E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	3	-	-	3	25.6	7.0	7.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -1-003 JUN -017 2月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
13N	133E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	134E	-	1	-	-	-	-	2	-	3	21.6	3.0	3.0	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	137E	-	-	-	-	-	1	-	-	1	26.0	0.2	0.2	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	1	-	2	19.5	7.0	7.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	11	-	11	24.9	63.5	63.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	4	-	4	21.5	32.5	32.5	-	-	-	-	.	-
12N	133E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	2	-	3	26.6	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	4	-	4	21.0	24.5	24.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	5	-	5	18.0	26.0	26.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
11N	129E	-	-	1	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*137E	-	-	-	-	-	-	2	-	2	24.0	5.0	5.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	28.0	3.5	3.5	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	30.0	13.0	13.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	29.0	13.5	13.5	-	-	-	-	-	-
	153E	-	-	-	-	-	1	3	-	4	27.2	49.0	49.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	18.0	7.0	7.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	18.0	5.0	5.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
10N	129E	-	-	3	-	-	-	-	-	3	17.0	9.0	9.0	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	17.0	1.5	1.5	-	-	-	-	-	-
	*136E	-	1	-	-	-	1	1	-	3	19.3	5.5	5.5	-	-	-	-	-	-
	137E	-	-	-	-	-	4	1	-	5	27.0	36.6	36.6	-	-	-	-	-	-
	138E	-	-	-	-	-	-	2	-	2	22.0	2.8	2.5	-	-	-	-	-	0.3
	139E	-	-	-	-	-	1	1	-	2	26.5	3.5	3.5	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	21.0	9.0	9.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	29.0	5.0	5.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	29.0	7.0	7.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	1.C	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	6.5	6.5	-	-	-	-	-	-
09N	134E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
09N	*137E	-	-	-	-	-	2	3	-	5	25.2	32.6	32.6	-	-	-	-	-	-
	138E	-	-	-	-	-	-	2	-	2	25.0	5.0	5.0	-	-	-	-	-	-
	139E	-	-	-	-	-	5	3	-	8	24.2	28.5	28.5	-	-	-	-	-	-
	140E	-	-	-	-	-	-	1	-	1	25.0	14.0	14.0	-	-	-	-	-	.
	141E	-	-	-	-	-	-	1	-	1	23.0	0.2	0.2	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	3	1	-	4	22.0	11.5	11.5	-	-	-	-	-	-
	146E	-	-	-	-	-	-	2	-	2	21.0	4.0	4.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	24.0	8.0	8.0	-	-	-	-	-	-
	148E	-	-	-	-	-	2	1	-	3	21.0	8.7	8.7	-	-	-	-	-	-
	149E	-	-	-	-	-	2	1	-	3	27.6	7.5	7.5	-	-	-	-	-	-
	150E	-	-	-	-	-	8	1	-	9	21.8	39.5	39.5	-	-	-	-	-	-
	151E	-	-	-	-	-	5	3	-	8	22.1	53.6	53.6	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	153E	-	-	-	-	-	3	6	-	9	26.1	21.9	21.9	-	-	-	-	-	-
	154E	-	-	-	-	-	3	-	-	3	26.0	22.0	20.0	-	-	-	-	-	2.0
	155E	-	-	-	-	-	4	-	-	4	25.7	36.5	36.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	2	-	2	24.0	28.5	27.0	-	1.5	-	-	-	-
	157E	-	-	-	-	-	1	2	-	3	22.3	29.0	29.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	21.0	7.0	7.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	26.0	3.0	2.0	-	-	-	0.5	-	0.5
	*163E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	20.0	9.0	9.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	2	-	3	23.6	10.0	10.0	-	-	-	-	-	-
	166E	-	-	-	-	-	2	1	-	3	26.0	6.0	6.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	19.0	6.0	6.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	2	-	2	18.0	16.0	16.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	18.0	13.0	13.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
08N	133E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	*138E	-	-	-	-	-	-	2	-	2	26.0	11.0	11.0	-	-	-	-	-	-
	139E	-	-	-	-	-	2	1	-	3	25.0	2.0	1.7	-	-	-	-	0.3	-
	140E	-	-	-	-	-	2	1	-	3	21.3	17.0	17.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	5	-	5	24.8	17.0	17.0	-	-	-	-	-	-
	142E	-	-	-	-	-	4	-	-	4	27.2	14.0	13.5	-	-	-	-	-	0.5
	143E	-	-	-	-	-	-	1	-	1	27.2	1.0	1.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	6	3	-	9	19.6	540.6	539.8	-	0.8	-	-	-	-
	151E	-	-	-	-	-	8	1	-	9	21.8	42.5	42.5	-	-	-	-	-	-
	152E	-	-	-	-	-	10	11	-	21	21.2	119.4	119.1	-	0.2	-	-	-	0.1
	153E	-	-	-	-	-	8	18	-	26	21.4	143.3	142.9	-	0.4	-	-	-	-
	154E	-	-	-	-	-	2	4	-	6	22.5	47.2	47.0	-	-	-	0.2	-	-
	155E	-	-	-	-	-	5	12	-	17	24.3	129.5	129.5	-	-	-	-	-	-
	156E	-	-	-	-	-	10	16	-	26	24.8*	174.2	174.2	-	-	-	-	-	-
	157E	-	-	-	-	-	1	17	-	18	24.4	145.7	145.4	-	0.3	-	-	-	-
	158E	-	-	-	-	-	10	10	-	20	24.6	134.4	134.3	-	0.1	-	-	-	-
	159E	-	-	-	-	-	3	2	-	5	25.4	32.0	32.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	20.0	5.0	5.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	1	-	2	26.5	6.0	6.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	3	-	4	23.0	16.0	16.0	-	-	-	-	-	-
	165E	-	-	-	-	-	3	5	-	8	26.1	37.8	37.0	-	0.8	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -1-005 JUN -019 2月上旬

漁場位置		屯数階層別操業隻数								平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
08N	166E	-	-	-	-	-	-	9	-	9	23.7	43.5	43.5	-	-	-	-	-	-
	167E	-	-	-	-	-	-	3	-	3	21.0	10.5	10.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	22.0	6.5	6.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	1	-	4	26.2	14.0	14.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	2	-	2	27.5	0.5	0.5	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	176E	-	-	-	-	-	1	1	-	2	26.5	12.0	12.0	-	-	-	-	-	-
07N	139E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	1	-	2	23.0	3.0	3.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	3	2	-	5	19.8	16.5	16.5	-	-	-	-	-	-
	148E	-	-	-	-	-	5	1	-	6	17.1	25.7	25.7	-	-	-	-	-	-
	149E	-	-	-	-	-	3	-	-	3	19.0	4.0	4.0	-	-	-	-	-	-
	150E	-	-	-	-	-	9	17	-	26	20.8*	119.8	119.3	-	0.2	-	-	-	0.3
	151E	-	-	-	-	-	8	16	-	24	22.4*	219.2	218.2	-	0.8	-	-	-	0.2
	152E	-	-	-	-	-	9	5	-	14	20.0	70.9	69.7	-	1.0	-	-	-	0.2
	153E	-	-	-	-	-	8	7	-	15	22.6	98.0	98.0	-	-	-	-	-	-
	154E	-	-	-	-	-	4	3	-	7	21.4	25.0	25.0	-	-	-	-	-	-
	155E	-	-	-	-	-	5	3	-	8	22.7	28.0	28.0	-	-	-	-	-	-
	156E	-	-	-	-	-	9	9	-	18	23.8	81.2	81.2	-	-	-	-	-	-
	157E	-	-	-	-	-	5	10	-	15	24.2*	92.1	91.5	-	0.3	-	-	-	0.3
	158E	-	-	-	-	-	8	6	-	14	24.5	78.7	77.7	-	0.8	-	-	-	0.2
	159E	-	-	-	-	-	5	5	-	10	24.2*	49.0	49.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	4	-	4	23.2	23.0	23.0	-	-	-	-	-	-
	161E	-	-	-	-	-	3	5	-	8	25.0	34.0	34.0	-	-	-	-	-	-
	162E	-	-	-	-	-	4	2	-	6	28.0	39.0	39.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	2	-	3	22.3	1.5	1.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	166E	-	-	-	-	-	2	1	-	3	24.3	6.0	6.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	2	-	3	21.6	11.5	11.5	-	-	-	-	-	-
	168E	-	-	-	-	-	4	3	-	7	23.5	23.0	23.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	3	-	3	24.3	8.0	8.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	4	-	5	24.2	24.2	24.2	-	-	-	-	-	-
	171E	-	-	-	-	-	2	-	-	2	26.0	11.0	11.0	-	-	-	-	-	-
	172E	-	-	-	-	-	1	-	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	30.0	2.5	2.4	-	0.1	-	-	-	-
	176E	-	-	-	-	-	1	1	-	2	29.0	9.5	9.5	-	-	-	-	-	-
	177E	-	-	-	-	-	1	5	-	6	26.5	46.5	46.5	-	-	-	-	-	-
	178E	-	-	-	-	-	1	2	-	3	30.0	11.5	11.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	28.0	5.0	4.0	-	1.0	-	-	-	-
06N	140E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	1	-	2	26.5	3.2	2.0	-	0.2	-	-	-	1.0
	144E	-	-	-	-	-	-	1	-	1	26.5	1.0	1.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	26.5	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	6	1	-	7	21.0	28.5	28.5	-	-	-	-	-	-
	147E	-	-	-	-	-	3	-	-	3	24.0	27.0	27.0	-	-	-	-	-	-
	148E	-	-	-	-	-	18	5	-	23	19.2	143.5	143.2	-	0.3	-	-	-	-
06N	149E	-	-	-	-	-	4	8	-	12	18.9*	60.6	60.6	-	-	-	-	-	-
	150E	-	-	-	-	-	2	6	-	8	21.4*	64.1	63.5	-	0.3	-	-	-	0.3
	151E	-	-	-	-	-	5	5	-	10	20.3*	37.8	37.8	-	-	-	-	-	-
	152E	-	-	-	-	-	7	6	-	13	20.5*	57.3	56.1	-	1.2	-	-	-	-
	153E	-	-	-	-	-	1	4	-	5	21.0	17.0	17.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	5	-	5	23.4	11.0	11.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	23.0	12.7	12.0	-	0.2	-	-	-	0.5
	156E	-	-	-	-	-	4	2	-	6	27.6	24.1	23.5	-	-	-	-	-	0.6
	157E	-	-	-	-	-	10	2	-	12	27.5	60.5	60.5	-	-	-	-	-	-
	158E	-	-	-	-	-	5	3	-	8	25.5	25.0	25.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	5	-	6	26.5	32.0	32.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	8	-	9	25.2	58.8	58.5	-	0.3	-	-	-	-
	161E	-	-	-	-	-	2	1	-	3	20.3	16.0	16.0	-	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	26.3	9.5	9.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	22.0	1.0	1.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	23.0	15.0	15.0	-	-	-	-	-	-
	166E	-	-	-	-	-	2	-	-	2	27.0	15.0	15.0	-		-	-	-	-
	167E	-	-	-	-	-	4	2	-	6	23.1	37.1	37.1	-		-	-	-	-
	168E	-	-	-	-	-	4	4	-	8	21.3	43.0	43.0	-		-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	23.0	3.0	2.5	-	-	-	0.5	-	-
	*171E	-	-	-	-	-	1	2	-	3	26.6	6.7	6.7	-	-	-	-	-	-
	172E	-	-	-	-	-	1	1	-	2	23.0	1.5	1.5	-	-	-	-	-	-
	173E	-	-	-	-	-	1	2	-	3	25.3	7.3	7.3	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	30.0	10.0	10.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	3	-	3	26.6	25.0	25.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	2	1	-	3	29.3	13.7	13.5	-	0.2	-	-	-	-
05N	145E	-	-	-	-	-	-	1	-	1	27.0	4.2	4.0	-	-	-	-	-	0.2
	146E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	2	-	2	22.0	14.0	14.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	1	-	2	19.0*	6.0	6.0	-	-	-	-	-	-
	149E	-	-	-	-	-	5	1	-	6	20.0*	10.5	10.5	-	-	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	24.0	6.2	6.2	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	-	3	-	3	21.5*	15.4	15.4	-	-	-	-	-	-
	153E	-	-	-	-	-	3	7	-	10	20.8	54.3	54.3	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	23.0	5.3	5.0	-	-	-	0.3	-	-
	160E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	2	-	3	25.0	11.5	11.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	25.0	4.0	4.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	1	2	-	3	22.6	3.5	3.5	-	-	-	-	-	-
	169E	-	-	-	-	-	4	1	-	5	23.6	11.0	11.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	5	-	5	23.0	15.4	14.4	-	-	-	0.5	-	0.5
	171E	-	-	-	-	-	3	3	-	6	26.0	11.3	11.3	-	-	-	-	-	-
	172E	-	-	-	-	-	1	7	-	8	23.1	17.0	17.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	8	-	9	26.2	21.0	21.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	4	-	4	27.0	7.4	7.4	-	-	-	-	-	-
	175E	-	-	-	-	-	-	4	-	4	26.2	2.8	2.8	-	-	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	28.0	1.3	1.3	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -1-007 JUN -021

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
05N *179E	-	-	-	-	-	1	2	-	3	27.3	9.5	9.5	-	-	-	-	-	-
04N 143E	-	-	-	-	-	-	1	-	1	27.0	14.0	14.0	-	-	-	-	-	-
*149E	-	-	-	-	-	2	1	-	3	18.3	14.0	14.0	-	-	-	-	-	-
150E	-	-	-	-	-	3	1	-	4	21.0	16.5	16.5	-	-	-	-	-	-
151E	-	-	-	-	-	6	3	-	9	23.1*	27.9	27.9	-	-	-	-	-	-
152E	-	-	-	-	-	3	1	-	4	16.0*	17.2	17.2	-	-	-	-	-	-
153E	-	-	-	-	-	-	3	-	3	23.6	11.0	11.0	-	-	-	-	-	-
154E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
*159E	-	-	-	-	-	2	1	-	3	26.3	2.7	2.0	-	0.5	-	-	-	0.2
160E	-	-	-	-	-	2	-	-	2	26.0	10.0	10.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	26.5	2.0	2.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	2	-	2	25.5	5.0	5.0	-	-	-	-	-	-
*167E	-	-	-	-	-	5	-	-	5	26.4	12.7	12.0	-	0.7	-	-	-	-
168E	-	-	-	-	-	2	1	-	3	27.3	7.2	7.0	-	0.2	-	-	-	-
*170E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
171E	-	-	-	-	-	2	3	-	5	24.6	4.0	4.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	20.0	2.0	2.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	8	-	8	22.7	22.5	22.5	-	-	-	-	-	-
174E	-	-	-	-	-	-	6	-	6	24.1	19.1	18.0	-	0.7	-	-	-	0.4
175E	-	-	-	-	-	-	8	-	8	24.0	26.0	26.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	4	-	4	25.5	5.0	5.0	-	-	-	-	-	-
177E	-	-	-	-	-	1	-	-	1	32.0	3.0	3.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	21.0	6.5	6.5	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
03N 141E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
151E	-	-	-	-	-	3	1	-	4	20.2	33.0	33.0	-	-	-	-	-	-
152E	-	-	-	-	-	5	4	-	9	19.1*	41.8	41.4	-	-	-	-	-	0.4
*159E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*163E	-	-	-	-	-	-	2	-	2	23.0	3.0	3.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
*168E	-	-	-	-	-	2	2	-	4	25.7	4.5	4.5	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	4	-	4	20.0	19.5	19.5	-	-	-	-	-	-
175E	-	-	-	-	-	-	7	-	7	22.7	16.1	16.1	-	-	-	-	-	-
176E	-	-	-	-	-	-	2	-	2	26.0	7.0	7.0	-	-	-	-	-	-
177E	-	-	-	-	-	1	1	-	2	27.5	3.0	3.0	-	-	-	-	-	-
*177W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
02N 163E	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
170E	-	-	-	-	-	2	-	-	2	21.0	1.5	1.5	-	-	-	-	-	-
171E	-	-	-	-	-	1	1	-	2	22.0	2.0	2.0	-	-	-	-	-	-
*175E	-	-	-	-	-	1	-	-	1	32.0	2.0	2.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
01N 162E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
01N 178E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	2	-	2	24.5	2.5	2.0	-	0.5	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
00N 154E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	23.0	0.7	0.7	-	-	-	-	-	-
168E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*170E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	23.0	4.8	4.8	-	-	-	-	-	-
*00S 166E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	20.0	0.2	0.2	-	-	-	-	-	-
*176E	-	-	-	-	-	-	2	-	2	20.0	0.4	0.4	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
01S 171E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	2	-	2	27.0	6.0	6.0	-	-	-	-	-	-
02S 170E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
171E	-	-	-	-	-	2	-	-	2	21.0	3.0	3.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	2	-	2	19.5	10.9	10.5	-	-	-	-	-	0.4
178W	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	2	-	2	25.0	2.1	2.1	-	-	-	-	-	-
03S 179W	-	-	-	-	-	-	2	-	2	18.0	1.0	1.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
177W	-	-	-	-	-	-	4	-	4	22.7	14.5	14.0	-	0.5	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	23.6	11.0	11.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	4	-	4	24.0	32.0	32.0	-	-	-	-	-	-
04S 178W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	28.0	2.2	2.0	-	0.2	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
05S 169E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.3
*179W	-	-	-	-	-	-	1	-	1	28.0	3.8	3.5	-	0.3	-	-	-	-
06S 158E	-	-	-	-	-	-	1	-	1	21.0	2.0	1.5	-	0.5	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	24.0	5.8	5.0	-	-	-	-	-	0.8
*172E	-	-	-	-	-	-	1	-	1	24.0	6.0	5.0	-	-	-	-	-	1.0
*175E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.3
07S 159E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -1-009 JUN -023 2月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
07S	160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.0	-	-	-	-	-	0.5
	*177E	-	-	-	-	-	-	3	-	3	24.0	19.0	19.0	-	-	-	-	-	-
*09S	162E	-	-	-	-	-	-	2	-	2	24.0	4.0	4.0	-	-	-	-	-	-
10S	162E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
11S	159E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
*13S	163E	-	-	-	-	-	-	1	-	1	21.0	8.0	8.0	-	-	-	-	-	-
*15S	165E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU   *** GYOJYO-BETSU TOUKEI ***   FEB -2-001   JUN -024   2月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
34N	141E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*31N	139E	-	12	-	-	-	-	-	-	12	17.8*	4.2	-	-	4.1	-	-	-	0.1
	*145E	-	1	-	-	-	-	-	-	1	13.0	1.8	-	0.5	-	-	0.2	-	..1
30N	138E	-	20	-	-	-	-	-	-	20	16.4	15.0	-	0.4	14.4	-	-	-	0.2
	*146E	-	1	-	-	-	-	-	-	1	13.0	1.5	-	0.3	-	-	0.2	-	1.0
29N	129E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	130E	-	3	-	-	-	-	-	-	3	15.6	8.0	8.0	-	-	-	-	-	-
	*140E	-	8	-	-	-	-	-	-	8	16.6*	5.2	-	2.0	3.0	-	-	-	0.2
	141E	-	1	-	-	-	-	-	-	1	16.6	9.9	9.5	-	0.3	-	-	-	0.1
28N	130E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	17.5	-	-	-	-	-	-	-	-
27N	127E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
26N	127E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
25N	124E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	13.0	2.0	1.8	-	-	-	-	-	0.2
24N	122E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	124E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	*126E	-	1	-	-	-	-	-	-	1	12.0	1.0	-	-	-	-	-	-	1.0
	*130E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	-	-	-	-	0.5
	131E	-	3	-	-	-	-	-	-	3	15.0	7.3	0.5	-	6.8	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	19.0	3.0	3.0	-	-	-	-	-	-
	*154E	-	2	-	-	-	-	-	-	2	13.0	1.5	-	-	1.2	-	-	-	0.3
23N	122E	-	1	-	-	-	-	-	-	1	14.0	0.3	0.3	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	14.0	1.7	1.0	0.4	-	-	-	-	0.3
	*125E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
22N	119E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	120E	-	10	-	-	-	-	-	-	10	17.4	9.1	9.0	0.1	-	-	-	-	-
	121E	-	5	-	-	-	-	-	-	5	18.2	1.0	1.0	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	123E	-	5	-	-	-	-	-	-	5	15.0	4.6	2.8	-	0.5	-	-	-	1.3
	124E	-	8	-	-	-	-	-	-	8	14.2	31.2	30.7	-	0.5	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	12.0	0.5	0.5	-	-	-	-	-	-
22N	*136E	-	1	-	-	-	-	-	-	1	18.0	0.1	0.1	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	17.0	1.1	0.1	-	0.7	-	-	-	0.3
	144E	-	1	-	-	-	-	-	-	1	15.0	1.8	1.8	-	-	-	-	-	-
21N	119E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	120E	-	33	2	-	-	-	-	-	35	16.8	47.5	40.3	-	5.7	-	-	-	1.5
	121E	-	17	-	-	-	-	-	-	17	15.0	47.1	43.5	-	0.1	-	-	-	3.5
	122E	-	6	-	-	-	-	-	-	6	14.1	35.7	35.7	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	12.0	4.0	4.0	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	23.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	23.0	4.5	2.0	-	-	-	2.5	-	-
	143E	-	2	-	-	-	-	-	-	2	15.5	3.6	2.8	-	0.3	-	-	-	0.5
	144E	-	8	-	-	-	-	-	-	8	16.3	22.8	22.6	-	0.2	-	-	-	-
	145E	-	11	-	-	-	-	-	-	11	17.6*	46.1	42.7	-	1.5	-	1.2	-	0.7
	146E	-	4	-	-	-	-	-	-	4	16.7	31.0	31.0	-	-	-	-	-	-
20N	119E	-	2	-	-	-	-	-	-	2	14.5	1.0	1.0	-	-	-	-	-	-
	120E	-	2	-	-	-	-	-	-	2	17.0	-	-	-	-	-	-	-	-
	121E	-	4	-	-	-	-	-	-	4	13.5	13.7	13.7	-	-	-	-	-	-
	*128E	-	2	-	-	-	-	-	-	2	12.0	6.4	6.0	-	0.4	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	1	-	-	2	20.5	2.6	-	-	2.5	-	-	-	0.1
	*144E	-	18	-	-	-	1	-	-	19	14.9	94.8	89.7	-	4.6	-	-	-	0.5
	145E	-	50	-	-	-	1	-	-	51	15.9*	275.5	252.4	-	20.8	-	0.5	-	1.8
	146E	-	3	-	-	-	-	-	-	3	14.0*	11.9	11.8	-	0.1	-	-	-	-
19N	128E	-	1	-	-	-	-	-	-	1	12.0	5.0	5.0	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	15.0	1.9	1.9	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	17.0	4.0	4.0	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*145E	-	1	-	-	-	1	-	-	2	19.0	26.6	26.6	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	31.0	0.3	0.3	-	-	-	-	-	-
18N	127E	-	1	-	-	-	-	-	-	1	12.0	1.0	0.5	-	0.5	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	20.0	10.0	10.0	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	21.0	7.0	7.0	-	-	-	-	-	-
	*133E	-	5	-	-	-	-	-	-	5	15.8	8.6	8.6	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	16.0	4.0	4.0	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	17.0	1.2	1.2	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	20.0	3.0	2.8	-	0.2	-	-	-	-
	*142E	-	3	-	-	-	-	-	-	3	15.0	3.0	-	-	3.0	-	-	-	-
	*144E	-	-	-	-	-	2	-	-	2	25.C	2.0	2.0	-	-	-	-	-	-
17N	130E	-	3	-	-	-	-	-	-	3	20.0	18.5	18.5	-	-	-	-	-	-
	*133E	-	3	-	-	-	-	-	-	3	15.0	11.5	11.5	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	18.0	6.1	5.5	-	0.5	0.1	-	-	-
	135E	-	8	-	-	-	-	-	-	8	18.1*	18.0	18.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　FEB -2-003　　　JUN -026　　　2月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
17N	136E	-	4	-	-	-	-	-	-	4	17.0	13.0	13.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	18.5	5.0	5.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
16N	132E	-	2	-	-	-	-	-	-	2	19.5	3.1	3.1	-	-	-	-	-	-
	133E	-	4	-	-	-	-	-	-	4	15.2	7.6	7.6	-	-	-	-	-	-
	134E	-	17	1	-	-	-	-	-	18	17.8*	38.6	37.0	-	0.7	-	0.4	-	0.5
	135E	-	26	-	-	-	-	-	-	26	17.2*	80.0	80.0	-	-	-	-	-	-
	136E	-	6	-	-	-	-	-	-	6	16.8	13.1	13.1	-	-	-	-	-	-
15N	133E	-	7	2	-	-	-	-	-	9	19.0	18.4	16.5	-	-	-	1.9	-	-
	134E	-	-	1	-	-	-	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	135E	-	1	2	-	-	-	-	-	3	23.3	4.8	4.5	-	0.3	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	16.0	3.7	3.7	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	1	-	2	20.0	10.0	10.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	24.5	3.5	3.5	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	27.0	0.5	0.5	-	-	-	-	-	-
14N	133E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	135E	-	2	1	-	-	-	-	-	3	20.6	5.0	5.0	-	-	-	-	-	-
	136E	-	3	-	-	-	-	-	-	3	19.0	16.0	16.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	2	-	-	2	21.5	3.5	3.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	3	-	3	22.6	15.0	15.0	-	-	-	-	-	-
13N	131E	-	5	-	-	-	-	-	-	5	16.6	14.0	14.0	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	18.0	6.0	6.0	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	17.2	3.5	3.5	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	17.5	1.0	1.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	14.0	0.2	0.2	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	23.0	6.0	6.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	27.0	8.0	8.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	13.0	13.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	32.0	0.5	0.5	-	-	-	-	-	-
12N	131E	-	2	-	-	-	-	-	-	2	14.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	14.0	7.0	7.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	21.0	2.0	2.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
12N	148E	-	-	-	-	-	2	1	-	3	24.3	6.2	6.2	-	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	21.0	6.0	6.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	2	-	-	2	28.0	7.5	7.5	-	-	-	-	-	-
	*154E	-	-	-	-	-	4	1	-	5	26.2	21.5	21.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
11N	130E	-	1	-	-	-	-	-	-	1	19.0	2.5	2.5	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	14.0	6.0	6.0	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*135E	-	3	-	-	-	-	-	-	3	18.0	14.2	14.2	-	-	-	-	-	-
	136E	-	7	-	-	-	-	1	-	8	17.1	45.0	45.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	15.5	14.0	14.0	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	-	-	2	21.0	15.0	15.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	24.0	9.0	9.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	3	-	5	25.6	15.5	15.5	-	-	-	-	-	-
	150E	-	-	-	-	-	13	2	-	15	24.3*	73.0	73.0	-	-	-	-	-	-
	151E	-	-	-	-	-	12	2	-	14	26.1*	83.5	81.5	-	-	-	-	-	2.0
	152E	-	-	-	-	-	15	3	-	18	27.0*	133.3	130.7	-	2.6	-	-	-	-
	153E	-	-	-	-	-	5	5	-	10	26.6	42.5	42.5	-	-	-	-	-	-
	154E	-	-	-	-	-	8	4	-	12	26.6	62.5	62.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	26.0	10.5	10.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	20.5	9.0	9.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	32.0	0.3	0.3	-	-	-	-	-	-
10N	132E	-	1	1	-	-	-	-	-	2	17.0	18.0	18.0	-	-	-	-	-	-
	133E	-	1	-	-	-	1	-	-	2	20.0	2.5	2.5	-	-	-	-	-	-
	134E	-	-	1	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	135E	-	2	2	-	-	-	-	-	4	15.0	9.5	9.5	-	-	-	-	-	-
	136E	-	14	-	-	-	-	-	-	14	15.6	56.0	56.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	16.5	3.0	3.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	2	-	2	21.0*	6.0	6.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	1	-	2	24.5	7.0	7.0	-	-	-	-	-	-
	144E	-	-	-	-	-	1	4	-	5	26.0	45.5	45.5	-	-	-	-	-	-
	145E	-	-	-	-	-	1	2	-	3	22.3	34.5	34.5	-	-	-	-	-	-
	146E	-	-	-	-	-	-	4	-	4	27.2	11.0	11.0	-	-	-	-	-	-
	147E	-	-	-	-	-	3	22	-	25	23.7	156.8	155.1	-	-	-	1.0	-	0.7
	148E	-	-	-	-	-	2	17	-	19	25.0	97.1	97.1	-	-	-	-	-	-
	149E	-	-	-	-	-	-	5	-	5	26.2*	23.0	23.0	-	-	-	-	-	-
	150E	-	-	-	-	-	17	17	-	34	23.8*	150.8	149.6	-	-	-	1.2	-	-
	151E	-	-	-	-	-	5	14	-	19	24.8*	95.5	95.5	-	-	-	-	-	-
	152E	-	-	-	-	-	3	3	-	6	22.3	21.0	21.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	8	-	9	22.6	36.0	36.0	-	-	-	-	-	-
	154E	-	-	-	-	-	15	7	-	22	24.9	81.0	81.0	-	-	-	-	-	-
	155E	-	-	-	-	-	5	4	-	9	26.6	36.5	36.5	-	-	-	-	-	-
	156E	-	-	-	-	-	4	3	-	7	25.7	23.0	23.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	23.0	8.0	8.0	-	-	-	-	-	-
	158E	-	-	-	-	-	2	1	-	3	24.0	16.0	16.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -2-005 JUN -028 2月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
10N	159E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	18.0	5.5	5.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	32.0	4.0	4.0	-	-	-	-	-	-
09N	139E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	5	-	5	24.0	25.0	25.0	-	-	-	-	-	-
	141E	-	-	-	-	-	1	13	-	14	23.2	157.2	157.2	-	-	-	-	-	-
	142E	-	-	-	-	-	7	12	-	19	25.5	136.3	135.5	-	0.2	-	0.1	-	0.5
	143E	-	-	-	-	-	5	10	-	15	24.6*	98.3	98.3	-	-	-	-	-	-
	144E	-	-	-	-	-	1	23	-	24	23.7	218.5	218.0	-	0.5	-	-	-	-
	145E	-	-	-	-	-	-	14	-	14	24.2	73.4	73.4	-	-	-	-	-	-
	146E	-	-	-	-	-	-	8	-	8	22.7	56.0	56.0	-	-	-	-	-	-
	147E	-	-	-	-	-	3	6	-	9	20.6	50.5	50.5	-	-	-	-	-	-
	148E	-	-	-	-	-	5	13	-	18	23.6	98.5	98.5	-	-	-	-	-	-
	149E	-	-	-	-	-	9	23	-	32	24.1*	147.2	147.2	-	-	-	-	-	-
	150E	-	-	-	-	-	21	16	-	37	22.1	147.6	147.5	-	-	-	-	-	0.1
	151E	-	-	-	-	-	21	11	-	32	21.6*	180.8	180.8	-	-	-	-	-	-
	152E	-	-	-	-	-	4	2	-	6	25.1	18.2	18.2	-	-	-	-	-	-
	153E	-	-	-	-	-	1	10	-	11	23.4	35.5	35.5	-	-	-	-	-	-
	154E	-	-	-	-	-	6	7	-	13	26.0	63.3	63.3	-	-	-	-	-	-
	155E	-	-	-	-	-	3	3	-	6	24.5	18.0	18.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	5	-	7	24.1	28.0	28.0	-	-	-	-	-	-
	157E	-	-	-	-	-	4	4	-	8	26.3	22.5	22.5	-	-	-	-	-	-
	158E	-	-	-	-	-	2	-	-	2	24.5	3.0	3.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	2	-	-	2	26.5	13.0	13.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	25.6	21.5	21.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	4	-	4	24.0	22.0	22.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	4	-	4	28.5	22.0	22.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	3	-	3	30.0	17.0	17.0	-	-	-	-	-	-
08N	140E	-	-	-	-	-	-	2	-	2	27.5	14.5	14.5	-	-	-	-	-	-
	141E	-	-	-	-	-	2	6	-	8	24.5	55.5	55.5	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	32 0	20.0	20.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	2	-	3	21.3	13.5	13.5	-	-	-	-	-	-
	144E	-	-	-	-	-	-	2	-	2	28.0	3.0	2.5	-	-	-	0.5	-	-
	145E	-	-	-	-	-	4	3	-	7	22.1	23.0	23.0	-	-	-	-	-	-
	146E	-	-	-	-	-	-	6	-	6	26.3	48.0	48.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	3	-	3	26.0	4.2	4.2	-	-	-	-	-	-
	149E	-	-	-	-	-	-	5	-	5	23.4	26.0	26.0	-	-	-	-	-	-
	150E	-	-	-	-	-	3	3	-	6	20.3	11.0	11.0	-	-	-	-	-	-
	151E	-	-	-	-	-	4	4	-	8	23.8	27.5	27.5	-	-	-	-	-	-
	152E	-	-	-	-	-	4	2	-	6	21.8	22.2	22.2	-	-	-	-	-	-
	153E	-	-	-	-	-	3	22	-	25	23.0	98.5	97.6	-	-	-	0.5	-	0.4
	154E	-	-	-	-	-	5	5	-	10	24.4	17.5	17.5	-	-	-	-	-	-
	155E	-	-	-	-	-	6	10	-	16	23.0	28.5	28.5	-	-	-	-	-	-
	156E	-	-	-	-	-	12	15	-	27	24.5*	78.0	77.0	-	1.0	-	-	-	-
	157E	-	-	-	-	-	12	5	-	17	26.5	54.2	54.2	-	-	-	-	-	-
	158E	-	-	-	-	-	3	3	-	6	25.0	21.5	21.0	-	-	-	-	-	0.5
	159E	-	-	-	-	-	1	2	-	3	25.6	7.5	7.5	-	-	-	-	-	-
08N	160E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.0	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	1	-	2	24.5	2.5	2.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	18.0	0.3	-	-	-	-	-	-	0.3
	168E	-	-	-	-	-	1	1	-	2	22.0	11.0	11.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	21.0	0.3	0.3	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	20.5	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	3	-	3	23.6	8.8	8.5	-	0.3	-	-	-	-
	176E	-	-	-	-	-	-	4	-	4	24.0	14.0	14.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	11	-	11	23.5	46.7	46.5	-	0.2	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
07N	141E	-	-	-	-	-	-	1	-	1	27.0	12.0	12.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	1	-	2	24.5	11.0	11.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	2	-	2	21.0	3.5	3.5	-	-	-	-	-	-
	146E	-	-	-	-	-	1	1	-	2	23.0	1.0	1.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	20.0	6.5	6.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	-	3	-	3	19.6	4.5	4.5	-	-	-	-	-	-
	150E	-	-	-	-	-	6	6	-	12	20.6*	26.1	26.1	-	-	-	-	-	-
	151E	-	-	-	-	-	4	2	-	6	20.1	26.3	25.2	-	-	-	-	-	1.1
	152E	-	-	-	-	-	1	5	-	6	28.8*	20.0	20.0	-	-	-	-	-	-
	153E	-	-	-	-	-	4	7	-	11	25.0	39.0	39.0	-	-	-	-	-	-
	154E	-	-	-	-	-	8	6	-	14	21.8	58.5	58.2	-	0.3	-	-	-	-
	155E	-	-	-	-	-	16	9	-	25	21.0	70.3	69.5	-	0.6	-	-	-	0.2
	156E	-	-	-	-	-	12	5	-	17	20.6*	32.2	32.2	-	-	-	-	-	-
	157E	-	-	-	-	-	2	8	-	10	22.7*	33.9	33.4	-	0.5	-	-	-	-
	158E	-	-	-	-	-	3	10	-	13	24.1	28.0	28.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	27.0	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	3	2	-	5	27.4	11.5	11.5	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	25.3	7.0	7.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	27.0	1.8	1.8	-	-	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	23.0	1.5	1.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	3	-	-	3	22.6	4.5	4.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	32.0	0.5	0.5	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	18.0	6.0	6.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	21.0	5.6	5.0	-	-	-	-	-	0.6
	178E	-	-	-	-	-	-	2	-	2	20.5	2.0	2.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
06N	141E	-	-	-	-	-	-	1	-	1	27.0	14.0	14.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	1	-	2	24.5	16.4	16.4	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	27.0	35.0	35.0	-	-	-	-	-	-
	144E	-	-	-	-	-	3	5	-	8	21.7	81.5	80.5	-	0.5	-	-	-	0.5
	*146E	-	-	-	-	-	-	3	-	3	24.0	8.0	8.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	3	-	3	23.0	6.5	6.5	-	-	-	-	-	-
	148E	-	-	-	-	-	6	3	-	9	20.5	25.0	25.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	3	-	4	23.2	5.3	5.3	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
06N 150E	-	-	-	-	-	-	4	-	4	25.3*	8.0	8.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	14	-	15	26.6	73.5	73.5	-	-	-	-	-	-
152E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
153E	-	-	-	-	-	-	2	-	2	27.5	4.0	4.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	4	-	5	27.6	11.0	11.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	6	-	6	25.6	13.0	13.0	-	-	-	-	-	-
156E	-	-	-	-	-	4	6	-	10	23.6	33.9	33.9	-	-	-	-	-	-
157E	-	-	-	-	-	3	11	-	14	25.8	53.9	53.9	-	-	-	-	-	-
158E	-	-	-	-	-	8	3	-	11	25.3*	17.9	17.8	-	0.1	-	-	-	-
159E	-	-	-	-	-	6	2	-	[illegible]	23.8	7.5	7.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	2	-	2	24.5	3.2	3.2	-	-	-	-	-	-
161E	-	-	-	-	-	5	-	-	5	19.6*	4.4	4.4	-	-	-	-	-	-
162E	-	-	-	-	-	2	1	-	3	24.6	3.0	3.0	-	-	-	-	-	-
163E	-	-	-	-	-	4	-	-	4	25.0*	2.7	2.7	-	-	-	-	-	-
164E	-	-	-	-	-	3	1	-	4	23.3*	1.5	1.5	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	32.0	0.3	0.3	-	-	-	-	-	-
166E	-	-	-	-	-	1	-	-	1	32.0	1.0	1.0	-	-	-	-	-	-
167E	-	-	-	-	-	5	2	-	7	20.7	47.5	47.5	-	-	-	-	-	-
168E	-	-	-	-	-	1	1	-	2	23.5	0.9	0.8	-	-	-	0.1	-	-
169E	-	-	-	-	-	-	1	-	1	32.0	0.2	0.2	-	-	-	-	-	-
170E	-	-	-	-	-	-	2	-	2	21.0	3.0	3.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	22.0	9.0	9.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	30.0	7.0	5.0	-	2.0	-	-	-	-
*179E	-	-	-	-	-	-	2	-	2	24.5	6.0	6.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	21.6	7.0	7.0	-	-	-	-	-	-
05N 143E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
*147E	-	-	-	-	-	-	2	-	2	21.0	12.0	12.0	-	-	-	-	-	-
148E	-	-	-	-	-	4	1	-	5	20.2	16.0	16.0	-	-	-	-	-	-
149E	-	-	-	-	-	2	4	-	6	20.3	27.5	27.0	-	-	-	-	-	0.5
150E	-	-	-	-	-	-	2	-	2	21.0	9.5	9.0	-	-	-	-	-	0.5
151E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
152E	-	-	-	-	-	2	5	-	7	21.1	13.5	13.5	-	-	-	-	-	-
153E	-	-	-	-	-	1	4	-	5	22.4	19.5	19.5	-	-	-	-	-	-
154E	-	-	-	-	-	5	5	-	10	23.6	33.0	33.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	1	-	2	28.5	5.0	5.0	-	-	-	-	-	-
156E	-	-	-	-	-	-	2	-	2	24.0	5.9	5.9	-	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	23.0	1.2	1.2	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
160E	-	-	-	-	-	3	1	-	4	22.5	4.5	4.5	-	-	-	-	-	-
161E	-	-	-	-	-	3	-	-	3	19.6	5.3	5.3	-	-	-	-	-	-
162E	-	-	-	-	-	3	-	-	3	25.0	9.0	8.5	-	-	-	-	-	0.5
163E	-	-	-	-	-	10	1	-	11	25.8	18.5	18.5	-	-	-	-	-	-
164E	-	-	-	-	-	1	2	-	3	20.6	2.9	2.9	-	-	-	-	-	-
165E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	1	-	-	1	27.0	0.5	0.5	-	-	-	-	-	-
167E	-	-	-	-	-	7	3	-	10	21.7	21.9	21.9	-	-	-	-	-	-
168E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
*175E	-	-	-	-	-	-	2	-	2	25.5	2.4	2.4	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	26.0	6.0	6.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	21.0	0.1	0.1	-	-	-	-	-	-
179E	-	-	-	-	-	-	3	-	3	26.3	6.4	6.4	-	-	-	-	-	-
05N *179W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
04N 143E	-	-	-	-	-	2	6	-	8	25.5	60.0	60.0	-	-	-	-	-	-
144E	-	-	-	-	-	3	-	-	3	22.0	19.0	19.0	-	-	-	-	-	-
145E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
146E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
147E	-	-	-	-	-	1	-	-	1	22.0	7.0	7.0	-	-	-	-	-	-
148E	-	-	-	-	-	1	1	-	2	21.5	6.5	6.5	-	-	-	-	-	-
149E	-	-	-	-	-	1	1	-	2	25.0	2.0	2.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	32.0	2.0	2.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	16.0	0.3	0.3	-	-	-	-	-	-
*153E	-	-	-	-	-	2	8	-	10	20.8	39.1	39.1	-	-	-	-	-	-
154E	-	-	-	-	-	2	7	-	9	25.7	28.0	28.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	16.0	3.3	2.6	-	0.7	-	-	-	-
156E	-	-	-	-	-	-	1	-	1	28.0	2.5	2.5	-	-	-	-	-	-
157E	-	-	-	-	-	1	-	-	1	26.0	0.3	0.3	-	-	-	-	-	-
158E	-	-	-	-	-	4	-	-	4	18.0	7.3	5.8	-	0.1	-	1.0	-	0.4
*160E	-	-	-	-	-	3	-	-	3	20.3	3.7	3.7	-	-	-	-	-	-
161E	-	-	-	-	-	3	-	-	3	22.0	7.9	7.8	-	0.1	-	-	-	-
162E	-	-	-	-	-	3	-	-	3	24.3	1.4	1.4	-	-	-	-	-	-
163E	-	-	-	-	-	2	-	-	2	22.5	5.0	5.0	-	-	-	-	-	-
164E	-	-	-	-	-	2	1	-	3	26.0	1.1	1.1	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	4	-	4	25.5	41.0	41.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	9	-	9	27.0	87.5	87.5	-	-	-	-	-	-
03N 146E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
147E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
*152E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*154E	-	-	-	-	-	2	-	-	2	19.0	5.5	5.5	-	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	32.0	1.0	1.0	-	-	-	-	-	-
*161E	-	-	-	-	-	1	-	-	1	21.0	4.5	4.5	-	-	-	-	-	-
162E	-	-	-	-	-	2	1	-	3	23.0	6.0	6.0	-	-	-	-	-	-
163E	-	-	-	-	-	2	-	-	2	26.0	1.5	1.5	-	-	-	-	-	-
164E	-	-	-	-	-	2	1	-	3	27.0	2.0	2.0	-	-	-	-	-	-
165E	-	-	-	-	-	2	-	-	2	25.5	1.5	1.5	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	2	-	2	25.5	6.0	6.0	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	21.0	3.5	3.5	-	-	-	-	-	-
02N 001E	-	-	-	-	-	-	1	-	1	23.0	3.5	3.4	-	-	-	0.1	-	-
*154E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
01N 001E	-	-	-	-	-	-	1	-	1	23.0	1.3	1.3	-	-	-	-	-	-
002E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
003E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
004E	-	-	-	-	-	-	1	-	1	23.0	5.8	5.7	-	0.1	-	-	-	-
*164E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	26.0	0.2	0.2	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　FEB -2-009　　　JUN -032　　　2月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
00N	002E	-	-	-	-	-	-	1	-	1	23.0	4.2	3.9	-	0.1	-	0.2	-	-
	003E	-	-	-	-	-	-	1	-	1	23.0	3.7	3.7	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*00S	171E	-	-	-	-	-	-	1	-	1	30.0	0.4	0.4	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
*02S	175E	-	-	-	-	-	-	2	-	2	27.0	7.5	7.5	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	21.0	3.3	3.0	-	-	-	-	-	0.3
	*175W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
03S	177E	-	-	-	-	-	-	3	-	3	24.0	29.8	29.5	-	-	-	-	-	0.3
04S	179W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
*06S	177E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
*11S	171E	-	-	-	-	-	-	3	-	3	21.0	26.5	24.0	-	1.5	-	-	-	1.0
12S	173E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*14S	172E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*16S	166E	-	-	-	-	-	-	2	-	2	21.0	12.0	11.0	-	1.0	-	-	-	-
17S	169E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
18S	168E	-	-	-	-	-	-	2	-	2	21.0	13.0	13.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　FEB -3-001　　JUN -033　　2月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
31N	130E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*139E	-	2	-	-	-	-	-	-	2	13.0	0.9	-	-	0.9	-	-	-	-
30N	127E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*130E	-	30	-	-	-	-	-	-	30	13.7	27.6	17.7	-	4.0	1.5	-	-	4.4
	131E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*138E	-	11	-	-	-	-	-	-	11	15.4	7.0	0.2	0.1	6.6	-	-	-	0.1
	*140E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
29N	128E	-	1	-	-	-	-	-	-	1	17.0	1.0	-	-	-	-	-	-	1.0
	*130E	-	17	-	-	-	-	-	-	17	14.7	25.2	17.0	0.4	4.0	0.4	-	-	3.4
	*140E	-	3	-	-	-	-	-	-	3	14.6	1.7	-	-	1.7	-	-	-	-
28N	130E	-	1	-	-	-	-	-	-	1	25.0	-	-	-	-	-	-	-	-
27N	126E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*131E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
26N	128E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
25N	122E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
24N	122E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	15.0	7.7	-	-	-	-	3.0	-	4.7
	130E	-	3	-	-	-	-	-	-	3	15.3	6.0	1.0	-	-	-	5.0	-	-
	131E	-	1	-	-	-	-	-	-	1	25.0	-	-	-	-	-	-	-	-
23N	122E	-	2	-	-	-	-	-	-	2	17.0*	2.5	2.0	-	-	-	-	-	0.5
	123E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*127E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	1	-	2	23.5	-	-	-	-	-	-	-	-
22N	120E	-	6	-	-	-	-	-	-	6	17.8	3.2	2.8	-	0.4	-	-	-	-
	121E	-	2	-	-	-	-	-	-	2	17.0	-	-	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	20.0	3.1	3.1	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	12.0	1.2	0.7	-	0.5	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	22.0	-	-	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
22N	134E	-	1	-	-	-	-	-	-	1	22.0	1.4	1.4	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	144E	-	2	-	-	-	-	-	-	2	13.0*	2.0	-	-	-	-	1.0	-	1.0
21N	119E	-	1	-	-	-	-	-	-	1	13.0	2.0	0.5	-	1.5	-	-	-	-
	120E	-	26	-	-	-	-	-	-	26	16.3*	32.7	32.7	-	-	-	-	-	-
	121E	-	6	-	-	-	-	-	-	6	15.1	0.9	0.9	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	17.0	3.2	3.2	-	-	-	-	-	-
	*124E	-	2	-	-	-	-	-	-	2	16.0	2.2	2.2	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	12.0	1.7	1.7	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	16.5	2.3	0.5	-	0.3	-	-	-	1.5
	144E	-	12	-	-	-	-	-	-	12	15.3*	48.9	48.3	-	0.4	-	-	-	0.2
	145E	-	5	-	-	-	-	-	-	5	15.6	14.4	14.4	-	-	-	-	-	-
20N	122E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	13.0	3.9	1.4	-	0.5	-	-	-	2.0
	*134E	-	2	-	-	-	-	-	-	2	23.0	2.5	2.5	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	136E	-	3	-	-	-	-	-	-	3	16.6	3.0	2.0	-	1.0	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	12.0	0.1	0.1	-	-	-	-	-	-
	*144E	-	10	-	-	-	1	-	-	11	16.1	35.4	34.0	-	1.3	-	-	-	0.1
	145E	-	25	-	-	-	-	-	-	25	16.2	121.4	120.1	-	1.2	-	-	-	0.1
	146E	-	8	-	-	-	1	-	-	9	16.3*	52.3	52.2	-	-	-	-	-	0.1
19N	121E	-	2	-	-	-	-	-	-	2	20.0	2.5	2.5	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	10.0	0.8	0.2	-	0.6	-	-	-	-
	*128E	-	2	-	-	-	-	-	-	2	18.5	15.5	15.5	-	-	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	19.0	4.9	4.9	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	18.0	8.5	8.5	-	-	-	-	-	-
	135E	-	1	-	-	-	-	1	-	2	21.5	0.5	0.5	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	12.0	7.1	7.1	-	-	-	-	-	-
	145E	-	17	-	-	-	-	-	-	17	15.4	96.8	96.7	-	0.1	-	-	-	-
	146E	-	7	-	-	-	1	-	-	8	16.1	20.0	20.0	-	-	-	-	-	-
18N	122E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.5	-	-	-	-
	*125E	-	2	-	-	-	-	-	-	2	18.0	3.0	3.0	-	-	-	-	-	-
	*129E	-	3	-	-	-	-	-	-	3	13.0*	10.0	9.5	-	-	-	-	-	0.5
	130E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	17.0	4.0	4.0	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	14.0	1.8	0.8	-	1.0	-	-	-	-
	*134E	-	3	-	-	-	-	-	-	3	20.3	4.0	4.0	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
17N	125E	-	2	-	-	-	-	-	-	2	13.0	4.0	1.5	-	0.5	-	-	-	2.0

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -3-003 JUN -035 2月下旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
17N *127E	-	2	-	-	-	-	-	-	2	16.5	11.0	11.0	-	-	-	-	-	-
128E	-	9	-	-	-	-	-	-	9	14.7	37.6	35.6	-	2.0	-	-	-	-
129E	-	6	-	-	-	-	-	-	6	15.3	45.3	42.8	-	-	-	-	-	2.5
130E	-	3	1	-	-	-	-	-	4	19.0	11.9	11.9	-	-	-	-	-	-
131E	-	2	-	-	-	-	-	-	2	21.0	7.1	7.1	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	21.0	6.0	6.0	-	-	-	-	-	-
*135E	-	14	2	-	-	-	-	-	16	20.5	94.3	94.3	-	-	-	-	-	-
136E	-	3	-	-	-	-	1	-	4	20.0	3.6	3.6	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
*147E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
16N 128E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
129E	-	1	-	-	-	-	-	-	1	13.0	6.0	6.0	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	19.0	6.5	6.5	-	-	-	-	-	-
134E	-	2	-	-	-	-	-	-	2	16.5	4.0	4.0	-	-	-	-	-	-
135E	-	9	-	-	-	-	-	-	9	21.5	45.0	45.0	-	-	-	-	-	-
*137E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	31.0	1.0	1.0	-	-	-	-	-	-
15N 135E	-	4	-	-	-	-	-	-	4	18.2	6.7	6.1	-	0.6	-	-	-	-
*144E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
145E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
*147E	-	-	-	-	-	1	1	-	2	26.0	8.5	8.5	-	-	-	-	-	-
148E	-	-	-	-	-	4	-	-	4	23.0	16.5	16.5	-	-	-	-	-	-
149E	-	-	-	-	-	1	1	-	2	28.0*	5.0	5.0	-	-	-	-	-	-
150E	-	-	-	-	-	4	-	-	4	31.0	42.5	42.5	-	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	31.0	10.0	10.0	-	-	-	-	-	-
14N 129E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*137E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
138E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*145E	-	-	-	-	-	1	-	-	1	18.0	3.5	3.5	-	-	-	-	-	-
146E	-	-	-	-	-	6	-	-	6	18.0	27.0	26.8	-	-	-	-	-	0.2
147E	-	-	-	-	-	8	-	-	8	25.3	53.5	53.5	-	-	-	-	-	-
148E	-	-	-	-	-	25	-	-	25	25.6*	103.0	101.5	-	-	-	1.5	-	-
149E	-	-	-	-	-	10	-	-	10	25.4*	24.5	24.5	-	-	-	-	-	-
150E	-	-	-	-	-	5	1	-	6	27.3	31.0	31.0	-	-	-	-	-	-
151E	-	-	-	-	-	5	4	-	9	25.2*	87.5	87.5	-	-	-	-	-	-
13N 131E	-	2	-	-	-	-	-	-	2	16.0	7.5	7.5	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	19.0	3.0	3.0	-	-	-	-	-	-
134E	-	1	-	-	-	-	-	-	1	25.0	3.8	3.8	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
*142E	-	-	-	-	-	1	3	-	4	19.2	19.5	19.5	-	-	-	-	-	-
*145E	-	-	-	-	-	3	-	-	3	29.3	18.5	18.5	-	-	-	-	-	-
146E	-	-	-	-	-	12	1	-	13	25.4*	73.0	73.0	-	-	-	-	-	-
147E	-	-	-	-	-	4	-	-	4	24.7	17.0	17.0	-	-	-	-	-	-
148E	-	-	-	-	-	4	-	-	4	25.2	15.5	15.5	-	-	-	-	-	-
149E	-	-	-	-	-	6	1	-	7	22.1	24.5	24.5	-	-	-	-	-	-
150E	-	-	-	-	-	4	-	-	4	26.5	20.0	20.0	-	-	-	-	-	-
151E	-	-	-	-	-	3	7	-	10	26.0*	106.5	106.5	-	-	-	-	-	-
13N 152E	-	-	-	-	-	1	-	-	1	28.0	3.5	3.5	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	-18.0	5.0	5.0	-	-	-	-	-	-
12N 131E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
*139E	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-
140E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*145E	-	-	-	-	-	3	1	-	4	19.0	22.0	22.0	-	-	-	-	-	-
146E	-	-	-	-	-	10	-	-	10	22.1	65.0	64.9	-	-	-	-	-	0.1
147E	-	-	-	-	-	4	2	-	6	26.0	29.5	29.5	-	-	-	-	-	-
148E	-	-	-	-	-	3	1	-	4	23.2	20.0	20.0	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	24.0	4.0	4.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
151E	-	-	-	-	-	6	-	-	6	23.8*	14.0	14.0	-	-	-	-	-	-
*154E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	28.0	0.5	0.5	-	-	-	-	-	-
11N 130E	-	2	-	-	-	-	-	-	2	16.0	7.0	7.0	-	-	-	-	-	-
131E	-	4	-	-	-	-	-	-	4	14.0	34.5	33.5	-	-	-	-	-	1.0
132E	-	2	-	-	-	-	-	-	2	17.0	19.6	19.6	-	-	-	-	-	-
133E	-	4	-	-	-	-	-	-	4	18.7	52.0	52.0	-	-	-	-	-	-
*139E	-	-	-	-	-	-	6	-	6	26.2*	43.5	43.5	-	-	-	-	-	-
140E	-	-	-	-	-	-	16	-	16	24.1*	94.3	94.3	-	-	-	-	-	-
141E	-	-	-	-	-	-	2	-	2	28.5	3.0	3.0	-	-	-	-	-	-
*143E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*145E	-	-	-	-	-	19	-	-	19	26.1	100.4	100.4	-	-	-	-	-	-
146E	-	-	-	-	-	16	1	-	17	24.2	92.5	92.0	-	0.5	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	27.0	15.0	15.0	-	-	-	-	-	-
148E	-	-	-	-	-	4	1	-	5	24.2	13.0	13.0	-	-	-	-	-	-
149E	-	-	-	-	-	5	-	-	5	24.6	11.0	11.0	-	-	-	-	-	-
150E	-	-	-	-	-	3	-	-	3	24.0	11.5	11.5	-	-	-	-	-	-
151E	-	-	-	-	-	12	1	-	13	23.7*	33.5	33.5	-	-	-	-	-	-
152E	-	-	-	-	-	5	-	-	5	25.0*	36.0	36.0	-	-	-	-	-	-
153E	-	-	-	-	-	-	3	-	3	26.0	15.0	15.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	27.0	5.5	5.5	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	18.0	1.0	0.5	-	-	-	-	-	0.5
156E	-	-	-	-	-	2	-	-	2	23.0	4.0	4.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	29.0	7.0	7.0	-	-	-	-	-	-
*160E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
10N 132E	-	1	-	-	-	-	-	-	1	10.0	5.0	5.0	-	-	-	-	-	-
*138E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
*140E	-	-	-	-	-	-	11	-	11	24.8	40.5	40.5	-	-	-	-	-	-
141E	-	-	-	-	-	-	4	-	4	23.7	14.0	14.0	-	-	-	-	-	-
142E	-	-	-	-	-	1	22	-	23	24.5	118.0	116.7	-	0.3	-	1.0	-	-
143E	-	-	-	-	-	1	18	-	19	23.4	61.1	61.1	-	-	-	-	-	-
144E	-	-	-	-	-	7	19	-	26	24.7	109.0	109.0	-	-	-	-	-	-
145E	-	-	-	-	-	2	6	-	8	22.5	32.7	31.5	0.6	0.6	-	-	-	-
146E	-	-	-	-	-	17	5	-	22	23.1	79.1	79.1	-	-	-	-	-	-
147E	-	-	-	-	-	1	1	-	2	27.0	11.0	11.0	-	-	-	-	-	-
148E	-	-	-	-	-	4	-	-	4	25.7	9.0	9.0	-	-	-	-	-	-
149E	-	-	-	-	-	5	3	-	8	24.1	31.5	31.5	-	-	-	-	-	-
150E	-	-	-	-	-	6	2	-	8	22.8	27.5	27.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** FEB -3-005 JUN -037 2月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
10N	151E	-	-	-	-	-	2	1	-	3	28.6	5.5	5.5	-	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	30.0*	4.0	4.0	-	-	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	16.0	7.8	7.8	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	4	-	-	4	27.0	23.5	23.5	-	-	-	-	-	-
	158E	-	-	-	-	-	3	-	-	3	27.0	14.0	14.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	23.0	2.5	2.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	27.0	2.5	2.5	-	-	-	-	-	-
	*163F	-	-	-	-	-	-	1	-	1	28.0	1.3	1.0	-	0.3	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
09N	140E	-	-	-	-	-	-	2	-	2	27.0	31.0	31.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	7	-	7	25.0	27.0	27.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	7	-	7	24.0*	24.0	24.0	-	-	-	-	-	-
	143E	-	-	-	-	-	4	24	-	28	24.6	141.1	141.1	-	-	-	-	-	-
	144E	-	-	-	-	-	7	21	-	28	24.0	154.9	154.9	-	-	-	-	-	-
	145E	-	-	-	-	-	2	30	-	32	24.3	146.5	146.3	-	-	-	-	-	0.2
	146E	-	-	-	-	-	-	6	-	6	27.1	27.1	27.0	-	0.1	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	24.5	1.0	1.0	-	-	-	-	-	-
	148E	-	-	-	-	-	2	3	-	5	21.2	17.2	17.2	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	150E	-	-	-	-	-	11	-	-	11	20.8	42.5	42.5	-	-	-	-	-	-
	151E	-	-	-	-	-	4	1	-	5	22.2	14.0	14.0	-	-	-	-	-	-
	152E	-	-	-	-	-	4	-	-	4	19.2	14.0	14.0	-	-	-	-	-	-
	153E	-	-	-	-	-	3	-	-	3	21.3	9.5	9.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	25.0	12.0	12.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	160E	-	-	-	-	-	3	1	-	4	26.2	10.5	10.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	26.0	9.5	9.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	26.5	0.2	0.2	-	-	-	-	-	-
	163E	-	-	-	-	-	-	2	-	2	19.0	3.5	3.0	-	0.5	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	27.0	3.1	3.0	-	-	-	0.1	-	-
	165E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	28.5	12.0	12.0	-	-	-	-	-	-
08N	139E	-	-	-	-	-	1	-	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	13	-	13	24.6	102.8	102.5	-	-	-	0.3	-	-
	141E	-	-	-	-	-	2	18	-	20	23.2*	133.3	130.1	-	1.0	-	-	-	2.2
	142E	-	-	-	-	-	3	20	-	23	24.4*	104.0	100.7	-	2.8	-	0.5	-	-
	143E	-	-	-	-	-	4	12	-	16	23.7	49.8	49.5	-	-	-	-	-	0.3
	144E	-	-	-	-	-	3	7	-	10	25.3*	21.9	21.5	-	0.3	-	-	-	0.1
	145E	-	-	-	-	-	1	4	-	5	24.6	19.3	19.3	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	25.0	12.5	12.5	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	149E	-	-	-	-	-	4	4	-	8	21.6	30.9	30.9	-	-	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	22.6	6.0	6.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	-	-	2	16.5	7.6	7.6	-	-	-	-	-	-
	153E	-	-	-	-	-	1	4	-	5	26.6	12.4	12.4	-	-	-	-	-	-
	154E	-	-	-	-	-	6	2	-	8	21.8*	13.9	13.9	-	-	-	-	-	-
	155E	-	-	-	-	-	-	3	-	3	25.3	15.0	15.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	23.2	12.5	12.5	-	-	-	-	-	-
08N	*159E	-	-	-	-	-	1	1	-	2	24.5	1.5	1.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	19.0	6.0	6.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	26.0	4.4	3.0	-	1.4	-	-	-	-
	164E	-	-	-	-	-	1	2	-	3	24.0	14.0	14.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	24.5	4.0	4.0	-	-	-	-	-	-
	166E	-	-	-	-	-	4	-	-	4	26.5	8.5	8.5	-	-	-	-	-	-
	167E	-	-	-	-	-	2	1	-	3	23.6	22.0	22.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	3	1	-	4	26.7	28.0	27.0	-	1.0	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
07N	137E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	*140E	-	-	-	-	-	5	16	-	21	25.3	106.6	106.1	-	0.5	-	-	-	-
	141E	-	-	-	-	-	2	27	-	29	23.3	193.0	193.0	-	-	-	-	-	-
	142E	-	-	-	-	-	4	21	-	25	24.6	161.9	160.3	-	1.5	-	-	-	0.1
	143E	-	-	-	-	-	1	23	-	24	23.0	119.0	118.0	-	-	-	0.5	-	0.5
	144E	-	-	-	-	-	-	11	-	11	24.6	58.0	58.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	28.0	10.0	10.0	-	-	-	-	-	-
	146E	-	-	-	-	-	-	3	-	3	22.6	13.0	13.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	1	-	2	22.0	2.0	2.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	24.0	7.0	7.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	20.6	3.4	3.4	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	24.0	8.0	8.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	17.0	2.9	2.9	-	-	-	-	-	-
	153E	-	-	-	-	-	1	1	-	2	24.0	6.0	6.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	16.0	4.0	4.0	-	-	-	-	-	-
	155E	-	-	-	-	-	4	-	-	4	21.7	6.5	6.5	-	-	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	19.5	9.0	8.5	-	-	-	-	-	0.5
	157E	-	-	-	-	-	3	-	-	3	17.6	10.0	10.0	-	-	-	-	-	-
	158E	-	-	-	-	-	2	2	-	4	25.6*	9.3	9.3	-	-	-	-	-	-
	159E	-	-	-	-	-	2	-	-	2	21.5	0.9	0.9	-	-	-	-	-	-
	160E	-	-	-	-	-	3	-	-	3	26.6	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	2	-	3	25.6	8.5	8.5	-	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	28.0	2.0	1.5	-	0.5	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	24.5	3.5	3.5	-	-	-	-	-	-
06N	139E	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	2	-	2	24.5	5.0	5.0	-	-	-	-	-	-
	141E	-	-	-	-	-	3	20	-	23	23.6	95.5	95.5	-	-	-	-	-	-
	142E	-	-	-	-	-	5	10	-	15	24.7	65.6	65.6	-	-	-	-	-	-
	143E	-	-	-	-	-	-	6	-	6	26.3	22.0	22.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	3	-	3	24.0	11.4	11.4	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	2	-	2	28.0	7.5	7.5	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	148E	-	-	-	-	-	2	1	-	3	22.6	2.1	2.1	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	20.0	7.0	7.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	4	-	4	21.5	9.0	9.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	3	-	3	19.3	6.0	6.0	-	-	-	-	-	-
	152E	-	-	-	-	-	-	2	-	2	24.0	12.0	12.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	1	-	2	18.5	2.8	2.8	-	-	-	-	-	-
	154E	-	-	-	-	-	-	2	-	2	25.0	6.0	6.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
06N 155E	-	-	-	-	-	1	-	-	1	19.0	5.0	5.0	-	-	-	-	-	-
156E	-	-	-	-	-	-	4	-	4	24.5	15.8	15.8	-	-	-	-	-	-
157E	-	-	-	-	-	1	2	-	3	22.6	5.5	5.5	-	-	-	-	-	-
158E	-	-	-	-	-	3	-	-	3	19.3	4.2	4.2	-	-	-	-	-	-
159E	-	-	-	-	-	-	2	-	2	21.0	0.7	0.7	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
•162E	-	-	-	-	-	1	1	-	2	26.5	0.5	0.5	-	-	-	-	-	-
•166E	-	-	-	-	-	-	1	-	1	26.0	0.1	0.1	-	-	-	-	-	-
167E	-	-	-	-	-	2	1	-	3	24.0	3.5	3.5	-	-	-	-	-	-
•170E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
05N 141E	-	-	-	-	-	-	2	-	2	26.5	8.0	8.0	-	-	-	-	-	-
•144E	-	-	-	-	-	-	1	-	1	28.0	4.5	3.5	-	1.0	-	-	-	-
•148E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
149E	-	-	-	-	-	5	-	-	5	17.6	7.3	7.3	-	-	-	-	-	-
150E	-	-	-	-	-	8	2	-	10	19.6	42.2	42.1	-	-		-	-	0.1
151E	-	-	-	-	-	3	5	-	8	19.7	26.2	26.2	-	-	-	-	-	-
152E	-	-	-	-	-	1	1	-	2	23.0	3.6	3.6	-	-	-	-	-	-
153E	-	-	-	-	-	1	-	-	1	19.0	0.1	0.1	-	-	-	-	-	-
154E	-	-	-	-	-	2	1	-	3	20.6	2.1	2.1	-	-	-	-	-	-
155E	-	-	-	-	-	4	-	-	4	19.0	13.5	13.5	-	-	-	-	-	-
156E	-	-	-	-	-	2	1	-	3	24.3	5.2	5.2	-	-	-	-	-	-
157E	-	-	-	-	-	3	1	-	4	19.0	11.7	11.4	-	0.3	-	-	-	-
158E	-	-	-	-	-	1	2	-	3	21.6	7.5	7.5	-	-	-	-	-	-
159E	-	-	-	-	-	2	-	-	2	19.0	6.4	6.4	-	-	-	-	-	-
•161E	-	-	-	-	-	2	-	-	2	26.0	4.0	4.0	-	-	-	-	-	-
162E	-	-	-	-	-	3	-	-	3	21.0	6.0	6.0	-	-	-	-	-	-
•166E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	26.0	6.0	6.0	-	-	-	-	-	-
•169E	-	-	-	-	-	-	2	-	2	23.0	6.0	6.0	-	-	-	-	-	-
•000W	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
04N 143E	-	-	-	-	-	-	1	-	1	24.0	4.5	3.0	-	0.5	-	-	-	1.0
144E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
•150E	-	-	-	-	-	2	-	-	2	18.0	4.5	4.5	-	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	20.0	4.0	4.0	-	-	-	-	-	-
•154E	-	-	-	-	-	1	2	-	3	24.0	2.5	2.5	-	-	-	-	-	-
155E	-	-	-	-	-	2	-	-	2	16.0	3.5	3.4	-	-	-	-	-	0.1
•158E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
•162E	-	-	-	-	-	1	-	-	1	26.0	2.0	2.0	-	-	-	-	-	-
•164E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
•166E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
•172E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
•175E	-	-	-	-	-	-	1	-	1	25.0	4.0	4.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
•179E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
03N 141E	-	-	-	-	-	-	1	-	1	26.0	1.5	1.5	-	-	-	-	-	-
•150E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
•157E	-	-	-	-	-	3	-	-	3	18.0	8.3	8.3	-	-	-	-	-	-
02N 002E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
003E	-	-	-	-	-	-	1	-	1	23.0	0.9	0.9	-	-	-	-	-	-
•157E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
•160E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
01N 000E	-	-	-	-	-	-	1	-	1	23.0	8.5	8.3	-	0.1	-	0.1	-	-
•002E	-	-	-	-	-	-	1	-	1	23.0	10.7	10.7	-	-	-	-	-	-
•141E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
•163E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
00N 149E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
•162E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
•00S 144E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
•147E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
•160E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
01S 004E	-	-	-	-	-	-	1	-	1	23.0	9.5	9.5	-	-	-	-	-	-
005E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
•03S 163E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
•05S 165E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
06S 165E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	21.0	11.0	11.0	-	-	-	-	-	-
•09S 168E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
10S 175W	-	-	-	-	-	-	1	-	1	30.0	20.0	20.0	-	-	-	-	-	-
•14S 176W	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -1-001 JUN -041 3月上旬

操業位置 POSITION		毛数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
34N	138E	-	2	-	-	-	-	-	-	2	14.0	1.8	1.0	0.5	-	-	-	-	0.3
33N	137E	-	13	-	-	-	-	-	-	13	13.9	43.1	41.3	0.4	-	-	-	-	1.4
	138E	-	5	-	-	-	-	-	-	5	15.5*	4.7	3.2	0.6	-	0.8	-	-	0.1
	139E	-	5	-	-	-	-	-	-	5	16.2	7.0	1.5	5.5	-	-	-	-	-
32N	138E	-	1	-	-	-	-	-	-	1	19.0	0.1	0.1	-	-	-	-	-	-
31N	129E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*139E	-	4	-	-	-	-	1	-	5	17.0*	3.6	0.6	-	2.9	-	-	-	0.1
30N	130E	2	28	-	-	-	-	-	-	30	13.8	27.0	6.1	3.4	3.7	13.7	-	-	0.1
	131E	1	-	-	-	-	-	-	-	1	10.0	0.2	0.2	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	*138E	-	12	-	-	-	-	-	-	12	14.0	8.8	1.0	0.5	7.1	-	-	-	0.2
29N	128E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	129E	-	7	-	-	-	-	-	-	7	13.0	5.1	0.1	-	3.4	-	-	-	1.6
	130E	3	81	-	-	-	-	-	-	84	14.5	98.2	24.3	0.6	31.6	23.0	1.5	-	17.2
	131E	-	4	-	-	-	-	-	-	4	14.5	1.9	1.0	-	0.5	-	-	-	0.4
	*140E	-	10	-	-	-	-	-	-	10	14.5	4.4	-	-	4.1	-	-	-	0.3
28N	128E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.0	-	-	-	-	-	0.5
	129E	-	1	-	-	-	-	-	-	1	14.0	0.5	-	0.5	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	22.5	-	-	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*137E	-	5	-	-	-	-	-	-	5	24.0	7.9	7.9	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
27N	127E	-	3	-	-	-	-	-	-	3	14.3	5.4	3.9	-	1.5	-	-	-	-
	128E	-	3	-	-	-	-	-	-	3	14.6	2.9	1.7	-	1.2	-	-	-	-
	*131E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	17.0	0.1	-	0.1	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	17.0	0.7	0.4	0.3	-	-	-	-	-
	*140E	-	6	-	-	-	-	-	-	6	13.3	9.4	4.8	4.5	-	-	-	-	0.1
	141E	-	3	-	-	-	-	-	-	3	13.3	0.1	-	-	0.1	-	-	-	-
26N	125E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	126E	-	2	-	-	-	-	-	-	2	19.0	2.8	2.8	-	-	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	17.0	2.5	0.5	-	-	-	2.0	-	-
	129E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*134E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*136E	-	5	-	-	-	-	-	-	5	17.3*	4.6	2.5	2.1	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	16.0	1.9	1.9	-	-	-	-	-	-
	*140E	-	11	-	-	-	-	-	-	11	15.0	17.3	7.3	5.7	4.1	-	-	-	0.2
26N	141E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
25N	126E	-	1	-	-	-	-	-	-	1	16.0	1.8	1.8	-	-	-	-	-	-
	*127E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*131E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	*136E	-	5	-	-	-	-	-	-	5	19.0*	7.5	7.5	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	138E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*141E	-	5	-	-	-	-	-	-	5	17.4	5.1	4.6	-	0.5	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
24N	122E	-	3	-	-	-	-	-	-	3	19.0	1.5	1.5	-	-	-	-	-	-
	123E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*141E	-	8	-	-	-	-	-	-	8	16.5*	10.2	10.0	-	0.2	-	-	-	-
	142E	-	4	-	-	-	-	-	-	4	17.2	5.0	5.0	-	-	-	-	-	-
23N	123E	-	2	-	-	-	-	-	-	2	17.0	1.0	1.0	-	-	-	-	-	-
	124E	-	2	-	-	-	-	-	-	2	14.5	3.9	3.9	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	16.0	0.4	0.4	-	-	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	16.0*	1.5	1.5	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
22N	120E	-	5	-	-	-	-	-	-	5	16 6	0.5	0.5	-	-	-	-	-	-
	121E	-	3	-	-	-	-	-	-	3	16.3	2.5	2.5	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	14.0	0.5	0.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
	*129E	-	2	-	-	-	-	-	-	2	19.0	0.5	0.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	17.0	10.6	10.5	-	0.1	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	16.5	1.0	1.0	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	12.0	2.5	0.5	-	2.0	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.3	-	-	-	-	-	0.2
	*142E	-	1	-	-	-	-	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	13.0*	-	-	-	-	-	-	-	-
21N	120E	-	17	-	-	-	-	-	-	17	16.5	15.4	13.4	-	2.0	-	-	-	-
	121E	-	2	-	-	-	-	-	-	2	13.5	-	-	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.5	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	21.0	1.7	1.7	-	-	-	-	-	-
	*127E	-	1	-	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	19.5	4.0	4.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -1-003 JUN -043 3月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	■.F.	B.E.	F.■.	ELS
21N	129E	-	5	-	-	-	-	-	-	5	18.0*	5.5	5.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	18.0	8.0	8.0	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*141E	-	2	-	-	-	-	-	-	2	16.0	0.3	-	-	0.2	-	-	-	0.1
	142E	-	6	-	-	-	-	-	-	6	13.0	5.1	4.3	0.8	-	-	-	-	-
	143E	-	18	-	-	-	-	-	-	18	16.0	19.6	16.1	-	2.9	-	-	-	0.6
	144E	-	9	-	-	-	-	-	-	9	16.1	17.5	13.7	-	1.5	-	-	-	2.3
	145E	-	5	-	-	-	-	-	-	5	16.6	4.9	3.0	-	1.0	-	0.4	-	0.5
20N	126E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
	127E	-	2	-	-	-	-	-	-	2	14.0*	2.5	2.5	-	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*130E	-	2	1	-	-	-	-	-	3	16.0	5.1	5.1	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	23.0	11.3	11.3	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	15.0	0.4	0.4	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	15.0	0.2	-	-	0.2	-	-	-	-
	*142E	-	11	-	-	-	-	-	-	11	15.3	15.8	13.5	-	0.5	-	-	-	1.8
	143E	-	9	-	-	-	-	-	-	9	15.3	22.9	16.0	-	5.8	-	-	-	1.1
	144E	-	32	-	-	-	-	-	-	32	15.3*	69.3	61.5	-	6.1	-	-	-	1.7
	145E	-	6	-	-	-	-	-	-	6	14.6	10.7	2.4	-	7.9	-	-	-	0.4
	146E	-	3	-	-	-	-	-	-	3	14.6	3.2	3.0	-	0.1	-	-	-	0.1
	*148E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
19N	126E	-	2	-	-	-	-	-	-	2	17.0	12.3	12.3	-	-	-	-	-	-
	127E	-	1	2	-	-	-	-	-	3	18.6	12.0	10.5	-	-	-	-	-	1.5
	128E	-	4	-	-	-	-	-	-	4	19.6*	9.3	9.3	-	-	-	-	-	-
	129E	-	3	1	-	-	-	-	-	4	16.0*	11.5	11.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	12.0	2.0	1.0	-	1.0	-	-	-	-
	133E	-	4	-	-	-	-	-	-	4	17.7	7.5	7.5	-	-	-	-	-	-
	134E	-	4	-	-	-	1	-	-	5	22.2	11.8	11.8	-	-	-	-	-	-
	135E	-	7	-	-	-	-	-	-	7	19.1	19.8	19.8	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*143E	-	2	-	-	-	-	-	-	2	17.0	2.0	2.0	-	-	-	-	-	-
	144E	-	10	-	-	-	-	-	-	10	19.9	15.4	12.2	-	2.0	-	0.3	-	0.9
	145E	-	5	-	-	-	-	-	-	5	19.6	8.4	8.0	-	0.3	-	-	-	0.1
	146E	-	2	-	-	-	-	-	-	2	18.5	1.0	1.0	-	-	-	-	-	-
18N	126E	-	2	-	-	-	-	-	-	2	14.5	5.0	5.0	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	16.0	7.C	7.0	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	16.5	15.0	13.0	-	2.0	-	-	-	-
	129E	-	7	-	-	-	-	-	-	7	21.1	55.2	55.2	-	-	-	-	-	-
	130E	-	6	1	-	-	-	-	-	7	19.3*	22.9	22.9	-	-	-	-	-	-
	131E	-	4	1	-	-	-	-	-	5	19.6	14.1	14.1	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	16.6	7.5	6.5	-	1.0	-	-	-	-
	*134E	-	7	-	-	-	-	-	-	7	18.2	22.7	22.7	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	136E	-	-	3	-	-	-	-	-	3	16.0	25.5	25.5	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	19.0	3.2	3.2	-	-	-	-	-	-
17N	126E	-	1	-	-	-	-	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	127E	-	8	-	-	-	-	-	-	8	15.0*	27.8	27.8	-	-	-	-	-	-
	128E	-	4	-	-	-	-	-	-	4	18.0*	16.0	15.3	-	-	-	-	-	0.7
	129E	-	3	-	-	-	-	-	-	3	22.5*	10.0	10.0	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	19.0	3.0	3.0	-	-	-	-	-	-
	131E	-	4	-	-	-	-	-	-	4	19.0	19.3	19.3	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	18.5	5.0	5.0	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	24.5	3.5	3.5	-	-	-	-	-	-
	135E	-	2	-	-	-	-	-	-	2	17.5	2.5	2.5	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	17.5	0.5	0.5	-	-	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
16N	130E	-	1	-	-	-	1	-	-	2	22.0	4.5	4.5	-	-	-	-	-	-
	131E	-	5	-	-	-	-	-	-	5	19.0	38.4	38.4	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*134E	-	1	1	-	-	-	-	-	2	22.5	2.5	2.5	-	-	-	-	-	-
	135E	-	9	-	-	-	1	-	-	10	20.1	49.9	49.9	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	145E	-	1	-	-	-	-	1	-	2	23.5	0.5	0.5	-	-	-	-	-	-
15N	131E	-	8	-	-	-	-	-	-	8	19.3	51.4	48.7	-	2.7	-	-	-	-
	132E	-	9	-	-	-	-	-	-	9	17.0	85.5	81.1	-	4.0	-	-	-	0.4
	133E	-	3	-	-	-	-	-	-	3	19.3	20.5	20.5	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	18.0	9.0	9.0	-	-	-	-	-	-
	*138E	-	-	-	-	-	-	1	-	1	21.0	0.7	0.7	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	2	2	-	4	21.7	13.0	13.0	-	-	-	-	-	-
	147E	-	-	-	-	-	7	1	-	8	22.8	31.8	31.8	-	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	27.0	10.5	10.5	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	31.0	2.0	2.0	-	-	-	-	-	-
14N	131E	-	2	-	-	-	-	-	-	2	20.0	3.5	3.5	-	-	-	-	-	-
	132E	-	7	1	-	-	-	-	-	8	17.7	55.0	54.5	0.5	-	-	-	-	-
	133E	-	6	-	-	-	-	-	-	6	18.6	26.0	26.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	2	1	-	3	23.3	10.0	10.0	-	-	-	-	-	-
	144E	-	-	-	-	-	3	1	-	4	22.3*	12.9	12.9	-	-	-	-	-	-
	145E	-	-	-	-	-	8	5	-	13	22.0*	29.0	29.0	-	-	-	-	-	-
	146E	-	-	-	-	-	44	7	-	51	21.7*	181.5	181.5	-	-	-	-	-	-
	147E	-	-	-	-	-	43	10	-	53	22.6*	166.7	166.7	-	-	-	-	-	-
	148E	-	-	-	-	-	10	6	-	16	23.2	46.1	45.1	-	-	-	-	-	1.0
	149E	-	-	-	-	-	8	2	-	10	27.0	29.5	29.5	-	-	-	-	-	-
	150E	-	-	-	-	-	14	2	-	16	26.8	40.5	40.5	-	-	-	-	-	-
	151E	-	-	-	-	-	6	1	-	7	27.0*	31.0	31.0	-	-	-	-	-	-
13N	132E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	15.0	4.0	4.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	23	22	-	45	23.5	152.4	152.4	-	-	-	-	-	-
	146E	-	-	-	-	-	16	18	-	34	25.2	257.8	257.8	-	-	-	-	-	-
	147E	-	-	-	-	-	39	17	-	56	23.0*	208.5	208.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　MAR -1-005　　　JUN -045　　　3月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
13N	148E	-	-	-	-	-	34	11	-	45	24.2*	151.7	151.7	-	-	-	-	-	-
	149E	-	-	-	-	-	9	8	-	17	24.8*	74.0	74.0	-	-	-	-	-	-
	150E	-	-	-	-	-	6	-	-	6	23.3	12.0	12.0	-	-	-	-	-	-
	151E	-	-	-	-	-	12	3	-	15	25.7*	57.0	57.0	-	-	-	-	-	-
	152E	-	-	-	-	-	7	6	-	13	26.4	70.7	70.5	-	0.2	-	-	-	-
12N	131E	-	3	-	-	-	-	-	-	3	20.6	27.5	27.5	-	-	-	-	-	-
	132E	-	4	2	-	-	-	-	-	6	23.0	73.6	73.6	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	22.0	7.0	7.0	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	2	-	2	22.0	1.0	1.0	-	-	-	-	-	-
	145E	-	-	-	-	-	11	1	-	12	21.0	46.4	46.4	-	-	-	-	-	-
	146E	-	-	-	-	-	17	17	-	34	23.5	134.5	134.5	-	-	-	-	-	-
	147E	-	-	-	-	-	20	23	-	43	24.1*	190.0	189.5	-	-	-	-	-	0.5
	148E	-	-	-	-	-	17	8	-	25	23.4	76.4	76.4	-	-	-	-	-	-
	149E	-	-	-	-	-	27	10	-	37	22.3*	106.8	106.8	-	-	-	-	-	-
	150E	-	-	-	-	-	27	11	-	38	23.6	136.2	136.0	-	0.2	-	-	-	-
	151E	-	-	-	-	-	16	9	-	25	24.6	88.8	88.8	-	-	-	-	-	-
	152E	-	-	-	-	-	2	-	-	2	22.0	3.2	3.2	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	26.0	9.0	9.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	2	-	3	28.6	12.0	12.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	29.0	4.5	4.5	-	-	-	-	-	-
11N	131E	-	-	2	-	-	-	-	-	2	16.0	21.0	21.0	-	-	-	-	-	-
	132E	-	3	2	-	-	-	-	-	5	18.6	45.0	45.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	18.0	15.2	15.2	-	-	-	-	-	-
	*139E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	140E	-	-	-	-	-	-	1	-	1	24.0	6.0	6.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	14	20	-	34	21.6*	141.4	141.2	-	-	-	-	-	0.2
	146E	-	-	-	-	-	6	27	-	33	23.1*	127.6	127.6	-	-	-	-	-	-
	147E	-	-	-	-	-	-	3	-	3	26.3	13.0	13.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	149E	-	-	-	-	-	6	1	-	7	22.5	36.0	36.0	-	-	-	-	-	-
	150E	-	-	-	-	-	7	3	-	10	23.2	28.7	28.7	-	-	-	-	-	-
	151E	-	-	-	-	-	4	1	-	5	20.2	21.3	21.3	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	25.0	9.0	9.0	-	-	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	29.0	6.0	6.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	23.0	4.5	4.5	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	2	-	4	26.7	27.9	26.5	-	1.3	-	0.1	-	-
	157E	-	-	-	-	-	2	1	-	3	26.0	18.0	18.0	-	-	-	-	-	-
10N	140E	-	-	-	-	-	-	1	-	1	19.0	3.0	1.0	-	2.0	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	143E	-	-	-	-	-	-	2	-	2	25.5	3.5	3.5	-	-	-	-	-	-
	144E	-	-	-	-	-	-	10	-	10	22.5	30.7	30.0	-	-	-	0.7	-	-
	145E	-	-	-	-	-	2	14	-	16	25.1	46.5	46.5	-	-	-	-	-	-
	146E	-	-	-	-	-	5	43	-	48	23.8	228.0	228.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	20	-	22	24.3	103.7	103.7	-	-	-	-	-	-
	*149E	-	-	-	-	-	3	3	-	6	25.8	14.5	14.5	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	23.0	7.0	7.0	-	-	-	-	-	-
10N	151E	-	-	-	-	-	2	-	-	2	24.0	3.1	3.1	-	-	-	-	-	-
	152E	-	-	-	-	-	2	1	-	3	19.6	5.3	4.8	-	0.5	-	-	-	-
	153E	-	-	-	-	-	2	2	-	4	18.0	17.5	17.5	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	19.0	7.5	6.5	-	0.5	-	0.5	-	-
	*157E	-	-	-	-	-	4	-	-	4	25.2	28.0	28.0	-	-	-	-	-	-
	158E	-	-	-	-	-	2	3	-	5	23.6	32.0	31.5	-	0.5	-	-	-	-
09N	139E	-	-	-	-	-	1	-	-	1	15.0	0.3	0.3	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	2	-	2	28.0*	4.0	4.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	5	-	5	25.0	16.1	16.1	-	-	-	-	-	-
	144E	-	-	-	-	-	2	13	-	15	24.2*	59.5	59.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	6	-	6	28.5	49.0	49.0	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	21.0	4.0	4.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	2	-	2	24.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	2	-	-	2	18.0	7.7	7.7	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	16.0	5.0	5.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	19.0	5.0	5.0	-	-	-	-	-	-
08N	140E	-	-	-	-	-	1	3	-	4	23.0	41.0	41.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	4	-	4	25.7	22.0	22.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	29.0	6.5	6.5	-	-	-	-	-	-
	143E	-	-	-	-	-	-	5	-	5	26.5*	11.1	11.1	-	-	-	-	-	-
	144E	-	-	-	-	-	1	3	-	4	23.7	6.5	6.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	24.0	1.0	[illegible]	-	-	-	-	-	-
	146E	-	-	-	-	-	-	17	-	17	23.9	73.5	[illegible]	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	28.0*	9.5	9.5	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	4	-	4	22.0	16.5	16.5	-	-	-	-	-	-
	151E	-	-	-	-	-	-	4	-	4	22.0	16.0	16.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	23.0	6.5	6.5	-	-	-	-	-	-
	153E	-	-	-	-	-	-	3	-	3	24.3	6.5	6.5	-	-	-	-	-	-
	154E	-	-	-	-	-	3	-	-	3	21.0	17.5	17.5	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
07N	140E	-	-	-	-	-	-	2	-	2	27.5	14.0	14.0	-	-	-	-	-	-
	141E	-	-	-	-	-	1	3	-	4	26.5	20.0	20.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	5	-	5	26.8	38.0	38.0	-	-	-	-	-	-
	143E	-	-	-	-	-	-	6	-	6	27.0	26.8	24.5	-	1.0	-	1.3	-	-
	144E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	146E	-	-	-	-	-	-	2	-	2	23.0	8.5	8.5	-	-	-	-	-	-
	147E	-	-	-	-	-	1	3	-	4	25.3*	11.5	11.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	5	-	5	26.0	25.5	25.5	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	26.0	12.5	12.0	-	0.5	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	17.0	2.8	2.8	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	1	-	2	21.5	3.6	3.6	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	18.0	1.4	1.4	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	21.0	6.5	6.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAR -1-007　　JUN -047　　3月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
06N	139E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	•141E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	4	-	4	25.5	7.1	7.1	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	•149E	-	-	-	-	-	2	2	-	4	27.0•	14.0	14.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	27.0	6.5	6.5	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
05N	142E	-	-	-	-	-	-	5	-	5	26.6	27.5	27.5	-	-	-	-	-	-
	•144E	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	•147E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
04N	142E	-	-	-	-	-	-	3	-	3	25.0	12.5	12.5	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	•151E	-	-	-	-	-	-	1	-	1	28.0	4.5	4.5	-	-	-	-	-	-
	•002W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
03N	001W	-	-	-	-	-	-	1	-	1	23.0	2.1	1.9	-	0.1	-	0.1	-	-
02N	000E	-	-	-	-	-	-	1	-	1	23.0	11.7	11.1	-	0.2	-	0.4	-	-
	•150E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	•000W	-	-	-	-	-	-	2	-	2	23.0	36.8	36.7	-	-	-	0.1	-	-
01N	000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
•00S	002E	-	-	-	-	-	-	1	-	1	23.0	5.3	5.3	-	-	-	-	-	-
01S	005E	-	-	-	-	-	-	3	-	3	23.0	23.9	23.4	-	0.5	-	-	-	-
02S	162E	-	-	-	-	-	-	1	-	1	30.0	48.0	48.0	-	-	-	-	-	-
03S	162E	-	-	-	-	-	-	1	-	1	30.0	28.0	28.0	-	-	-	-	-	-
•05S	162E	-	-	-	-	-	-	1	-	1	30.0	6.0	6.0	-	-	-	-	-	-
06S	164E	-	-	-	-	-	-	2	-	2	30.0	8.5	8.5	-	-	-	-	-	-
07S	165E	-	-	-	-	-	-	1	-	1	30.0	10.0	10.0	-	-	-	-	-	-
08S	166E	-	-	-	-	-	-	1	-	1	30.0	9.0	9.0	-	-	-	-	-	-
•10S	168E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
•13S	171E	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -2-001 JUN -049 3月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
34N	137E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	138E	-	23	-	-	-	-	-	-	23	17.3*	59.4	46.6	11.2	1.0	-	-	-	0.6
	139E	-	9	-	-	-	-	-	-	9	17.2*	30.7	23.0	7.7	-	-	-	-	-
	140E	-	3	-	-	-	-	-	-	3	16.0	17.9	15.7	2.0	-	-	-	-	0.2
33N	132E	-	1	-	-	-	-	-	-	1	16.0	2.4	0.9	-	-	-	-	-	1.5
	*137E	-	18	1	-	-	-	-	-	19	17.2	26.1	24.6	1.5	-	-	-	-	-
	138E	-	214	2	-	-	-	-	-	216	15.6*	633.6	418.4	202.7	2.9	-	-	-	9.6
	139E	-	30	-	-	-	-	-	-	30	16.1*	106.3	49.3	55.7	0.7	-	-	-	0.6
	140E	-	21	-	-	-	-	-	-	21	15.8*	43.9	38.6	4.7	0.1	-	-	-	0.5
32N	133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*136E	-	3	-	-	-	-	-	-	3	17.6	4.0	4.0	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	18.6	3.8	0.3	-	-	-	-	-	3.5
	138E	-	9	-	-	-	-	-	-	9	18.3*	37.5	37.4	0.1	-	-	-	-	-
	139E	-	3	-	-	-	-	-	-	3	22.0	5.5	5.5	-	-	-	-	-	-
31N	128E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.5	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	12.0	1.2	-	-	1.2	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	19.0	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	18.5	2.0	2.0	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	139E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
30N	128E	-	1	-	-	-	-	-	-	1	12.0	2.8	2.5	-	0.3	-	-	-	-
	*130E	-	27	-	-	-	-	-	-	27	14.5	52.8	18.9	-	19.0	6.1	-	-	8.8
	*132E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*134E	-	3	-	-	-	-	-	-	3	21.0	12.1	12.1	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	20.0*	14.0	14.0	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	15.0	0.3	-	-	0.2	-	-	-	0.1
	139E	-	2	-	-	-	-	-	-	2	12.5	0.2	-	0.2	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
29N	127E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	128E	-	10	-	-	-	-	-	-	10	14.3	19.3	6.3	-	0.7	-	-	-	12.3
	129E	-	9	-	-	-	-	-	-	9	13.6	10.0	3.3	-	4.0	-	-	-	2.7
	130E	4	23	-	-	-	-	-	-	27	13.5	35.2	4.7	-	22.5	1.7	-	-	6.3
	131E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
28N	126E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.0	-	0.5	-	-	-	0.5
	127E	-	28	-	-	-	-	-	-	28	13.6	69.4	45.3	-	11.3	-	-	-	12.8
	128E	-	18	-	-	-	-	-	-	18	14.3	52.3	37.3	0.5	4.5	-	-	-	10.0
	129E	-	2	-	-	-	-	-	-	2	13.5	0.8	0.3	-	-	-	-	-	0.5
	*133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	16.0	0.2	0.2	-	-	-	-	-	-
27N	127E	-	11	-	-	-	-	-	-	11	13.3	27.2	23.7	-	2.5	-	-	-	1.0
	128E	-	4	-	-	-	-	-	-	4	12.7	12.5	5.0	0.1	5.9	-	-	-	1.5
	*131E	-	1	-	-	-	-	-	-	1	12.7	-	-	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	19.0*	-	-	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	20.0	1.1	0.8	0.3	-	-	-	-	-
	*140E	-	5	-	-	-	-	-	-	5	15.2	4.1	1.3	2.0	-	-	-	-	0.8
	141E	-	1	-	-	-	-	-	-	1	15.2	-	-	-	-	-	-	-	-
26N	126E	-	1	-	-	-	-	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	*130E	-	2	-	-	-	-	-	-	2	20.0	-	-	-	-	-	-	-	-
	*135E	-	2	-	-	-	2	-	-	4	23.5	1.5	1.5	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
25N	126E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	16.0	10.0	10.0	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	19.0	3.0	3.0	-	-	-	-	-	-
	*133E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.5	-	-	-	-	-	-
24N	126E	-	1	-	-	-	-	-	-	1	12.0	2.0	2.0	-	-	-	-	-	-
	*130E	-	3	-	-	-	-	-	-	3	21.5*	-	-	-	-	-	-	-	-
	131E	-	4	-	-	-	-	-	-	4	18.0	7.1	7.1	-	-	-	-	-	-
	132E	-	5	-	-	-	-	-	-	5	19.8	8.8	8.8	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
23N	124E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	130E	-	3	-	-	-	-	-	-	3	18.0	12.0	11.5	0.3	-	-	-	-	0.2
	131E	-	7	-	-	-	-	-	-	7	20.0*	23.6	21.8	-	1.5	-	-	-	0.3
	132E	-	6	-	-	-	-	-	-	6	21.5	9.5	9.5	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	17.0	0.8	0.8	-	-	-	-	-	-
22N	125E	-	1	-	-	-	-	-	-	1	19.0	8.5	8.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	127E	-	2	-	-	-	-	-	-	2	18.5	4.5	3.5	-	1.0	-	-	-	-
	*129E	-	7	-	-	-	-	-	-	7	17.2	24.5	24.5	-	-	-	-	-	-
	130E	-	27	-	-	-	-	-	-	27	18.3	123.6	121.1	-	0.5	-	-	-	2.0
	131E	-	4	1	-	-	-	-	-	5	18.2	26.7	25.5	-	1.2	-	-	-	-
	132E	-	5	-	-	-	-	-	-	5	19.0	28.5	28.5	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	135E	-	1	-	-	-	1	-	-	2	20.0	-	-	-	-	-	-	-	-
	136E	-	-	1	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAR -2-003　　　　JUN -051　　　　3月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
22N	137E	-	-	-	-	-	1	-	-	1	31.0	2.5	2.5	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
21N	127E	-	2	-	-	-	-	-	-	2	12.5	2.0	2.0	-	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	130E	-	13	-	-	-	-	-	-	13	16.8*	55.4	55.4	-	-	-	-	-	-
	131E	-	30	1	-	-	-	1	-	32	18.0	145.1	142.4	-	2.4	-	-	-	0.3
	132E	-	12	-	-	-	-	-	-	12	17.0	72.8	72.8	-	-	-	-	-	-
	133E	-	5	-	-	-	-	-	-	5	18.2	19.0	18.5	-	0.5	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	18.6	16.0	16.0	-	-	-	-	-	-
	136E	-	22	1	-	-	1	-	-	24	17.6	129.0	129.0	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	16.0	5.5	5.5	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	17.0	0.7	0.7	-	-	-	-	-	-
	*143E	-	2	-	-	-	-	-	-	2	16.0	3.0	3.0	-	-	-	-	-	-
	144E	-	10	-	-	-	-	-	-	10	15.6	17.0	17.0	-	-	-	-	-	-
20N	127E	-	6	-	-	-	-	-	-	6	18.1	39.5	39.3	-	-	-	-	-	0.2
	*129E	-	1	-	-	-	-	-	-	1	20.0·	3.0	3.0	-	-	-	-	-	-
	130E	-	19	-	-	-	-	-	-	19	17.1*	66.6	64.7	0.7	0.4	-	-	-	0.8
	131E	-	53	1	-	-	-	-	-	54	19.0*	291.5	290.1	-	1.4	-	-	-	-
	132E	-	39	-	-	-	-	-	-	39	18.6	163.1	162.6	-	0.3	-	-	-	0.2
	133E	-	5	-	-	-	-	-	-	5	20.4	23.7	21.0	-	0.7	-	-	-	2.0
	134E	-	2	-	-	-	-	-	-	2	19.0	5.5	4.5	-	1.0	-	-	-	-
	*136E	-	25	1	-	-	-	-	-	26	17.1	185.1	182.5	-	0.9	-	0.4	-	1.3
	137E	-	1	-	-	-	1	-	-	2	20.5	4.0	4.0	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	17.0	2.1	2.0	-	-	-	-	-	0.1
	145E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
19N	127E	-	12	-	-	-	-	-	-	12	16.5	87.1	86.8	-	-	-	-	-	0.3
	*130E	-	1	-	-	-	-	-	-	1	15.0	8.4	3.5	-	0.6	-	-	-	4.3
	131E	-	6	-	-	-	-	-	-	6	18.1	26.1	23.0	-	3.1	-	-	-	-
	132E	-	4	-	-	-	-	-	-	4	18.5	13.5	13.0	-	0.5	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	135E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	136E	-	-	-	-	-	1	1	-	2	27.5	19.5	19.5	-	-	-	-	-	-
	137E	-	-	-	-	-	27	4	-	31	24.7	194.1	194.1	-	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
18N	128E	-	1	-	-	-	-	-	-	1	21.0	13.3	13.0	-	-	-	-	-	0.3
	129E	-	1	-	-	-	-	-	-	1	21.0	3.[illegible]	3.5	-	-	-	-	-	-
	*130E	-	5	-	-	-	-	-	-	5	20.2*	47.0	47.0	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	14.5	7.2	7.2	-	-	-	-	-	-
	132E	-	2	-	-	-	-	1	-	3	21.0	8.5	8.5	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	19.0	12.0	12.0	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	3	-	3	26.0*	31.0	31.0	-	-	-	-	-	-
	136E	-	-	-	-	-	3	3	-	6	26.3	58.6	58.5	-	-	-	0.1	-	-
	137E	-	-	-	-	-	19	2	-	[illegible]1	26.2	205.5	204.7	-	0.4	-	-	-	0.4
	138E	-	-	-	-	-	4	-	-	4	23.5	27.3	27.3	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
17N	129E	-	2	-	-	-	-	-	-	2	21.5	1.5	1.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	18.5	4.0	4.0	-	-	-	-	-	-
	131E	-	5	-	-	-	-	-	-	5	18.0	50.0	50.0	-	-	-	-	-	-
	*134E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	135E	-	-	-	-	-	-	5	-	5	23.3*	47.5	47.5	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
16N	126E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	*130E	-	3	-	-	-	-	1	-	4	19.7	20.5	20.5	-	-	-	-	-	-
	131E	-	3	1	-	-	-	1	-	5	21.4	34.0	34.0	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	20.6	11.0	11.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	1	-	2	23.0	2.0	2.0	-	-	-	-	-	-
	135E	-	-	-	-	-	-	4	-	4	23.3*	22.0	22.0	-	-	-	-	-	-
	136E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*140E	-	-	-	-	-	2	-	-	2	25.5	2.0	2.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	144E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
15N	129E	-	-	1	-	-	-	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	130E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	131E	-	3	-	-	-	-	-	-	3	12.6	13.0	13.0	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*134E	-	-	-	-	-	-	3	-	3	25.3	6.8	6.5	-	-	-	0.3	-	-
	135E	-	-	-	-	-	1	-	-	1	25.0	15.0	15.0	-	-	-	-	-	-
	136E	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-
	137E	-	-	-	-	-	1	2	-	3	22.6	1.5	1.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
14N	135E	-	-	-	-	-	1	1	-	2	24.0	7.5	7.5	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	144E	-	-	-	-	-	3	-	-	3	26.6	1.5	1.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	146E	-	-	-	-	-	15	2	-	17	19.8	75.2	74.2	-	-	-	-	-	1.0
	147E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-
13N	134E	-	-	-	-	-	1	-	-	1	25.0	4.5	4.5	-	-	-	-	-	-
	135E	-	-	-	-	-	-	5	-	5	26.4	43.0	43.0	-	-	-	-	-	-
	*137E	-	-	-	-	-	-	1	-	1	24.0	0.8	0.8	-	-	-	-	-	-
	*139E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAR -2-005　　JUN -053　　3月中旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
13N 145E	-	-	-	-	-	2	-	-	2	25.0	8.5	8.5	-	-	-	-	-	-
146E	-	-	-	-	-	6	1	-	7	21.5*	17.7	17.7	-	-	-	-	-	-
147E	-	-	-	-	-	8	6	-	14	22.1	77.1	76.8	-	0.3	-	-	-	-
148E	-	-	-	-	-	2	3	-	5	24.6	22.5	10.0	-	-	-	-	-	12.5
12N 135E	-	-	-	-	-	1	1	-	2	26.0	-	-	-	-	-	-	-	-
*137E	-	-	-	-	-	-	2	-	2	25.0	6.0	6.0	-	-	-	-	-	-
*146E	-	-	-	-	-	7	2	-	9	23.5	17.0	17.0	-	-	-	-	-	-
147E	-	-	-	-	-	7	6	-	13	22.9*	38.0	36.0	-	2.0	-	-	-	-
148E	-	-	-	-	-	6	4	-	10	25.0*	27.1	27.1	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
150E	-	-	-	-	-	2	1	-	3	27.0	2.0	2.0	-	-	-	-	-	-
151E	-	-	-	-	-	-	2	-	2	21.5	2.5	2.5	-	-	-	-	-	-
11N 129E	-	-	-	-	-	1	-	-	1	26.0	4.4	4.4	-	-	-	-	-	-
130E	-	-	-	-	-	2	-	-	2	26.0	13.0	13.0	-	-	-	-	-	-
*137E	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
139E	-	-	-	-	-	1	1	-	2	24.0	4.5	4.5	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*145E	-	-	-	-	-	2	-	-	2	20.0	-	-	-	-	-	-	-	-
146E	-	-	-	-	-	1	-	-	1	24.0	5.0	5.0	-	-	-	-	-	-
147E	-	-	-	-	-	5	1	-	6	26.1	20.0	20.0	-	-	-	-	-	-
148E	-	-	-	-	-	4	3	-	7	26.8	27.5	27.5	-	-	-	-	-	-
149E	-	-	-	-	-	4	3	-	7	25.6*	31.5	31.5	-	-	-	-	-	-
150E	-	-	-	-	-	5	1	-	6	23.2*	11.0	11.0	-	-	-	-	-	-
*156E	-	-	-	-	-	2	-	-	2	27.0	8.5	8.5	-	-	-	-	-	-
157E	-	-	-	-	-	1	-	-	1	27.0	3.5	3.5	-	-	-	-	-	-
10N 129E	-	-	-	-	-	1	-	-	1	26.0	2.7	2.0	-	0.7	-	-	-	-
130E	-	-	-	-	-	2	-	-	2	26.0	10.5	10.5	-	-	-	-	-	-
*138E	-	-	-	-	-	3	9	-	12	24.0	59.5	59.5	-	-	-	-	-	-
139E	-	-	-	-	-	2	4	-	6	25.0	15.5	15.5	-	-	-	-	-	-
140E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
141E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*143E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
144E	-	-	-	-	-	2	1	-	3	25.6	8.5	8.5	-	-	-	-	-	-
145E	-	-	-	-	-	2	3	-	5	27.4	16.0	16.0	-	-	-	-	-	-
*147E	-	-	-	-	-	1	1	-	2	26.5	1.0	1.0	-	-	-	-	-	-
148E	-	-	-	-	-	2	1	-	3	22.3	8.0	8.0	-	-	-	-	-	-
149E	-	-	-	-	-	8	4	-	12	24.2	30.0	30.0	-	-	-	-	-	-
150E	-	-	-	-	-	10	5	-	15	21.6*	38.4	35.9	-	1.2	-	-	-	1.3
151E	-	-	-	-	-	1	-	-	1	18.0	2.8	2.8	-	-	-	-	-	-
152E	-	-	-	-	-	1	2	-	3	21.3	10.0	10.0	-	-	-	-	-	-
153E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*155E	-	-	-	-	-	1	-	-	1	27.0	10.0	10.0	-	-	-	-	-	-
09N 128E	-	-	-	-	-	1	-	-	1	26.0	6.5	6.5	-	-	-	-	-	-
*132E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	1	1	-	2	20.5	4.0	4.0	-	-	-	-	-	-
139E	-	-	-	-	-	2	5	-	7	24.5	35.0	35.0	-	-	-	-	-	-
09N 140E	-	-	-	-	-	1	5	-	6	22.5	32.0	32.0	-	-	-	-	-	-
141E	-	-	-	-	-	-	3	-	3	23.3	9.5	9.5	-	-	-	-	-	-
142E	-	-	-	-	-	1	3	-	4	24.2	10.0	10.0	-	-	-	-	-	-
143E	-	-	-	-	-	-	3	-	3	22.6	12.0	12.0	-	-	-	-	-	-
144E	-	-	-	-	-	3	2	-	5	27.[illegible]	9.0	9.0	-	-	-	-	-	-
145E	-	-	-	-	-	2	3	-	5	23.8	19.5	19.0	-	0.5	-	-	-	-
146E	-	-	-	-	-	1	4	-	5	24.4	13.4	13.4	-	-	-	-	-	-
*148E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
149E	-	-	-	-	-	3	4	-	7	21.0	22.0	22.0	-	-	-	-	-	-
150E	-	-	-	-	-	9	7	-	16	22.0*	63.5	63.5	-	-	-	-	-	-
151E	-	-	-	-	-	5	1	-	6	27.6	18.5	18.5	-	-	-	-	-	-
*153E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	19.0	0.7	0.7	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
08N 138E	-	-	-	-	-	3	-	-	3	20.3	9.5	9.5	-	-	-	-	-	-
139E	-	-	-	-	-	1	2	-	3	24.3	12.0	12.0	-	-	-	-	-	-
140E	-	-	-	-	-	4	8	-	12	22.4	35.0	35.0	-	-	-	-	-	-
*142E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
143E	-	-	-	-	-	1	1	-	2	22.5	2.0	2.0	-	-	-	-	-	-
144E	-	-	-	-	-	-	3	-	3	23.0	19.5	19.5	-	-	-	-	-	-
145E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
146E	-	-	-	-	-	3	-	-	3	26.0	14.5	14.5	-	-	-	-	-	-
147E	-	-	-	-	-	-	4	-	4	27.0	14.4	14.4	-	-	-	-	-	-
148E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
149E	-	-	-	-	-	1	1	-	2	20.0	14.5	14.5	-	-	-	-	-	-
150E	-	-	-	-	-	21	6	-	27	19.5*	137.6	136.6	-	0.8	-	-	-	0.2
151E	-	-	-	-	-	17	5	-	22	22.7*	84.6	82.4	-	-	-	-	-	2.2
152E	-	-	-	-	-	6	2	-	8	22.7	19.2	19.0	-	-	-	-	-	0.2
153E	-	-	-	-	-	1	1	-	2	26.5	4.0	4.0	-	-	-	-	-	-
154E	-	-	-	-	-	2	2	-	4	18.7	9.3	8.7	-	0.3	-	-	-	0.3
155E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
156E	-	-	-	-	-	1	1	-	2	18.5	4.8	4.8	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	17.0	5.5	5.5	-	-	-	-	-	-
*161E	-	-	-	-	-	2	-	-	2	25.0	5.5	5.5	-	-	-	-	-	-
*164E	-	-	-	-	-	-	3	-	3	25.0	5.0	5.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
166E	-	-	-	-	-	1	-	-	1	25.0	8.0	8.0	-	-	-	-	-	-
167E	-	-	-	-	-	-	2	-	2	18.0	12.6	12.0	-	-	-	0.3	-	0.3
07N 137E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*140E	-	-	-	-	-	5	-	-	5	25.4	8.5	8.5	-	-	-	-	-	-
141E	-	-	-	-	-	2	1	-	3	26.0	10.0	10.0	-	-	-	-	-	-
142E	-	-	-	-	-	2	14	-	16	25.9	72.2	70.5	-	1.0	-	-	-	0.7
143E	-	-	-	-	-	2	8	-	10	26.1	42.6	42.5	-	-	-	-	-	0.1
144E	-	-	-	-	-	-	4	-	4	25.0	8.5	8.5	-	-	-	-	-	-
145E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
146E	-	-	-	-	-	1	-	-	1	21.0	6.8	6.0	-	-	-	-	-	0.8
147E	-	-	-	-	-	3	1	-	4	23.2	11.5	11.5	-	-	-	-	-	-
148E	-	-	-	-	-	2	-	-	2	16.0	6.4	6.4	-	-	-	-	-	-
149E	-	-	-	-	-	6	1	-	7	17.5	9.8	9.8	-	-	-	-	-	-
150E	-	-	-	-	-	13	5	-	18	19.8	70.8	70.5	-	0.3	-	-	-	-
151E	-	-	-	-	-	16	7	-	23	23.4*	80.3	80.2	-	0.1	-	-	-	-
152E	-	-	-	-	-	4	-	-	4	22.5	5.9	5.9	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	23.0	5.2	5.0	-	-	-	-	-	0.2

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -2-007 JUN -055 3月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
07N	155E	-	-	-	-	-	4	1	-	5	23.8	11.7	11.5	-	0.2	-	-	-	-
	156E	-	-	-	-	-	3	1	-	4	22.5	21.5	21.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	3	-	4	20.2	7.5	7.5	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	20.0	5.0	5.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	2	2	-	4	21.5	29.3	29.0	-	-	-	-	-	0.3
06N	133E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	139E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	140E	-	-	-	-	-	3	2	-	5	25.8	18.9	17.9	-	-	-	-	-	1.0
	141E	-	-	-	-	-	1	1	-	2	27.5	9.0	9.0	-	-	-	-	-	-
	142E	-	-	-	-	-	2	6	-	8	26.1	41.6	38.5	-	3.1	-	-	-	-
	143E	-	-	-	-	-	1	2	-	3	23.6	13.0	13.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	146E	-	-	-	-	-	2	1	-	3	27.6	10.2	10.2	-	-	-	-	-	-
	147E	-	-	-	-	-	4	3	-	7	17.1*	27.4	27.4	-	-	-	-	-	-
	148E	-	-	-	-	-	11	8	-	19	19.5*	55.4	55.4	-	-	-	-	-	-
	149E	-	-	-	-	-	5	5	-	10	18.7*	49.9	49.9	-	-	-	-	-	-
	150E	-	-	-	-	-	4	2	-	6	20.3	18.4	16.9	-	-	-	-	-	1.5
	151E	-	-	-	-	-	2	-	-	2	20.0*	4.5	4.5	-	-	-	-	-	-
	152E	-	-	-	-	-	2	1	-	3	20.0	1.8	1.8	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	29.0	1.5	1.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	6	1	-	7	22.2	31.0	31.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	23.0	2.2	2.2	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	23.0	2.6	2.6	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	3	-	3	23.6	4.5	4.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
05N	138E	-	-	-	-	-	1	-	-	1	15.0	6.0	6.0	-	-	-	-	-	-
	139E	-	-	-	-	-	-	2	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	140E	-	-	-	-	-	1	5	-	6	26.6	42.5	42.5	-	-	-	-	-	-
	141E	-	-	-	-	-	1	4	-	5	29.4	20.0	19.0	-	-	-	1.0	-	-
	142E	-	-	-	-	-	2	-	-	2	27.0	19.5	19.5	-	-	-	-	-	-
	143E	-	-	-	-	-	1	1	-	2	24.5	1.0	1.0	-	-	-	-	-	-
	144E	-	-	-	-	-	5	1	-	6	25.3	29.0	29.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	2	-	4	27.5	20.5	20.5	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	148E	-	-	-	-	-	6	3	-	9	19.0*	32.0	32.0	-	-	-	-	-	-
	149E	-	-	-	-	-	9	2	-	11	20.2*	52.2	52.0	-	0.2	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	22.6	6.0	6.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	18.0	4.6	4.6	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
04N	138E	-	-	-	-	-	-	2	-	2	25.5	22.0	22.0	-	-	-	-	-	-
	139E	-	-	-	-	-	3	30	-	33	24.9	290.5	290.5	-	-	-	-	-	-
	140E	-	-	-	-	-	-	10	-	10	26.2	45.9	45.9	-	-	-	-	-	-
04N	141E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	2	-	2	23.5	12.7	12.7	-	-	-	-	-	-
	143E	-	-	-	-	-	-	9	-	9	24.8	55.0	55.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	7	-	7	23.7	23.0	23.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
03N	139E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	140E	-	-	-	-	-	-	2	-	2	25.0	8.0	8.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.5	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	2	-	-	2	18.0	7.5	7.5	-	-	-	-	-	-
02N	140E	-	-	-	-	-	-	2	-	2	24.0	1.0	0.9	-	-	-	0.1	-	-
	*159E	-	-	-	-	-	1	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	2	-	2	23.0	13.2	12.8	-	0.2	-	0.2	-	-
*00S	166E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
01S	163E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
02S	163E	-	-	-	-	-	1	1	-	2	27.5	9.5	9.5	-	-	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	25.0	10.5	10.0	-	0.5	-	-	-	-
03S	163E	-	-	-	-	-	1	1	-	2	27.5	5.5	5.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
34N 136E	-	5	-	-	-	-	-	-	5	17.0	0.6	0.6	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	18.0	2.5	2.5	-	-	-	-	-	-
138E	-	18	1	-	-	-	-	-	19	17.5	68.6	57.7	10.9	-	-	-	-	-
139E	-	11	-	-	-	-	-	-	11	16.1*	26.6	19.5	7.0	-	-	-	-	0.1
140E	-	10	-	-	-	-	-	-	10	19.2*	26.9	26.9	-	-	-	-	-	-
141E	-	2	-	-	-	-	-	-	2	13.0*	7.1	7.1	-	-	-	-	-	-
33N 133E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
*136E	-	7	-	-	-	-	-	-	7	18.8*	25.5	25.5	-	-	-	-	-	-
137E	2	89	1	-	-	2	-	-	94	17.1*	159.1	142.9	13.1	-	-	-	-	3.1
138E	-	314	6	-	-	1	-	-	321	17.2*	648.4	555.2	75.9	3.9	-	-	-	13.4
139E	-	29	3	-	-	-	-	-	32	18.0*	89.8	76.6	11.4	1.8	-	-	-	-
140E	-	7	-	-	-	-	-	-	7	17.0*	14.5	14.3	-	-	-	-	-	0.2
32N 136E	-	9	-	-	-	-	-	-	9	17.2*	12.1	12.1	-	-	-	-	-	-
137E	1	57	-	-	-	-	-	-	58	17.7	131.9	119.3	8.4	-	0.7	-	-	3.5
138E	-	33	-	-	-	-	-	-	33	19.3*	55.5	55.0	0.5	-	-	-	-	-
139E	-	6	-	-	-	-	-	-	6	17.0*	13.2	13.2	-	-	-	-	-	-
140E	-	1	-	-	-	-	-	-	1	12.0	0.2	0.2	-	-	-	-	-	-
31N 131E	-	1	-	-	-	-	-	-	1	26.0	-	-	-	-	-	-	-	-
132E	-	1	-	-	-	-	-	-	1	26.0	-	-	-	-	-	-	-	-
133E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
134E	-	3	-	-	-	-	-	-	3	20.3	-	-	-	-	-	-	-	-
135E	-	2	-	-	-	-	-	-	2	19.0	0.3	-	-	-	-	-	-	0.3
136E	-	6	-	-	-	-	-	-	6	18.8*	6.9	6.9	-	-	-	-	-	-
137E	-	5	-	-	-	-	-	-	5	19.2	5.5	2.5	-	-	-	-	-	3.0
*139E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
30N 129E	1	1	-	-	-	-	-	-	2	12.5	3.4	1.0	0.1	2.0	-	-	-	0.3
130E	-	3	-	-	-	-	-	-	3	19.3	1.0	-	-	-	-	-	-	1.0
*133E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
134E	-	4	-	-	-	-	-	-	4	16.7	8.2	7.9	-	0.3	-	-	-	-
135E	-	4	-	-	-	-	-	-	4	17.2	7.3	3.3	3.9	-	-	-	-	0.1
136E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
137E	-	3	-	-	-	-	-	-	3	16.3	0.8	0.8	-	-	-	-	-	-
29N 128E	-	3	-	-	-	-	-	-	3	12.0	2.3	1.2	-	0.6	-	-	-	0.5
129E	4	23	-	-	-	-	-	-	27	13.4	17.6	2.6	1.5	12.7	-	-	-	0.8
130E	-	8	-	-	-	-	-	-	8	12.8	16.7	6.0	-	5.0	-	-	-	5.7
*132E	-	1	-	-	-	-	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
133E	-	1	-	-	-	-	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*135E	-	3	-	-	-	-	-	-	3	16.6	-	-	-	-	-	-	-	-
136E	-	1	-	-	-	1	1	-	3	25.3	-	-	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
138E	-	2	-	-	-	-	-	-	2	17.0	-	-	-	-	-	-	-	-
28N 127E	-	9	-	-	-	-	-	-	9	15.0	18.1	17.3	-	0.8	-	-	-	-
128E	-	4	-	-	-	-	-	-	4	12.0	2.2	2.0	-	0.2	-	-	-	-
*131E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
28N *136E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
*140E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-
27N 126E	-	6	-	-	-	-	-	-	6	13.5	3.6	3.6	-	-	-	-	-	-
127E	-	17	-	-	-	-	-	-	17	13.8	34.6	21.3	-	12.2	-	-	-	1.1
128E	-	4	-	-	-	-	-	-	4	13.2	4.0	1.8	-	2.2	-	-	-	-
*130E	-	1	-	-	-	-	-	-	1	14.0	0.5	0.5	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	20.0	2.1	2.1	-	-	-	-	-	-
*135E	-	1	-	-	-	-	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
*139E	-	-	-	-	-	1	-	-	1	18.0	2.3	0.1	-	-	-	-	-	2.2
140E	-	1	-	-	-	-	-	-	1	15.0	0.9	0.2	-	-	-	-	-	0.7
141E	-	-	-	-	-	2	-	-	2	21.5	2.5	0.5	-	-	-	-	-	2.0
26N 126E	-	3	-	-	-	-	-	-	3	15.6	1.0	1.0	-	-	-	-	-	-
*128E	-	2	-	-	-	-	-	-	2	16.0	8.0	8.0	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	22.0	2.4	2.4	-	-	-	-	-	-
134E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
135E	-	5	-	-	-	-	-	-	5	18.2	4.0	4.0	-	-	-	-	-	-
136E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
*139E	-	-	-	-	-	2	-	-	2	25.0	0.5	0.5	-	-	-	-	-	-
*141E	-	-	-	-	-	1	-	-	1	21.0	0.1	0.1	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
25N 126E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
*128E	-	1	-	-	-	-	-	-	1	16.0	2.6	2.0	-	0.6	-	-	-	-
*130E	-	1	-	-	-	-	-	-	1	16.0	1.3	1.0	-	0.3	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
132E	-	1	-	-	-	-	-	-	1	20.0	1.5	1.5	-	-	-	-	-	-
*135E	-	-	-	-	-	1	-	-	1	30.0	-	-	-	-	-	-	-	-
*137E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
138E	-	1	-	-	-	1	-	-	2	20.0	2.2	2.2	-	-	-	-	-	-
*140E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
24N 125E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
126E	-	1	-	-	-	-	-	-	1	14.0	1.8	1.0	-	0.8	-	-	-	-
*130E	-	-	1	-	-	-	-	-	1	23.0	-	-	-	-	-	-	-	-
131E	-	5	-	-	-	-	-	-	5	16.6	3.0	3.0	-	-	-	-	-	-
132E	-	2	-	-	-	-	-	-	2	16.0	0.7	0.2	-	-	-	-	-	0.5
*134E	-	2	-	-	-	-	-	-	2	18.0	0.2	0.2	-	-	-	-	-	-
*140E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-
23N 124E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
*126E	-	2	-	-	-	-	-	-	2	15.5	2.0	2.0	-	-	-	-	-	-
127E	-	1	-	-	-	-	-	-	1	20.0	0.8	0.8	-	-	-	-	-	-
128E	-	1	-	-	-	-	-	-	1	20.0	0.3	0.3	-	-	-	-	-	-
129E	-	3	-	-	-	-	-	-	3	16.3	2.0	2.0	-	-	-	-	-	-
130E	-	9	-	-	-	-	-	-	9	15.5	15.5	13.2	-	2.2	-	-	-	0.1
131E	-	7	2	-	-	-	-	-	9	19.2	9.0	9.0	-	-	-	-	-	-
132E	-	3	-	-	-	-	-	-	3	18.0	2.7	2.7	-	-	-	-	-	-
*135E	-	2	-	-	-	-	-	-	2	16.0	0.1	0.1	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置 POSITION		竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	ﾌﾒｲ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
22N	122E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*128E	-	2	-	-	-	-	-	-	2	21.5	11.0	11.0	-	-	-	-	-	-
	129E	-	24	-	-	-	-	-	-	24	16.5*	83.4	80.3	-	-	-	-	-	3.1
	130E	-	7	-	-	-	-	-	-	7	16.5	20.8	19.8	-	-	-	-	-	1.0
	131E	-	3	-	-	-	-	-	-	3	18.6	2.0	2.0	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	21.0	14.0	14.0	-	-	-	-	-	-
	133E	-	2	-	-	-	1	-	-	3	19.3	5.7	5.7	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	17.0	1.2	1.2	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	18.0	1.8	1.8	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	15.0	1.0	0.7	-	0.3	-	-	-	-
	137E	-	1	-	-	-	3	-	-	4	23.5	4.0	4.0	-	-	-	-	-	-
21N	126E	-	-	-	-	-	1	-	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	127E	-	4	-	-	-	-	-	-	4	13.2	10.8	9.8	-	0.7	-	-	-	0.3
	128E	-	6	-	-	-	-	-	-	6	15.1	24.1	24.1	-	-	-	-	-	-
	129E	-	30	-	-	-	-	1	-	31	16.2*	135.5	131.8	0.1	2.9	-	-	-	0.7
	130E	-	2	-	-	-	-	-	-	2	16.0	9.5	9.0	-	0.5	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	17.0	2.5	2.5	-	-	-	-	-	-
	132E	-	5	-	-	-	-	-	-	5	21.2	17.5	17.5	-	-	-	-	-	-
	133E	-	1	-	-	-	2	1	-	4	26.7	10.5	10.5	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	19.0	7.0	7.0	-	-	-	-	-	-
	135E	-	-	-	-	-	1	1	-	2	26.5	3.0	3.0	-	-	-	-	-	-
	136E	-	2	-	-	-	1	-	-	3	17.6	7.1	7.1	-	-	-	-	-	-
	137E	-	-	-	-	-	2	-	-	2	29.0	-	-	-	-	-	-	-	-
20N	126E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	127E	-	4	-	-	-	-	-	-	4	15.5	5.9	4.0	-	0.4	-	-	-	1.5
	128E	-	10	-	-	-	-	-	-	10	17.6	39.2	39.1	-	-	-	-	-	0.1
	129E	-	5	-	-	-	1	-	-	6	16.8	21.8	21.8	-	-	-	-	-	-
	*131E	-	1	-	-	-	1	-	-	2	20.5	7.5	7.5	-	-	-	-	-	-
	132E	-	-	-	-	-	1	-	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	133E	-	2	-	-	-	1	1	-	4	21.5	9.5	9.0	-	-	-	-	-	0.5
	*135E	-	-	-	-	-	2	3	-	5	24.8	4.0	4.0	-	-	-	-	-	-
	136E	-	-	2	-	-	1	-	-	3	20.3	7.0	7.0	-	-	-	-	-	-
	137E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-
19N	127E	-	26	-	-	-	1	-	-	27	17.0	200.4	195.0	0.3	2.5	-	-	-	2.6
	128E	-	30	-	-	-	-	-	-	30	15.4	133.4	129.5	-	1.8	-	0.2	-	1.9
	129E	-	2	-	-	-	-	1	-	3	22.0	14.2	14.2	-	-	-	-	-	-
	130E	-	1	-	-	-	2	-	-	3	16.3	2.3	2.3	-	-	-	-	-	-
	131E	-	1	-	-	-	1	-	-	2	24.5	9.5	9.5	-	-	-	-	-	-
	*133E	-	-	-	-	-	3	-	-	3	24.3	6.0	6.0	-	-	-	-	-	-
	134E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	135E	-	-	-	-	-	1	3	-	4	21.2	15.0	15.0	-	-	-	-	-	-
	136E	-	-	-	-	-	4	4	-	8	23.7	13.0	13.0	-	-	-	-	-	-
	137E	-	-	-	-	-	15	2	-	17	25.5	34.2	34.0	-	-	-	0.2	-	-
	138E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
18N	127E	-	10	-	-	-	-	-	-	10	14.2	37.6	37.1	-	-	-	-	-	0.5
	128E	-	6	-	-	-	-	-	-	6	16.1	17.8	17.7	-	0.1	-	-	-	-
18N	129E	-	-	-	-	-	-	3	-	3	23.0	18.0	18.0	-	-	-	-	-	-
	130E	-	-	-	-	-	-	5	-	5	25.0	35.5	35.5	-	-	-	-	-	-
	131E	-	-	-	-	-	4	2	-	6	25.8	11.0	11.0	-	-	-	-	-	-
	132E	-	-	-	-	-	11	2	-	13	24.6	37.5	37.5	-	-	-	-	-	-
	133E	-	-	-	-	-	16	23	-	39	25.2	201.5	201.4	-	-	-	0.1	-	-
	134E	-	-	-	-	-	6	9	-	15	24.4	98.0	98.0	-	-	-	-	-	-
	135E	-	-	-	-	-	4	6	-	10	26.1	48.5	48.5	-	-	-	-	-	-
	136E	-	-	1	-	-	13	29	-	43	23.4*	317.4	317.2	-	0.2	-	-	-	-
	137E	-	-	-	-	-	14	10	-	24	26.0*	114.0	114.0	-	-	-	-	-	-
	138E	-	-	-	-	-	1	1	-	2	22.0	9.5	9.5	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
17N	125E	-	1	-	-	-	-	-	-	1	15.0	5.4	5.0	-	0.4	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	15.0	7.4	7.4	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	17.0	9.0	9.0	-	-	-	-	-	-
	128E	-	2	-	-	-	-	1	-	3	22.6	14.0	14.0	-	-	-	-	-	-
	129E	-	-	-	-	-	-	5	-	5	25.2*	33.5	33.5	-	-	-	-	-	-
	130E	-	-	-	-	-	1	13	-	14	25.3*	51.0	51.0	-	-	-	-	-	-
	131E	-	-	-	-	-	7	13	-	20	25.5	84.0	84.0	-	-	-	-	-	-
	132E	-	-	-	-	-	-	6	-	6	22.8	17.5	17.5	-	-	-	-	-	-
	133E	-	-	-	-	-	20	11	-	31	24.3*	162.5	162.5	-	-	-	-	-	-
	134E	-	-	-	-	-	14	58	-	72	23.9*	499.0	499.0	-	-	-	-	-	-
	135E	-	-	-	-	-	6	33	-	39	24.[illegible]*	257.5	257.5	-	-	-	-	-	-
	136E	-	-	-	-	-	9	23	-	32	23.0*	183.7	183.7	-	-	-	-	-	-
	137E	-	-	-	-	-	8	7	-	15	23.8*	56.3	55.5	-	-	-	0.4	-	0.4
	138E	-	-	-	-	-	3	2	-	5	27.0	2.0	2.0	-	-	-	-	-	-
	139E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	1	-	2	31.0*	0.1	0.1	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
16N	126E	-	3	-	-	-	-	-	-	3	19.3	19.4	19.3	-	-	-	-	-	0.1
	127E	-	5	-	-	-	1	-	-	6	20.0	31.1	29.0	-	2.0	-	-	-	0.1
	128E	-	3	3	-	-	-	1	-	7	20.5	66.5	66.0	0.5	-	-	-	-	-
	129E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	130E	-	-	-	-	-	1	12	-	13	22.8	35.0	35.0	-	-	-	-	-	-
	131E	-	-	-	-	-	-	15	-	15	23.3*	81.1	81.1	-	-	-	-	-	-
	132E	-	-	-	-	-	7	23	-	30	23.3*	158.9	157.9	-	1.0	-	-	-	-
	133E	-	-	-	-	-	5	23	-	28	24.1*	218.8	218.7	-	0.1	-	-	-	-
	134E	-	-	-	-	-	1	13	-	14	23.7	92.0	92.0	-	-	-	-	-	-
	135E	-	-	-	-	-	3	13	-	16	2[illegible].8*	167.0	167.0	-	-	-	-	-	-
	136E	-	-	-	-	-	-	5	-	5	27.0*	20.0	20.0	-	-	-	-	-	-
	137E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	138E	-	-	-	-	-	2	-	-	2	20.5	1.3	1.0	-	-	-	-	-	0.3
	139E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
15N	127E	-	1	-	-	-	-	-	-	1	18.0	5.2	5.0	-	0.2	-	-	-	-
	128E	-	-	2	-	-	2	-	-	4	21.0	21.0	21.0	-	-	-	-	-	-
	*130E	-	-	-	-	-	-	1	-	1	29.0	12.0	12.0	-	-	-	-	-	-
	131E	-	-	-	-	-	2	28	-	30	24.3*	111.0	110.7	-	0.3	-	-	-	-
	132E	-	-	-	-	-	-	10	-	10	24.4*	67.5	67.5	-	-	-	-	-	-
	133E	-	-	-	-	-	6	37	-	43	24.3*	277.0	277.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -3-005 JUN -061 3月下旬

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
15N 134E	-	-	-	-	-	4	8	-	12	25.3*	67.5	67.5	-	-	-	-	-	-
135E	-	-	-	-	-	2	6	-	8	22.7	16.6	16.6	-	-	-	-	-	-
136E	-	-	-	-	-	-	1	-	1	21.0	7.3	7.3	-	-	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
138E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
139E	-	-	-	-	-	[illegible]	-	-	1	29.0	-	-	-	-	-	-	-	-
*143E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
14N 127E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*131E	-	-	-	-	-	1	3	-	4	26.0	11.3	11.3	-	-	-	-	-	-
132E	-	-	-	-	-	1	8	-	9	25.5*	57.4	57.4	-	-	-	-	-	-
133E	-	-	-	-	-	5	10	-	15	24.2*	88.5	88.5	-	-	-	-	-	-
134E	-	-	-	-	-	1	3	-	4	26.0	30.5	30.5	-	-	-	-	-	-
135E	-	-	-	-	-	1	4	-	5	24.0	18.5	18.5	-	-	-	-	-	-
136E	-	-	-	-	-	-	2	-	2	21.5	7.0	7.0	-	-	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
13N 127E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
*131E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	24.0	4.5	4.5	-	-	-	-	-	-
133E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
134E	-	-	-	-	-	2	1	-	3	22.3	9.0	9.0	-	-	-	-	-	-
135E	-	-	-	-	-	4	5	-	9	24.3	[illegible]6.0	56.0	-	-	-	-	-	-
136E	-	-	-	-	-	-	3	-	3	26.0	3.0	3.0	-	-	-	-	-	-
137E	-	-	-	-	-	-	3	-	3	22.3	1.5	1.5	-	-	-	-	-	-
*141E	-	-	-	-	-	1	-	-	1	14.0	1.3	1.3	-	-	-	-	-	-
*143E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*150E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
12N 133E	-	-	-	-	-	-	2	-	2	25.5	8.0	[illegible].0	-	-	-	-	-	-
134E	-	-	-	-	-	6	3	-	9	23.1	28.9	28.7	-	-	-	0.2	-	-
*136E	-	-	-	-	-	-	1	-	1	22.0	0.2	0.2	-	-	-	-	-	-
*142E	-	-	-	-	-	-	2	-	2	23.5	0.2	0.2	-	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
144E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*151E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*154E	-	1	-	-	-	-	1	-	2	28.0*	1.0	-	-	0.8	-	-	-	0.2
*158E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
11N 127E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
128E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*133E	-	-	-	-	-	2	-	-	2	24.0	3.1	3.1	-	-	-	-	-	-
134E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
*136E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*139E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*142E	-	-	-	-	-	1	1	-	2	21.0	0.9	0.9	-	-	-	-	-	-
*144E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
148E	-	-	-	-	-	1	2	-	3	19.6	15.0	15.0	-	-	-	-	-	-
11N *155E	-	1	-	-	-	-	-	-	1	19.6	0.8	-	-	0.6	-	-	-	0.2
156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*158E	-	-	-	-	-	-	2	-	2	27.5	34.0	34.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	29.0	4.0	4.0	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	25.0	11.5	11.0	-	-	-	-	-	0.5
*168E	-	-	-	-	-	-	1	-	1	36.0	3.0	3.0	-	-	-	-	-	-
10N 133E	-	-	-	-	-	2	-	-	2	26.0	5.5	5.5	-	-	-	-	-	-
134E	-	-	-	-	-	8	-	-	8	26.3	71.5	71.5	-	-	-	-	-	-
*136E	-	-	-	-	-	3	-	-	3	24.0	11.7	9.7	-	-	-	1.0	-	1.0
137E	-	-	-	-	-	2	1	-	3	20.6	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	-	2	-	2	22.5	0.6	0.6	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	2	-	-	2	18.0*	8.6	8.0	-	0.2	-	-	-	0.4
142E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
143E	-	-	-	-	-	10	8	-	18	19.2*	50.7	50.7	-	-	-	-	-	-
144E	-	-	-	-	-	2	7	-	9	22.2	39.9	39.9	-	-	-	-	-	-
145E	-	-	-	-	-	2	-	-	2	21.0*	1.8	1.8	-	-	-	-	-	-
146E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
147E	-	-	-	-	-	5	2	-	7	21.8*	17.5	17.5	-	-	-	-	-	-
148E	-	-	-	-	-	5	3	-	8	24.1*	23.1	22.8	-	0.3	-	-	-	-
149E	-	-	-	-	-	4	2	-	6	25.3	18.1	18.0	-	0.1	-	-	-	-
*152E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
153E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
*156E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	29.0	5.0	5.0	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	25.0	12.0	12.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
09N 127E	-	-	-	-	-	1	-	-	1	26.0	2.5	2.5	-	-	-	-	-	-
*134E	-	-	-	-	-	5	-	-	5	27.0	30.9	30.9	-	-	-	-	-	-
135E	-	-	-	-	-	1	-	-	1	28.0	2.0	2.0	-	-	-	-	-	-
136E	-	-	-	-	-	6	-	-	6	26.0	20.0	19.7	-	0.3	-	-	-	-
137E	-	-	-	-	-	4	4	-	8	23.5	41.2	40.1	-	0.5	-	0.6	-	-
138E	-	-	-	-	-	2	1	-	3	18.6	1.4	1.4	-	-	-	-	-	-
139E	-	-	-	-	-	1	2	-	3	23.3	5.5	5.5	-	-	-	-	-	-
140E	-	-	-	-	-	1	-	-	1	17.0	5.4	5.4	-	-	-	-	-	-
141E	-	-	-	-	-	1	-	-	1	16.0	0.2	0.2	-	-	-	-	-	-
142E	-	-	-	-	-	3	-	-	3	16.0	4.2	4.2	-	-	-	-	-	-
143E	-	-	-	-	-	2	7	-	9	20.6*	37.8	37.8	-	-	-	-	-	-
144E	-	-	-	-	-	4	8	-	12	21.6	29.5	29.5	-	-	-	-	-	-
145E	-	-	-	-	-	2	1	-	3	19.0	6.7	6.7	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*151E	-	-	-	-	-	-	2	-	2	27.0*	-	-	-	-	-	-	-	-
152E	-	-	-	-	-	1	-	-	1	21.0	0.8	0.8	-	-	-	-	-	-
*154E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*159E	-	-	-	-	-	-	3	-	3	25.0	38.0	38.0	-	-	-	-	-	-
*163E	-	-	-	-	-	3	-	-	3	26.3	36.0	36.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -3-007 JUN -063 3月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
09N	164E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	36.0	13.0	13.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	2	-	2	19.0	21.5	21.5	-	-	-	-	-	-
08N	133E	-	-	-	-	-	1	-	-	1	25.0	1.6	1.6	-	-	-	-	-	-
	134E	-	-	-	-	-	2	-	-	2	25.0	22.2	22.2	-	-	-	-	-	-
	*137E	-	-	-	-	-	2	1	-	3	26.0	4.0	4.0	-	-	-	-	-	-
	138E	-	-	-	-	-	3	-	-	3	24.0	2.0	2.0	-	-	-	-	-	-
	139E	-	-	-	-	-	1	2	-	3	25.0	3.5	3.5	-	-	-	-	-	-
	140E	-	-	-	-	-	2	-	-	2	21.5	6.7	6.7	-	-	-	-	-	-
	141E	-	-	-	-	-	-	2	-	2	20.5	5.3	5.3	-	-	-	-	-	-
	142E	-	-	-	-	-	-	2	-	2	21.0	9.0	9.0	-	-	-	-	-	-
	143E	-	-	-	-	-	4	1	-	5	19.8	13.7	13.3	-	0.2	-	-	-	0.2
	144E	-	-	-	-	-	5	5	-	10	20.6	50.3	49.9	-	0.3	-	-	-	0.1
	145E	-	-	-	-	-	12	7	-	19	18.1■	62.9	62.9	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	2	-	4	22.0	3.4	3.4	-	-	-	-	-	-
	*150E	-	-	-	-	-	2	2	-	4	20.5	14.2	14.2	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	17.0	1.7	0.5	-	0.9	-	-	-	0.3
	155E	-	-	-	-	-	-	2	-	2	20.5	2.5	2.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	2	-	3	19.3	4.4	4.1	-	-	-	-	-	0.3
	158E	-	-	-	-	-	3	-	-	3	29.0	12.0	12.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	7	-	-	7	26.7	24.0	24.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	18.0	5.1	5.0	-	0.1	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	3	-	3	19.0	14.2	14.0	-	0.2	-	-	-	-
	*174E	-	-	-	-	-	-	2	-	2	19.0	24.1	24.0	-	0.1	-	-	-	-
07N	137E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	2	-	2	26.0	1.5	1.5	-	-	-	-	-	-
	141E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	24.0	2.5	2.5	-	-	-	-	-	-
	144E	-	-	-	-	-	1	2	-	3	25.0	5.5	5.5	-	-	-	-	-	-
	145E	-	-	-	-	-	8	5	-	13	19.6*	88.7	88.7	-	-	-	-	-	-
	146E	-	-	-	-	-	2	1	-	3	22.3	13.3	13.3	-	-	-	-	-	-
	147E	-	-	-	-	-	3	1	-	4	19.0	4.2	4.2	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	150E	-	-	-	-	-	8	7	-	15	18.3	38.3	38.0	-	-	-	-	-	0.3
	151E	-	-	-	-	-	2	4	-	6	18.0	24.0	24.0	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	23.0	2.5	2.5	-	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	22.0	3.5	3.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	5	-	-	5	24.0	18.1	18.1	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	18.0	6.3	6.3	-	-	-	-	-	-
	158E	-	-	-	-	-	-	3	-	3	25.0*	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
07N	*[illegible]	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	[illegible]	-	-	-	-	-	-	2	-	2	18.0	12.2	12.0	-	0.2	-	-	-	-
	[illegible]	-	-	-	-	-	5	2	-	7	23.8	29.0	29.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0		-	-	-	-	-
	168E	-	-	-	-	-	4	-	-	4	18.0	20.5	20.0	-	0.5	-	-	-	-
06N	137E	-	-	-	-	-	1	-	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	138E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
	139E	-	-	-	-	-	6	1	-	7	20.2	21.6	21.6	-	-	-	-	-	-
	140E	-	-	-	-	-	4	5	-	9	19.2	39.1	38.0	-	1.1	-	-	-	-
	141E	-	-	-	-	-	5	3	-	8	19.5	23.8	23.8	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	143E	-	-	-	-	-	-	2	-	2	23.0	2.0	2.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	3	-	3	23.3	5.4	5.4	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	-	-	2	18.5	0.6	0.6	-	-	-	-	-	-
	147E	-	-	-	-	-	6	3	-	9	19.1*	41.0	41.0	-	-	-	-	-	-
	148E	-	-	-	-	-	2	1	-	3	24.0*	12.0	12.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	29.0*	3.0	3.0	-	-	-	-	-	-
	150E	-	-	-	-	-	4	3	-	7	19.8	13.9	13.9	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	2	-	3	23.6	1.5	1.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	2	-	-	2	24.0	4.5	4.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	25.0	9.0	9.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
05N	137E	-	-	-	-	-	-	1	-	1	24.0	1.9	1.0	-	0.5	-	-	-	0.4
	*139E	-	-	-	-	-	3	9	-	12	22.8	54.7	54.7	-	-	-	-	-	-
	140E	-	-	-	-	-	1	1	-	2	22.0	11.9	11.9	-	-	-	-	-	-
	141E	-	-	-	-	-	1	5	-	6	24.1	24.5	24.5	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	144E	-	-	-	-	-	1	2	-	3	23.6	5.0	5.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.4	-	0.1	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	4	-	-	4	25.2	13.6	13.4	-	0.2	-	-	-	-
	151E	-	-	-	-	-	2	-	-	2	20.0	4.0	4.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	27.0	1.4	1.0	-	0.4	-	-	-	-
	154E	-	-	-	-	-	1	1	-	2	24.5	0.1	-	-	0.1	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	21.0	0.3	0.3	-	-	-	-	-	-
	*170E	-	-	-	-	-	2	-	-	2	18.0	5.5	5.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
04N	002E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	
	*138E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	5	10	-	15	25.0	132.0	132.0	-	-	-	-	-	-
	140E	-	-	-	-	-	1	1	-	2	23.0	1.0	1.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	24.0	7.0	7.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	21.0	0.2	0.2	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	-	-		-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAR -3-009 JUN -065 3月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
04N	166E	-	-	-	-	-	-	1	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	2	1	-	3	18.3	11.5	11.0	-	0.5	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	19.0	0.3	0.3	-	-	-	-	-	-
	*003W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	002W	-	-	-	-	-	-	4	-	4	23.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
03N	000E	-	-	-	-	-	-	2	-	2	23.0	14.9	14.0	-	0.1	-	-	-	0.8
	001E	-	-	-	-	-	-	1	-	1	23.0	5.3	5.1	-	-	-	-	-	0.2
	*138E	-	-	-	-	-	-	2	-	2	21.0	2.5	2.5	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
02N	151E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
01N	136E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
00N	154E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	4	1	-	5	27.8	33.0	31.0	-	-	-	-	-	2.0
	*165E	-	-	-	-	-	1	1	-	2	21.5	4.6	4.6	-	-	-	-	-	-
*00S	154E	-	-	-	-	-	2	-	-	2	27.0	21.0	21.0	-	-	-	-	-	-
	155E	-	-	-	-	-	5	-	-	5	27.8	29.0	29.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	2	-	4	27.5	24.5	24.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	25.0	3.3	2.5	-	0.8	-	-	-	-
01S	161E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** APR -1-001 JUN -066 4月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
34N	136E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	*138E	1	5	-	-	-	-	-	-	6	16.0	7.4	6.2	1.2	-	-	-	-	-
	139E	1	3	-	-	-	-	-	-	4	15.7	6.5	6.5	-	-	-	-	-	-
	140E	-	5	-	-	-	4	-	-	9	21.0	14.2	13.1	0.3	0.1	-	-	-	0.7
33N	136E	1	44	-	-	-	-	-	-	45	16.2	28.5	27.5	-	-	-	-	-	1.0
	137E	6	64	-	-	-	-	-	-	70	17.1*	82.1	81.3	0.6	-	-	-	-	0.2
	138E	1	172	4	-	-	1	-	-	178	17.7*	381.1	365.5	11.1	0.1	-	-	-	4.4
	139E	1	202	3	-	-	-	-	-	206	16.6*	409.5	404.8	1.3	0.8	-	-	-	2.6
	140E	-	48	-	-	-	-	-	-	48	15.8*	89.0	87.4	0.4	-	-	-	-	1.2
32N	129E	-	1	-	-	-	-	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	18.0	1.1	1.1	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	4.4	4.4	-	-	-	-	-	-
	136E	-	71	-	-	-	-	-	-	71	17.5*	148.0	143.5	-	0.3	-	-	-	4.2
	137E	1	45	-	-	-	1	-	-	47	16.9	43.5	43.5	-	-	-	-	-	-
	138E	-	136	7	-	-	-	-	-	143	19.1*	401.1	397.1	-	-	-	-	-	4.0
	139E	-	148	5	-	-	-	-	-	153	18.5*	455.1	447.6	0.9	-	-	-	-	6.6
31N	133E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	18.0	1.9	1.9	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	20.0	0.2	0.2	-	-	-	-	-	-
	136E	2	22	-	-	-	-	-	-	24	16.2	30.1	28.7	-	-	-	-	-	1.4
	137E	-	4	-	-	-	-	-	-	4	17.2	6.2	6.2	-	-	-	-	-	-
	138E	-	9	-	-	-	-	-	-	9	17.0	15.8	8.9	-	0.2	-	0.2	-	6.5
	139E	-	3	-	-	-	-	-	-	3	17.3	5.8	5.5	-	-	-	-	-	0.3
30N	129E	4	1	-	-	-	-	-	-	5	12.0	5.9	2.1	3.3	-	-	0.3	-	0.2
	130E	1	-	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	14.5	1.2	-	-	0.2	-	-	-	1.0
	134E	-	3	-	-	-	1	-	-	4	22.5	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	136E	-	4	-	-	-	-	-	-	4	19.5	2.3	2.3	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	16.0	3.8	3.8	-	-	-	-	-	-
	138E	-	2	-	-	-	-	1	-	3	22.0	0.3	0.3	-	-	-	-	-	-
	*140E	-	1	-	-	-	1	-	-	2	22.0	-	-	-	-	-	-	-	-
29N	128E	-	5	-	-	-	-	-	-	5	12.2	11.3	9.2	-	2.1	-	-	-	-
	129E	3	12	-	-	-	-	-	-	15	13.0	16.2	5.7	0.7	4.5	-	-	-	5.3
	130E	-	2	-	-	-	-	-	-	2	15.5	0.3	0.3	-	-	-	-	-	-
	*133E	-	3	-	-	-	-	-	-	3	19.0	0.1	0.1	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	23.0	0.1	-	0.1	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	17.5	6.5	6.5	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	138E	-	-	-	-	-	4	1	-	5	24.6	18.5	-	17.5	-	-	-	-	1.0
	139E	-	-	-	-	-	1	1	-	2	25.5	4.5	-	4.5	-	-	-	-	-
28N	127E	-	11	-	-	-	-	-	-	11	14.0	33.5	29.3	-	4.0	-	-	-	0.2
28N	128E	-	24	-	-	-	-	-	-	24	13.7	69.8	49.1	3.9	13.3	-	-	-	3.5
	129E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	16.0	0.2	-	-	-	-	-	-	0.2
	132E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	19.0	2.2	2.2	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*136E	-	-	-	-	-	4	1	-	5	27.0	26.1	1.0	25.1	-	-	-	-	-
	137E	-	1	-	-	-	7	1	-	9	25.1*	17.6	0.5	17.1	-	-	-	-	-
	138E	-	1	-	-	-	5	-	-	6	19.0	14.8	1.6	13.2	-	-	-	-	-
	139E	-	-	-	-	-	8	1	-	9	22.3	8.0	0.6	4.8	-	-	-	-	2.6
	*141E	-	-	-	-	-	2	-	-	2	14.5	0.4	-	0.4	-	-	-	-	-
27N	126E	-	1	-	-	-	-	-	-	1	12.0	1.4	1.0	-	-	-	-	-	0.4
	127E	3	10	-	-	-	-	-	-	13	14.5	40.0	31.7	0.2	6.0	-	-	-	2.1
	128E	-	3	-	-	-	-	-	-	3	14.0	6.2	4.7	-	1.5	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	18.0	6.6	1.6	-	1.6	-	-	-	3.4
	*136E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	137E	-	-	-	-	-	3	2	-	5	24.5*	11.9	0.6	11.3	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	21.0	2.0	-	-	-	-	0.5	-	1.5
	139E	-	-	-	-	-	6	-	-	6	17.6*	7.0	-	7.0	-	-	-	-	-
	140E	-	-	-	-	-	6	1	-	7	19.8	0.6	0.1	0.5	-	-	-	-	-
	141E	-	-	-	-	-	8	2	-	10	26.2*	2.8	-	2.8	-	-	-	-	-
	142E	-	-	-	-	-	5	2	-	7	25.5	1.0	-	-	-	-	-	-	1.0
26N	126E	1	2	-	-	-	-	-	-	3	14.3	4.7	4.7	-	-	-	-	-	-
	127E	2	5	-	-	-	-	-	-	7	15.1	14.6	10.6	-	4.0	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	13.0	1.6	-	-	-	-	-	-	1.6
	*139E	-	-	-	-	-	1	-	-	1	30.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	21.0	1.0	-	-	0.5	-	0.3	-	0.2
	143E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
25N	126E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	*132E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	1	-	-	1	31.0	0.5	-	-	-	-	-	-	0.5
24N	124E	-	1	-	-	-	-	-	-	1	12.0	0.8	0.5	-	-	-	-	-	0.3
	*129E	-	3	-	-	-	-	-	-	3	15.6	4.5	3.5	-	-	-	-	-	1.0
	*131E	-	1	-	-	-	1	-	-	2	22.5	0.2	-	-	-	-	-	-	0.2
23N	122E	-	1	-	-	-	-	-	-	1	13.0	18.2	18.2	-	-	-	-	-	-
	123E	-	2	-	-	-	-	-	-	2	12.0	6.5	6.0	-	-	-	-	-	0.5
	124E	-	1	-	-	-	-	-	-	1	12.0	1.2	1.2	-	-	-	-	-	-
	*126E	-	1	-	-	-	-	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	*130E	-	3	-	-	-	-	-	-	3	15.6	17.2	17.2	-	-	-	-	-	-
	*137E	-	-	-	-	-	2	-	-	2	28.5	-	-	-	-	-	-	-	-
22N	126E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*128E	-	3	-	-	-	-	-	-	3	13.6	13.7	13.5	-	0.2	-	-	-	-
	129E	-	7	-	-	-	-	-	-	7	13.1	25.8	25.0	-	0.5	-	-	-	0.3

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR -1-003　　JUN -068　　4月上旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
22N 130E	-	17	-	-	-	1	-	-	18	15.0	68.4	66.4	-	0.6	-	-	-	1.4
131E	-	1	1	-	-	-	-	-	2	21.5	7.5	6.8	-	0.3	-	-	-	0.4
132E	-	-	3	-	-	-	-	-	3	23.0	6.0	6.0	-	-	-	-	-	-
21N 120E	-	2	-	-	-	-	-	-	2	15.0	29.8	29.8	-	-	-	-	-	-
121E	-	3	-	-	-	-	-	-	3	19.0	10.2	10.0	-	0.2	-	-	-	-
*126E	-	1	-	-	-	-	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
127E	-	1	-	-	-	-	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
128E	-	12	-	-	-	5	-	-	17	18.8	81.7	78.6	-	2.7	-	-	-	0.4
129E	-	17	-	-	-	-	-	-	17	16.9	62.0	61.6	-	0.4	-	-	-	-
130E	-	4	1	-	-	1	-	-	6	18.0	14.5	14.5	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	21.0	13.0	13.0	-	-	-	-	-	-
132E	-	1	2	-	-	1	-	-	4	21.0	5.0	5.0	-	-	-	-	-	-
133E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*135E	-	-	-	-	-	1	-	-	1	22.0	7.0	7.0	-	-	-	-	-	-
136E	-	-	-	-	-	2	2	-	4	19.2	20.0	20.0	-	-	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	34.0	2.0	2.0	-	-	-	-	-	-
20N 127E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
128E	-	7	-	-	-	-	-	-	7	16.5	45.5	44.2	-	0.8	-	-	-	0.5
129E	-	10	4	-	-	-	-	-	14	15.9	86.9	86.9	-	-	-	-	-	-
130E	-	9	-	-	-	1	-	-	10	18.2	53.2	53.2	-	-	-	-	-	-
131E	-	-	-	-	-	7	1	-	8	25.7	3.5	3.5	-	-	-	-	-	-
*134E	-	-	-	-	-	6	-	-	6	24.5	11.2	11.2	-	-	-	-	-	-
135E	-	-	-	-	-	9	-	-	9	22.6	27.3	27.3	-	-	-	-	-	-
136E	-	-	-	-	-	9	4	-	13	22.0	57.7	57.0	-	0.7	-	-	-	-
137E	-	-	-	-	-	3	-	-	3	24.3	6.9	6.9	-	-	-	-	-	-
*144E	-	-	-	-	-	-	1	-	1	18.0	3.6	3.6	-	-	-	-	-	-
19N 126E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
127E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
128E	-	3	1	-	-	3	4	-	11	21.0	44.9	44.8	-	-	-	-	-	0.1
129E	-	5	1	-	-	-	4	-	10	18.9	39.5	39.5	-	-	-	-	-	-
130E	-	1	-	-	-	5	-	-	6	25.0	9.0	9.0	-	-	-	-	-	-
131E	-	-	-	-	-	8	1	-	9	25.8	16.8	15.8	-	-	-	-	-	1.0
132E	-	-	-	-	-	4	-	-	4	22.2	8.5	7.0	-	-	-	1.5	-	-
133E	-	-	-	-	-	2	-	-	2	22.0	9.5	9.5	-	-	-	-	-	-
134E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
135E	-	-	-	-	-	2	-	-	2	21.5	5.0	4.0	-	0.5	-	-	-	0.5
136E	-	-	-	-	-	5	2	-	7	24.7	15.0	14.5	-	-	-	-	-	0.5
137E	-	-	-	-	-	7	2	-	9	26.0	25.4	25.0	-	0.1	-	-	-	0.3
*139E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
18N 126E	-	1	-	-	-	-	-	-	1	22.0	6.0	6.0	-	-	-	-	-	-
127E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
128E	-	1	-	-	-	1	11	-	13	25.6	44.6	44.1	-	0.5	-	-	-	-
129E	-	3	-	-	-	3	16	-	22	23.8	80.8	80.5	-	-	-	0.1	-	0.2
130E	-	1	-	-	-	3	10	-	14	24.4	41.1	40.9	-	-	-	-	-	0.2
131E	-	-	-	-	-	4	-	-	4	25.5	9.5	9.5	-	-	-	-	-	-
132E	-	-	-	-	-	4	4	-	8	24.0	8.1	8.1	-	-	-	-	-	-
133E	-	-	-	-	-	4	2	-	6	25.3	9.1	9.1	-	-	-	-	-	-
134E	-	-	-	-	-	3	1	-	4	22.5	4.5	4.5	-	-	-	-	-	-
18N 135E	-	-	-	-	-	6	3	-	9	24.5	17.5	17.5	-	-	-	-	-	-
136E	-	-	-	-	-	20	14	-	34	21.9	139.0	137.6	-	0.5	-	-	-	0.9
137E	-	-	-	-	-	15	3	-	18	24.1	57.9	57.9	-	-	-	-	-	-
138E	-	-	-	-	-	2	-	-	2	22.5	2.8	2.8	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*151E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
17N 126E	-	-	-	-	-	4	-	-	4	22.0	13.0	13.0	-	-	-	-	-	-
127E	-	-	-	-	-	2	-	-	2	22.0	10.0	10.0	-	-	-	-	-	-
128E	-	-	-	-	-	2	5	-	7	24.0	25.5	25.5	-	-	-	-	-	-
129E	-	-	-	-	-	2	5	-	7	24.5	23.5	23.5	-	-	-	-	-	-
130E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
131E	-	-	-	-	-	3	8	-	11	23.7*	25.2	25.1	-	-	-	-	-	0.1
132E	-	-	-	-	-	3	5	-	8	23.7*	18.2	18.2	-	-	-	-	-	-
133E	-	-	-	-	-	4	6	-	10	24.8	17.5	17.5	-	-	-	-	-	-
134E	-	-	-	-	-	15	18	-	33	24.9*	90.0	90.0	-	-	-	-	-	-
135E	-	-	-	-	-	7	12	-	19	22.7	72.7	72.7	-	-	-	-	-	-
136E	-	-	-	-	-	4	1	-	5	21.4	14.0	14.0	-	-	-	-	-	-
137E	-	-	-	-	-	3	1	-	4	20.0	10.9	10.9	-	-	-	-	-	-
138E	-	-	-	-	-	2	1	-	3	24.3	4.9	4.9	-	-	-	-	-	-
139E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
16N 128E	-	-	-	-	-	4	1	-	5	23.4	18.5	18.5	-	-	-	-	-	-
129E	-	-	-	-	-	1	2	-	3	22.3	10.0	10.0	-	-	-	-	-	-
130E	-	-	-	-	-	1	2	-	3	22.3	5.0	5.0	-	-	-	-	-	-
131E	-	-	-	-	-	1	2	-	3	25.0	2.8	2.8	-	-	-	-	-	-
132E	-	-	-	-	-	6	4	-	10	24.3	30.0	30.0	-	-	-	-	-	-
133E	-	-	-	-	-	1	11	-	12	25.0*	44.0	44.0	-	-	-	-	-	-
134E	-	-	-	-	-	3	10	-	13	24.3	42.0	42.0	-	-	-	-	-	-
135E	-	-	-	-	-	5	11	-	16	23.7*	32.3	32.3	-	-	-	-	-	-
136E	-	-	-	-	-	2	5	-	7	21.8	15.5	15.5	-	-	-	-	-	-
137E	-	-	-	-	-	-	8	-	8	24.4*	16.2	16.2	-	-	-	-	-	-
138E	-	-	-	-	-	-	7	-	7	22.1	6.5	6.5	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*142E	-	-	-	-	-	1	1	-	2	28.5	-	-	-	-	-	-	-	-
143E	-	-	-	-	-	2	-	-	2	24.0	1.0	1.0	-	-	-	-	-	-
15N 128E	-	-	-	-	-	1	-	-	1	25.0	5.0	5.0	-	-	-	-	-	-
129E	-	-	-	-	-	1	3	-	4	23.2	21.0	21.0	-	-	-	-	-	-
130E	-	-	-	-	-	1	4	-	5	25.4	11.6	11.6	-	-	-	-	-	-
131E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
132E	-	-	-	-	-	7	6	-	13	21.5*	51.5	51.5	-	-	-	-	-	-
133E	-	-	-	-	-	3	6	-	9	24.0	21.2	21.2	-	-	-	-	-	-
134E	-	-	-	-	-	1	2	-	3	25.3	1.0	1.0	-	-	-	-	-	-
135E	-	-	-	-	-	1	3	-	4	23.5	4.1	3.6	-	0.5	-	-	-	-
136E	-	-	-	-	-	-	2	-	2	23.5	2.0	2.0	-	-	-	-	-	-
137E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
138E	-	-	-	-	-	2	-	-	2	28.0	0.2	-	-	-	-	-	-	0.2
139E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	2	-	-	2	28.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** APR -1-005 JUN -070 4月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
15N	142E	-	-	-	-	-	-	4	-	4	24.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
14N	128E	-	-	-	-	-	1	-	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	129E	-	-	-	-	-	1	4	-	5	24.8	37.0	37.0	-	-	-	-	-	-
	130E	-	-	-	-	-	-	4	-	4	25.5	26.0	26.0	-	-	-	-	-	-
	131E	-	-	-	-	-	2	2	-	4	26.0	14.0	14.0	-	-	-	-	-	-
	132E	-	-	-	-	-	1	2	-	3	22.6	7.0	7.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	4	-	4	25.7	10.0	10.0	-	-	-	-	-	-
	134E	-	-	-	-	-	3	6	-	9	25.7*	30.5	30.5	-	-	-	-	-	-
	135E	-	-	-	-	-	-	2	-	2	25.0	17.0	17.0	-	-	-	-	-	-
	136E	-	-	-	-	-	-	3	-	3	24.6	0.3	0.1	-	0.1	-	-	-	0.1
	137E	-	-	-	-	-	-	2	-	2	23.5	1.2	1.2	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	2	-	-	2	28.0	0.2	-	-	-	-	-	-	0.2
	146E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
13N	130E	-	-	-	-	-	-	1	-	1	29.0	0.7	0.7	-	-	-	-	-	-
	*132E	-	-	-	-	-	1	-	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	133E	-	-	-	-	-	1	3	-	4	27.7	13.0	13.0	-	-	-	-	-	-
	134E	-	-	-	-	-	7	6	-	13	25.1	46.7	46.7	-	-	-	-	-	-
	135E	-	-	-	-	-	2	1	-	3	24.6	10.0	10.0	-	-	-	-	-	-
	136E	-	-	-	-	-	1	-	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	2	-	2	24.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	34.0	7.0	7.0	-	-	-	-	-	-
12N	130E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*133E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	1	2	-	3	23.3	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	1	3	-	4	23.2	6.0	6.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	28.0	2.0	2.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
12N	152E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	2	-	2	20.5	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	9	-	9	25.3	84.0	82.0	-	2.0	-	-	-	-
	156E	-	-	-	-	-	-	3	-	3	22.6	17.3	17.3	-	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	28.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	2	-	3	28.6	40.0	40.0	-	-	-	-	-	-
	159E	-	-	-	-	-	2	2	-	4	25.0	27.5	27.0	-	-	-	-	-	0.5
	160E	-	-	-	-	-	-	1	-	1	25.0	0.7	0.7	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
11N	132E	-	-	-	-	-	2	-	-	2	25.0	12.0	12.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	1	1	-	2	26.5	6.7	6.5	-	-	-	-	-	0.2
	150E	-	-	-	-	-	-	3	-	3	26.3	9.0	9.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	2	-	2	27.5	9.0	9.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	9	-	9	27.4	45.0	45.0	-	-	-	-	-	-
	155E	-	2	-	-	-	1	4	-	7	24.4*	21.7	20.0	-	1.3	-	-	-	0.4
	156E	-	-	-	-	-	1	4	-	5	24.2	26.5	26.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	158E	-	-	-	-	-	1	4	-	5	25.8	36.0	36.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	25.5	6.5	6.5	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	5	2	-	7	25.2	27.5	27.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	4	-	4	26.0	20.0	20.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	6	-	6	26.3	55.0	55.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	27.0	12.0	12.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	27.0	14.0	14.0	-	-	-	-	-	-
10N	133E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	134E	-	-	-	-	-	-	4	-	4	29.2	28.2	28.0	-	-	-	0.1	-	0.1
	*136E	-	-	-	-	-	1	1	-	2	28.5	3.1	3.0	-	-	-	-	-	0.1
	*139E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	140E	-	-	-	-	-	-	2	-	2	23.0	2.5	2.5	-	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	2	1	-	3	21.0*	4.0	4.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	2	-	3	19.3	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	1	-	2	18.5	7.0	7.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	6	-	6	23.8	15.0	15.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	3	-	4	24.7	5.0	5.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	2	-	2	25.5	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　APR -1-007　　　JUN -072　　　4月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
10N	154E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	155E	-	3	-	-	-	-	3	-	6	27.3*	15.9	13.7	-	1.4	-	0.3	-	0.5
	*157E	-	-	-	-	-	-	1	-	1	23.0	11.0	11.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	3	-	3	24.6	27.5	27.5	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	29.0*	7.5	7.5	-	-	-	-	-	-
	161E	-	-	-	-	-	4	-	-	4	25.7	29.3	29.0	-	0.3	-	-	-	-
	162E	-	-	-	-	-	1	2	-	3	26.0*	4.5	4.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	27.0	13.0	13.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	19.0	7.5	7.5	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	36.0	7.0	7.0	-	-	-	-	-	-
09N	134E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	-	1	-	1	28.0	0.5	-	-	-	-	-	-	0.5
	*141E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	7	-	7	21.7	16.5	16.5	-	-	-	-	-	-
	144E	-	-	-	-	-	7	8	-	15	20.0	25.1	23.3	-	1.8	-	-	-	-
	145E	-	-	-	-	-	5	1	-	6	22.6*	11.8	11.8	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	21.0	0.1	0.1	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	151E	-	-	-	-	-	1	3	-	4	22.2	5.0	5.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	2	-	2	21.0	3.0	3.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	2	-	3	23.6	0.7	0.7	-	-	-	-	-	-
	155E	-	2	-	-	-	1	1	-	4	23.0*	1.2	0.2	-	0.6	-	0.2	-	0.2
	·156E	-	3	-	-	-	-	-	-	3	23.0	3.9	-	-	3.0	-	0.6	-	0.3
	*158E	-	-	-	-	-	2	1	-	3	29.0*	13.5	13.5	-	-	-	-	-	-
	159E	-	-	-	-	-	4	2	-	6	27.2*	36.3	36.3	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	25.0	11.0	11.0	-	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	26.0	15.0	15.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	3	-	3	36.0	22.0	22.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	2	-	2	19.0	13.5	13.5	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	19.0	25.1	25.0	-	0.1	-	-	-	-
08N	133E	-	-	-	-	-	1	1	-	2	30.5	9.5	9.5	-	-	-	-	-	-
	*137E	-	-	-	-	-	-	2	-	2	24.0	2.5	2.5	-	-	-	-	-	-
	138E	-	-	-	-	-	-	2	-	2	21.0	1.0	1.0	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	21.0	0.5	-	-	-	-	-	-	0.5
	*143E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	144E	-	-	-	-	-	7	4	-	11	18.9	40.4	40.4	-	-	-	-	-	-
	145E	-	-	-	-	-	16	8	-	24	18.0	106.0	103.6	-	0.7	-	-	0.4	1.3
	*147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	20.0	2.5	2.5	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	3	-	3	22.0	4.5	4.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
08N	*164E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	3	-	3	36.0	25.0	25.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	3	-	3	24.6	41.0	41.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	19.0	12.6	12.5	-	0.1	-	-	-	-
07N	133E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	145E	-	-	-	-	-	1	1	-	2	20.5	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	2	-	2	21.5	1.5	1.5	-	-	-	-	-	-
	151E	-	-	-	-	-	-	2	-	2	26.5	1.0	1.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	3	-	3	26.3	12.5	12.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	25.5	3.0	2.5	-	0.2	-	-	0.3	-
	*159E	-	-	-	-	-	1	-	-	1	24.0	3.5	3.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	18.0*	4.0	4.0	-	-	-	-	-	-
06N	133E	-	-	-	-	-	1	-	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	-	1	-	1	30.0	0.2	0.1	-	0.1	-	-	-	-
	*141E	-	-	-	-	-	3	1	-	4	17.7	8.6	8.6	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	1	-	2	24.5	2.0	2.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
05N	136E	-	-	-	-	-	1	-	-	1	30.0	3.5	3.5	-	-	-	-	-	-
	*139E	-	-	-	-	-	-	2	-	2	22.0	3.0	3.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	2	-	2	24.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	2	-	2	24.5	4.5	4.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	2	-	3	23.6	7.0	7.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	27.5	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
04N	137E	-	-	-	-	-	-	2	-	2	26.0	7.0	7.0	-	-	-	-	-	-
	138E	-	-	-	-	-	-	5	-	5	30.0	8.1	8.0	-	0.1	-	-	-	-
	139E	-	-	-	-	-	-	2	-	2	26.0	10.0	10.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	-	-	2	26.5	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR -1-009　　　　JUN -074　　　　4月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
04N	*153E	-	-	-	-	-	-	3	-	3	26.6	3.8	3.8	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	27.5	1.0	1.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	27.5	1.0	1.0	-	-	-	-	-	-
03N	138E	-	-	-	-	-	-	2	-	2	22.0	2.5	2.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	1	-	2	23.0*	4.0	4.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
02N	000E	-	-	-	-	-	-	1	-	1	23.0	13.4	10.9	-	-	-	0.2	-	2.3
	*149E	-	-	-	-	-	-	2	-	2	23.0	3.0	3.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	3	-	-	3	26.6	6.5	6.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	2	-	2	23.0	3.8	2.5	-	0.3	-	0.3	-	0.7
01N	153E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	2	-	-	2	25.5	15.0	15.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
00N	154E	-	-	-	-	-	3	-	-	3	27.0*	13.0	13.0	-	-	-	-	-	-
*00S	154E	-	-	-	-	-	3	-	-	3	28.3	11.0	10.0	-	-	-	-	-	1.0

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR -2-001　　　JUN -075　　　4月中旬

操業位置 POSITION		竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
35N	148E	-	-	-	-	-	1	-	-	1	20.0	2.5	1.5	1.0	-	-	-	-	-
34N	136E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	*139E	-	4	-	-	-	-	-	-	4	20.0	0.6	0.6	-	-	-	-	-	-
	140E	-	5	-	-	-	-	-	-	5	18.2	6.9	5.9	-	0.5	-	-	-	0.5
33N	132E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	135E	-	7	-	-	-	-	-	-	7	18.4	20.7	6.0	14.7	-	-	-	-	-
	136E	8	81	-	-	-	-	-	-	89	16.8*	110.7	72.5	24.5	1.3	-	0.4	-	12.0
	137E	3	38	-	-	-	-	-	-	41	16.2*	37.4	28.2	2.7	-	-	0.5	-	6.0
	138E	1	24	1	-	-	3	-	-	29	18.2*	32.1	25.4	6.0	-	-	-	-	0.7
	139E	-	49	-	-	-	2	-	-	51	16.4*	76.5	51.8	2.5	0.7	-	1.5	-	20.0
	140E	-	105	-	-	-	-	-	-	105	15.8*	150.9	126.5	0.2	14.0	-	-	-	10.2
	141E	-	-	1	-	-	-	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
32N	134E	-	1	-	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	135E	1	19	-	-	-	-	-	-	20	16.8	62.9	59.7	0.6	-	-	-	-	2.6
	136E	3	47	-	-	-	-	-	-	50	17.9	81.7	31.2	47.3	-	-	1.1	-	2.1
	137E	-	36	-	-	-	-	-	-	36	17.8	44.8	35.5	3.8	1.0	-	1.4	-	3.1
	138E	-	204	4	-	-	4	-	-	212	18.2*	318.5	293.0	12.2	2.7	-	-	-	10.6
	139E	-	189	6	-	-	-	-	-	195	17.7*	313.1	296.0	0.3	2.5	-	-	-	14.3
	140E	-	62	2	-	-	-	-	-	64	16.7*	102.0	100.7	0.9	0.3	-	-	-	0.1
	141E	-	-	2	-	-	-	-	-	2	23.0	3.0	-	3.0	-	-	-	-	-
	142E	-	-	1	-	-	-	-	-	1	23.0	-	-	-	-	-	-	-	-
31N	132E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
	135E	-	18	-	-	-	-	-	-	18	17.8	46.5	46.5	-	-	-	-	-	-
	136E	-	8	-	-	-	-	-	-	8	18.5	17.6	9.0	8.6	-	-	-	-	-
	137E	-	14	-	-	-	1	-	-	15	17.4	25.6	6.3	17.1	0.2	-	-	-	2.0
	138E	-	10	-	-	-	1	-	-	11	17.8	19.5	9.6	6.0	0.1	-	0.2	-	3.6
	139E	-	13	-	-	-	1	-	-	14	17.0*	29.5	18.3	9.4	0.6	-	0.2	-	1.0
	140E	-	-	2	-	-	-	-	-	2	23.0	-	-	-	-	-	-	-	-
30N	129E	4	9	-	-	-	-	-	-	13	14.3	26.3	6.3	8.5	8.2	-	0.1	-	3.2
	130E	1	1	-	-	-	-	-	-	2	11.5	0.1	-	0.1	-	-	-	-	-
	131E	-	3	-	-	-	1	1	-	5	21.8	1.5	1.5	-	-	-	-	-	-
	*133E	-	3	-	-	-	-	-	-	3	14.3	2.1	1.0	-	0.1	-	-	-	1.0
	134E	-	1	-	-	-	-	-	-	1	20.0	1.5	1.5	-	-	-	-	-	-
	135E	-	24	-	-	-	-	1	-	25	18.5	41.1	40.5	0.5	-	-	-	-	0.1
	136E	-	2	-	-	-	1	-	-	3	21.0	1.1	1.1	-	-	-	-	-	-
	137E	-	7	-	-	-	2	-	-	9	19.5	9.7	7.5	2.2	-	-	-	-	-
	138E	2	61	-	-	-	3	2	-	68	17.7	122.2	39.2	69.5	1.0	-	8.7	-	3.8
	139E	-	8	-	-	-	4	-	-	12	18.3	25.5	17.7	5.8	1.0	-	0.5	-	0.5
	140E	-	2	-	-	-	-	-	-	2	16.5	1.8	-	-	1.8	-	-	-	-
29N	127E	-	6	-	-	-	-	-	-	6	13.3	11.5	11.5	-	-	-	-	-	-
	128E	1	16	-	-	-	-	-	-	17	14.3	49.6	21.6	0.5	19.8	-	-	-	7.7
	129E	1	9	-	-	-	-	-	-	10	12.0	11.8	5.0	0.6	2.7	-	-	-	3.5
	130E	1	3	-	-	-	-	-	-	4	14.5	7.5	7.2	-	-	-	-	-	0.3
29N	131E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*133E	-	3	-	-	-	-	-	-	3	19.6	4.0	3.7	0.3	-	-	-	-	-
	134E	-	1	-	-	-	16	1	-	18	24.5	30.0	3.0	19.5	-	-	0.5	-	7.0
	135E	-	10	1	-	-	14	5	-	30	22.8	52.2	24.1	27.1	-	-	0.5	-	0.5
	136E	-	-	-	-	-	5	-	-	5	26.8	0.4	-	0.1	-	-	-	-	0.3
	137E	-	4	-	-	-	3	1	-	8	22.1	6.1	4.4	1.7	-	-	-	-	-
	138E	-	15	-	-	-	72	21	-	108	21.5*	239.3	3.4	232.4	-	-	-	-	3.5
	139E	-	2	-	-	-	32	4	-	38	20.8*	108.1	1.5	104.8	-	-	0.4	-	1.4
	140E	-	3	-	-	-	2	-	-	5	17.6	19.2	0.3	18.7	-	-	-	-	0.2
28N	127E	1	23	-	-	-	-	-	-	24	15.2	48.9	32.9	1.5	8.8	-	-	-	5.7
	128E	2	20	-	-	-	-	-	-	22	14.9	46.8	37.2	-	3.5	-	1.4	0.1	4.6
	129E	-	1	-	-	-	-	-	-	1	16.0	1.2	0.7	-	-	-	-	-	0.5
	130E	-	4	-	-	-	-	-	-	4	16.0	5.8	4.5	-	1.0	-	-	-	0.3
	*134E	-	1	-	-	-	-	-	-	1	19.0	7.0	7.0	-	-	-	-	-	-
	135E	-	-	-	-	-	9	5	-	14	25.4	46.5	-	46.5	-	-	-	-	-
	136E	-	2	-	-	-	11	2	-	15	25.6	17.7	4.5	12.7	-	-	0.5	-	-
	137E	-	-	-	-	-	16	2	-	18	26.1*	20.6	2.0	17.6	-	-	-	1.0	-
	138E	-	2	-	-	-	19	8	-	29	23.0*	61.0	9.8	50.2	-	-	-	-	1.0
	139E	-	-	-	-	-	43	4	-	47	21.8*	166.5	0.1	164.1	1.2	-	0.6	-	0.5
	*141E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	14.0	3.3	-	-	-	-	2.0	-	1.3
27N	126E	-	10	-	-	-	-	-	-	10	14.2	29.3	23.5	0.4	4.2	-	1.0	-	0.2
	127E	3	31	-	-	-	-	-	-	34	14.3	82.1	65.0	0.4	11.0	-	-	-	5.7
	128E	-	3	-	-	-	-	-	-	3	13.0	8.0	4.7	-	1.5	-	-	-	1.8
	*131E	-	1	-	-	-	-	-	-	1	13.0	0.6	0.6	-	-	-	-	-	-
	*135E	-	2	-	-	-	1	-	-	3	22.0	0.5	0.3	0.2	-	-	-	-	-
	136E	-	3	-	-	-	1	-	-	4	18.0	6.0	6.0	-	-	-	-	-	-
	137E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	138E	-	1	-	-	-	-	-	-	1	22.0	0.5	-	-	-	-	-	-	0.5
	139E	-	1	-	-	-	2	-	-	3	20.6	4.0	1.0	3.0	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	20.0	1.0	-	1.0	-	-	-	-	-
26N	126E	2	17	-	-	-	-	-	-	19	16.1	64.6	43.0	1.5	15.9	-	-	-	4.2
	127E	9	2	-	-	-	-	-	-	11	16.4	17.4	16.4	-	1.0	-	-	-	-
	128E	-	3	-	-	-	-	-	-	3	16.0	3.2	2.6	-	0.1	-	0.5	-	-
	129E	-	1	-	-	-	-	1	-	2	22.5	-	-	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*135E	-	3	-	-	-	-	-	-	3	19.3	12.5	12.5	-	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	22.0	3.0	-	-	-	-	2.0	-	1.0
	141E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
25N	124E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	19.0	20.4	20.4	-	-	-	-	-	-
	126E	-	4	-	-	-	-	-	-	4	16.2	9.5	2.5	-	7.0	-	-	-	-
	127E	-	3	-	-	-	-	-	-	3	12.0	8.2	7.5	-	0.7	-	-	-	-
	128E	-	6	-	-	-	-	-	-	6	17.5	17.1	9.5	1.0	3.1	-	3.5	-	-
	*130E	-	1	-	-	-	-	-	-	1	24.0	2.0	1.0	1.0	-	-	-	-	-
24N	123E	-	1	-	-	-	-	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** APR -2-003 JUN -077

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	■.F.	B.E.	F.M.	ELS
24N	124E	-	3	-	-	-	-	-	-	3	14.0	4.8	4.6	-	0.2	-	-	-	-
	*126E	-	2	-	-	-	-	-	-	2	14.5	0.5	0.2	-	0.3	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*134E	-	1	1	-	-	-	-	-	2	21.0	7.0	7.0	-	-	-	-	-	-
23N	123E	-	1	-	-	-	1	-	-	2	23.0	18.5	18.5	-	-	-	-	-	-
	124E	-	4	-	-	-	-	-	-	4	16.2	23.7	22.0	-	1.2	-	-	-	0.5
	125E	-	2	-	-	-	-	-	-	2	11.0	2.1	1.6	-	0.5	-	-	-	-
	126E	-	4	-	-	-	-	-	-	4	18.2	7.1	6.6	-	0.5	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	20.0	1.1	1.1	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*139E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	15.0	8.8	7.7	-	1.0	-	-	-	0.1
22N	121E	-	1	-	-	-	-	-	-	1	16.0	1.0	-	-	1.0	-	-	-	-
	*123E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*125E	-	-	-	-	-	-	1	-	1	24.0	1.0	-	-	-	-	-	-	1.0
	126E	-	2	-	-	-	-	-	-	2	20.0	9.9	9.9	-	-	-	-	-	-
	127E	-	4	-	-	-	-	1	-	5	18.6	14.2	14.2	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	16.5	4.0	3.5	-	0.5	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	15.5	2.5	2.0	-	0.2	-	-	-	0.3
21N	120E	-	2	-	-	-	-	-	-	2	16.0	6.3	5.0	-	-	-	-	1.3	-
	121E	-	5	-	-	-	-	-	-	5	16.0	16.1	15.9	-	0.1	-	-	-	0.1
	*126E	-	6	-	-	-	-	1	-	7	17.1	25.0	24.3	-	0.3	-	-	-	0.4
	127E	-	4	-	-	-	-	-	-	4	15.7	18.0	18.0	-	-	-	-	-	-
	128E	-	9	-	-	-	-	2	-	11	17.8	50.2	44.7	-	5.5	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	18.0	4.0	4.0	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	132E	-	-	2	-	-	-	1	-	3	21.3	15.3	15.3	-	-	-	-	-	-
	*136E	-	-	-	-	-	3	-	-	3	22.6	2.5	2.5	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	20.0	10.0	10.0	-	-	-	-	-	-
20N	124E	-	-	-	-	-	2	-	-	2	25.0	16.0	16.0	-	-	-	-	-	-
	125E	-	-	-	-	-	1	-	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	126E	-	5	-	-	-	-	-	-	5	18.8	11.1	10.8	-	0.3	-	-	-	-
	127E	-	9	-	-	-	-	1	-	10	18.7	39.7	39.7	-	-	-	-	-	-
	128E	-	11	-	-	-	-	3	-	14	16.9	47.9	47.7	-	-	-	-	-	0.2
	129E	-	4	-	-	-	-	1	-	5	18.0	10.0	10.0	-	-	-	-	-	-
	*131E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	132E	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	*134E	-	-	-	-	-	1	2	-	3	19.6	7.5	7.5	-	-	-	-	-	-
	135E	-	-	-	-	-	9	1	-	10	19.8	25.0	23.9	-	0.1	-	-	-	1.0
	136E	-	-	-	-	-	2	1	-	3	20.6	26.9	26.9	-	-	-	-	-	-
	137E	-	-	-	-	-	9	-	-	9	19.6	18.5	17.8	-	0.4	-	0.3	-	-
	138E.	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
19N	125E	-	-	-	-	-	1	3	-	4	25.7	32.0	32.0	-	-	-	-	-	-
	126E	-	-	-	-	-	2	1	-	3	25.0	12.5	12.5	-	-	-	-	-	-
	127E	-	3	-	-	-	2	3	-	8	20.1	57.5	53.3	-	2.0	-	-	-	2.2
19N	128E	-	10	-	-	-	2	1	-	13	16.4	45.3	44.3	-	1.0	-	-	-	-
	129E	-	1	-	-	-	1	1	-	3	19.6	19.5	19.3	-	0.2	-	-	-	-
	130E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	131E	-	1	1	-	-	1	-	-	3	18.6	4.5	4.5	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	4	-	4	24.0	15.5	15.5	-	-	-	-	-	-
	136E	-	-	-	-	-	5	6	-	11	20.0	31.8	31.8	-	-	-	-	-	-
	137E	-	-	-	-	-	10	7	-	17	20.1	39.1	36.1	-	2.5	-	-	-	0.5
	138E	-	-	-	-	-	2	-	-	2	17.0	1.4	1.4	-	-	-	-	-	-
	139E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
18N	127E	-	-	-	-	-	1	-	-	1	22.0	5.5	5.5	-	-	-	-	-	-
	*129E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	130E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	*133E	-	-	-	-	-	1	1	-	2	22.5	7.6	5.0	-	1.1	-	-	-	1.5
	134E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*136E	-	-	1	-	-	7	9	-	17	20.0	69.2	69.2	-	-	-	-	-	-
	137E	-	-	-	-	-	2	1	-	3	18.0	/.3	7.3	-	-	-	-	-	-
	138E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
17N	126E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*129E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*134E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*137E	-	-	-	-	-	2	1	-	3	21.3	1.0	1.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
16N	126E	-	-	-	-	-	1	-	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	127E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*129E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
15N	129E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*138E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	20.0	3.0	2.0	-	1.0	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	3	-	3	23.3	4.0	4.0	-	-	-	-	-	-
14N	128E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*132E	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	1	-	2	26.5	3.0	3.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	16.0	2.0	2.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	2	-	2	27.0	16.0	16.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	1	-	2	25.5	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	16	-	16	23.8	74.4	74.4	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	24.0	3.2	3.2	-	-	-	-	-	-
13N	132E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　APR -2-005　　JUN -079　　4月中旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
13N *143E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	19.0	4.0	4.0	-	-	-	-	-	-
*152E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
*156E	-	-	-	-	-	-	3	-	3	24.6	10.0	10.0	-	-	-	-	-	-
157E	-	-	-	-	-	3	16	-	19	23.3	84.8	84.8	-	-	-	-	-	-
158E	-	-	-	-	-	6	24	-	30	24.7	136.4	136.4	-	-	-	-	-	-
159E	-	-	-	-	-	2	15	-	17	24.6	79.3	79.0	-	-	-	0.3	-	-
12N 132E	-	-	-	-	-	-	2	-	2	25.5	10.0	10.0	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*149E	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-
150E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*152E	-	-	-	-	-	-	3	-	3	25.6	0.3	0.3	-	-	-	-	-	-
153E	-	-	-	-	-	1	1	-	2	25.5	8.5	8.5	-	-	-	-	-	-
154E	-	-	-	-	-	-	4	-	4	22.5	12.0	12.0	-	-	-	-	-	-
155E	-	-	-	-	-	3	21	-	24	24.5	110.0	110.0	-	-	-	-	-	-
156E	-	-	-	-	-	1	11	-	12	21.5	56.0	56.0	-	-	-	-	-	-
157E	-	-	-	-	-	4	19	-	23	25.4*	104.5	104.5	-	-	-	-	-	-
158E	-	-	-	-	-	5	28	-	33	25.1*	203.0	202.7	-	0.3	-	-	-	-
159E	-	-	-	-	-	4	8	-	12	26.1	37.2	37.0	-	-	-	-	-	0.2
160E	-	-	-	-	-	7	5	-	12	26.0	69.0	69.0	-	-	-	-	-	-
161E	-	-	-	-	-	2	2	-	4	23.0	7.7	7.7	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	25.0	11.0	11.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
11N 132E	-	-	-	-	-	1	6	-	7	26.8	39.8	38.5	-	1.0	-	-	-	0.3
*138E	-	-	-	-	-	1	-	-	1	29.0	3.5	3.5	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*150E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	4	-	5	22.2	13.5	13.5	-	-	-	-	-	-
152E	-	-	-	-	-	1	-	-	1	24.0	3.5	3.5	-	-	-	-	-	-
153E	-	-	-	-	-	-	6	-	6	21.0	20.0	20.0	-	-	-	-	-	-
154E	-	-	-	-	-	-	10	-	10	21.2	24.5	24.5	-	-	-	-	-	-
155E	-	1	-	-	-	12	12	-	25	25.6*	121.5	121.0	-	0.3	-	-	-	0.2
156E	-	-	-	-	-	8	18	-	26	24.1	110.6	110.6	-	-	-	-	-	-
157E	-	-	-	-	-	11	21	-	32	24.4*	187.4	187.4	-	-	-	-	-	-
158E	-	-	-	-	-	5	11	-	16	25.7	70.5	70.0	-	0.5	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	1	4	-	5	26.0	14.9	14.9	-	-	-	-	-	-
161E	-	-	-	-	-	1	2	-	3	23.6	3.0	3.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
163E	-	-	-	-	-	2	1	-	3	21.6	7.5	7.5	-	-	-	-	-	-
164E	-	-	-	-	-	1	2	-	3	25.0	3.5	3.5	-	-	-	-	-	-
165E	-	-	-	-	-	-	3	-	3	24.6	11.0	11.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	27.5	4.0	4.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	3	-	3	30.0	11.5	11.5	-	-	-	-	-	-
172E	-	-	-	-	-	-	1	-	1	27.0	3.0	2.5	-	-	-	0.5	-	-
173E	-	-	-	-	-	-	2	-	2	36.0	9.0	9.0	-	-	-	-	-	-
10N 132E	-	-	-	-	-	2	-	-	2	30.0	7.0	7.0	-	-	-	-	-	-
*143E	-	-	-	-	-	-	2	-	2	22.5	5.0	5.0	-	-	-	-	-	-
10N *149E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
*154E	-	-	-	-	-	-	2	-	2	20.5	12.5	12.5	-	-	-	-	-	-
*156E	-	-	-	-	-	-	5	-	5	20.0	21.7	21.7	-	-	-	-	-	-
157E	-	-	-	-	-	-	4	-	4	24.0	23.3	23.3	-	-	-	-	-	-
158E	-	-	-	-	-	-	3	-	3	25.6	5.0	5.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	3	-	4	24.5	5.5	5.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	3	-	3	25.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	-	2	-	2	28.5	9.0	9.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	29.0	15.0	15.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	2	-	2	28.5	7.0	7.0	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
168E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	2	-	2	30.0	12.0	12.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	27.0	7.0	7.0	-	-	-	-	-	-
09N 138E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
139E	-	-	-	-	-	1	-	-	1	20.0	9.0	9.0	-	-	-	-	-	-
140E	-	-	-	-	-	1	-	-	1	20.0	2.5	2.5	-	-	-	-	-	-
*143E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
144E	-	-	-	-	-	1	1	-	2	21.0	2.5	2.5	-	-	-	-	-	-
145E	-	-	-	-	-	-	2	-	2	22.0	9.0	9.0	-	-	-	-	-	-
146E	-	-	-	-	-	-	3	-	3	22.0	15.0	15.0	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	22.0	7.0	7.0	-	-	-	-	-	-
*152E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
153E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*157E	-	-	-	-	-	-	2	-	2	23.5	3.5	3.5	-	-	-	-	-	-
*159E	-	-	-	-	-	1	1	-	2	23.5	0.5	0.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	28.0	13.0	13.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	28.0	12.0	12.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
08N 133E	-	-	-	-	-	-	6	-	6	28.2*	26.5	26.5	-	-	-	-	-	-
134E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*145E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
146E	-	-	-	-	-	-	3	-	3	24.6	2.2	2.2	-	-	-	-	-	-
*153E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
154E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	19.0	6.0	6.0	-	-	-	-	-	-
*157E	-	-	-	-	-	1	1	-	2	27.0	2.0	2.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
07N 131E	-	-	-	-	-	-	1	-	1	21.0	7.0	6.0	-	1.0	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	21.0	2.7	2.5	-	-	-	-	-	0.2
133E	-	-	-	-	-	-	2	-	2	26.0	10.0	10.0	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
137E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*146E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	22.0	1.5	1.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR -2-007　　　　JUN -081　　　　4月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
07N	151E	-	-	-	-	-	1	-	-	1	22.0	6.8	6.5	-	-	-	-	-	0.3
	*153E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	24.0	3.0	3.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	26.5	-	-	-	-	-	-	-	-
06N	131E	-	-	-	-	-	-	3	-	3	26.5	27.5	27.5	-	-	-	-	-	-
	132E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	*134E	-	-	-	-	-	-	1	-	1	31.0	2.0	2.0	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	30.0	2.1	2.0	-	0.1	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	2	-	3	20.3	5.4	5.4	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	20.0	3.5	3.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	5	-	5	25.4	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	25.0*	7.0	7.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
05N	131E	-	-	-	-	-	-	1	-	1	23.0	8.0	8.0	-	-	-	-	-	-
	132E	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	2	-	2	20.0*	13.0	13.0	-	-	-	-	-	-
	134E	-	-	-	-	-	-	4	-	4	25.6*	11.5	11.5	-	-	-	-	-	-
	135E	-	-	-	-	-	-	3	-	3	25.0	25.0	25.0	-	-	-	-	-	-
	136E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	137E	-	-	-	-	-	2	1	-	3	26.6	7.5	7.5	-	-	-	-	-	-
	138E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	2	-	3	26.0	3.3	3.3	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	3	-	3	29.0*	11.5	11.5	-	-	-	-	-	-
	163E	-	-	-	-	-	-	2	-	2	23.0	2.6	2.6	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
04N	002E	-	-	-	-	-	-	1	-	1	23.0	4.2	4.2	-	-	-	-	-	-
	*133E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	134E	-	-	-	-	-	-	2	-	2	29.5	6.0	6.0	-	-	-	-	-	-
	135E	-	-	-	-	-	-	4	-	4	26.0	13.0	10.0	-	3.0	-	-	-	-
	136E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	137E	-	-	-	-	-	2	2	-	4	27.0	16.0	16.0	-	-	-	-	-	-
	138E	-	-	-	-	-	-	4	-	4	24.5	22.0	22.0	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	30.0	2.1	2.0	-	0.1	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	23.0	0.6	0.6	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
04N	156E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	28.0	3.0	3.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	2	-	-	2	28.0	3.0	3.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	20.3	7.0	7.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	26.0	2.5	2.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.5	-	-	-	-	-	-
03N	001E	-	-	-	-	-	-	1	-	1	23.0	3.4	3.4	-	-	-	-	-	-
	*003E	-	-	-	-	-	-	1	-	1	23.0	4.4	4.1	-	0.1	-	-	-	0.2
	*138E	-	-	-	-	-	-	3	-	3	27.0	7.0	7.0	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	20.5	9.0	9.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	3	-	3	26.0	9.0	9.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	23.0	3.0	3.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	4	-	4	25.2	9.5	8.5	-	-	-	1.0	-	-
	*164E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	4	-	4	25.2	28.5	28.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	36.0	3.0	3.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	36.0	3.0	3.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	36.0	0.5	0.5	-	-	-	-	-	-
02N	131E	-	-	-	-	-	-	1	-	1	36.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	2	-	3	25.6	5.7	5.7	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	30.0*	14.0	14.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	26.0	1.5	1.5	-	-	-	-	-	-
	163E	-	-	-	-	-	-	4	-	4	25.5	20.0	20.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	6	-	6	24.6	43.7	43.7	-	-	-	-	-	-
	165E	-	-	-	-	-	-	6	-	6	25.6	32.1	32.1	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	30.2	20.5	20.5	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
01N	155E	-	-	-	-	-	17	1	-	18	24.5*	163.0	163.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	3	-	3	21.6	36.0	36.0	-	-	-	-	-	-
	162E	-	-	-	-	-	4	9	-	13	22.5	134.0	134.0	-	-	-	-	-	-
	163E	-	-	-	-	-	3	3	-	6	22.1	44.2	44.2	-	-	-	-	-	-
	164E	-	-	-	-	-	1	13	-	14	24.6*	136.7	136.7	-	-	-	-	-	-
	165E	-	-	-	-	-	-	29	-	29	23.3*	220.3	220.0	-	-	-	0.3	-	-
	166E	-	-	-	-	-	-	7	-	7	25.6*	36.5	36.5	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	25.6	7.5	7.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.6	2.0	2.0	-	-	-	-	-	-
00N	000E	-	-	-	-	-	-	1	-	1	23.0	2.6	2.6	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	5	-	-	5	25.4	17.5	17.5	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU   *** GYOJYO-BETSU TOUKEI ***   APR -2-009   JUN -083   4月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
00N	*160E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	27.0	6.0	5.0	-	1.0	-	-	-	-
	164E	-	-	-	-	-	-	9	-	9	24.7	70.5	70.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	6	-	6	23.8*	90.5	90.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	23.5	10.0	10.0	-	-	-	-	-	-
*00S	164E	-	-	-	-	-	-	2	-	2	21.0	15.0	15.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
01S	003E	-	-	-	-	-	-	2	-	2	23.0	13.6	13.1	-	0.1	-	0.1	-	0.3
	*005E	-	-	-	-	-	-	2	-	2	23.0	2.8	2.2	-	0.4	-	-	-	0.2
*03S	000E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	27.0	3.0	2.0	-	-	-	-	-	1.0
	*164E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
04S	158E	-	-	-	-	-	1	-	-	1	27.0	4.0	4.0	-	-	-	-	-	-
05S	158E	-	-	-	-	-	1	-	-	1	27.0	51.0	1.0	-	-	-	-	-	50.0

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** APR -3-001 JUN -084 4月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
36N	147E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
35N	139E	-	-	-	-	-	2	-	-	2	23.0	7.0	-	7.0	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	8	-	-	8	20.7	19.1	7.0	12.1	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	4	-	-	4	20.0	11.5	1.5	10.0	-	-	-	-	-
34N	136E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	137E	-	1	-	-	-	2	-	-	3	21.6	6.6	0.1	5.0	-	-	-	-	1.5
	138E	-	1	-	-	-	3	1	-	5	21.2	7.0	0.2	6.7	-	-	-	-	0.1
	139E	-	2	-	-	-	8	4	-	14	21.0	73.4	-	72.7	-	-	-	-	0.7
	140E	-	-	-	-	-	1	-	-	1	23.0	1.0	-	1.0	-	-	-	-	-
	*143E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
33N	131E	-	1	-	-	-	-	-	-	1	16.0	3.5	-	3.5	-	-	-	-	-
	*134E	-	9	-	-	-	1	-	-	10	15.7	14.1	13.6	0.5	-	-	-	-	-
	135E	2	22	-	-	-	-	-	-	24	16.2*	36.2	36.1	-	-	-	-	-	0.1
	136E	2	57	1	-	-	13	2	-	75	18.4*	185.1	26.8	148.2	0.4	-	0.9	-	8.8
	137E	2	34	-	-	-	37	8	-	81	21.0*	156.7	21.3	128.4	0.5	-	4.8	-	1.7
	138E	-	37	5	-	-	82	36	-	160	21.5*	510.0	31.1	466.7	2.1	-	0.8	-	9.3
	139E	-	24	-	-	-	139	51	-	214	22.6*	942.8	13.2	909.1	1.6	-	7.5	-	11.4
	140E	-	6	5	-	-	-	1	-	12	20.1*	13.6	5.0	8.0	-	-	-	-	0.6
	141E	-	-	2	-	-	-	-	-	2	23.0	12.0	4.0	8.0	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
32N	133E	1	14	-	-	-	-	-	-	15	16.5	50.9	50.9	-	-	-	-	-	-
	134E	5	115	2	-	-	-	-	-	122	17.0*	363.2	361.5	0.7	0.3	-	-	0.1	0.6
	135E	5	107	3	-	-	1	-	-	116	17.4*	420.8	405.1	8.5	0.4	-	0.9	-	5.9
	136E	1	161	3	-	-	7	4	-	176	18.9*	580.1	485.3	89.6	0.7	-	1.2	-	3.3
	137E	-	29	1	-	-	24	14	-	68	20.3*	189.9	64.8	122.1	0.3	-	-	-	2.7
	138E	-	24	1	-	-	18	7	-	50	19.6	118.5	29.9	82.7	0.8	-	0.2	-	4.9
	139E	-	25	2	-	-	5	5	-	37	17.8	56.1	25.2	28.0	0.9	-	-	-	2.0
	140E	-	1	-	-	-	-	1	-	2	18.5	1.5	1.5	-	-	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	22.5	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
31N	132E	-	2	-	-	-	-	-	-	2	20.0	15.5	15.5	-	-	-	-	-	-
	133E	-	2	-	-	-	1	-	-	3	21.0	2.5	2.5	-	-	-	-	-	-
	134E	-	15	-	-	-	-	-	-	15	18.4	57.6	57.6	-	-	-	-	-	-
	135E	-	126	3	-	-	-	-	-	129	18.3*	564.2	555.2	8.6	-	-	-	-	0.4
	136E	-	160	9	-	-	-	-	-	169	18.1*	821.1	817.3	3.7	-	-	-	-	0.1
	137E	-	18	-	-	-	-	1	-	19	16.0*	94.9	86.1	0.7	2.0	-	-	-	6.1
	138E	-	65	1	-	-	17	3	-	86	17.7*	230.4	107.2	113.9	4.7	-	0.8	-	3.8
	139E	-	35	-	-	-	12	2	-	49	17.4*	119.4	79.1	33.4	5.3	-	-	-	1.6
	140E	-	1	-	-	-	-	1	-	2	21.5	0.4	0.4	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	15.0	5.1	4.6	-	-	-	-	-	0.5
30N	129E	4	1	-	-	-	-	-	-	5	10.2	1.7	0.8	0.5	-	-	-	-	0.4
	130E	-	1	-	-	-	-	-	-	1	10.0	2.5	1.5	-	1.0	-	-	-	-
30N	131E	-	5	-	-	-	-	-	-	5	15.6	3.2	3.2	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
	133E	-	1	-	-	-	1	-	-	2	19.5	-	-	-	-	-	-	-	-
	134E	-	2	-	-	-	-	1	-	3	21.3	4.0	4.0	-	-	-	-	-	-
	135E	-	16	-	-	-	-	-	-	16	18.8	49.6	49.6	-	-	-	-	-	-
	136E	-	19	-	-	-	-	-	-	19	16.7	53.3	53.3	-	-	-	-	-	-
	137E	-	5	-	-	-	2	1	-	8	18.7	19.5	17.5	2.0	-	-	-	-	-
	138E	-	94	-	-	-	20	6	-	120	17.1*	373.6	261.7	93.2	8.8	-	-	-	9.9
	139E	-	10	-	-	-	7	-	-	17	20.1*	26.3	20.6	5.2	-	-	-	-	0.5
	140E	-	10	-	-	-	2	-	-	12	17.3*	22.7	21.5	-	1.2	-	-	-	-
	*146E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
29N	127E	-	1	-	-	-	-	-	-	1	12.0	5.0	4.0	-	-	-	-	-	1.0
	128E	-	13	-	-	-	-	-	-	13	14.5	45.7	40.1	-	3.7	-	-	-	1.9
	129E	4	15	-	-	-	-	-	-	19	14.1	34.8	21.9	0.1	12.2	-	0.3	-	0.3
	130E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	*135E	-	1	-	-	-	2	-	-	3	22.3	1.0	1.0	-	-	-	-	-	-
	136E	-	2	-	-	-	-	1	-	3	17.6	7.6	7.6	-	-	-	-	-	-
	137E	-	-	-	-	-	1	-	-	1	20.0	2.0	1.0	-	-	-	-	-	1.0
	138E	-	-	-	-	-	8	-	-	8	22.0*	7.6	0.6	6.1	-	-	-	-	0.9
	139E	-	10	-	-	-	11	5	-	26	23.0*	76.1	47.4	19.7	0.8	-	-	-	8.2
	140E	-	-	-	-	-	2	1	-	3	25.3	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
28N	126E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	127E	-	15	-	-	-	-	-	-	15	14.0	60.0	42.7	-	9.8	-	-	-	7.5
	128E	-	12	-	-	-	-	-	-	12	13.4	36.8	30.6	-	5.2	-	-	-	1.0
	*130E	-	2	-	-	-	-	-	-	2	13.5	-	-	-	-	-	-	-	-
	131E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*139E	-	7	-	-	-	-	-	-	7	15.4*	33.2	32.8	-	-	-	-	-	0.4
	*141E	-	-	-	-	-	2	-	-	2	25.0	23.0	0.5	-	-	-	21.0	-	1.5
	142E	-	-	-	-	-	1	-	-	1	28.0	2.4	2.4	-	-	-	-	-	-
27N	126E	-	3	-	-	-	-	-	-	3	16.6	6.8	4.4	-	0.7	-	1.5	-	0.2
	127E	3	15	-	-	-	-	-	-	18	13.6	40.7	31.4	0.5	5.0	-	-	-	3.8
	128E	-	1	-	-	-	-	-	-	1	13.0	5.0	5.0	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	14.0	9.3	9.3	-	-	-	-	-	-
	*131E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
26N	125E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	126E	1	3	-	-	-	-	-	-	4	14.7	3.2	2.4	-	0.8	-	-	-	-
	127E	12	2	-	-	-	-	-	-	14	16.8	23.1	21.6	-	1.5	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	14.0	6.9	6.9	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
25N	124E	-	1	-	-	-	1	-	-	2	20.5	4.8	3.3	-	0.8	-	-	-	0.7
	125E	-	6	-	-	-	-	-	-	6	12.0	18.7	10.8	-	5.9	-	-	-	2.0

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
25N	126E	-	2	-	-	-	-	-	-	2	12.5	7.2	2.0	-	1.1	-	-	-	4.1
	127E	-	2	-	-	-	-	-	-	2	15.0	6.9	6.9	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
24N	123E	-	2	-	-	-	-	-	-	2	13.5	11.0	11.0	-	-	-	-	-	-
	124E	-	4	-	-	-	-	-	-	4	14.0	26.8	25.5	-	1.0	-	-	-	0.3
	125E	-	4	-	-	-	-	-	-	4	16.2	22.8	22.1	0.6	-	-	-	-	0.1
	126E	-	4	-	-	-	-	-	-	4	12.7	8.4	7.0	-	0.9	-	-	-	0.5
	127E	-	2	-	-	-	-	-	-	2	17.0	6.0	-	-	2.5	-	-	-	3.5
	*136E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
23N	124E	-	15	-	-	-	-	-	-	15	16.1	103.3	100.2	2.5	-	-	-	-	0.6
	125E	-	30	-	-	-	-	-	-	30	14.9	295.3	270.5	16.4	4.6	-	-	-	3.8
	126E	-	1	-	-	-	1	-	-	2	20.5	7.5	7.5	-	-	-	-	-	-
	*133E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	134E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*141E	-	2	-	-	-	-	-	-	2	14.0	7.6	7.6	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	18.0	5.8	-	-	-	-	3.7	-	2.1
	144E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
22N	122E	-	-	-	-	-	2	-	-	2	27.5	6.0	6.0	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	13.0	18.8	18.8	-	-	-	-	-	-
	124E	-	4	-	-	-	-	-	-	4	16.5	14.3	14.3	-	-	-	-	-	-
	125E	-	13	-	-	-	-	-	-	13	15.4	107.6	107.6	-	-	-	-	-	-
	126E	-	13	-	-	-	2	-	-	15	16.8	70.5	69.5	-	1.0	-	-	-	-
	127E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	1	-	2	29.0	3.0	3.0	-	-	-	-	-	-
21N	124E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	14.5	13.4	13.4	-	-	-	-	-	-
	126E	-	22	2	-	-	1	4	-	29	16.6*	221.7	220.7	-	1.0	-	-	-	-
	*141E	-	-	-	-	-	-	2	-	2	23.5	4.0	4.0	-	-	-	-	-	-
	142E	-	-	-	-	-	3	-	-	3	18.3	2.3	2.3	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	14.0	10.0	10.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
20N	122E	-	-	-	-	-	2	-	-	2	25.0	22.0	22.0	-	-	-	-	-	-
	*124E	-	-	-	-	-	13	-	-	13	21.1	143.6	143.6	-	-	-	-	-	-
	125E	-	3	-	-	-	3	-	-	6	20.8*	41.4	41.4	-	-	-	-	-	-
	126E	-	4	-	-	-	1	-	-	5	18.2*	47.5	47.5	-	-	-	-	-	-
	127E	-	-	1	-	-	-	1	-	2	19.0	9.0	9.0	-	-	-	-	-	-
	128E	-	-	-	-	-	-	2	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*137E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*139E	-	-	-	-	-	1	1	-	2	20.5	2.0	1.0	-	-	-	-	-	1.0
	*144E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	145E	-	-	-	-	-	4	-	-	4	17.2	8.8	8.8	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	1	-	2	24.0	3.0	3.0	-	-	-	-	-	-
19N	122E	-	-	-	-	-	2	-	-	2	25.0	4.0	4.0	-	-	-	-	-	-
	*125E	-	-	-	-	-	1	-	-	1	22.0	6.0	6.0	-	-	-	-	-	-
	126E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	20.0	2.6	2.6	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	26.0	4.5	4.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	1	-	2	22.5	5.0	5.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
18N	126E	-	-	-	-	-	2	-	-	2	22.0	8.0	8.0	-	-	-	-	-	-
	*129E	-	-	1	-	-	-	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	130E	-	-	1	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	1	-	2	21.0	7.4	7.4	-	-	-	-	-	-
	142E	-	-	-	-	-	1	1	-	2	23.5	3.4	3.4	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
17N	135E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
16N	139E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	20.0	4.5	4.5	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	24.0	0.1	0.1	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	30.0	7.0	7.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	27.5	1.4	1.4	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
15N	133E	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	1	-	2	24.0	1.0	1.0	-	-	-	-	-	-
14N	144E	-	-	-	-	-	1	-	-	1	20.0	0.7	0.7	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	16.0	2.5	2.5	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	24.0	10.8	10.8	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
13N	130E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** APR -3-005 JUN -088 4月下旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
13N 152E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	30.0	0.4	0.4	-	-	-	-	-	-
155E	-	-	-	-	-	3	7	-	10	25.2	34.1	34.1	-	-	-	-	-	-
156E	-	-	-	-	-	4	2	-	6	25.0	13.0	13.0	-	-	-	-	-	-
157E	-	-	-	-	-	2	-	-	2	28.5	2.0	2.0	-	-	-	-	-	-
*159E	-	-	-	-	-	2	-	-	2	24.0	2.5	2.5	-	-	-	-	-	-
12N 151E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
*153E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
*155E	-	-	-	-	-	4	-	-	4	22.0	9.8	9.8	-	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	19.0	4.5	4.5	-	-	-	-	-	-
11N 131E	-	-	-	-	-	1	-	-	1	30.0	2.0	2.0	-	-	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
*146E	-	-	-	-	-	-	1	-	1	22.0	2.3	2.3	-	-	-	-	-	-
*151E	-	-	-	-	-	-	2	-	2	22.5	3.0	3.0	-	-	-	-	-	-
*153E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
154E	-	-	-	-	-	4	-	-	4	24.0*	9.0	9.0	-	-	-	-	-	-
155E	-	-	-	-	-	9	4	-	13	24.7	72.5	72.5	-	-	-	-	-	-
156E	-	-	-	-	-	2	2	-	4	22.6*	12.7	12.7	-	-	-	-	-	-
*161E	-	-	-	-	-	2	-	-	2	25.0	7.9	6.4	1.5	-	-	-	-	-
10N 130E	-	-	-	-	-	1	-	-	1	30.0	1.0	1.0	-	-	-	-	-	-
131E	-	-	-	-	-	1	-	-	1	30.0	2.0	2.0	-	-	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	20.0	0.7	0.7	-	-	-	-	-	-
151E	-	-	-	-	-	-	2	-	2	18.0	5.0	5.0	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
156E	-	-	-	-	-	4	1	-	5	20.8	23.0	23.0	-	-	-	-	-	-
09N 130E	-	-	-	-	-	-	1	-	1	20.8	4.0	4.0	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	23.0	0.6	0.6	-	-	-	-	-	-
*159E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
08N 150E	-	-	-	-	-	2	-	-	2	20.0	4.9	4.9	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*158E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	25.0	6.5	6.5	-	-	-	-	-	-
07N 147E	-	-	-	-	-	-	1	-	1	22.0	1.5	1.5	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	23.0	1.5	1.5	-	-	-	-	-	-
156E	-	-	-	-	-	-	2	-	2	21.0	1.4	1.4	-	-	-	-	-	-
06N 148E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
*150E	-	-	-	-	-	2	-	-	2	20.0	2.1	2.1	-	-	-	-	-	-
*156E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	29.0	1.5	1.5	-	-	-	-	-	-
05N 000E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	21.0	0.2	0.2	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	3	-	3	26.3	11.0	11.0	-	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
04N 000E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
001E	-	-	-	-	-	-	1	-	1	23.0	4.3	4.3	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*156E	-	-	-	-	-	-	2	-	2	21.0	2.2	2.2	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*159E	-	-	-	-	-	-	2	-	2	21.5	1.5	1.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
03N 001E	-	-	-	-	-	-	1	-	1	23.0	10.2	9.1	-	0.1	-	-	-	1.0
002E	-	-	-	-	-	-	1	-	1	23.0	3.8	3.4	-	-	-	0.3	-	0.1
*157E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	3	-	3	23.0	7.6	7.5	-	0.1	-	-	-	-
159E	-	-	-	-	-	2	2	-	4	24.0	5.5	5.0	-	0.5	-	-	-	-
160E	-	-	-	-	-	1	1	-	2	26.0	4.0	4.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	1	-	2	21.5	7.5	7.5	-	-	-	-	-	-
162E	-	-	-	-	-	2	-	-	2	23.0	10.0	10.0	-	-	-	-	-	-
02N 002E	-	-	-	-	-	-	1	-	1	23.0	8.7	8.5	-	0.1	-	0.1	-	-
003E	-	-	-	-	-	-	2	-	2	23.0	18.9	7.2	-	1.1	-	9.9	-	0.7
*154E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
156E	-	-	-	-	-	-	1	-	1	23.0	0.8	0.8	-	-	-	-	-	-
*160E	-	-	-	-	-	1	4	-	5	25.4	9.0	9.0	-	-	-	-	-	-
161E	-	-	-	-	-	-	10	-	10	25.4	37.0	37.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	5	-	5	23.2	24.5	24.5	-	-	-	-	-	-
163E	-	-	-	-	-	1	2	-	3	24.3	52.0	52.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	18	-	18	25.2	169.4	169.0	-	0.4	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	27.0	7.0	7.0	-	-	-	-	-	-
01N 157E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	4	-	4	24.5	8.0	7.0	-	1.0	-	-	-	-
160E	-	-	-	-	-	2	9	-	11	23.0*	43.3	43.3	-	-	-	-	-	-
161E	-	-	-	-	-	5	40	-	45	24.6	381.2	380.7	0.5	-	-	-	-	-
162E	-	-	-	-	-	12	97	-	109	24.2*	951.9	947.8	-	2.0	-	1.1	-	1.0
163E	-	-	-	-	-	5	44	-	49	24.7*	357.1	356.7	-	0.2	-	-	-	0.2
164E	-	-	-	-	-	2	42	-	44	24.1*	340.6	338.5	-	2.1	-	-	-	-
165E	-	-	-	-	-	-	4	-	4	24.7	39.0	39.0	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	27.0	8.0	8.0	-	-	-	-	-	-
*162W	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　APR -3-007　　JUN -090　　4月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
00N	157E	-	-	-	-	-	-	1	-	1	19.0	2.8	2.8	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	161E	-	-	-	-	-	4	28	-	32	24.5*	355.0	353.0	-	1.0	-	1.0	-	-
	162E	-	-	-	-	-	4	29	-	33	24.4*	190.9	190.9	-	-	-	-	-	-
	163E	-	-	-	-	-	1	9	-	10	25.8*	42.0	42.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	24	-	24	26.3	251.4	250.6	-	0.5	-	-	-	0.3
	165E	-	-	-	-	-	-	6	-	6	25.5	50.5	50.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	27.0	6.0	6.0	-	-	-	-	-	-
*00S	162E	-	-	-	-	-	1	-	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	5	2	-	7	25.2	31.4	31.0	-	0.4	-	-	-	-
01S	161E	-	-	-	-	-	3	1	-	4	25.0	14.7	14.0	-	0.7	-	-	-	-
	162E	-	-	-	-	-	5	2	-	7	23.0	47.9	47.9	-	-	-	-	-	-
02S	161E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	28.0	12.0	12.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
37N	143E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
36N	142E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	2	-	2	28.5	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	-	3	-	3	28.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	2	7	-	9	22.5	2.6	2.0	0.6	-	-	-	-	-
	150E	-	-	-	-	-	1	2	-	3	25.0	0.1	-	0.1	-	-	-	-	-
	151E	-	-	-	-	-	2	1	-	3	20.3	4.2	-	4.2	-	-	-	-	-
35N	140E	-	-	1	-	-	-	-	-	1	23.0	7.0	6.0	1.0	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	25.5	0.4	-	-	-	-	-	-	0.4
	148E	-	-	-	-	-	3	5	-	8	24.0	0.7	-	0.7	-	-	-	-	-
	149E	-	-	-	-	-	-	4	-	4	23.5	1.0	1.0	-	-	-	-	-	-
	150E	-	-	-	-	-	3	-	-	3	20.0	5.5	-	5.5	-	-	-	-	-
	*154E	-	-	-	-	-	-	2	-	2	23.5	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	15.0	-	-	-	-	-	-	-	-
34N	136E	-	5	-	-	-	-	-	-	5	16.4	5.9	4.3	-	1.6	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	138E	-	10	-	-	-	3	5	-	18	19.5*	25.4	17.2	7.2	-	-	-	-	1.0
	139E	-	10	-	-	-	8	8	-	26	19.5	51.4	20.4	28.4	-	-	0.5	-	2.1
	140E	-	4	-	-	-	3	3	-	10	18.6	32.2	31.0	-	0.2	-	-	-	1.0
	141E	-	-	-	-	-	2	2	-	4	21.0	2.0	-	2.0	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	30.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	1	2	-	3	25.6	3.0	-	3.0	-	-	-	-	-
	*145E	-	-	-	-	-	1	1	-	2	22.5	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	1	-	2	22.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	19.0	3.0	-	3.0	-	-	-	-	-
33N	133E	-	2	-	-	-	-	-	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	134E	2	14	-	-	-	-	-	-	16	16.3	48.0	48.0	-	-	-	-	-	-
	135E	2	38	2	-	-	-	-	-	42	17.9	172.1	171.9	-	-	-	-	-	0.2
	136E	2	52	4	-	-	-	-	-	58	17.8	169.1	163.5	-	2.2	-	0.5	-	2.9
	137E	-	26	-	-	-	1	2	-	29	19.2*	79.0	71.1	5.9	0.5	-	1.0	-	0.5
	138E	-	109	2	-	-	66	39	-	216	20.6*	698.3	242.5	429.9	1.5	0.1	3.4	3.3	17.6
	139E	3	151	1	-	-	148	72	-	375	19.8*	907.2	329.7	507.5	16.4	-	6.2	-	47.4
	140E	-	37	-	-	-	9	8	-	54	18.5*	148.0	122.9	12.8	5.6	-	3.2	-	3.5
	141E	-	1	-	-	-	-	1	-	2	23.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	24.0	0.1	-	0.1	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	-	3	-	3	24.3	0.2	0.2	-	-	-	-	-	-
33N	*147E	-	-	-	-	-	1	1	-	2	26.0	0.2	0.2	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	28.0	0.2	0.2	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
32N	132E	-	9	-	-	-	1	-	-	10	18.8	78.6	77.6	-	1.0	-	-	-	-
	133E	-	13	-	-	-	-	-	-	13	17.3	92.3	92.2	-	0.1	-	-	-	-
	134E	-	75	1	-	-	-	1	-	77	17.2*	262.8	261.8	-	0.1	-	-	-	0.9
	135E	9	140	6	-	-	-	-	-	155	16.8*	470.3	462.0	1.0	-	-	-	6.0	1.3
	136E	-	158	5	-	-	1	-	-	164	17.5*	574.5	561.3	8.5	1.7	-	-	1.1	1.9
	137E	-	30	-	-	-	-	-	-	30	15.9*	87.2	74.9	3.4	2.5	-	6.0	-	0.4
	138E	-	11	-	-	-	27	2	-	40	23.2	127.6	21.5	96.8	3.0	-	4.7	-	1.6
	139E	1	24	-	-	-	33	13	-	71	19.6*	116.5	26.5	85.7	1.9	-	0.3	-	2.1
	140E	-	1	-	-	-	1	-	-	2	23.5	1.0	1.0	-	-	-	-	-	-
	141E	-	-	-	-	-	2	1	-	3	25.3	3.0	3.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	25.3	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	1	-	2	26.5	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
31N	131E	-	1	-	-	-	-	-	-	1	14.0	15.0	15.0	-	-	-	-	-	-
	132E	1	26	-	-	-	-	-	-	27	17.8*	236.6	233.0	-	3.3	-	0.3	-	-
	133E	2	21	-	-	-	-	-	-	23	17.8*	161.9	159.6	-	0.3	-	1.0	-	1.0
	134E	1	13	-	-	-	-	-	-	14	17.5*	53.8	53.8	-	-	-	-	-	-
	135E	3	63	1	-	-	-	-	-	67	17.4*	334.1	329.4	2.4	-	-	0.7	-	1.6
	136E	-	149	6	-	-	-	1	-	156	17.9*	648.0	638.2	3.2	2.7	-	-	-	3.9
	137E	-	16	-	-	-	-	-	-	16	15.6*	93.9	92.5	-	0.4	-	0.8	-	0.2
	138E	-	7	-	-	-	3	4	-	14	19.0*	24.2	19.1	2.6	1.3	-	-	-	1.2
	139E	-	18	-	-	-	8	-	-	26	15.8*	64.6	49.3	9.0	5.7	-	-	-	0.6
	140E	-	3	-	-	-	2	-	-	5	17.0	12.9	8.5	2.3	0.6	-	-	-	1.5
	141E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	1	-	2	24.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	1	1	-	2	26.5	7.0	-	7.0	-	-	-	-	-
	151E	-	-	-	-	-	2	1	-	3	27.6	7.0	-	2.0	-	-	3.0	-	2.0
	*154E	-	-	-	-	-	-	3	-	3	24.6	6.0	-	6.0	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
30N	128E	-	1	-	-	-	-	-	-	1	14.0	0.5	-	-	-	-	-	-	0.5
	129E	1	1	-	-	-	-	-	-	2	12.5	3.1	1.8	0.2	1.0	-	-	-	0.1
	*132E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	17.0	8.0	8.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*136E	-	28	4	-	-	-	-	-	32	20.0*	94.7	94.7	-	-	-	-	-	-
	137E	-	4	-	-	-	1	-	-	5	23.5*	21.8	21.8	-	-	-	-	-	-
	138E	-	11	-	-	-	-	1	-	12	15.5*	18.3	14.2	-	3.8	-	-	-	0.3
	139E	-	2	-	-	-	4	-	-	6	16.5*	4.4	1.0	3.4	-	-	-	-	-
	140E	-	2	-	-	-	2	-	-	4	12.6*	3.4	1.0	2.3	0.1	-	-	-	-
	*143E	-	-	-	-	-	3	-	-	3	25.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　　*** GYOJYO-BETSU TOUKEI ***　　　　　MAY -1-003　　JUN -093　　5月上

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	E
30N	*145E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	27.0	1.0	-	1.0	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	27.0	2.0	-	2.0	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
29N	127E	1	1	-	-	-	-	-	-	2	12.0	4.7	3.5	0.5	0.5	-	-	-	0.
	128E	1	23	-	-	-	-	-	-	24	13.2	48.3	39.1	0.1	7.0	-	-	-	2.
	129E	-	23	-	-	-	-	-	-	23	13.9*	48.5	38.2	-	9.6	-	-	-	0.
	*138E	-	-	-	-	-	1	-	-	1	20.0	1.5	-	1.5	-	-	-	-	-
	*140E	-	2	-	-	-	3	-	-	5	24.3*	4.4	2.9	-	1.5	-	-	-	-
	141E	-	-	-	-	-	1	-	-	1	24.3	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	4	-	-	4	22.0	16.0	4.0	12.0	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	24.0	15.0	5.0	-	6.0	-	4.0	-	-
28N	127E	1	31	-	-	-	-	-	-	32	13.9*	89.1	75.3	0.3	11.4	-	-	-	2.
	128E	-	7	-	-	-	-	-	-	7	14.4	15.1	11.8	-	0.8	-	1.6	-	0.
	129E	-	1	-	-	-	-	-	-	1	15.0	2.5	2.0	-	-	-	-	-	0.
	130E	-	1	-	-	-	-	-	-	1	14.0	5.0	2.0	-	2.0	-	-	-	1.
	*138E	-	1	-	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	139E	-	1	-	-	-	-	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	4.0	3.0	-	1.0	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	26.0	4.0	2.0	-	1.0	-	1.0	-	-
	176W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
27N	126E	-	5	-	-	-	-	-	-	5	14.0	16.2	13.2	-	1.5	-	-	-	1.
	127E	-	10	-	-	-	-	-	-	10	15.4*	27.8	21.0	-	5.8	-	-	-	1.
	128E	-	1	-	-	-	-	-	-	1	10.0	6.0	5.0	-	1.0	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	13.6	2.2	2.0	-	-	-	-	-	0.
	*176W	-	-	-	-	-	-	1	-	1	24.0	17.0	13.0	-	4.0	-	-	-	-
26N	125E	-	4	-	-	-	-	-	-	4	15.0	10.6	7.5	-	2.0	-	-	-	1.
	126E	-	5	-	-	-	-	-	-	5	14.8	6.0	4.5	-	1.0	-	-	-	0.
	127E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*140E	-	1	-	-	-	1	-	-	2	18.5	6.0	6.0	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	19.0	1.0	0.5	-	0.5	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	4.0	2.0	-	2.0	-	-	-	-
25N	125E	-	7	-	-	-	-	-	-	7	15.7	28.9	25.5	-	1.4	-	-	-	2.
	126E	-	6	1	-	-	-	-	-	7	16.8	39.5	30.0	-	9.5	-	-	-	-
	127E	-	4	-	-	-	-	-	-	4	17.0	5.1	5.0	-	-	-	-	-	0.
	*172W	-	-	-	-	-	-	1	-	1	24.0	4.0	3.0	-	1.0	-	-	-	-
24N	125E	-	4	-	-	-	-	-	-	4	15.5	30.5	30.5	-	-	-	-	-	-
	126E	-	2	-	-	-	-	-	-	2	15.0	4.4	3.0	-	1.4	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	16.0	8.9	6.9	-	2.0	-	-	-	-
23N	123E	-	2	-	-	-	-	-	-	2	15.0	10.5	5.0	-	3.5	-	-	-	2.
	124E	-	5	-	-	-	-	-	-	5	14.0	24.3	24.3	-	-	-	-	-	-
	125E	-	8	-	-	-	-	-	-	8	16.2	26.7	26.0	-	0.5	-	-	-	0.
	126E	-	1	-	-	-	-	-	-	1	14.0	5.0	5.0	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	20.0	23.0	23.0	-	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
22N	122E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.0	-	0.5	-	-	-	-
	125E	-	22	1	-	-	-	-	-	23	15.0	77.7	76.6	-	1.0	-	-	-	0.
	126E	-	39	3	-	-	-	-	-	42	17.2	304.0	297.4	-	3.1	-	1.0	-	2.
	*142E	-	-	-	-	-	1	-	-	1	18.0	5.0	5.0	-	-	-	-	-	-
21N	123E	-	1	-	-	-	-	-	-	1	16.0	5.5	4.5	-	1.0	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	13.0	2.9	2.5	-	0.2	-	-	-	0.
	125E	-	11	1	-	-	1	-	-	13	15.9	92.3	91.5	-	0.5	-	-	-	0.
	126E	-	4	2	-	-	-	-	-	6	16.1	35.1	35.0	-	-	-	-	-	0.
	127E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	29.0	4.5	4.5	-	-	-	-	-	-
20N	120E	-	1	-	-	-	-	-	-	1	16.0	1.5	1.5	-	-	-	-	-	-
	*124E	-	3	-	-	-	2	-	-	5	19.0	34.0	34.0	-	-	-	-	-	-
	125E	-	5	-	-	-	1	-	-	6	19.3	41.5	41.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	16.0	6.0	6.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	3	-	3	24.3	12.0	12.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
19N	136E	-	-	-	-	-	-	1	-	1	21.0	0.7	0.7	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	29.0	5.0	5.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	23.5	4.0	4.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
18N	143E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	2	-	2	25.0	9.0	9.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	1	-	2	23.5	3.0	0.5	2.5	-	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	26.0	2.3	2.3	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
17N	143E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAY -1-005 JUN -095 5月上旬

操業位置		毛数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
17N	144E	-	-	-	-	-	1	1	-	2	24.0	1.0	1.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
16N	146E	-	-	-	-	-	1	-	-	1	23.0	2.0	-	2.0	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
15N	139E	-	-	-	-	-	-	1	-	1	21.0	0.7	0.7	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
14N	145E	-	-	-	-	-	1	-	-	1	23.0	4.5	-	4.5	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
13N	146E	-	-	-	-	-	2	-	-	2	23.0	1.4	-	1.0	-	-	-	-	0.4
	*153E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
12N	146E	-	-	-	-	-	1	-	-	1	23.0	3.3	-	3.0	-	-	-	-	0.3
	*153E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	25.0	0.4	0.4	-	-	-	-	-	-
11N	147E	-	-	-	-	-	2	-	-	2	23.0	6.0	-	6.0	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
10N	146E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
09N	145E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	3	-	3	26.0	1.3	1.3	-	-	-	-	-	-
08N	149E	-	-	-	-	-	-	1	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	28.0	0.1	0.1	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
07N	157E	-	-	-	-	-	1	-	-	1	16.0	4.0	4.0	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
07N	*168E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
06N	147E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
05N	149E	-	-	-	-	-	-	1	-	1	22.0	1.5	1.0	-	-	-	0.5	-	-
	*156E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	2	-	3	29.0	6.5	6.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	2	-	2	28.0	3.5	3.5	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	24.0	10.5	10.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	3	-	3	23.0	-	-	-	-	-	-	-	-
04N	153E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	18.0	7.0	7.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
03N	002E	-	-	-	-	-	-	1	-	1	23.0	3.9	3.8	-	-	-	-	-	0.1
	*151E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	23.0	4.0	4.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	1	-	2	28.0	6.7	6.7	-	-	-	-	-	-
02N	002E	-	-	-	-	-	-	1	-	1	23.0	9.9	8.7	-	-	-	-	-	1.2
	003E	-	-	-	-	-	-	1	-	1	23.0	4.1	3.8	-	0.1	-	0.1	-	0.1
	*159E	-	-	-	-	-	1	1	-	2	32.5	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	161E	-	-	-	-	-	2	2	-	4	22.5	23.0	23.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	24.5	3.5	3.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
01N	002E	-	-	-	-	-	-	1	-	1	23.0	4.2	4.0	-	-	-	-	-	0.2
	*160E	-	-	-	-	-	3	-	-	3	20.0	6.3	6.3	-	-	-	-	-	-
	161E	-	-	-	-	-	4	3	-	7	21.8	37.0	37.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	3	-	3	30.3	10.0	10.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	6	-	6	25.0	32.0	32.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	37.0	3.0	3.0	-	-	-	-	-	-
00N	160E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	27.0	23.0	23.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	2	-	3	23.3	10.5	10.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAY -1-007 JUN -097 5月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
00N	*165E	-	-	-	-	-	-	7	-	7	33.1	55.0	55.0	-	-	-	-	-	-
*00S	160E	-	-	-	-	-	1	-	-	1	23.0	4.1	3.5	-	0.6	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.5	3.6	3.0	-	0.6	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	25.0	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	34.0	4.0	4.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	34.0	3.0	3.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　MAY -2-001　　　JUN -098　　　5月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
38N	162E	-	-	-	-	-	-	1	-	1	23.0	0.5	-	0.5	-	-	-	-	-
37N	143E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	25.0	1.0	-	1.0	-	-	-	-	-
36N	144E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	2	-	-	2	27.5	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	2	-	4	24.7	2.4	0.8	0.2	-	-	1.4	-	-
	149E	-	-	-	-	-	2	2	-	4	20.7	0.8	-	0.1	-	-	-	-	0.7
	150E	-	-	-	-	-	3	2	-	5	22.0	-	-	-	-	-	-	-	-
	151E	-	-	-	-	-	2	1	-	3	27.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	24.0	0.5	-	0.5	-	-	-	-	-
	154E	-	-	-	-	-	-	11	-	11	23.6	4.0	-	4.0	-	-	-	-	-
35N	142E	-	-	-	-	-	1	-	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	27.0	0.5	0.5	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	2	-	3	28.3	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	1	5	-	6	23.1	8.1	-	8.1	-	-	-	-	-
	154E	-	-	-	-	-	1	6	-	7	27.2	9.0	-	9.0	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	15.0	0.1	-	0.1	-	-	-	-	-
	*164E	-	-	-	-	-	-	5	-	5	22.8	11.3	-	11.3	-	-	-	-	-
	165E	-	-	-	-	-	-	9	-	9	23.7	18.8	-	18.8	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	21.0	9.5	-	9.5	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
34N	137E	-	1	-	-	-	-	-	-	1	13.0	1.1	1.1	-	-	-	-	-	-
	138E	-	5	-	-	-	-	-	-	5	17.5*	7.8	7.5	-	0.1	-	-	-	0.2
	139E	-	12	-	-	-	-	-	-	12	17.5*	24.6	22.7	-	-	0.5	-	-	1.4
	140E	-	2	-	-	-	-	-	-	2	21.5	1.5	1.5	-	-	-	-	-	-
	141E	-	4	-	-	-	2	-	-	6	21.8	5.3	5.3	-	-	-	-	-	-
	*144E	-	-	-	-	-	2	-	-	2	25.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	2	-	3	23.6	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	33.0	2.0	-	2.0	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	25.5	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	23.0	6.2	3.0	1.0	-	-	-	-	2.2
	159E	-	-	-	-	-	-	4	-	4	19.5	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	14	-	15	24.4	8.1	-	8.1	-	-	-	-	-
	164E	-	-	-	-	-	3	12	-	15	23.6*	22.1	-	22.1	-	-	-	-	-
	165E	-	-	-	-	-	3	17	-	20	24.5*	45.2	1.0	44.2	-	-	-	-	-
33N	133E	-	1	-	-	-	-	-	-	1	24.0	8.0	8.0	-	-	-	-	-	-
	134E	4	31	-	-	-	-	-	-	35	15.9	95.1	94.4	-	-	-	0.7	-	-
33N	135E	4	35	-	-	-	-	-	-	39	15.9	101.7	101.7	-	-	-	-	-	-
	136E	3	56	-	-	-	-	-	-	59	17.7	167.2	155.6	2.9	5.0	-	2.4	-	1.3
	137E	-	11	1	-	-	-	-	-	12	19.3	24.5	17.4	3.6	2.5	-	0.5	-	0.5
	138E	1	83	-	-	-	-	-	-	84	16.1*	188.4	169.6	1.3	7.8	0.4	-	1.5	7.8
	139E	1	134	-	-	-	-	-	-	135	16.0*	250.9	226.9	-	21.4	-	-	0.2	2.4
	140E	5	41	3	-	-	-	-	-	49	16.7*	130.8	128.2	1.0	0.7	-	-	-	0.9
	141E	-	17	-	-	-	-	-	-	17	19.3*	76.2	76.2	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	2	1	-	3	27.3	0.5	-	0.5	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	4	-	6	25.8	1.5	-	1.5	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	25.0	3.0	-	3.0	-	-	-	-	-
	162E	-	-	-	-	-	1	7	-	8	25.5	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	3	36	-	39	24.4*	59.9	-	59.9	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	29.5	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	28.0	0.1	-	0.1	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	0.2	-	0.2	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	28.0	1.0	-	1.0	-	-	-	-	-
	*172E	-	-	-	-	-	-	2	-	2	23.5	0.5	0.5	-	-	-	-	-	-
32N	132E	-	11	1	-	-	-	-	-	12	18.4	61.2	57.1	-	3.1	-	-	-	1.0
	133E	-	42	1	-	-	-	-	-	43	18.7	203.7	198.6	3.7	1.4	-	-	-	-
	134E	-	35	2	-	-	-	-	-	37	18.8	148.4	141.0	4.8	2.5	-	-	-	0.1
	135E	-	44	-	-	-	-	-	-	44	18.6	181.9	173.9	4.3	2.0	-	0.3	-	1.4
	136E	1	67	1	-	-	1	-	-	70	17.1*	242.3	233.0	0.4	1.4	-	3.6	-	3.9
	137E	1	25	2	-	-	-	-	-	28	18.2*	118.3	83.3	7.2	13.7	-	11.9	-	2.2
	138E	-	8	-	-	-	-	-	-	8	16.1	15.2	12.8	-	0.6	-	0.8	-	1.0
	139E	-	29	-	-	-	14	5	-	48	16.2*	89.7	42.4	37.4	7.1	-	0.3	-	2.5
	140E	-	60	3	-	-	1	-	-	64	17.7*	411.3	408.3	-	1.7	-	-	-	1.3
	141E	-	38	1	-	-	-	-	-	39	15.5*	222.6	221.3	-	0.3	1.0	-	-	-
	142E	-	29	1	-	-	-	-	-	30	16.4*	276.8	276.8	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	21.0	8.7	8.0	-	-	-	0.7	-	-
	*146E	-	1	-	-	-	-	-	-	1	19.0	17.2	17.2	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	1	-	2	23.5	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	29.0	2.5	0.5	-	-	-	1.0	-	1.0
	152E	-	-	-	-	-	1	-	-	1	23.0	3.0	-	3.0	-	-	-	-	-
	*156E	-	-	-	-	-	1	1	-	2	25.0	8.0	8.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	3	-	4	28.0	3.2	-	3.2	-	-	-	-	-
	158E	-	-	-	-	-	1	3	-	4	25.7	7.5	3.0	0.5	-	-	-	-	4.0
	159E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	23.5	1.0	-	1.0	-	-	-	-	-
	161E	-	-	-	-	-	3	5	-	8	24.5	3.4	-	3.4	-	-	-	-	-
	162E	-	-	-	-	-	1	15	-	16	24.3	12.1	-	12.1	-	-	-	-	-
	163E	-	-	-	-	-	2	23	-	25	23.4*	76.1	-	75.7	-	-	-	-	0.4
	164E	-	-	-	-	-	2	1	-	3	24.0	3.0	-	3.0	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	21.0	4.0	-	-	-	-	4.0	-	-
	*175E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAY -2-003 JUN -100 5月中旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
31N 131E	-	3	-	-	-	-	-	-	3	17.0	17.5	17.5	-	-	-	-	-	-
132E	6	122	9	-	-	-	-	-	137	17.7	613.0	557.6	7.3	43.1	-	0.6	-	4.4
133E	-	75	3	-	-	1	-	-	79	19.2*	339.4	329.1	6.0	3.3	-	0.5	-	0.5
134E	-	26	1	-	-	-	-	-	27	18.3*	81.3	80.4	0.3	0.5	-	-	-	0.1
135E	-	24	-	-	-	-	-	-	24	17.4	49.2	48.3	-	-	-	0.7	-	0.2
136E	4	53	-	-	-	1	1	-	59	18.0*	245.9	241.3	-	2.3	-	-	-	2.3
137E	3	28	-	-	-	-	-	-	31	16.7*	78.7	71.6	0.7	2.6	-	2.6	-	1.2
138E	-	6	-	-	-	-	-	-	6	17.2*	17.6	5.8	7.3	0.8	-	3.0	-	0.7
139E	-	33	-	-	-	2	1	-	36	15.1*	112.5	103.3	1.7	5.5	-	0.5	1.0	0.5
140E	-	13	-	-	-	1	1	-	15	16.8	33.7	30.9	1.3	1.0	-	-	-	0.5
141E	-	5	-	-	-	4	-	-	9	20.0*	37.1	32.6	4.5	-	-	-	-	-
142E	-	2	-	-	-	3	3	-	8	22.7*	25.6	11.1	14.5	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
*151E	-	-	-	-	-	3	2	-	5	24.4	0.6	-	0.6	-	-	-	-	-
152E	-	-	-	-	-	2	1	-	3	28.3	-	-	-	-	-	-	-	-
153E	-	-	-	-	-	1	1	-	2	24.0	4.0	-	4.0	-	-	-	-	-
154E	-	-	-	-	-	3	1	-	4	26.0	1.5	-	1.5	-	-	-	-	-
155E	-	-	-	-	-	-	3	-	3	22.0	-	-	-	-	-	-	-	-
156E	-	-	-	-	-	7	-	-	7	25.7	7.5	3.0	4.5	-	-	-	-	-
157E	-	-	-	-	-	9	7	-	16	25.1	19.1	-	19.1	-	-	-	-	-
158E	-	-	-	-	-	1	5	-	6	23.0	5.7	0.5	4.2	-	-	-	-	1.0
*160E	-	-	-	-	-	1	-	-	1	27.0	2.0	0.4	-	-	-	-	-	1.6
161E	-	-	-	-	-	3	1	-	4	23.5	3.0	1.7	0.1	-	-	0.6	-	0.6
162E	-	-	-	-	-	4	1	-	5	25.0	7.0	-	7.0	-	-	-	-	-
163E	-	-	-	-	-	2	2	-	4	24.7	3.0	-	3.0	-	-	-	-	-
164E	-	-	-	-	-	5	-	-	5	24.0	2.5	-	0.5	-	-	2.0	-	-
165E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	27.0	6.0	6.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
30N 128E	-	1	-	-	-	-	-	-	1	14.0	3.2	2.0	-	1.0	-	-	-	0.2
129E	-	8	-	-	-	1	-	-	9	15.3	26.6	21.9	-	3.4	-	-	-	1.3
130E	-	5	-	-	-	-	-	-	5	15.8	15.2	13.8	-	1.4	-	-	-	-
*132E	-	3	-	-	-	-	-	-	3	18.3	7.9	6.6	-	1.0	-	-	-	0.3
133E	-	5	-	-	-	-	-	-	5	18.8	6.1	5.1	-	0.7	-	0.3	-	-
134E	-	8	-	-	-	-	-	-	8	18.2*	21.9	19.8	-	1.4	-	0.5	-	0.2
135E	-	11	-	-	-	-	-	-	11	16.1	23.9	18.8	-	2.9	-	1.3	-	0.9
136E	-	2	-	-	-	1	-	-	3	19.0	5.5	4.0	-	0.7	-	0.6	-	0.2
137E	-	3	-	-	-	1	-	-	4	22.0	11.9	11.5	-	0.2	-	-	-	0.2
138E	-	14	-	-	-	-	-	-	14	16.0*	32.0	27.1	-	3.9	-	-	0.2	0.8
139E	-	2	-	-	-	-	1	-	3	20.3	2.5	2.4	-	-	-	-	0.1	-
140E	-	19	-	-	-	2	-	-	21	15.7	54.9	48.4	5.0	1.3	-	-	-	0.2
141E	-	-	-	-	-	4	2	-	6	27.8	4.6	0.1	4.5	-	-	-	-	-
142E	-	-	-	-	-	2	1	-	3	25.5*	9.0	4.0	-	-	-	5.0	-	-
*145E	-	-	-	-	-	6	2	-	8	24.2	53.1	21.7	12.3	0.6	-	16.0	-	2.5
146E	-	-	-	-	-	3	1	-	4	22.2	3.0	-	3.0	-	-	-	-	-
147E	-	-	-	-	-	12	4	-	16	19.5	13.4	1.0	11.8	-	-	0.1	-	0.5
148E	-	-	-	-	-	4	1	-	5	23.8	11.2	2.3	1.4	5.9	-	-	-	1.6
*150E	-	-	-	-	-	3	1	-	4	22.0	7.6	-	5.2	-	-	2.4	-	-
151E	-	-	-	-	-	10	2	-	12	25.0	5.1	4.0	1.1	-	-	-	-	-
152E	-	-	-	-	-	7	2	-	9	24.6	2.0	-	2.0	-	-	-	-	-
153E	-	-	-	-	-	49	24	-	73	22.2*	160.8	16.6	140.0	-	-	3.9	-	0.3
154E	-	-	-	-	-	8	4	-	12	23.4	15.2	0.5	14.7	-	-	-	-	-
155E	-	-	-	-	-	3	2	-	5	23.6	-	-	-	-	-	-	-	-
156E	-	-	-	-	-	-	4	-	4	27.2	1.0	0.5	-	-	-	0.5	-	-
30N 157E	-	-	-	-	-	6	3	-	9	24.1	5.0	-	5.0	-	-	-	-	-
158E	-	-	-	-	-	-	2	-	2	20.5	0.5	0.5	-	-	-	-	-	-
159E	-	-	-	-	-	-	3	-	3	24.6	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	-	3	-	3	24.3	3.0	0.5	1.0	-	-	0.5	-	1.0
161E	-	-	-	-	-	3	11	-	14	26.0	15.2	0.5	14.7	-	-	-	-	-
162E	-	-	-	-	-	1	10	-	11	22.9	29.1	-	29.1	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	26.0	0.5	-	0.5	-	-	-	-	-
164E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
165E	-	-	-	-	-	2	1	-	3	28.6	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	1	4	-	5	24.2	1.5	-	1.5	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	26.0	10.0	7.0	-	-	-	-	-	3.0
*179E	-	-	-	-	-	-	1	-	1	26.0	2.0	1.0	-	-	-	-	-	1.0
29N 128E	-	6	-	-	-	-	-	-	6	14.5	8.2	6.7	-	0.5	-	-	-	1.0
129E	-	22	-	-	-	-	-	-	22	14.7	38.1	32.1	-	4.8	-	-	-	1.2
130E	3	13	-	-	-	-	-	-	16	14.5	38.7	26.4	0.6	7.5	-	-	2.5	1.7
*132E	-	4	-	-	-	-	-	-	4	17.2	38.3	31.0	-	2.0	-	3.3	-	2.0
133E	-	8	-	-	-	-	-	-	8	17.5	27.4	15.5	-	4.8	-	4.8	-	2.3
134E	-	5	-	-	-	-	-	-	5	14.5*	11.2	8.7	-	2.0	-	0.5	-	-
135E	-	7	-	-	-	-	-	-	7	16.0	27.6	21.2	0.9	1.2	-	4.0	-	0.3
136E	-	2	-	-	-	1	-	-	3	15.3	1.2	1.2	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*139E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
140E	-	9	-	-	-	-	-	-	9	17.0*	28.2	23.6	-	4.2	-	-	-	0.4
141E	-	-	-	-	-	1	1	-	2	25.5	2.0	-	2.0	-	-	-	-	-
*143E	-	-	-	-	-	-	1	-	1	24.0	0.7	-	0.7	-	-	-	-	-
*145E	-	-	-	-	-	3	3	-	6	25.8*	37.3	20.5	1.8	-	-	15.0	-	-
146E	-	-	-	-	-	27	3	-	30	20.3*	117.4	9.9	96.0	0.4	-	10.6	-	0.5
147E	-	-	-	-	-	33	6	-	39	19.5*	72.8	6.9	61.1	-	-	4.0	-	0.8
148E	-	-	-	-	-	9	6	-	15	21.7*	23.0	1.5	21.5	-	-	-	-	-
149E	-	-	-	-	-	32	10	-	42	22.8*	74.2	18.3	53.1	0.4	-	1.4	-	1.0
150E	-	-	-	-	-	14	2	-	16	21.5	8.1	1.9	5.2	-	-	1.0	-	-
151E	-	-	-	-	-	3	2	-	5	26.4	10.7	4.0	0.5	0.1	-	5.0	-	1.1
152E	-	-	-	-	-	10	2	-	12	26.2*	59.5	6.0	53.5	-	-	-	-	-
153E	-	-	-	-	-	34	11	-	45	24.5*	146.3	20.0	105.8	2.8	-	17.3	-	0.4
154E	-	-	-	-	-	2	1	-	3	27.6	4.0	-	4.0	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
156E	-	-	-	-	-	3	1	-	4	27.2	-	-	-	-	-	-	-	-
157E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
158E	-	-	-	-	-	1	1	-	2	30.0	-	-	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	-	2	-	2	22.0	0.8	-	0.7	0.1	-	-	-	-
161E	-	-	-	-	-	2	5	-	7	22.2	6.3	1.1	5.0	-	-	0.2	-	-
162E	-	-	-	-	-	3	6	-	9	26.2	11.0	2.0	3.0	-	-	6.0	-	-
163E	-	-	-	-	-	-	5	-	5	23.8	17.0	-	2.0	-	-	15.0	-	-
164E	-	-	-	-	-	1	2	-	3	24.6	-	-	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
*179E	-	-	-	-	-	-	3	-	3	20.0	28.8	23.0	-	5.8	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	26.0	1.0	0.5	-	-	-	0.5	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAY -2-005　　　　JUN -102　　　　5月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
28N	127E	-	13	-	-	-	-	-	-	13	13.6	26.3	16.2	-	9.4	-	-	-	0.7
	128E	-	9	-	-	-	1	-	-	10	15.7	15.1	9.5	-	5.1	-	-	-	0.5
	•130E	2	14	-	-	-	-	-	-	16	14.1	50.7	29.3	0.2	14.1	-	-	-	7.1
	131E	-	4	-	-	-	-	-	-	4	13.5	13.3	8.0	-	5.0	-	-	-	0.3
	132E	-	2	-	-	-	-	-	-	2	22.0	20.9	16.5	-	3.1	-	1.3	-	-
	133E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	•140E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	•143E	-	-	-	-	-	-	1	-	1	30.0	2.0	-	-	-	-	2.0	-	-
	•146E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	24.0	4.0	-	3.5	-	-	-	-	0.5
	148E	-	-	-	-	-	4	3	-	7	20.2	17.8	-	17.8	-	-	-	-	-
	149E	-	-	-	-	-	17	10	-	27	20.5	83.1	7.7	75.4	-	-	-	-	-
	•160E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	15.0	0.1	-	-	-	-	0.1	-	-
	•178E	-	-	-	-	-	-	1	-	1	19.0	0.3	0.3	-	-	-	-	-	-
	•179W	-	-	-	-	-	-	1	-	1	20.0	13.0	10.0	-	3.0	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	26.0	4.0	2.0	-	1.0	-	1.0	-	-
	•176W	-	-	-	-	-	-	3	-	3	24.6	67.5	36.5	-	17.0	-	14.0	-	-
27N	126E	-	7	-	-	-	-	-	-	7	14.2	17.4	6.0	-	9.9	-	-	0.1	1.4
	127E	-	12	-	-	-	-	-	-	12	14.6	25.8	13.0	-	8.9	-	-	-	3.9
	128E	-	2	-	-	-	-	-	-	2	11.5	4.2	4.0	-	-	-	-	-	0.2
	129E	-	4	-	-	-	-	-	-	4	13.5	11.3	5.0	-	4.5	-	-	-	1.8
	130E	-	7	-	-	-	-	-	-	7	14.5	14.5	8.0	-	4.5	-	0.5	-	1.5
	131E	-	1	-	-	-	-	-	-	1	10.0	3.5	3.5	-	-	-	-	-	-
	•135E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	•143E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	•177W	-	-	-	-	-	-	4	-	4	26.0	33.0	15.5	-	8.0	-	9.5	-	-
	176W	-	-	-	-	-	-	3	-	3	22.0	52.0	40.0	-	8.0	-	4.0	-	-
26N	125E	-	2	-	-	-	-	-	-	2	11.0	7.5	7.5	-	-	-	-	-	-
	126E	-	2	-	-	-	-	-	-	2	15.0	6.2	2.0	-	3.6	-	-	-	0.6
	127E	-	2	-	-	-	-	-	-	2	13.0	3.0	2.2	-	0.8	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	14.0	2.6	-	-	-	-	-	-	2.6
	129E	-	1	-	-	-	-	-	-	1	10.0	0.5	0.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	15.5	2.0	1.8	-	0.2	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	15.3	24.5	13.2	-	9.3	-	2.0	-	-
	•140E	-	1	-	-	-	-	-	-	1	19.0	3.6	1.9	-	0.6	-	-	-	1.1
	•163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•174E	-	-	-	-	-	-	2	-	2	19.0	3.5	3.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	•177W	-	-	-	-	-	-	1	-	1	26.0	7.5	3.5	-	2.0	-	2.0	-	-
	•175W	-	-	-	-	-	1	1	-	2	23.5	2.0	1.0	-	-	-	1.0	-	-
	174W	-	-	-	-	-	-	2	-	2	22.0	7.5	7.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	26.0	1.5	1.0	-	-	-	0.5	-	-
	172W	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
25N	125E	-	5	-	-	-	-	-	-	5	14.6	19.1	12.1	-	5.5	-	-	-	1.5
	126E	-	17	-	-	-	-	-	-	17	14.3	34.8	23.8	-	9.0	-	-	-	2.0
	127E	-	9	1	-	-	-	-	-	10	15.3	30.2	22.0	-	5.2	-	0.5	-	2.5
	128E	-	1	-	-	-	-	-	-	1	18.0	2.5	0.5	-	-	-	-	-	2.0
	129E	-	2	-	-	-	-	-	-	2	17.0	5.5	5.5	-	-	-	-	-	-
	•132E	-	2	-	-	-	-	-	-	2	18.5	2.0	1.0	-	-	-	1.0	-	-
25N	•142E	-	-	-	-	-	-	1	-	1	21.0	1.7	1.7	-	-	-	-	-	-
	•170E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	•172E	-	-	-	-	-	-	1	-	1	19.0	7.0	6.0	-	1.0	-	-	-	-
	•173W	-	-	-	-	-	1	-	-	1	25.0	4.5	3.0	-	-	-	-	-	1.5
	172W	-	-	-	-	-	-	3	-	3	24.0	17.0	11.0	-	3.0	-	3.0	-	-
	171W	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	3	-	3	24.0	23.8	23.0	-	0.5	-	0.3	-	-
	169W	-	-	-	-	-	-	1	-	1	24.0	10.0	10.0	-	-	-	-	-	-
	•167W	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
24N	126E	-	6	-	-	-	-	-	-	6	14.5	26.5	22.0	-	4.0	-	-	-	0.5
	127E	-	1	-	-	-	-	-	-	1	20.0	2.5	2.5	-	-	-	-	-	-
	128E	-	3	-	-	-	-	-	-	3	18.0	18.5	18.5	-	-	-	-	-	-
	•130E	-	1	-	-	-	-	-	-	1	18.0	4.4	3.0	-	0.5	-	-	-	0.9
	•133E	-	1	-	-	-	-	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	16.0	2.4	2.0	-	0.4	-	-	-	-
	•142E	-	-	-	-	-	-	1	-	1	21.0	14.5	13.8	-	0.5	-	-	-	0.2
	•167W	-	-	-	-	-	-	1	-	1	24.0	6.0	6.0	-	-	-	-	-	-
	•165W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
23N	124E	-	6	-	-	-	5	-	-	11	20.8	57.9	54.8	-	1.0	-	2.1	-	-
	125E	-	9	-	-	-	-	-	-	9	17.0	63.3	63.3	-	-	-	-	-	-
	126E	-	4	-	-	-	-	-	-	4	17.2	9.2	8.1	-	1.1	-	-	-	-
	127E	-	2	-	-	-	-	-	-	2	18.0	11.2	9.0	-	1.3	-	-	-	0.9
	•141E	-	3	-	-	-	-	-	-	3	12.0	44.2	41.0	-	3.2	-	-	-	-
	•144E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	•153E	-	-	-	-	-	-	1	-	1	25.0	4.5	1.3	-	-	-	3.2	-	-
	•163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•166E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	•164W	-	-	-	-	-	-	2	-	2	24.0	21.0	20.0	-	1.0	-	-	-	-
	163W	-	-	-	-	-	-	3	-	3	24.0	49.0	41.0	-	8.0	-	-	-	-
22N	121E	-	1	-	-	-	-	-	-	1	17.0	4.5	4.5	-	-	-	-	-	-
	•124E	-	1	-	-	-	2	-	-	3	22.6	19.0	18.0	-	1.0	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	14.0	2.5	2.5	-	-	-	-	-	-
	126E	-	9	-	-	-	-	-	-	9	16.8	23.7	23.0	-	0.7	-	-	-	-
	•143E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	•146E	-	-	-	-	-	-	3	-	3	21.0	16.7	16.7	-	-	-	-	-	-
21N	123E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	•132E	-	-	-	-	-	1	-	-	1	27.0	6.0	6.0	-	-	-	-	-	-
	133E	-	-	-	-	-	1	-	-	1	27.0	6.0	6.0	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	•144E	-	-	-	-	-	-	2	-	2	21.5	13.2	13.0	-	0.2	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	21.0	2.0	1.7	-	0.1	-	-	-	0.2
	•150E	-	-	-	-	-	-	1	-	1	25.0	2.3	2.3	-	-	-	-	-	-
20N	132E	-	-	-	-	-	-	1	-	1	27.0	6.5	6.5	-	-	-	-	-	-
	•134E	-	-	-	-	-	2	-	-	2	22.0	8.5	8.5	-	-	-	-	-	-
	135E	-	-	-	-	-	2	-	-	2	26.5	4.0	4.0	-	-	-	-	-	-
	136E	-	-	-	-	-	7	1	-	8	25.1	38.2	38.0	-	0.2	-	-	-	-
	137E	-	-	-	-	-	1	2	-	3	26.6	40.7	39.4	-	1.3	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAY -2-007 JUN -104 5月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
20N	*140E	-	-	-	-	-	-	1	-	1	23.0	1.4	1.4	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	21.0	8.8	8.1	-	0.7	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
19N	135E	-	-	-	-	-	5	2	-	7	25.4	33.5	33.5	-	-	-	-	-	-
	136E	-	-	-	-	-	2	1	-	3	23.6	27.5	27.5	-	-	-	-	-	-
	*138E	-	-	-	-	-	2	-	-	2	24.5	4.5	4.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	2	-	3	22.6	13.0	13.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	25.0	8.1	7.6	-	0.5	-	-	-	-
	*149E	-	-	-	-	-	-	2	-	2	26.0	12.5	12.5	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
18N	142E	-	-	-	-	-	2	-	-	2	24.5	1.5	1.5	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	147E	-	-	-	-	-	3	2	-	5	22.2	31.0	31.0	-	-	-	-	-	-
17N	143E	-	-	-	-	-	1	-	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	23.0	0.5	-	0.5	-	-	-	-	-
16N	166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*14N	146E	-	-	-	-	-	1	-	-	1	23.0	4.0	-	4.0	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	23.0	2.9	-	2.5	-	-	-	-	0.4
	*176E	-	-	-	-	-	-	1	-	1	36.0	6.0	6.0	-	-	-	-	-	-
13N	145E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
12N	145E	-	-	-	-	-	1	-	-	1	23.0	3.8	0.3	3.5	-	-	-	-	-
	*148E	-	-	-	-	-	2	-	-	2	23.0	2.5	-	2.5	-	-	-	-	-
11N	146E	-	-	-	-	-	3	-	-	3	23.0	7.3	-	7.0	-	-	-	-	0.3
	*162E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*05N	000E	-	-	-	-	-	-	3	-	3	23.0	5.0	5.0	-	-	-	-	-	-
04N	001E	-	-	-	-	-	-	1	-	1	23.0	10.7	10.6	-	0.1	-	-	-	-
03N	001E	-	-	-	-	-	-	1	-	1	23.0	1.1	1.0	-	-	-	-	-	0.1
	002E	-	-	-	-	-	-	2	-	2	23.0	20.9	20.3	-	0.1	-	-	-	0.5
02N	002E	-	-	-	-	-	-	2	-	2	23.0	19.3	19.0	-	-	-	-	-	0.3
02N	*166E	-	-	-	-	-	-	1	-	1	37.0	4.0	4.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	37.0	3.0	3.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	37.0	7.0	7.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	37.0	5.6	5.6	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	37.0	3.2	3.2	-	-	-	-	-	-
01N	171E	-	-	-	-	-	-	5	-	5	37.0	25.2	25.2	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAY -3-001 JUN -106 5月下旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
38N 144E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
37N 143E	1	20	-	-	-	-	-	-	21	17.7*	130.9	130.9	-	-	-	-	-	-
144E	-	1	-	-	-	-	-	-	1	16.0	5.5	5.5	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	25.0	4.0	-	4.0	-	-	-	-	-
36N 142E	1	29	1	-	-	-	-	-	31	17.2	194.9	194.9	-	-	-	-	-	-
143E	-	51	2	-	-	-	-	-	53	18.1*	283.5	282.5	0.5	-	-	-	-	0.5
144E	-	8	1	-	-	-	-	-	9	19.3	62.5	62.5	-	-	-	-	-	-
*146E	-	2	-	-	-	-	-	-	2	18.0	18.0	18.0	-	-	-	-	-	-
*151E	-	-	-	-	-	-	1	-	1	19.0	9.0	9.0	-	-	-	-	-	-
*170E	-	-	-	-	-	1	-	-	1	28.0	7.0	-	7.0	-	-	-	-	-
35N 140E	-	2	-	-	-	-	-	-	2	16.0*	9.3	9.3	-	-	-	-	-	-
*142E	-	57	1	-	-	-	-	-	58	18.6*	376.4	376.4	-	-	-	-	-	-
143E	-	66	1	-	-	2	-	-	69	18.3	947.8	947.8	-	-	-	-	-	-
144E	-	50	3	-	-	-	-	-	53	19.2*	1049.2	1049.2	-	-	-	-	-	-
145E	-	1	-	-	-	-	-	-	1	11.0	6.0	6.0	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
*149E	-	1	1	-	-	1	1	-	4	22.5	80.9	80.9	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
*152E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
*154E	-	-	-	-	-	1	4	-	5	24.2	9.2	-	9.2	-	-	-	-	-
*164E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	20.0	2.0	-	2.0	-	-	-	-	-
*168E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
169E	-	-	-	-	-	65	77	-	142	24.1*	655.4	20.7	633.0	-	-	1.7	-	-
170E	-	-	-	-	-	96	89	-	185	23.5*	681.7	17.3	663.8	0.6	-	-	-	-
34N 135E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
136E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	14.0	1.6	-	-	0.9	-	0.7	-	-
*139E	-	5	-	-	-	-	-	-	5	17.4	7.4	6.3	-	0.3	-	-	-	0.8
*141E	-	2	-	-	-	-	-	-	2	17.5	-	-	-	-	-	-	-	-
142E	2	93	2	-	-	-	-	-	97	18.4*	815.9	815.8	-	0.1	-	-	-	-
143E	-	41	3	-	-	1	-	-	45	17.9	725.7	725.7	-	-	-	-	-	-
144E	-	2	-	-	-	-	-	-	2	20.5	6.0	6.0	-	-	-	-	-	-
145E	-	-	-	-	-	-	1	-	1	25.0	18.0	18.0	-	-	-	-	-	-
*148E	-	-	-	-	-	2	-	-	2	18.0	6.5	-	6.5	-	-	-	-	-
*160E	-	-	-	-	-	1	-	-	1	23.0	3.0	1.5	1.5	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	23.0	2.3	-	2.0	-	-	-	-	0.3
162E	-	-	-	-	-	1	-	-	1	23.0	0.5	-	0.5	-	-	-	-	-
163E	-	-	-	-	-	2	-	-	2	25.5	5.5	-	5.5	-	-	-	-	-
164E	-	-	-	-	-	3	1	-	4	25.0*	6.0	-	6.0	-	-	-	-	-
165E	-	-	-	-	-	3	21	-	24	24.0*	66.2	-	66.2	-	-	-	-	-
166E	-	-	-	-	-	1	4	-	5	26.2*	5.5	-	5.5	-	-	-	-	-
167E	-	-	-	-	-	-	3	-	3	28.0	1.5	-	1.5	-	-	-	-	-
168E	-	-	-	-	-	53	65	-	118	24.1*	310.7	37.2	260.6	2.0	-	10.9	-	-
169E	-	-	-	-	-	147	158	-	305	22.8*	1040.3	40.2	983.8	-	-	15.5	-	0.8
170E	-	-	-	-	-	11	25	-	36	22.4	171.9	2.2	162.9	-	-	6.8	-	-
33N 132E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
33N 133E	-	2	-	-	-	-	-	-	2	13.0	10.0	5.4	-	1.2	-	2.7	-	0.7
*135E	-	3	-	-	-	-	-	-	3	12.0	5.2	0.6	4.3	0.2	-	-	-	0.1
*136E	-	7	-	-	-	-	-	-	7	15.0*	3.0	-	-	-	-	1.5	-	1.5
137E	-	3	-	-	-	-	-	-	3	16.3	9.2	6.7	2.5	-	-	-	-	-
138E	-	24	-	-	-	-	-	-	24	14.4*	41.0	32.2	-	0.6	5.[illegible]	-	-	2.4
139E	-	70	-	-	-	-	-	-	70	15.7*	177.8	165.8	-	9.8	-	0.9	0.1	1.2
140E	4	42	1	-	-	-	-	-	47	16.4*	137.0	100.7	33.6	2.1	-	-	-	0.6
141E	1	43	1	-	-	-	-	-	45	16.9*	148.8	133.6	14.8	-	-	-	-	0.4
142E	-	130	2	-	-	-	-	-	132	17.8*	894.2	894.2	-	-	-	-	-	-
143E	-	4	-	-	-	-	-	-	4	20.5	41.3	38.0	-	-	-	-	-	3.3
*150E	-	-	-	-	-	1	-	-	1	18.0	1.0	-	1.0	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	18.0	1.5	1.0	0.5	-	-	-	-	-
*161E	-	-	-	-	-	1	-	-	1	18.0	0.5	-	0.5	-	-	-	-	-
162E	-	-	-	-	-	2	2	-	4	25.2	5.5	-	5.5	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	19.0	1.0	-	1.0	-	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	25.0	1.0	1.0	-	-	-	-	-	-
165E	-	-	-	-	-	3	-	-	3	20.3	0.5	-	0.5	-	-	-	-	-
166E	-	-	-	-	-	8	21	-	29	23.7	178.1	-	178.1	-	-	-	-	-
167E	-	-	-	-	-	7	24	-	31	24.1*	49.6	-	47.8	-	-	1.7	-	0.1
168E	-	-	-	-	-	57	41	-	98	22.8*	458.2	32.7	416.0	0.5	-	7.8	-	1.2
169E	-	-	-	-	-	23	20	-	43	23.5*	129.3	13.5	109.7	1.2	-	3.5	-	1.4
170E	-	-	-	-	-	1	-	-	1	20.0	3.0	-	3.0	-	-	-	-	-
32N 132E	-	6	-	-	-	-	-	-	6	14.0	19.1	18.1	-	1.0	-	-	-	-
133E	4	5	-	-	-	-	-	-	9	13.8	21.6	14.7	-	2.9	-	0.6	-	3.4
134E	4	22	-	-	-	-	-	-	26	16.1*	52.2	42.7	6.3	3.0	-	-	-	0.2
135E	3	14	-	-	-	-	-	-	17	15.0	35.7	24.3	10.7	-	-	-	-	0.7
136E	-	6	-	-	-	-	-	-	6	14.5	7.8	7.8	-	-	-	-	-	-
137E	-	9	-	-	-	-	-	-	9	18.3	42.6	25.4	7.0	1.0	-	4.6	-	4.6
138E	-	5	-	-	-	-	-	-	5	16.2	3.1	2.5	-	-	-	-	-	0.6
139E	3	21	1	-	-	-	-	-	25	16.8	59.4	55.3	1.0	0.6	-	-	-	2.5
140E	-	145	-	-	-	-	-	-	145	15.3*	526.9	460.1	61.3	1.2	-	-	-	4.3
141E	-	131	3	-	-	4	-	-	138	16.7*	758.4	707.7	49.6	0.2	-	0.3	-	0.6
142E	-	79	1	-	-	1	-	-	81	17.5*	406.4	391.7	2.9	0.1	-	11.5	-	0.2
143E	-	4	-	-	-	-	-	-	4	14.6*	19.8	19.8	-	-	-	-	-	-
144E	-	2	-	-	-	-	-	-	2	15.5	10.0	10.0	-	-	-	-	-	-
*146E	-	1	-	-	-	1	-	-	2	20.5	3.5	3.5	-	-	-	-	-	-
*151E	-	-	-	-	-	2	-	-	2	18.0	5.5	-	5.5	-	-	-	-	-
152E	-	-	-	-	-	1	-	-	1	18.0	3.0	-	3.0	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	2	-	2	27.5	-	-	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
162E	-	-	-	-	-	2	-	-	2	23.0*	1.5	-	1.5	-	-	-	-	-
163E	-	-	-	-	-	2	1	-	3	24.0	0.5	-	0.5	-	-	-	-	-
164E	-	-	-	-	-	2	3	-	5	24.2	10.1	-	10.1	-	-	-	-	-
165E	-	-	-	-	-	25	41	-	66	24.3*	191.7	6.5	184.8	0.4	-	-	-	-
166E	-	-	-	-	-	43	75	-	118	24.5*	713.4	3.0	707.9	-	-	1.6	-	0.9
167E	-	-	-	-	-	2	32	-	34	24.2*	142.5	-	142.5	-	-	-	-	-
168E	-	-	-	-	-	1	3	-	4	23.2	11.8	-	11.8	-	-	-	-	-
169E	-	-	-	-	-	2	3	-	5	25.2	13.0	0.5	12.0	-	-	0.5	-	-
170E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	-	2	-	2	21.5	3.0	-	3.0	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAY -3-003　　　　JUN -108　　　　5月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
31N	131E	-	3	-	-	-	-	-	-	3	11.3	4.5	4.5	-	-	-	-	-	-
	132E	-	21	2	-	-	-	-	-	23	15.0	82.5	74.6	-	6.3	-	-	-	1.6
	133E	3	3	-	-	-	-	-	-	6	14.0	6.2	4.6	-	0.3	-	0.1	-	1.2
	134E	1	21	-	-	-	-	-	-	22	16.8*	52.6	42.8	-	5.6	-	1.2	-	3.0
	135E	-	10	-	-	-	-	-	-	10	15.6	19.7	13.9	-	2.5	-	2.0	-	1.3
	136E	-	8	-	-	-	-	-	-	8	15.6	7.2	5.8	-	-	-	-	-	1.4
	137E	1	2	-	-	-	-	-	-	3	16.3	13.0	11.3	-	1.4	-	0.3	-	-
	138E	-	4	-	-	-	-	-	-	4	16.2	6.6	4.7	1.7	-	-	-	-	0.2
	139E	-	19	-	-	-	-	-	-	19	15.0*	55.5	40.2	0.2	9.8	-	-	0.1	5.2
	140E	-	35	1	-	-	-	-	-	36	15.5	161.5	140.3	19.4	1.1	-	0.4	-	0.3
	141E	-	42	3	-	-	3	-	-	48	19.0*	282.1	233.6	48.5	-	-	-	-	-
	142E	-	72	1	-	-	2	-	-	75	18.8*	701.3	695.3	4.0	-	-	-	-	2.0
	143E	-	-	3	-	-	-	1	-	4	20.2	52.0	52.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	19.0	12.0	12.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	4	-	-	4	19.5	7.7	-	7.7	-	-	-	-	-
	153E	-	-	-	-	-	12	8	-	20	25.7	72.0	0.5	71.5	-	-	-	-	-
	154E	-	-	-	-	-	6	5	-	11	24.2	31.8	1.0	30.8	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	23.5	4.0	-	4.0	-	-	-	-	-
	*157E	-	-	-	-	-	2	1	-	3	27.6	4.5	0.5	4.0	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	27.0*	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	3	2	-	5	23.0	5.8	2.0	2.8	1.0	-	-	-	-
	162E	-	-	-	-	-	7	3	-	10	26.1	8.0	4.0	1.0	-	-	3.0	-	-
	163E	-	-	-	-	-	2	4	-	6	22.3	27.5	16.3	-	-	-	11.2	-	-
	164E	-	-	-	-	-	-	2	-	2	19.0	33.0	5.0	-	-	-	28.0	-	-
	165E	-	-	-	-	-	1	1	-	2	28.0	5.5	-	5.5	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	27.0	3.5	-	3.5	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	1	2	-	3	30.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	24.0	3.0	-	3.0	-	-	-	-	-
	170E	-	-	-	-	-	-	9	-	9	25.8	54.6	41.0	13.6	-	-	-	-	-
	*173E	-	-	-	-	-	-	3	-	3	26.6	1.0	1.0	-	-	-	-	-	-
30N	129E	4	4	-	-	-	-	-	-	8	11.8	22.2	18.1	1.6	2.0	-	-	-	0.5
	130E	-	1	-	-	-	-	-	-	1	18.0	2.2	2.2	-	-	-	-	-	-
	*132E	-	3	-	-	-	-	-	-	3	18.0*	2.1	1.6	-	0.5	-	-	-	-
	133E	-	13	-	-	-	-	-	-	13	14.9	12.7	9.9	-	1.5	-	0.3	-	1.0
	134E	-	12	-	-	-	-	-	-	12	15.8*	26.2	13.3	-	8.4	-	1.4	-	3.1
	135E	-	11	-	-	-	-	-	-	11	15.7	25.8	17.4	-	2.2	-	5.3	-	0.9
	136E	-	3	-	-	-	-	-	-	3	12.0	4.5	4.3	-	-	-	-	-	0.2
	137E	-	4	-	-	-	-	-	-	4	15.7	10.1	9.0	-	0.1	-	0.7	-	0.3
	138E	-	14	-	-	-	-	2	-	16	15.6*	65.4	59.7	-	1.5	-	-	-	4.2
	139E	-	2	-	-	-	-	-	-	2	14.5	7.7	7.7	-	-	-	-	-	-
	140E	-	12	-	-	-	-	-	-	12	16.0	33.5	30.7	-	2.2	0.3	-	0.3	-
	141E	-	1	1	-	-	-	-	-	2	19.0	4.3	3.2	-	0.6	-	-	-	0.5
	142E	-	-	-	-	-	1	-	-	1	26.0	18.0	14.0	-	-	-	-	-	4.0
	*145E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	4	-	-	4	15.0	12.0	-	12.0	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	23.0	3.0	-	3.0	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	16.5	15.5	-	15.5	-	-	-	-	-
	150E	-	-	-	-	-	4	-	-	4	18.7	12.2	-	12.2	-	-	-	-	-
	151E	-	-	-	-	-	7	-	-	7	19.8	21.5	2.3	17.6	0.5	-	0.4	-	0.7
	152E	-	-	-	-	-	16	-	-	16	18.6	75.2	0.2	74.8	-	-	0.2	-	-
	153E	-	-	-	-	-	26	1	-	27	21.1*	135.3	2.3	132.2	-	-	0.8	-	-
30N	154E	-	-	-	-	-	1	-	-	1	21.1	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	1	-	2	18.0	1.0	1.0	-	-	-	-	-	-
	156E	-	-	-	-	-	3	1	-	4	18.5	0.5	-	-	-	-	0.5	-	-
	157E	-	-	-	-	-	4	1	-	5	20.0	2.0	0.2	-	-	-	1.8	-	-
	158E	-	-	-	-	-	2	-	-	2	23.0	4.0	-	4.0	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	23.5	1.0	-	1.0	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	23.0	6.0	3.0	-	-	-	3.0	-	-
	162E	-	-	-	-	-	3	8	-	11	23.7	33.5	21.5	5.0	-	-	6.5	-	0.5
	163E	-	-	-	-	-	-	4	-	4	25.0	4.5	3.0	0.5	-	-	1.0	-	-
	*167E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	19.0	1.0	-	1.0	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	1.5	-	1.5	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	27.0	7.5	7.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	21.0	6.8	5.2	-	1.6	-	-	-	-
29N	127E	-	1	-	-	-	-	-	-	1	11.0	0.5	0.5	-	-	-	-	-	-
	128E	2	12	-	-	-	-	-	-	14	13.0	33.1	16.8	0.6	10.2	-	1.0	-	4.5
	129E	1	19	-	-	-	-	-	-	20	14.4	42.2	33.4	-	6.8	-	-	-	2.0
	130E	-	1	-	-	-	-	-	-	1	15.0	1.0	-	-	0.5	-	-	-	0.5
	131E	-	2	-	-	-	-	-	-	2	15.0	7.4	5.0	-	2.0	-	-	-	0.4
	132E	-	15	-	-	-	-	-	-	15	15.8	53.1	41.4	-	5.0	-	2.6	-	4.1
	133E	1	7	-	-	-	-	-	-	8	17.2	10.2	8.0	-	1.6	-	0.5	-	0.1
	134E	-	10	-	-	-	-	-	-	10	16.0*	22.9	20.3	-	1.7	-	0.4	-	0.5
	135E	-	5	-	-	-	-	-	-	5	17.4	18.8	10.4	-	2.2	-	6.2	-	-
	136E	-	2	-	-	-	-	-	-	2	17.0	5.0	5.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
	*140E	-	14	-	-	-	-	-	-	14	14.4	59.5	53.2	-	5.6	-	-	-	0.7
	*145E	-	-	-	-	-	4	-	-	4	22.0	8.2	0.3	7.0	-	-	0.3	-	0.6
	146E	-	-	-	-	-	3	-	-	3	15.0	15.0	-	15.0	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	18.0	2.0	-	2.0	-	-	-	-	-
	148E	-	-	-	-	-	2	1	-	3	24.6	3.1	-	3.1	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	20.5	7.0	-	7.0	-	-	-	-	-
	*152E	-	-	-	-	-	3	-	-	3	26.0	20.8	0.5	20.3	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	19.0	13.0	2.8	-	-	-	10.2	-	-
	*157E	-	-	-	-	-	1	-	-	1	25.0	6.0	3.0	-	-	-	3.0	-	-
	*160E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	2	-	2	27.0	18.5	11.5	-	-	-	7.0	-	-
	179E	-	-	-	-	-	-	9	-	9	26.7	88.0	49.0	-	4.0	-	35.0	-	-
	*179W	-	-	-	-	-	-	4	-	4	26.0	33.0	25.0	-	-	-	-	-	8.0
	178W	-	-	-	-	-	-	1	-	1	22.0	3.0	1.0	-	-	-	2.0	-	-
	177W	-	-	-	-	-	-	1	-	1	26.0	3.0	2.5	-	-	-	0.5	-	-
	*171W	-	-	-	-	-	-	1	-	1	26.0	12.0	6.0	-	3.0	-	3.0	-	-
28N	126E	-	1	-	-	-	-	-	-	1	16.0	7.0	1.0	-	3.0	-	-	-	3.0
	127E	-	10	-	-	-	-	-	-	10	14.5	16.2	13.6	-	2.0	-	-	-	0.6
	128E	2	6	-	-	-	-	-	-	8	12.3	19.6	12.9	0.4	5.0	-	-	-	1.3
	129E	-	1	-	-	-	-	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	16.0	3.8	2.8	-	1.0	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	132E	1	10	-	-	-	-	-	-	11	15.7*	36.9	23.1	-	7.8	-	4.9	-	1.1
	133E	-	4	-	-	-	-	-	-	4	14.5	10.2	6.3	-	1.5	-	1.1	-	1.3
	134E	-	2	-	-	-	-	-	-	2	14.5	7.2	7.2	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** MAY -3-005 JUN -110 5月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	M.F.	B.E.	F.M.	ELS
28N	135E	-	3	-	-	-	-	-	-	3	18.3	20.0	10.3	-	0.7	-	9.0	-	-
	*145E	-	-	-	-	-	-	2	-	2	30.0	3.5	-	3.5	-	-	-	-	-
	*176E	-	-	-	-	-	-	2	-	2	25.0	8.5	7.0	-	1.0	-	0.5	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	7	-	7	25.0	70.5	41.0	-	18.5	-	11.0	-	-
	178W	-	-	-	-	-	-	4	-	4	23.2	33.0	21.0	-	12.0	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	20.0	1.5	0.1	-	1.0	-	-	-	0.4
	176W	-	-	-	-	-	-	1	-	1	26.0	19.0	10.0	-	5.0	-	4.0	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
27N	125E	-	1	-	-	-	-	-	-	1	13.0	1.3	1.3	-	-	-	-	-	-
	126E	-	8	-	-	-	-	-	-	8	13.3	17.6	7.8	-	7.1	-	-	-	2.7
	127E	-	4	-	-	-	-	-	-	4	17.0	6.0	5.8	-	-	-	0.2	-	-
	128E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	15.0	6.5	3.0	-	2.0	-	-	-	1.5
	130E	-	2	-	-	-	-	-	-	2	12.5	6.6	3.2	-	2.8	-	-	-	0.6
	131E	-	1	-	-	-	-	-	-	1	15.0	0.7	0.3	-	0.2	-	-	-	0.2
	*135E	-	1	-	-	-	-	-	-	1	15.0	0.3	-	-	0.3	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	15.0	16.0	16.0	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	15.0	8.9	7.8	-	1.1	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	28.0	3.0	3.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	4	-	4	25.0	22.6	11.0	-	6.0	-	4.6	-	1.0
26N	125E	-	2	-	-	-	-	-	-	2	12.0	3.0	2.1	-	0.9	-	-	-	-
	126E	-	7	-	-	-	-	-	-	7	14.0	19.4	16.5	-	1.9	-	-	-	1.0
	127E	-	1	-	-	-	-	-	-	1	17.0	8.0	7.5	-	0.5	-	-	-	-
	128E	-	12	-	-	-	-	-	-	12	15.0	24.5	18.0	-	5.5	-	-	-	1.0
	*140E	-	1	-	-	-	-	-	-	1	14.0	4.2	3.4	-	0.6	-	-	-	0.2
	*174E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	19.0	7.0	6.5	-	-	-	0.5	-	-
	*175W	-	-	-	-	-	-	1	-	1	26.0	10.0	6.0	-	-	-	-	-	4.0
	*173W	-	-	-	-	-	-	1	-	1	22.0	6.3	6.0	-	-	-	0.3	-	-
25N	124E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	14.0	16.0	10.0	-	4.0	-	-	-	2.0
	126E	-	15	-	-	-	-	-	-	15	13.9	41.8	28.6	-	5.8	-	1.2	-	6.2
	127E	-	22	-	-	-	-	-	-	22	15.0	64.4	50.7	-	8.5	-	0.3	-	4.9
	128E	-	2	-	-	-	-	-	-	2	18.0	4.0	3.5	-	-	-	-	-	0.5
	*143E	-	1	-	-	-	-	-	-	1	20.0	42.7	42.7	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	19.0	6.0	2.0	-	1.0	-	-	-	3.0
	*172E	-	-	-	-	-	-	2	-	2	19.0	13.0	13.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	2	-	2	19.0	30.0	30.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	1	-	-	1	25.0	9.5	8.0	-	-	-	-	-	1.5
	*170W	-	-	-	-	-	-	1	-	1	24.0	9.0	8.0	-	1.0	-	-	-	-
24N	124E	-	2	-	-	-	-	-	-	2	16.0	7.0	7.0	-	-	-	-	-	-
	125E	-	2	-	-	-	-	-	-	2	12.0	3.5	3.5	-	-	-	-	-	-
	126E	-	18	-	-	-	-	-	-	18	13.8	74.1	56.8	-	15.4	-	-	-	1.9
	127E	-	8	1	-	-	-	-	-	9	16.5	41.2	33.3	-	6.2	-	-	-	1.7
	128E	-	2	-	-	-	-	-	-	2	16.0	5.4	[illegible].7	-	0.5	-	-	-	0.2
24N	*152E	-	-	-	-	-	-	3	-	3	29.0	23.0	23.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	24.0	21.0	18.0	-	3.0	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	24.0	8.0	7.0	-	1.0	-	-	-	-
	*164W	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
23N	123E	-	2	-	-	-	-	-	-	2	11.0	3.0	3.0	-	-	-	-	-	-
	124E	-	2	-	-	-	-	-	-	2	12.0	6.0	5.0	-	1.0	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	13.0	2.1	2.1	-	-	-	-	-	-
	126E	-	7	-	-	-	-	-	-	7	14.1	13.8	10.3	-	3.0	-	-	-	0.[illegible]
	127E	-	2	1	-	-	-	-	-	3	16.3	29.5	26.5	-	-	-	3.0	-	-
	*141E	-	2	-	-	-	-	-	-	2	15.0	8.5	7.5	-	1.0	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	3	-	3	23.3	33.0	33.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	2	-	2	24.5	4.0	4.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	19.0	10.0	9.5	-	0.5	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	1	-	1	24.0	10.0	3.0	-	7.0	-	-	-	-
	164W	-	-	-	-	-	-	3	-	3	25.3	17.0	16.0	-	-	-	1.0	-	-
	163W	-	-	-	-	-	-	6	-	6	25.6	45.0	44.0	-	-	-	1.0	-	-
	162W	-	-	-	-	-	-	1	-	1	24.0	10.0	10.0	-	-	-	-	-	-
22N	125E	-	1	-	-	-	-	-	-	1	12.0	8.5	8.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	12.0	6.5	6.5	-	-	-	-	-	-
	127E	-	5	3	-	-	-	-	-	8	16.8	59.6	59.6	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	23.0	5.7	5.0	-	0.7	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	21.0	5.3	5.3	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	23.0	1.7	1.7	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
21N	129E	-	-	1	-	-	-	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*131E	-	-	-	-	-	1	-	-	1	22.0	14.0	14.0	-	-	-	-	-	-
	132E	-	1	1	-	-	2	-	-	4	21.2	9.5	9.5	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	16.0	10.7	9.9	-	0.4	-	-	-	0.4
	144E	-	-	-	-	-	1	1	-	2	22.0	14.7	13.5	-	0.8	-	-	-	0.4
	*146E	-	-	-	-	-	-	3	-	3	21.0	19.3	17.6	-	1.7	-	-	-	-
	*148E	-	-	-	-	-	-	2	-	2	24.0	1.5	1.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
20N	130E	-	-	1	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*133E	-	-	-	-	-	1	-	-	1	27.0	6.0	6.0	-	-	-	-	-	-
	134E	-	-	-	-	-	3	-	-	3	22.0	4.0	4.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	2	-	-	2	24.5	4.0	4.0	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	141E	-	-	-	-	-	1	-	-	1	27.0	7.0	7.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　MAY -3-007　　　JUN -112　　　5月下旬

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
20N 146E	-	-	-	-	-	-	1	-	1	21.0	11.5	10.0	-	1.3	-	-	-	0.2
147E	-	-	-	-	-	-	2	-	2	22.0	27.0	27.0	-	-	-	-	-	-
*149E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
*160W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
19N 134E	-	-	-	-	-	1	-	-	1	27.0	2.5	2.5	-	-	-	-	-	-
135E	-	-	-	-	-	2	-	-	2	22.0	4.5	4.5	-	-	-	-	-	-
136E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
*145E	-	-	-	-	-	2	2	-	4	24.0	25.5	25.5	-	-	-	-	-	-
146E	-	-	-	-	-	-	5	-	5	24.8	43.7	43.2	-	0.5	-	-	-	-
147E	-	-	-	-	-	-	9	-	9	24.5	70.7	69.5	-	-	-	-	-	1.2
*149E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	26.0	6.0	6.0	-	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
152E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*158W	-	-	-	-	-	-	1	-	1	26.0	12.0	5.0	-	-	-	7.0	-	-
157W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
18N 137E	-	-	-	-	-	1	-	-	1	22.0	3.5	3.5	-	-	-	-	-	-
*146E	-	-	-	-	-	1	1	-	2	24.0	26.0	26.0	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	23.0	11.0	11.0	-	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	31.0	7.0	7.0	-	-	-	-	-	-
17N 145E	-	-	-	-	-	1	-	-	1	23.0	2.0	-	2.0	-	-	-	-	-
*147E	-	-	-	-	-	-	2	-	2	23.0	20.0	20.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	31.0	8.0	8.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
16N 169E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
15N 158E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*12N 160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
*10N 143E	-	1	-	-	-	-	-	-	1	31.0	0.9	-	-	0.4	-	0.4	-	0.1
144E	-	3	-	-	-	-	-	-	3	31.0	1.8	-	-	0.8	-	0.5	-	0.5
*148E	-	1	-	-	-	-	-	-	1	31.0	0.6	-	-	0.2	-	0.3	-	0.1
*174E	-	-	-	-	-	-	1	-	1	24.0	1.9	1.8	-	-	-	0.1	-	-
*08N 175E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	36.0	14.0	14.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
07N 176E	-	-	-	-	-	-	2	-	2	30.0	16.2	16.2	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
06N 149E	-	-	-	-	-	-	2	-	2	29.0	0.9	0.7	-	0.2	-	-	-	-
*174E	-	-	-	-	-	-	2	-	2	24.0	20.3	20.3	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	28.0	20.0	20.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	36.0	10.0	10.0	-	-	-	-	-	-
*162W	-	-	-	-	-	2	-	-	2	25.0	16.0	16.0	-	-	-	-	-	-
05N 152E	-	-	-	-	-	-	1	-	1	29.0	0.6	0.6	-	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	11	-	11	31.0	125.2	123.6	-	-	-	1.6	-	-
*177E	-	-	-	-	-	-	2	-	2	36.0	40.0	40.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	3	-	3	36.0	33.0	33.0	-	-	-	-	-	-
04N 166E	-	1	-	-	-	-	-	-	1	36.0	0.5	-	-	0.1	-	0.1	-	0.3
167E	-	2	-	-	-	-	-	-	2	36.0	1.4	-	-	0.7	-	0.7	-	-
03N 155E	-	-	-	-	-	-	1	-	1	29.0	0.3	0.3	-	-	-	-	-	-
*161E	-	2	-	-	-	-	-	-	2	29.0	1.7	-	-	1.0	-	0.6	-	0.1
*174E	-	-	-	-	-	-	1	-	1	37.0	0.7	0.7	-	-	-	-	-	-
02N 161E	-	1	-	-	-	-	-	-	1	37.0	0.8	-	-	0.3	-	0.3	-	0.2
162E	-	3	-	-	-	-	-	-	3	37.0	3.0	-	-	1.8	-	0.6	-	0.6
*171E	-	-	-	-	-	-	2	-	2	37.0	8.3	8.3	-	-	-	-	-	-
172E	-	-	-	-	-	-	1	-	1	37.0	0.9	0.9	-	-	-	-	-	-
01N 171E	-	-	-	-	-	-	1	-	1	37.0	0.5	0.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUN -1-001 JUN -114 6月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
39N	151E	-	-	-	-	-	1	-	-	1	22.0	3.5	-	3.5	-	-	-	-	-
38N	142E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	3	-	-	3	22.0	11.5	-	11.5	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	2	-	-	2	27.5	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
37N	143E	-	1	-	-	-	-	-	-	1	16.0	2.1	2.1	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	1	-	2	27.0	3.3	2.0	1.0	-	-	-	-	0.3
	153E	-	-	-	-	-	1	-	-	1	25.0	0.5	-	0.5	-	-	-	-	-
	*156E	-	-	-	-	-	2	1	-	3	29.6	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	2	-	-	2	27.5	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	3	-	-	3	27.3	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	27.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
36N	143E	-	1	-	-	-	-	-	-	1	21.0	15.0	15.0	-	-	-	-	-	-
	144E	-	2	-	-	-	1	-	-	3	15.6	3.2	3.2	-	-	-	-	-	-
	145E	-	2	-	-	-	-	-	-	2	14.5	3.5	3.5	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	27.0	7.0	1.5	5.5	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	2	-	-	2	28.5	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	3.0	-	-	-	-	-
	167E	-	-	-	-	-	6	-	-	6	26.5	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	29.5	7.0	-	7.0	-	-	-	-	-
	169E	-	-	-	-	-	1	2	-	3	28.6	6.0	-	6.0	-	-	-	-	-
	170E	-	-	-	-	-	8	10	-	18	23.3	76.8	0.3	76.5	-	-	-	-	-
	171E	-	-	-	-	-	2	10	-	12	24.5	29.5	3.5	26.0	-	-	-	-	-
35N	142E	-	30	-	-	-	-	-	-	30	17.8	196.4	195.3	-	1.0	-	-	-	0..
	143E	3	107	-	-	-	-	1	-	111	17.2*	758.5	758.5	-	-	-	-	-	-
	144E	1	91	3	-	-	1	-	-	96	16.9*	692.5	692.5	-	-	-	-	-	-
	145E	-	38	-	-	-	-	-	-	38	16.9	192.0	187.0	-	5.0	-	-	-	-
	146E	-	1	1	-	-	-	-	-	2	17.5	3.0	3.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	23.5	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	2	-	-	2	22.0	1.0	0.5	0.5	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	25.0	0.5	-	0.5	-	-	-	-	-
	166E	-	-	-	-	-	2	1	-	3	28.3	0.5	-	0.5	-	-	-	-	-
	167E	-	-	-	-	-	1	1	-	2	27.0	11.0	-	11.0	-	-	-	-	-
	168E	-	-	-	-	-	15	48	-	63	23.6*	305.9	2.6	299.9	-	-	3.4	-	-
	169E	-	-	-	-	-	149	138	-	287	24.2*	1254.3	5.2	1247.3	-	-	1.8	-	-
35N	170E	-	-	-	-	-	148	303	-	451	1.6*	1857.1	16.3	1838.5	-	-	1.9	-	0.4
	171E	-	-	-	-	-	-	7	-	7	23.2	14.5	-	14.5	-	-	-	-	-
34N	137E	-	1	-	-	-	-	-	-	1	12.0	0.8	0.8	-	-	-	-	-	-
	138E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	139E	-	2	-	-	-	-	-	-	2	16.5	1.0	1.0	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	141E	-	12	-	-	-	-	-	-	12	16.8*	37.3	21.8	14.0	1.5	-	-	-	-
	142E	1	169	5	-	-	-	-	-	175	17.2*	1068.3	1053.2	9.8	0.9	-	4.0	-	0.4
	143E	-	199	4	-	-	-	1	-	204	18.0*	1551.1	1549.3	1.6	-	-	-	-	0.2
	144E	4	76	2	-	-	2	4	-	88	16.6*	584.9	583.0	1.4	0.5	-	-	-	-
	145E	-	11	3	-	-	-	2	-	16	18.2	177.9	177.9	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	1	-	-	-	-	-	1	23.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	24.0	0.1	-	0.1	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	19.0	2.0	-	2.0	-	-	-	-	-
	164E	-	-	-	-	-	1	1	-	2	19.0	4.0	1.0	3.0	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	25.5*	2.0	1.0	1.0	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	5	5	-	10	24.1	52.3	3.3	49.0	-	-	-	-	-
	169E	-	-	-	-	-	18	25	-	43	22.8*	158.5	4.4	154.0	-	-	0.1	-	-
	170E	-	-	-	-	-	7	13	-	20	20.1	104.3	0.8	102.4	-	-	1.1	-	-
	171E	-	-	-	-	-	1	-	-	1	20.1	-	-	-	-	-	-	-	-
33N	135E	-	1	-	-	-	-	-	-	1	17.0	1.3	-	1.3	-	-	-	-	-
	136E	1	4	-	-	-	-	-	-	5	15.0	4.5	0.8	-	3.7	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	138E	2	6	-	-	-	1	-	-	9	14.5	22.2	2.2	18.7	0.8	-	-	-	0.5
	139E	1	26	-	-	-	-	-	-	27	16.1	37.4	19.9	7.4	8.9	-	-	-	1.2
	140E	2	33	-	-	-	-	-	-	35	16.4	68.2	55.9	2.2	9.2	-	-	-	0.9
	141E	-	12	-	-	-	2	1	-	15	15.8	24.1	10.0	9.1	2.0	-	3.0	-	-
	142E	1	130	4	-	-	-	-	-	135	18.2*	726.5	718.5	-	7.0	-	-	-	1.0
	143E	1	122	2	-	-	-	-	-	125	18.5*	862.3	856.6	4.5	1.2	-	-	-	-
	*144E	-	4	-	-	-	-	-	-	4	17.5	6.2	6.2	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	18.0	2.5	1.5	1.0	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	-	-	2	18.0	6.0	6.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	28.0	3.0	-	3.0	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	19.0	0.3	0.3	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	6	-	7	22.3*	15.0	8.5	6.5	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	18.0	6.0	3.0	-	-	-	3.0	-	-
	165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	24.5	14.0	-	14.0	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	18.5	0.5	-	0.5	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	20	18	-	38	19.3*	174.6	11.5	149.0	-	-	12.1	-	2.0
	*172E	-	-	-	-	-	-	2	-	2	26.5	-	-	-	-	-	-	-	-
32N	132E	6	5	-	-	-	-	-	-	11	10.6	21.0	19.0	-	1.3	-	0.7	-	-
	133E	-	1	-	-	-	-	-	-	1	9.0	1.0	1.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU

*** GYOJYO-BETSU TOUKEI ***

JUN -1-003　　JUN -116　　6月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
32N	134E	2	3	-	-	-	-	-	-	5	14.2	28.4	11.2	15.4	1.1	-	-	-	0.7
	135E	-	5	-	-	-	-	-	-	5	18.2	29.4	29.4	-	-	-	-	-	-
	136E	-	4	-	-	-	-	-	-	4	15.0*	7.8	-	7.8	-	-	-	-	-
	137E	-	9	-	-	-	-	-	-	9	15.0*	12.7	10.5	0.5	0.5	-	1.0	-	0.2
	138E	-	45	-	-	-	-	-	-	45	15.2*	106.8	21.5	70.3	7.9	-	1.7	-	5.4
	139E	-	20	1	-	-	-	1	-	22	16.4*	43.6	15.3	10.3	5.1	-	3.2	-	9.7
	140E	1	22	1	-	-	-	-	-	24	14.8*	38.1	13.1	22.2	1.6	-	-	-	1.2
	141E	-	18	1	-	-	1	-	-	20	15.8	71.4	28.6	41.7	-	-	-	-	1.1
	142E	-	17	-	-	-	-	-	-	17	17.5*	121.8	121.8	-	-	-	-	-	-
	143E	-	9	-	-	-	-	-	-	9	19.1	50.8	48.8	2.0	-	-	-	-	-
	144E	-	2	-	-	-	-	1	-	3	21.6	2.5	1.5	1.0	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	21.0	2.5	-	2.5	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	21.0	3.4	-	3.4	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	26.0	2.7	-	2.7	-	-	-	-	-
	154E	-	-	-	-	-	3	1	-	4	21.7	12.5	3.0	9.5	-	-	-	-	-
	155E	-	-	-	-	-	1	1	-	2	21.0	6.2	-	6.2	-	-	-	-	-
	*158E	-	-	-	-	-	2	-	-	2	26.0*	14.0	7.0	-	-	-	7.0	-	-
	*160E	-	-	-	-	-	1	-	-	1	21.0	9.0	-	9.0	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	165E	-	-	-	-	-	12	6	-	18	18.8	57.2	8.5	46.7	-	-	2.0	-	-
	166E	-	-	-	-	-	36	8	-	44	19.2*	158.3	18.2	138.9	1.0	-	-	-	0.2
	167E	-	-	-	-	-	1	-	-	1	21.0	1.0	-	1.0	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
31N	132E	-	1	-	-	-	-	-	-	1	9.0	0.5	0.5	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	15.0	2.5	-	2.5	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*137E	-	3	-	-	-	-	-	-	3	14.0	9.3	8.5	-	0.2	-	-	-	0.6
	138E	-	10	-	-	-	-	-	-	10	14.5	13.7	4.1	2.4	4.6	-	-	-	2.6
	139E	-	29	-	-	-	-	-	-	29	15.0*	69.6	53.4	3.2	8.0	-	0.1	0.2	4.7
	140E	-	9	1	-	-	-	-	-	10	14.1*	28.7	10.3	5.5	2.6	-	0.1	-	10.2
	141E	-	1	1	-	-	-	-	-	2	18.5	3.3	3.3	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	20.0	14.7	-	14.7	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	15.0	2.2	-	2.2	-	-	-	-	-
	148E	-	-	-	-	-	-	3	-	3	23.3	12.3	-	12.1	-	-	-	-	0.2
	149E	-	-	-	-	-	1	6	-	7	19.7	33.7	-	33.2	-	-	-	-	0.5
	150E	-	-	-	-	-	10	4	-	14	23.8*	61.2	6.5	51.7	-	-	3.0	-	-
	151E	-	-	-	-	-	7	5	-	12	22.0	46.0	4.0	42.0	-	-	-	-	-
	152E	-	-	-	-	-	2	6	-	8	23.4*	20.9	-	19.9	-	-	1.0	-	-
	153E	-	-	-	-	-	6	4	-	10	22.4	42.9	2.2	36.7	-	-	3.0	-	1.0
	154E	-	-	-	-	-	19	12	-	31	21.8*	183.4	9.3	167.7	1.0	-	5.4	-	-
	155E	-	-	-	-	-	6	3	-	9	20.7	48.5	1.0	46.0	-	-	1.5	-	-
	156E	-	-	-	-	-	4	1	-	5	21.5*	8.0	-	8.0	-	-	-	-	-
	157E	-	-	-	-	-	1	3	-	4	23.7	1.0	1.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	1	-	3	21.3	21.5	-	21.5	-	-	-	-	-
	*162E	-	-	-	-	-	-	2	-	2	22.5	9.0	-	9.0	-	-	-	-	-
	*169E	-	-	-	-	-	-	3	-	3	25.3	26.5	-	26.5	-	-	-	-	-
30N	129E	1	6	-	-	-	-	-	-	7	12.8	23.5	17.6	0.2	3.8	-	-	-	1.9
	130E	1	2	-	-	-	-	-	-	3	15.3	10.1	9.8	-	-	-	-	-	0.3
	*133E	-	1	-	-	-	-	-	-	1	15.0	0.8	0.5	-	0.3	-	-	-	-
	*136E	-	3	-	-	-	-	-	-	3	16.0*	25.9	22.6	-	1.1	-	2.1	-	0.1
	137E	-	22	-	-	-	-	-	-	22	14.8	65.7	36.6	-	20.8	-	0.8	-	7.5
30N	138E	-	19	-	-	-	-	-	-	19	15.2	44.7	25.4	-	15.9	-	-	-	3.4
	139E	-	7	-	-	-	-	-	-	7	15.8*	9.9	7.3	-	1.4	-	-	-	1.2
	140E	-	12	-	-	-	-	-	-	12	16.2	26.7	19.2	-	5.0	-	2.5	-	-
	*148E	-	-	-	-	-	16	3	-	19	22.0*	95.9	-	95.9	-	-	-	-	-
	149E	-	-	-	-	-	22	-	-	22	18.6*	135.3	6.7	128.0	-	-	0.5	-	0.1
	150E	-	-	-	-	-	13	1	-	14	20.3*	96.4	5.0	85.2	0.5	-	4.5	-	1.2
	151E	-	-	-	-	-	20	6	-	26	24.0*	146.4	5.0	141.4	-	-	-	-	-
	152E	-	-	-	-	-	11	1	-	12	22.2*	81.7	5.2	75.0	-	-	1.5	-	-
	153E	-	-	-	-	-	10	3	-	13	24.0*	46.2	0.1	44.7	0.6	-	0.8	-	-
	154E	-	-	-	-	-	3	1	-	4	23.0	24.0	4.5	17.0	2.5	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	22.0	5.0	-	5.0	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
29N	128E	-	9	-	-	-	-	-	-	9	13.4	22.6	14.4	-	5.5	-	-	-	2.7
	129E	3	22	-	-	-	-	-	-	25	13.6	49.7	40.4	2.3	4.5	-	-	-	2.5
	130E	-	4	-	-	-	-	-	-	4	12.0	8.7	6.0	-	0.9	-	-	-	1.8
	*138E	-	2	-	-	-	-	-	-	2	15.5	1.7	1.6	-	-	-	-	-	0.1
	139E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	140E	-	19	-	-	-	-	-	-	19	15.7*	99.2	78.7	-	14.1	-	5.5	-	0.9
	*152E	-	-	-	-	-	-	2	-	2	28.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	22.5	6.0	6.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	26.0	27.0	23.0	-	-	-	-	-	4.0
28N	127E	-	4	-	-	-	-	-	-	4	13.2	5.5	3.0	-	2.5	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	13.5	2.2	2.0	-	0.2	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	12.5	3.3	2.5	-	0.3	-	-	-	0.5
	*132E	1	1	-	-	-	-	-	-	2	14.5	3.3	2.6	-	0.7	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	15.0	7.1	6.6	-	0.4	-	0.1	-	-
	*139E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	140E	-	3	-	-	-	-	-	-	3	17.0*	6.7	6.7	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	25.0	1.8	1.8	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	24.5	10.0	9.0	-	-	-	-	-	1.0
27N	126E	-	1	-	-	-	-	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
	127E	7	2	-	-	-	-	-	-	9	15.8	9.4	8.4	-	1.0	-	-	-	-
	128E	1	3	-	-	-	-	-	-	4	12.7	7.1	4.6	-	2.4	-	-	-	0.1
	129E	-	2	-	-	-	-	-	-	2	16.0	4.5	3.5	-	0.3	-	-	-	0.7
	130E	-	1	-	-	-	-	-	-	1	12.0	2.1	1.5	-	0.3	-	-	-	0.3
	*132E	2	2	-	-	-	-	-	-	4	14.7	17.9	12.7	-	1.5	-	2.1	-	1.6
	*140E	-	5	-	-	-	-	-	-	5	15.8	5.7	4.8	-	0.4	-	-	-	0.5
	141E	-	2	-	-	-	-	-	-	2	12.0	12.4	10.4	-	2.0	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	14.0	16.5	14.5	-	2.0	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	19.0	5.0	-	-	5.0	-	-	-	-
26N	125E	-	1	-	-	-	-	-	-	1	12.0	2.7	1.6	-	0.4	-	-	-	0.7
	126E	2	1	-	-	-	-	-	-	3	15.3	2.9	2.9	-	-	-	-	-	-
	127E	1	1	-	-	-	-	-	-	2	16.0	1.0	0.5	-	0.5	-	-	-	-
	128E	-	16	-	-	-	-	-	-	16	14.1	43.2	36.6	-	6.6	-	-	-	-
	*140E	-	5	-	-	-	-	-	-	5	15.2*	12.8	7.3	-	3.8	-	-	-	1.7
	141E	-	2	-	-	-	-	-	-	2	17.0	7.2	5.3	-	-	-	-	-	1.9

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　JUN -1-005　　　　JUN -118　　　　6月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均屯数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
26N	•145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•177E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	•174W	-	-	-	-	-	-	1	-	1	24.0	3.5	0.5	-	3.0	-	-	-	-
25N	126E	1	1	-	-	-	-	-	-	2	14.0	4.1	2.4	-	1.5	-	-	-	0.2
	127E	-	4	-	-	-	-	-	-	4	14.2	8.2	5.2	-	2.5	-	-	-	0.5
	•141E	-	3	-	-	-	-	-	-	3	16.3	6.7	6.5	-	0.2	-	-	-	-
	•175E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	•172W	-	-	-	-	-	-	1	-	1	26.0	10.0	10.0	-	-	-	-	-	-
	•169W	-	-	-	-	-	-	1	-	1	26.0	12.0	12.0	-	-	-	-	-	-
24N	124E	-	3	-	-	-	-	-	-	3	13.3	17.2	16.5	-	0.2	-	-	-	0.5
	125E	-	1	-	-	-	-	-	-	1	13.0	2.5	2.5	-	-	-	-	-	-
	•141E	-	5	-	-	-	-	-	-	5	14.8	35.5	22.9	-	6.2	-	-	-	6.4
	•159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	•167E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	•168W	-	-	-	-	-	-		-	1	26.0	8.0	8.0	-	-	-	-	-	-
23N	124E	-	4	-	-	-	-	-	-	4	13.5	16.0	14.0	-	2.0	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	14.0	7.0	7.0	-	-	-	-	-	-
	•128E	-	1	-	-	-	-	-	-	1	15.0	5.0	5.0	-	-	-	-	-	-
	•140E	-	1	-	-	-	-	-	-	1	15.0	12.0	12.0	-	-	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	15.0	28.0	24.1	-	3.9	-	-	-	-
	•146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	•167W	-	-	-	-	-	-	1	-	1	26.0	13.0	13.0	-	-	-	-	-	-
	•164W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
22N	143E	-	1	-	-	-	-	-	-	1	17.0	4.9	2.0	-	2.9	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	•146E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	•163E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	•168E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
21N	142E	-	1	-	-	-	-	-	-	1	17.0	10.0	10.0	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.4	-	0.1	-	-	-	-
	•170E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
20N	142E	-	2	-	-	-	-	-	-	2	16.0	20.6	17.7	-	2.2	-	-	-	0.7
	•171E	-	-	-	-	-	-	1	-	1	29.0	5.0	5.0	-	-	-	-	-	-
	•161W	-	-	-	-	-	-	1	-	1	26.0	6.0	4.0	-	-	-	2.0	-	-
19N	144E	-	-	-	-	-	2	2	-	4	25.2	19.0	19.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	2	-	3	25.6	20.5	20.5	-	-	-	-	-	-
	146E	-	-	-	-	-	-	3	-	3	23.3	22.0	22.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	6	-	6	22.5	49.0	49.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	•165E	-	-	-	-	-	-	4	-	4	25.0	49.0	49.0	-	-	-	-	-	-
19N	166E	-	-	-	-	-	-	2	-	2	25.0	1.5	1.5	-	-	-	-	-	-
	•158W	-	-	-	-	-	-	1	-	1	26.0	19.0	2.0	-	-	-	17.0	-	-
18N	143E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	•145E	-	-	-	-	-	-	1	-	1	29.0	1.2	1.2	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	25.0	7.0	7.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	4	-	6	22.8	47.5	47.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	23.0	15.0	15.0	-	-	-	-	-	-
	•164E	-	-	-	-	-	-	3	-	3	25.0	18.0	18.0	-	-	-	-	-	-
	•166E	-	-	-	-	-	-	1	-	1	25.0	4.0	4.0	-	-	-	-	-	-
17N	146E	-	-	-	-	-	-	1	-	1	29.0	4.0	4.0	-	-	-	-	-	-
	•153E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	•173E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
16N	169E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.5	-	-	-	-	-	-
	•173E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
15N	178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
14N	156E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	•173E	-	-	-	-	-	-	2	-	2	26.5	4.0	4.0	-	-	-	-	-	-
•12N	143E	-	-	-	-	-	1	-	-	1	21.0	1.5	-	0.5	-	-	1.0	-	-
	•146E	-	-	-	-	-	1	-	-	1	21.0	1.0	0.5	0.5	-	-	-	-	-
	•172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
11N	145E	-	3	-	-	-	-	-	-	3	32.0	2.9	-	-	1.4	-	1.0	-	0.5
	•147E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	1.5	-	-	1.5	-	-
	•172E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
10N	145E	-	1	-	-	-	-	-	-	1	29.0	1.0	-	-	0.2	-	0.4	-	0.4
	146E	-	1	-	-	-	-	-	-	1	29.0	0.6	-	-	0.2	-	0.2	-	0.2
	147E	-	3	-	-	-	-	-	-	3	29.0	0.8	-	-	0.5	-	-	-	0.3
	148E	-	1	-	-	-	-	-	-	1	29.0	0.2	-	-	0.1	-	-	-	0.1
	•159E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	•175E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	•178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
•08N	172E	-	-	-	-	-	-	1	-	1	32.0	3.5	3.5	-	-	-	-	-	-
07N	166E	-	-	-	-	-	-	2	-	2	36.0	27.0	27.0	-	-	-	-	-	-
	•173E	-	-	-	-	-	-	4	-	4	28.7	12.0	12.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUN -1-007 JUN -120 6月上旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
06N 161E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	31.0	4.0	3.0	-	-	-	0.5	-	0.5
174E	-	-	-	-	-	-	5	-	5	31.8	26.0	24.5	-	1.0	-	-	-	0.5
175E	-	-	-	-	-	-	9	-	9	29.3	82.5	82.5	-	-	-	-	-	-
176E	-	-	-	-	-	-	3	-	3	28.6	17.5	17.5	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	27.0	13.0	13.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	24.0	3.5	3.5	-	-	-	-	-	-
05N 169E	-	-	-	-	-	-	1	-	1	36.0	4.0	4.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	32.0	16.0	16.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	5	-	5	26.4	30.8	28.5	-	-	-	2.3	-	-
174E	-	-	-	-	-	-	12	-	12	30.2	85.3	79.7	-	0.1	-	5.5	-	-
175E	-	-	-	-	-	-	8	-	8	30.6	63.8	61.8	-	-	-	2.0	-	-
176E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	4	-	4	28.5	23.0	23.0	-	-	-	-	-	-
*177W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
04N 161E	-	1	-	-	-	-	-	-	1	31.0	0.6	-	-	0.2	-	0.1	-	0.3
*173E	-	-	-	-	-	-	2	-	2	37.0	21.9	21.9	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	27.0	11.0	11.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	2	-	2	24.0	8.5	8.5	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	2	-	2	20.0	7.0	7.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	2	-	2	24.0	7.0	7.0	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	28.0	26.0	26.0	-	-	-	-	-	-
*165W	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
03N 160E	-	2	-	-	-	-	-	-	2	25.0	3.3	-	-	2.0	-	0.8	-	0.5
*174E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	31.0	31.0	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
*168W	-	-	-	-	-	2	1	-	3	26.0	72.0	72.0	-	-	-	-	-	-
167W	-	-	-	-	-	4	1	-	5	25.6	98.0	98.0	-	-	-	-	-	-
02N 158E	-	1	-	-	-	-	-	-	1	25.6	0.8	-	-	0.7	-	0.1	-	-
159E	-	2	-	-	-	-	-	-	2	25.6	1.4	-	-	0.8	-	0.3	-	0.3
01N 158E	-	1	-	-	-	-	-	-	1	25.6	0.5	-	-	0.4	-	-	-	0.1
*01S 157E	-	2	-	-	-	-	-	-	2	25.6	1.8	-	-	1.3	-	0.4	-	0.1

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JUN -2-001　　　JUN -121　　　6月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
39N	146E	-	-	-	-	-	1	-	-	1	25.6	2.0	0.5	1.5	-	-	-	-	-
	*152E	-	-	-	-	-	4	1	-	5	24.0	7.3	5.9	1.4	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	22.0	0.3	0.3	-	-	-	-	-	-
38N	142E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	1	-	2	28.5	0.5	-	0.5	-	-	-	-	-
	152E	-	-	-	-	-	2	-	-	2	27.5	6.5	-	6.5	-	-	-	-	-
	153E	-	-	-	-	-	6	-	-	6	23.1	24.3	0.3	24.0	-	-	-	-	-
37N	142E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	143E	-	1	-	-	-	1	-	-	2	20.0	2.0	1.0	-	-	-	-	-	1.0
	144E	-	7	-	-	-	-	-	-	7	14.4	31.5	31.5	-	-	-	-	-	-
	145E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	146E	-	2	-	-	-	-	-	-	2	15.0	4.5	4.5	-	-	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	26.5	14.0	-	14.0	-	-	-	-	-
	148E	-	1	-	-	-	5	-	-	6	24.6	14.9	2.8	12.1	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	151E	-	-	-	-	-	3	1	-	4	27.5	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	2	-	-	2	26.5	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	2	1	-	3	27.3	2.5	2.0	0.5	-	-	-	-	-
	*171E	-	-	-	-	-	1	1	-	2	22.0*	4.0	-	4.0	-	-	-	-	-
	172E	-	-	-	-	-	-	2	-	2	26.5	19.5	18.5	1.0	-	-	-	-	-
36N	142E	-	1	-	-	-	-	-	-	1	18.0	0.2	0.2	-	-	-	-	-	-
	143E	-	22	-	-	-	-	-	-	22	19.2	109.7	109.7	-	-	-	-	-	-
	144E	-	12	1	-	-	-	1	-	14	19.6*	86.6	67.6	19.0	-	-	-	-	-
	145E	-	3	-	-	-	-	-	-	3	20.3	15.3	10.0	5.3	-	-	-	-	-
	146E	-	12	-	-	-	19	3	-	34	23.4*	169.1	30.1	135.4	-	-	3.6	-	-
	147E	-	8	-	-	-	63	11	-	82	23.8	361.2	29.0	332.1	-	-	-	-	0.1
	148E	-	31	4	-	-	21	3	-	59	21.8	328.6	284.1	44.5	-	-	-	-	-
	149E	-	11	-	-	-	6	1	-	18	19.5*	96.3	62.5	33.8	-	-	-	-	-
	150E	-	4	1	-	-	9	3	-	17	22.1	77.8	27.0	50.0	-	-	0.8	-	-
	151E	-	2	-	-	-	9	4	-	15	22.8	19.6	4.2	15.1	0.3	-	-	-	-
	152E	-	3	2	-	-	6	2	-	13	19.8*	29.0	19.0	10.0	-	-	-	-	-
	153E	-	-	-	-	-	10	8	-	18	21.2	118.7	61.8	53.3	-	-	0.2	-	3.4
	154E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	2	-	2	22.5	0.5	0.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	19.0	2.0	2.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	26.0	1.0	-	1.0	-	-	-	-	-
	169E	-	-	-	-	-	-	3	-	3	24.3	30.5	-	30.5	-	-	-	-	-
	170E	-	-	-	-	-	-	6	-	6	23.6	16.0	2.5	13.5	-	-	-	-	-
	171E	-	-	-	-	-	-	19	-	19	24.6	123.5	-	120.8	1.1	-	1.6	-	-
	172E	-	-	-	-	-	3	15	-	18	24 7*	38.6	5.0	32.4	-	-	1.2	-	-
35N	140E	-	2	-	-	-	-	-	-	2	18.5	2.5	2.5	-	-	-	-	-	-
	141E	-	7	1	-	-	-	-	-	8	18.8*	67.0	30.0	37.0	-	-	-	-	-
	142E	-	59	-	-	-	1	-	-	60	18.7	264.5	187.9	73.2	1.4	-	2.0	-	-
	143E	-	141	3	-	-	2	-	-	146	18.4*	658.8	648.0	10.8	-	-	-	-	-
	144E	-	32	1	-	-	-	-	-	33	17.5*	109.3	109.3	-	-	-	-	-	-
	145E	-	9	-	-	-	4	1	-	14	21.0	46.9	8.0	36.9	2.0	-	-	-	-
	146E	-	5	-	-	-	28	10	-	43	22.7	185.9	26.0	158.6	-	-	0.2	-	1.1
35N	147E	-	2	-	-	-	1	-	-	3	21.3	4.0	3.5	0.5	-	-	-	-	-
	148E	-	1	2	-	-	1	-	-	4	17.7	21.5	17.0	3.0	-	-	1.5	-	-
	149E	-	1	-	-	-	1	1	-	3	21.6	3.0	3.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	25.5	9.9	8.3	-	-	-	1.5	-	0.1
	151E	-	-	-	-	-	-	1	-	1	25.0	6.0	4.0	2.0	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
	153E	-	-	-	-	-	12	11	-	23	22.8	91.0	50.0	33.0	1.2	-	6.8	-	-
	154E	-	-	-	-	-	1	2	-	3	24.0	6.0	6.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	2	1	-	3	19.0	7.0	7.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	23.0	1.1	.	1.1	-	-	-	-	-
	*168E	-	-	-	-	-	5	33	-	38	23.3*	252.2	3.1	244.2	-	-	4.7	-	0.2
	169E	-	-	-	-	-	4	44	-	48	23.7*	426.6	4.3	413.2	-	-	9.1	-	-
	170E	-	-	-	-	-	2	9	-	11	22.0*	44.5	4.5	38.5	-	-	1.5	-	-
	171E	-	-	-	-	-	5	19	-	24	24.3*	121.5	5.0	115.0	-	-	1.5	-	-
34N	136E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	140E	-	5	-	-	-	-	-	-	5	18.6	9.4	6.2	0.2	2.5	-	-	-	0.5
	141E	1	38	-	-	-	1	-	-	40	17.3*	166.1	122.4	42.2	1.5	-	-	-	-
	142E	4	102	1	-	-	-	2	-	109	17.6*	528.4	452.9	63.7	11.1	-	0.6	-	0.1
	143E	1	89	4	-	-	-	1	-	95	17.9*	435.5	403.1	27.7	3.0	-	1.2	-	0.5
	144E	2	57	2	-	-	1	-	-	62	17.2*	265.5	229.7	34.9	-	-	0.7	-	0.2
	145E	-	55	6	-	-	-	1	-	62	17.6	189.2	34.4	154.8	-	-	-	-	-
	146E	-	3	-	-	-	1	3	-	7	21.0	10.7	3.2	7.5	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	22.0	10.5	4.5	6.0	-	-	-	-	-
	148E	-	-	1	-	-	-	-	-	1	23.0	17.0	15.0	2.0	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	26.0	0.8	-	-	0.8	-	-	-	-
	151E	-	-	-	-	-	1	2	-	3	23.6	11.0	11.0	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	21.0	4.3	4.3	-	-	-	-	-	-
	153E	-	-	-	-	-	2	1	-	3	21.6	20.5	13.1	-	2.4	-	4.0	-	1.0
	154E	-	-	-	-	-	1	2	-	3	20.0	31.5	29.0	-	-	-	2.5	-	-
	155E	-	-	-	-	-	1	-	-	1	20.0	20.0	19.0	-	0.2	-	0.8	-	-
	156E	-	-	-	-	-	-	1	-	1	19.0	16.0	16.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	3	-	3	21.3	14.5	14.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	-	4	-	4	20.0	4.0	3.0	1.0	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	21.0	23.0	23.0	-	-	-	-	-	-
33N	135E	2	-	-	-	-	-	-	-	2	12.0	9.1	5.4	-	0.5	-	2.7	-	0.5
	136E	1	1	-	-	-	-	-	-	2	14.0	1.0	-	-	1.0	-	-	-	-
	137E	-	4	-	-	-	-	-	-	4	17.0	11.3	1.0	8.0	0.5	-	1.2	-	0.6
	138E	1	2	-	-	-	-	-	-	3	13.6	2.8	0.8	2.0	-	-	-	-	-
	139E	-	12	-	-	-	-	-	-	12	16.3	19.0	15.3	-	3.2	-	-	0.2	0.3
	140E	2	12	-	-	-	-	-	-	14	16.5*	33.8	14.8	15.9	3.1	-	-	-	-
	141E	-	51	-	-	-	2	1	-	54	16.4*	145.8	29.1	99.9	5.0	-	10.8	-	1.0
	142E	-	57	2	-	-	2	1	-	62	17.2*	260.1	212.3	45.8	2.0	-	-	-	-
	143E	-	75	-	-	-	1	-	-	76	19.0*	255.2	217.7	37.0	-	-	0.5	-	-
	144E	-	53	-	-	-	2	-	-	55	16.0*	146.3	26.2	117.5	2.5	-	0.1	-	-
	145E	-	62	4	-	-	3	1	-	70	17.0	223.0	12.2	210.4	0.2	-	-	-	0.2
	146E	-	11	2	-	-	4	-	-	17	19.2	49.0	6.9	39.5	-	-	2.0	-	0.6

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUN -2-003 JUN -123

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.
33N 147E	-	-	-	-	-	1	1	-	2	23.0	8.0	8.0	-	-	-	-	-
148E	-	-	-	-	-	2	-	-	2	27.5	2.7	-	2.7	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	20.0	1.5	1.5	-	-	-	-	-
150E	-	4	-	-	-	-	1	-	5	14.0	10.6	4.3	-	6.3	-	-	-
151E	-	-	-	-	-	-	1	-	1	25.0	0.5	-	0.5	-	-	-	-
152E	-	-	-	-	-	1	3	-	4	23.7	10.9	9.8	-	-	-	1.1	-
153E	-	-	-	-	-	1	4	-	5	25.4	30.0	26.5	-	-	-	-	-
154E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-
155E	-	-	-	-	-	1	4	-	5	24.2	53.0	44.0	9.0	-	-	-	-
156E	-	-	-	-	-	1	5	-	6	20.1	32.0	29.5	2.5	-	-	-	-
157E	-	-	-	-	-	-	9	-	9	23.3	27.5	22.0	5.5	-	-	-	-
*159E	-	-	-	-	-	1	1	-	2	26.0*	3.3	2.0	1.0	0.3	-	-	-
160E	-	-	-	-	-	-	2	-	2	25.0	1.5	1.5	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	26.0	26.0	26.0	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-
*165E	-	-	-	-	-	-	2	-	2	22.5	-	-	-	-	-	-	-
166E	-	-	-	-	-	1	1	-	2	20.5	1.0	-	1.0	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-
168E	-	-	-	-	-	-	2	-	2	24.0	1.0	-	1.0	-	-	-	-
169E	-	-	-	-	-	-	3	-	3	30.3	1.5	-	1.0	-	-	0.5	-
170E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-
32N 132E	2	5	-	-	-	-	-	-	7	9.4	8.9	8.7	-	0.2	-	-	-
133E	1	1	-	-	-	-	-	-	2	11.0	6.1	2.5	3.6	-	-	-	-
*135E	-	3	-	-	-	-	-	-	3	15.6	7.3	2.7	-	0.2	-	4.2	-
136E	-	2	-	-	-	-	-	-	2	13.0	12.7	9.2	1.3	2.2	-	-	-
137E	-	7	-	-	-	-	-	-	7	14.8	16.8	6.6	1.1	4.7	-	3.0	-
138E	-	6	-	-	-	-	-	-	6	16.4*	9.0	1.0	6.8	1.0	-	0.2	-
139E	-	12	-	-	-	-	-	-	12	15.1	31.8	17.9	7.0	3.9	-	-	-
140E	-	11	-	-	-	-	-	-	11	13.9	24.2	12.8	9.0	2.0	-	0.1	-
141E	-	14	-	-	-	-	-	-	14	17.1*	55.0	26.8	27.9	-	-	-	-
142E	-	29	-	-	-	-	-	-	29	16.3*	122.5	84.3	37.7	0.1	-	-	-
143E	-	32	-	-	-	1	-	-	33	16.9*	154.1	150.9	2.2	0.1	-	-	-
144E	-	19	1	-	-	-	-	-	20	17.5	115.5	90.1	21.0	3.2	-	1.0	-
145E	-	19	-	-	-	-	1	-	20	15.6	49.0	5.5	43.2	-	-	0.3	-
146E	-	3	-	-	-	5	-	-	8	16.6	18.0	5.5	12.5	-	-	-	-
147E	-	1	-	-	-	2	-	-	3	17.6	5.7	5.2	-	0.5	-	-	-
148E	-	-	-	-	-	2	-	-	2	23.5	14.0	0.5	13.5	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	25.0	29.3	19.0	-	0.3	-	10.0	-
150E	-	-	-	-	-	1	-	-	1	15.0	2.0	-	2.0	-	-	-	-
151E	-	-	-	-	-	2	-	-	2	20.5	10.0	7.0	3.0	-	-	-	-
152E	-	-	-	-	-	3	3	-	6	22.8*	26.0	21.0	1.5	-	-	3.5	-
153E	-	-	-	-	-	1	-	-	1	18.0	6.0	1.0	5.0	-	-	-	-
154E	-	-	-	-	-	1	1	-	2	22.5	3.5	0.8	1.0	0.8	-	-	-
155E	-	-	-	-	-	-	4	-	4	21.7	8.0	8.0	-	-	-	-	-
156E	-	-	-	-	-	1	5	-	6	23.1	24.7	21.5	2.2	1.0	-	-	-
157E	-	-	-	-	-	-	8	-	8	24.2	29.9	12.0	15.0	-	-	2.9	-
158E	-	-	-	-	-	-	2	-	2	25.5	1.0	-	1.0	-	-	-	-
159E	-	-	-	-	-	22	19	-	41	24.0*	151.7	6.8	142.4	-	-	-	-
160E	-	-	-	-	-	17	10	-	27	23.4	141.7	31.0	100.7	1.0	-	9.0	-
161E	-	-	-	-	-	1	4	-	5	23.2	62.0	38.5	2.0	-	-	21.5	-
162E	-	-	-	-	-	2	5	-	7	20.0	32.0	18.0	14.0	-	-	-	-
163E	-	-	-	-	-	3	6	-	9	24.4	75.5	52.5	23.0	-	-	-	-
164E	-	-	-	-	-	4	10	-	14	23.6	44.1	2.0	36.5	0.1	-	5.5	-
165E	-	-	-	-	-	-	10	-	10	25.1	87.3	8.2	63.5	0.4	-	15.0	-
166E	-	-	-	-	-	-	1	-	1	25.0	4.6	-	4.5	0.1	-	-	-
32N 167E	-	-	-	-	-	1	1	-	2	19.0*	-	-	-	-	-	-	-
168E	-	-	-	-	-	-	5	-	5	25.2	15.5	-	15.5	-	-	-	-
169E	-	-	-	-	-	2	34	-	36	24.5*	145.7	12.0	124.1	-	-	8.6	-
170E	-	-	-	-	-	-	1	-	1	22.0	2.5	-	2.5	-	-	-	-
31N 133E	1	6	-	-	-	-	-	-	7	15.7	36.3	-	36.3	-	-	-	-
134E	2	9	-	-	-	-	-	-	11	14.7*	25.5	5.2	19.7	0.4	-	0.2	-
135E	-	5	-	-	-	-	-	-	5	15.2	9.5	7.9	-	1.2	-	-	-
136E	-	3	-	-	-	-	-	-	3	14.3	15.2	12.7	-	1.5	-	0.1	-
137E	-	4	-	-	-	-	-	-	4	15.3*	16.1	8.8	-	3.0	-	3.3	-
138E	-	13	-	-	-	-	-	-	13	15.6	42.9	31.8	-	8.0	-	-	-
139E	-	30	-	-	-	-	-	-	30	15.0*	127.2	82.3	4.8	36.9	-	0.2	-
140E	-	10	-	-	-	-	-	-	10	15.0	46.1	33.6	1.0	4.2	-	6.7	-
141E	-	3	-	-	-	-	-	-	3	14.3	13.1	12.6	-	-	-	-	-
142E	-	4	-	-	-	-	-	-	4	15.0*	26.3	24.9	1.4	-	-	-	-
143E	-	7	-	-	-	-	-	-	7	17.4	52.1	35.1	17.0	-	-	-	-
144E	-	1	-	-	-	-	-	-	1	19.0	3.5	3.5	-	-	-	-	-
145E	-	7	-	-	-	1	-	-	8	16.5	35.7	9.6	25.1	-	-	1.0	-
146E	-	11	-	-	-	6	2	-	19	17.4	97.4	28.0	43.5	7.8	-	17.9	-
147E	-	-	-	-	-	2	-	-	2	17.5	3.7	-	3.7	-	-	-	-
148E	-	-	-	-	-	5	3	-	8	19.0	26.3	-	26.3	-	-	-	-
149E	-	-	-	-	-	5	3	-	8	22.1*	13.8	-	13.8	-	-	-	-
150E	-	-	-	-	-	6	1	-	7	23.5	29.6	-	29.6	-	-	-	-
151E	-	-	-	-	-	3	2	-	5	20.4	13.1	5.0	8.1	-	-	-	-
152E	-	-	-	-	-	2	3	-	5	20.4	16.4	3.1	12.0	-	-	-	-
153E	-	-	-	-	-	2	3	-	5	22.0	39.4	20.5	16.4	2.0	-	-	-
154E	-	-	-	-	-	8	8	-	16	20.3*	87.8	3.0	79.2	0.5	-	4.3	-
155E	-	-	-	-	-	7	5	-	12	19.8*	53.6	6.5	44.1	-	-	3.0	-
156E	-	-	-	-	-	-	4	-	4	20.7	34.2	13.0	14.2	1.0	-	6.0	-
157E	-	-	-	-	-	-	2	-	2	23.5	1.7	-	1.5	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	20.0	5.5	-	5.5	-	-	-	-
159E	-	-	-	-	-	25	17	-	42	23.7*	138.0	6.2	126.5	-	-	5.3	-
160E	-	-	-	-	-	15	22	-	37	24.0	173.2	9.7	153.1	-	-	10.3	-
161E	-	-	-	-	-	6	19	-	25	23.9*	124.6	2.5	122.0	0.1	-	-	-
162E	-	-	-	-	-	2	22	-	24	24.1*	236.0	44.0	163.7	4.0	-	24.3	-
163E	-	-	-	-	-	2	9	-	11	24.1	41.6	2.5	38.9	-	-	0.2	-
164E	-	-	-	-	-	1	9	-	10	23.5*	24.5	1.0	23.5	-	-	-	-
165E	-	-	-	-	-	-	5	-	5	25.0	13.7	-	13.7	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	12	-	12	24.9	66.5	-	66.5	-	-	-	-
169E	-	-	-	-	-	-	5	-	5	23.8	28.0	2.0	26.0	-	-	-	-
30N 129E	2	3	-	-	-	-	-	-	5	12.8	12.2	10.6	0.5	0.5	-	0.1	0.2
130E	-	2	-	-	-	-	-	-	2	15.0	9.2	8.2	-	0.5	-	-	-
*132E	-	4	-	-	-	-	-	-	4	15.0	20.4	12.0	-	6.8	-	1.6	-
133E	-	3	-	-	-	-	-	-	3	17.6	4.4	3.0	-	0.9	-	0.5	-
134E	-	4	-	-	-	-	-	-	4	16.2	10.3	3.3	4.1	1.4	-	0.5	-
135E	1	3	-	-	-	-	-	-	4	14.7	18.9	13.8	-	4.4	-	0.4	-
136E	1	9	-	-	-	-	-	-	10	15.2*	60.0	44.4	-	13.5	-	0.7	-
137E	-	7	-	-	-	-	-	-	7	14.0*	51.8	30.3	-	18.0	-	0.3	-
138E	-	26	-	-	-	-	-	-	26	15.7*	119.7	84.6	-	17.0	-	7.9	-
139E	-	11	-	-	-	-	-	-	11	14.3	65.3	47.3	-	10.6	-	-	-
140E	-	10	-	-	-	-	-	-	10	16.8	60.0	42.3	-	14.1	-	1.2	-
*142E	-	3	-	-	-	-	-	-	3	14.5*	37.4	30.1	-	0.4	-	0.4	-
143E	-	6	-	-	-	-	-	-	6	15.0*	71.0	64.0	1.8	4.8	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUN -2-005 JUN -125 6月中旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N	144E	-	3	-	-	-	-	-	-	3	13.6	23.8	22.8	-	0.6	-	0.3	-	0.1
	*148E	-	-	-	-	-	-	2	-	2	24.0	12.1	-	12.1	-	-	-	-	-
	*151E	-	-	-	-	-	5	-	-	5	25.2*	13.1	0.2	12.6	-	-	0.3	-	-
	152E	-	-	-	-	-	-	1	-	1	22.0	10.0	3.0	7.0	-	-	-	-	-
	153E	-	-	-	-	-	7	6	-	13	19.9	103.1	7.0	96.1	-	-	-	-	-
	154E	-	-	-	-	-	1	2	-	3	16.6	22.4	4.5	16.5	1.4	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	16.6	2.0	-	2.0	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	1.5	1.0	-	-	-	0.5	-	-
29N	128E	-	4	-	-	-	-	-	-	4	13.0	18.2	16.0	-	0.5	-	-	-	1.7
	129E	8	19	-	-	-	-	-	-	27	13.3	92.3	76.0	1.6	6.3	-	0.3	0.6	7.5
	*132E	-	2	-	-	-	-	-	-	2	18.0	2.8	1.2	-	1.1	-	0.5	-	-
	133E	-	1	-	-	-	-	-	-	1	15.0	4.6	4.6	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
	*137E	-	14	-	-	-	-	-	-	14	15.9*	76.8	33.2	-	26.7	-	12.9	-	4.0
	138E	-	16	-	-	-	-	-	-	16	15.7*	84.3	42.5	0.2	16.7	-	14.3	-	10.6
	139E	-	8	-	-	-	-	-	-	8	14.2*	29.6	16.9	-	3.4	-	7.6	-	1.7
	140E	-	18	-	-	-	-	-	-	18	15.8*	94.3	63.1	-	17.8	-	5.5	-	7.9
	141E	-	2	-	-	-	-	-	-	2	17.5	1.0	1.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
28N	127E	-	2	-	-	-	-	-	-	2	11.0	4.5	3.3	-	0.8	-	-	-	0.4
	128E	-	1	-	-	-	-	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	13.0	3.1	2.5	-	0.6	-	-	-	-
	*138E	-	3	-	-	-	-	-	-	3	14.5*	8.6	4.1	-	1.5	-	2.0	-	1.0
	139E	-	6	-	-	-	-	-	-	6	15.8*	47.8	32.1	-	4.8	-	-	-	10.9
	140E	-	3	-	-	-	-	-	-	3	13.3	0.7	0.7	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	17.0	1.9	0.5	-	0.8	-	-	-	0.6
	144E	-	2	-	-	-	-	-	-	2	17.0	7.4	4.2	-	2.1	-	-	-	1.1
27N	127E	10	1	-	-	-	-	-	-	11	16.1	7.7	7.7	-	-	-	-	-	-
	128E	2	-	-	-	-	-	-	-	2	17.0	2.2	2.2	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	12.0	2.2	1.5	-	0.5	-	-	-	0.2
	130E	-	1	-	-	-	-	-	-	1	14.0	2.5	2.5	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	15.0	1.2	0.9	-	0.3	-	-	-	-
	140E	-	1	-	-	-	-	1	-	2	21.0	7.0	5.0	-	1.5	-	-	-	0.5
	*145E	-	10	-	-	-	-	-	-	10	15.4*	44.0	33.7	-	10.1	-	-	-	0.2
	*178W	-	-	-	-	-	-	1	-	1	23.0	2.5	2.0	-	-	-	0.5	-	-
	*175W	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
26N	126E	3	2	-	-	-	-	-	-	5	14.8	2.7	2.5	-	0.2	-	-	-	-
	127E	5	-	-	-	-	-	-	-	5	16.2	5.7	5.7	-	-	-	-	-	-
	128E	-	5	-	-	-	-	-	-	5	13.2	7.6	6.4	-	0.4	-	-	-	0.8
	*135E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	14.0	7.6	6.3	-	0.9	-	-	-	0.4
	141E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	26.0	24.0	23.5	-	-	-	0.5	-	-
25N	125E	-	1	-	-	-	-	-	-	1	12.0	3.5	2.5	-	1.0	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	12.0	2.5	2.0	-	0.5	-	-	-	-
25N	127E	-	6	-	-	-	-	-	-	6	12.8	33.8	29.5	2.0	2.0	-	-	-	0.3
	128E	-	4	-	-	-	-	-	-	4	12.0	13.1	7.0	2.6	2.5	-	-	-	1.0
	*172W	-	-	-	-	-	-	1	-	1	26.0	13.0	11.0	-	-	-	2.0	-	-
24N	125E	-	2	-	-	-	-	-	-	2	14.0	7.7	5.5	-	2.2	-	-	-	-
	126E	-	6	-	-	-	-	-	-	6	12.6	34.2	24.0	-	9.3	-	-	-	0.9
	127E	-	2	-	-	-	-	-	-	2	13.5	4.4	2.4	2.0	-	-	-	-	-
	*141E	-	2	-	-	-	-	1	-	3	19.6	13.8	12.2	-	1.1	-	-	-	0.5
23N	124E	-	3	-	-	-	-	-	-	3	12.3	10.7	9.0	-	1.5	-	-	-	0.2
	125E	-	1	-	-	-	-	-	-	1	15.0	6.0	5.0	-	1.0	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	14.0	21.9	17.8	-	2.9	-	-	-	1.2
22N	126E	-	6	-	-	-	-	-	-	6	15.0	17.8	17.0	-	0.8	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
21N	164E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
20N	142E	-	-	-	-	-	-	1	-	1	29.0	1.2	1.2	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	29.0	7.0	6.5	-	0.5	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	29.0	0.3	0.3	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	31.0	6.0	6.0	-	-	-	-	-	-
19N	143E	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	29.0	1.5	1.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	28.0	19.0	19.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	28.0	15.0	15.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	9	-	9	27.1	121.0	121.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	8	-	8	28.7	144.0	144.0	-	-	-	-	-	-
18N	164E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	7	-	7	26.5	94.0	94.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	37.0	5.6	5.6	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	32.0	11.0	11.0	-	-	-	-	-	-
17N	167E	-	-	-	-	-	-	3	-	3	27.0	72.0	72.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
16N	173E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*14N	150E	-	-	-	-	-	1	-	-	1	21.0	13.0	-	13.0	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUN -2-007 JUN -127

操業位置		屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ-ダ	その
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	E
13N	150E	-	-	-	-	-	1	-	-	1	21.0	5.6	0.5	2.5	-	-	2.5	-	0
	151E	-	-	-	-	-	1	-	-	1	21.0	1.5	-	1.5	-	-	-	-	-
12N	146E	-	-	-	-	-	1	-	-	1	21.0	6.0	-	4.5	-	-	1.5	-	-
	*148E	-	-	-	-	-	1	-	-	1	21.0	3.5	0.5	3.0	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	3.3	-	3.0	-	-	-	-	0.
	*176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
11N	144E	-	1	-	-	-	-	-	-	1	28.0	0.9	-	-	0.4	-	0.4	-	0.
	*148E	-	-	-	-	-	1	-	-	1	21.0	10.5	1.5	6.0	-	-	3.0	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	5.6	2.0	3.5	-	-	-	-	0.
	150E	-	-	-	-	-	1	-	-	1	21.0	6.5	1.5	5.0	-	-	-	-	-
10N	166E	-	-	-	-	-	-	1	-	1	31.0	1.5	1.5	-	-	-	-	-	-
*07N	172E	-	-	-	-	-	-	1	-	1	31.0	3.7	3.0	-	-	-	0.5	-	0.
	*174E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
06N	176E	-	-	-	-	-	-	1	-	1	37.0	4.2	4.2	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	27.0	12.0	12.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	28.5	6.1	6.1	-	-	-	-	-	-
05N	178E	-	-	-	-	-	-	2	-	2	32.0	11.8	11.8	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	23.5	27.5	27.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	20.0	11.5	11.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
04N	179E	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	8	-	8	26.1	120.0	120.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
03N	156E	-	1	-	-	-	-	-	-	1	28.0	1.1	-	-	0.8	-	0.3	-	-
	*179E	-	-	-	-	-	-	2	-	2	28.0	26.0	26.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	6	-	6	29.5	56.2	53.2	-	-	-	3.0	-	-
	*176W	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
02N	156E	-	1	-	-	-	-	-	-	1	25.0	1.0	-	-	0.6	-	0.3	-	0.
	157E	-	1	-	-	-	-	-	-	1	25.0	1.1	-	-	0.7	-	0.3	-	0.
	*170W	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	30.0	26.0	26.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
01N	156E	-	1	-	-	-	-	-	-	1	25.0	0.9	-	-	0.5	-	0.2	-	0.
	157E	-	1	-	-	-	-	-	-	1	25.0	0.5	-	-	0.2	-	0.2	-	0.
	*170W	-	-	-	-	-	-	2	-	2	29.0	26.9	26.0	-	0.9	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	27.0	13.0	13.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	.	2	25.0	11.0	11.0	-	-	-	-	-	-
00N	157E	-	3	-	-	-	-	-	-	3	25.0	3.1	-	-	1.8	-	1.0	-	0.3
	158E	-	1	-	-	-	-	-	-	1	25.0	0.6	-	-	0.3	-	0.1	-	0.2
*00S	157E	-	1	-	-	-	-	-	-	1	25.0	1.8	-	-	1.1	-	0.4	-	0.3
*03S	169W	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　JUN -3-001　　　　JUN -129　　　　6月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
39N	152E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	22.0	0.4	-	0.4	-	-	-	-	-
38N	147E	-	2	-	-	-	-	-	-	2	19.0	4.0	4.0	-	-	-	-	-	-
	148E	-	3	-	-	-	-	-	-	3	19.0	15.5	13.0	-	2.5	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	27.0	2.5	-	2.5	-	-	-	-	-
	151E	-	-	-	-	-	1	1	-	2	17.5	0.1	-	0.1	-	-	-	-	-
	152E	-	-	-	-	-	5	-	-	5	23.7*	6.7	2.0	4.7	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	1	-	2	21.0	0.5	-	0.5	-	-	-	-	-
	156E	-	-	-	-	-	2	4	-	6	20.0	43.0	43.0	-	-	-	-	-	-
37N	142E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	145E	-	1	-	-	-	1	-	-	2	23.0	-	-	-	-	-	-	-	-
	146E	-	2	-	-	-	-	-	-	2	17.0	20.0	20.0	-	-	-	-	-	-
	147E	-	2	-	-	-	-	-	-	2	17.5	4.4	4.4	-	-	-	-	-	-
	148E	-	4	-	-	-	-	-	-	4	17.2	30.2	30.2	-	-	-	-	-	-
	*150E	-	1	-	-	-	-	-	-	1	21.0	21.0	21.0	-	-	-	-	-	-
	151E	-	1	-	-	-	-	-	-	1	14.0	4.0	4.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	2	-	-	2	20.0	1.4	1.4	-	-	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	23.5	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	10	3	-	13	20.4	49.3	7.4	41.9	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	30.0	0.5	-	-	-	-	-	-	0.5
36N	144E	-	3	-	-	-	-	-	-	3	19.3	16.9	16.9	-	-	-	-	-	-
	*146E	-	4	-	-	-	2	4	-	10	19.6	25.7	9.3	16.4	-	-	-	-	-
	147E	-	6	-	-	-	1	3	-	10	19.5	51.5	46.5	5.0	-	-	-	-	-
	148E	-	29	1	-	-	5	1	-	36	18.1	149.6	141.9	6.7	1.0	-	-	-	-
	149E	-	3	-	-	-	1	4	-	8	19.7	24.0	9.2	14.8	-	-	-	-	-
	150E	-	7	-	-	-	1	7	-	15	19.7*	86.2	28.5	53.1	0.3	-	2.3	-	2.0
	151E	-	3	-	-	-	2	4	-	9	21.3	11.4	4.4	7.0	-	-	-	-	-
	152E	-	-	-	-	-	3	3	-	6	22.0*	14.8	12.2	2.6	-	-	-	-	-
	153E	-	-	-	-	-	17	5	-	22	21.4*	145.3	108.1	34.9	0.4	-	1.9	-	-
	154E	-	-	-	-	-	6	3	-	9	22.3	62.6	61.4	-	-	-	0.5	-	0.7
	155E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.2	0.3	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	21.0	8.0	6.0	2.0	-	-	-	-	-
	157E	-	-	-	-	-	6	-	-	6	20.6	8.8	8.8	-	-	-	-	-	-
	158E	-	-	-	-	-	4	1	-	5	25.4	6.8	6.8	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	24.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	22.0	0.5	0.5	-	-	-	-	-	-
	170E	-	-	-	-	-	2	-	-	2	22.0	1.0	-	1.0	-	-	-	-	-
	171E	-	-	-	-	-	1	1	-	2	21.5	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	3	-	-	3	24.6	4.0	4.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	32.0	5.5	5.5	-	-	-	-	-	-
36N	174E	-	-	-	-	-	2	-	-	2	26.0	0.2	-	0.2	-	-	-	-	-
	175E	-	-	-	-	-	3	-	-	3	27.6	19.5	-	18.5	-	-	-	-	1.0
35N	141E	-	2	-	-	-	-	-	-	2	20.0	-	-	-	-	-	-	-	-
	142E	-	6	-	-	-	-	-	-	6	16.8	24.4	14.8	9.6	-	-	-	-	-
	143E	-	13	1	-	-	-	-	-	14	17.7	24.7	21.8	2.5	0.4	-	-	-	-
	144E	-	27	2	-	-	-	-	-	29	19.1	97.9	84.9	13.0	-	-	-	-	-
	145E	-	82	7	-	-	8	1	-	98	19.1*	465.1	131.1	334.0	-	-	-	-	-
	146E	-	25	1	-	-	9	-	-	35	20.0*	113.6	44.0	65.4	4.2	-	-	-	-
	147E	-	3	-	-	-	5	1	-	9	21.0	26.6	21.7	4.5	0.1	-	-	-	0.3
	148E	-	-	-	-	-	-	3	-	3	18.3	12.0	-	12.0	-	-	-	-	-
	149E	-	-	-	-	-	5	3	-	8	23.5*	11.0	10.0	1.0	-	-	-	-	-
	150E	-	1	-	-	-	5	-	-	6	22.0	30.2	23.0	2.2	-	-	5.0	-	-
	151E	-	-	-	-	-	1	4	-	5	22.0	33.0	33.0	-	-	-	-	-	-
	152E	-	-	-	-	-	-	4	-	4	22.0	14.5	6.5	8.0	-	-	-	-	-
	153E	-	-	-	-	-	20	16	-	36	23.9*	166.9	110.6	51.3	-	-	5.0	-	-
	154E	-	-	-	-	-	18	4	-	22	20.1	181.0	174.0	6.6	-	-	-	-	0.4
	155E	-	-	-	-	-	4	1	-	5	16.2	18.3	14.5	3.8	-	-	-	-	-
	156E	-	-	-	-	-	53	13	-	66	19.0*	283.1	187.5	89.1	0.9	-	5.5	-	0.1
	157E	-	-	-	-	-	3	1	-	4	23.7	7.7	7.7	-	-	-	-	-	-
	158E	-	-	-	-	-	2	1	-	3	19.3	22.1	17.5	-	4.6	-	-	-	-
	159E	-	-	-	-	-	5	1	-	6	23.1	10.6	10.5	-	-	-	-	-	0.1
	160E	-	-	-	-	-	2	-	-	2	22.0	4.0	3.0	1.0	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.0	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	31.0	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	27.0	5.5	5.5	-	-	-	-	-	-
	164E	-	-	-	-	-	3	-	-	3	25.6	1.0	1.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	1	-	3	24.3	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	4	1	-	5	27.2	6.0	6.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	2	1	-	3	25.6	3.5	1.0	-	-	-	2.5	-	-
	169E	-	-	-	-	-	3	1	-	4	22.7	1.5	0.5	-	-	-	-	-	1.0
	170E	-	-	-	-	-	5	-	-	5	26.2	2.7	1.0	1.5	-	-	-	-	0.2
	171E	-	-	-	-	-	7	2	-	9	25.5	17.0	12.0	4.9	-	-	0.1	-	-
	*173E	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	174E	-	-	-	-	-	9	-	-	9	26.1	24.8	0.1	24.7	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*144W	-	2	-	-	-	-	-	-	2	20.0	15.0	15.0	-	-	-	-	-	-
34N	138E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	139E	-	2	-	-	-	-	-	-	2	19.5	1.0	1.0	-	-	-	-	-	-
	140E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	141E	1	16	1	-	-	-	1	-	19	17.9	68.8	41.0	23.7	3.2	-	0.9	-	-
	142E	-	59	-	-	-	-	-	-	59	16.6*	177.0	160.6	15.6	0.4	-	0.4	-	-
	143E	4	75	2	-	-	1	-	-	82	18.3*	267.2	148.1	109.4	0.9	-	0.6	8.0	0.2
	144E	-	118	2	-	-	4	1	-	125	18.5*	502.4	249.5	247.9	3.0	-	2.0	-	-
	145E	-	47	2	-	-	2	1	-	52	19.4*	141.7	60.2	80.9	-	-	0.6	-	-
	146E	-	-	1	-	-	4	-	-	5	25.4	1.0	-	1.0	-	-	-	-	-
	147E	-	3	-	-	-	-	2	-	5	22.2	25.4	10.9	14.5	-	-	-	-	-
	148E	-	1	-	-	-	4	7	-	12	25.0	50.0	27.5	22.0	-	-	0.5	-	-
	149E	-	-	-	-	-	3	2	-	5	22.8	13.8	9.3	4.5	-	-	-	-	-
	150E	-	-	-	-	-	3	3	-	6	22.6	15.3	11.0	4.3	-	-	-	-	-
	151E	-	-	-	-	-	8	4	-	12	23.4	26.0	18.8	7.2	-	-	-	-	-
	152E	-	-	-	-	-	1	4	-	5	23.4	15.0	15.0	-	-	-	-	-	-
	153E	-	-	-	-	-	8	11	-	19	23.2	129.3	58.9	63.6	3.5	-	3.3	-	-
	154E	-	-	-	-	-	37	24	-	61	24.0*	374.9	155.3	200.1	0.2	-	17.3	-	2.0

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUN -3-003 JUN -131 6月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	そ
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	E
34N	155E	-	-	-	-	-	39	27	-	66	22.5*	355.3	199.9	155.2	-	-	0.2	-	-
	156E	-	-	-	-	-	21	11	-	32	22.7*	161.2	131.0	29.2	-	-	0.5	-	0.
	157E	-	-	-	-	-	1	4	-	5	27.4	20.0	15.0	-	-	-	2.0	-	3.
	158E	-	-	-	-	-	3	2	-	5	26.0	5.5	2.0	-	-	-	3.5	-	-
	159E	-	-	-	-	-	4	1	-	5	24.5*	1.5	1.5	-	-	-	-	-	-
	160E	-	-	-	-	-	4	4	-	8	23.2	25.2	25.0	-	-	-	-	-	0.
	161E	-	-	-	-	-	3	2	-	5	23.4	6.0	6.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	26.0	13.0	13.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	3	-	4	27.0	1.0	-	-	-	-	-	-	1.
	164E	-	-	-	-	-	-	2	-	2	21.5	5.0	5.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	4	-	4	23.5	25.3	25.0	-	0.1	-	-	-	0.
	166E	-	-	-	-	-	1	3	-	4	22.2	54.5	54.0	0.5	-	-	-	-	-
	*168E	-	-	-	-	-	2	5	-	7	21.6*	24.5	17.0	7.0	-	-	-	-	0.
	169E	-	-	-	-	-	-	5	-	5	25.6	30.6	29.5	-	0.1	-	0.5	-	0.
	*175E	-	-	-	-	-	1	-	-	1	23.0	1.8	-	1.5	-	-	-	-	0.
	*178E	-	-	-	-	-	-	1	-	1	23.0	4.0	1.0	-	-	-	-	-	3.
33N	136E	-	6	-	-	-	-	-	-	6	15.0	-	-	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	138E	-	7	-	-	-	-	-	-	7	16.0*	4.8	4.3	-	0.4	-	-	-	0.
	139E	-	5	-	-	-	-	-	-	5	16.0	12.3	11.5	-	0.5	-	-	-	0.
	140E	-	7	-	-	-	-	-	-	7	17.6*	25.4	17.7	-	7.5	-	-	-	0.
	141E	-	34	-	-	-	-	-	-	34	16.5*	101.9	52.8	47.1	1.0	-	0.2	-	0.
	142E	-	76	-	-	-	-	-	-	76	17.3*	259.8	148.3	110.1	-	-	0.5	-	0.
	143E	-	23	1	-	-	-	-	-	24	19.1*	87.3	72.3	15.0	-	-	-	-	-
	144E	-	23	1	-	-	1	1	-	26	19.8*	103.3	42.8	60.5	-	-	-	-	-
	145E	-	10	1	-	-	-	1	-	12	19.4	66.1	36.6	29.5	-	-	-	-	-
	146E	-	5	-	-	-	-	-	-	5	17.2	24.1	24.1	-	-	-	-	-	-
	147E	-	2	-	-	-	1	1	-	4	22.7	12.0	12.0	-	-	-	-	-	-
	148E	-	1	-	-	-	1	4	-	6	24.1	27.0	13.5	13.5	-	-	-	-	-
	149E	-	4	-	-	-	2	2	-	8	21.3	28.4	12.5	7.5	-	-	8.4	-	-
	150E	-	1	-	-	-	-	5	-	6	24.3	84.1	78.5	-	0.8	-	4.0	-	0.
	151E	-	7	-	-	-	2	3	-	12	18.7	141.7	128.8	6.5	0.9	-	5.0	-	0.
	152E	-	-	-	-	-	3	5	-	8	26.2	44.3	39.0	5.3	-	-	-	-	-
	153E	-	-	-	-	-	7	10	-	17	22.9	96.7	40.0	56.7	-	-	-	-	-
	154E	-	-	-	-	-	73	54	-	127	24.0*	719.8	88.1	580.7	5.2	-	45.1	-	0.
	155E	-	-	-	-	-	17	23	-	40	22.2*	210.4	41.5	166.4	-	-	1.5	-	1.
	156E	-	-	-	-	-	4	6	-	10	23.8	40.5	23.6	15.9	-	-	-	-	1.
	157E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	2	-	3	22.0	1.5	1.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	3	-	4	26.5	1.5	1.0	0.5	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	5	-	6	23.8	37.5	37.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	5	-	7	22.1	82.6	82.0	-	-	-	-	-	0.
	163E	-	-	-	-	-	-	3	-	3	27.0	36.0	36.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	3	-	3	25.3	8.5	8.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	3	5	-	8	24.7*	56.0	56.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	8	-	9	23.7*	92.0	84.5	0.5	-	-	6.0	-	1.
	168E	-	-	-	-	-	5	12	-	17	23.6	196.3	186.5	3.8	-	-	4.0	-	2.
	169E	-	-	-	-	-	-	4	-	4	23.0	63.0	62.0	1.0	-	-	-	-	-
	170E	-	-	-	-	-	-	2	-	2	26.0	15.0	13.5	-	-	-	1.0	-	0.
	*178E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
32N	129E	-	1	-	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	9.0	4.5	3.0	-	1.5	-	-	-	-
	*135E	-	3	-	-	-	-	-	-	3	17.6	3.7	1.7	-	0.6	-	1.2	-	0.2
	136E	-	2	-	-	-	-	-	-	2	15.5	3.0	3.0	-	-	-	-	-	-
	137E	-	8	-	-	-	-	-	-	8	16.8*	25.0	17.5	-	5.7	-	-	-	1.8
	138E	-	14	-	-	-	-	-	-	14	15.7	45.4	32.8	-	6.3	-	1.7	-	4.6
	139E	-	16	-	-	-	-	-	-	16	15.8	32.7	23.1	-	7.4	-	-	-	2.2
	140E	-	4	-	-	-	-	-	-	4	16.6*	12.8	9.0	-	3.0	-	-	-	0.8
	141E	-	14	-	-	-	-	-	-	14	16.0*	33.7	9.6	23.8	0.3	-	-	-	-
	142E	-	43	-	-	-	1	-	-	44	16.6*	114.5	54.0	54.2	6.0	-	-	-	0.3
	143E	-	19	1	-	-	-	-	-	20	16.6*	119.2	117.7	0.5	1.0	-	-	-	-
	144E	-	23	-	-	-	-	-	-	23	16.9*	86.8	59.0	27.7	0.1	-	-	-	-
	145E	-	32	-	-	-	-	-	-	32	16.8*	161.5	159.9	1.6	-	-	-	-	-
	146E	-	11	-	-	-	-	-	-	11	18.7	43.4	43.4	-	-	-	-	-	-
	147E	-	9	-	-	-	-	-	-	9	16.0	82.1	81.1	1.0	-	-	-	-	-
	148E	-	7	-	-	-	4	1	-	12	20.2	79.9	62.2	17.7	-	-	-	-	-
	149E	-	1	-	-	-	6	1	-	8	24.1	17.9	9.2	8.5	0.2	-	-	-	-
	150E	-	-	-	-	-	2	3	-	5	21.6	38.3	20.6	1.0	1.0	-	15.2	-	0.5
	*152E	-	-	-	-	-	1	-	-	1	22.0	16.0	14.0	-	-	-	2.0	-	-
	153E	-	-	-	-	-	1	5	-	6	23.0	22.0	17.0	4.0	-	-	1.0	-	-
	*156E	-	-	-	-	-	1	-	-	1	23.0	14.8	14.0	-	-	-	-	-	0.8
	*158E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	22.0	3.0	1.5	-	-	-	1.5	-	-
	*162E	-	-	-	-	-	-	2	-	2	24.5	13.0	13.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	24.0*	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	8	-	9	23.1	18.7	2.0	16.7	-	-	-	-	-
	166E	-	-	-	-	-	-	7	-	7	26.1	20.8	10.0	10.2	-	-	-	-	0.6
	167E	-	-	-	-	-	1	1	-	2	23.0*	18.5	18.0	-	-	-	-	-	0.5
31N	133E	-	1	-	-	-	-	-	-	1	17.0	4.5	3.0	-	1.5	-	-	-	-
	134E	-	6	-	-	-	-	-	-	6	16.6	13.1	8.8	-	3.3	-	0.3	-	0.7
	135E	1	7	-	-	-	-	-	-	8	14.7*	17.8	15.3	-	0.9	-	0.7	-	0.9
	136E	1	12	-	-	-	-	-	-	13	16.3	65.6	48.6	-	10.7	-	5.0	-	1.3
	137E	1	11	-	-	-	-	-	-	12	16.7	44.3	34.1	-	7.4	-	2.1	-	0.7
	138E	-	18	-	-	-	-	-	-	18	15.7	38.1	24.9	-	6.6	-	0.2	-	6.4
	139E	-	23	-	-	-	-	-	-	23	15.4*	47.4	33.9	0.1	5.9	-	2.4	-	5.1
	140E	-	13	-	-	-	-	-	-	13	17.5*	36.3	23.6	-	10.9	-	1.0	-	0.8
	141E	-	10	-	-	-	-	-	-	10	15.5*	26.5	12.2	2.2	11.7	-	-	-	0.4
	142E	-	24	1	-	-	-	-	-	25	17.0	160.7	129.2	28.5	-	-	-	-	3.0
	143E	-	44	3	-	-	-	-	-	47	16.3*	326.1	318.5	2.5	3.5	-	0.1	-	1.5
	144E	-	23	-	-	-	-	-	-	23	16.8*	94.7	87.6	-	3.8	-	0.7	-	2.6
	145E	-	31	1	-	-	-	-	-	32	16.9	156.6	147.4	1.7	6.9	-	0.3	-	0.3
	146E	-	7	1	-	-	-	-	-	8	16.5	68.3	68.3	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	-	-	2	26.0	5.3	0.5	4.8	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	151E	-	-	-	-	-	1	2	-	3	25.5	4.0	-	4.0	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
30N	129E	4	1	-	-	-	-	-	-	5	10.4	10.3	6.6	0.6	0.5	-	-	-	2.6
	130E	2	1	-	-	-	-	-	-	3	11.3	1.6	1.6	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	18.0	1.0	0.8	-	0.2	-	-	-	-
	134E	1	5	-	-	-	-	-	-	6	15.8*	43.7	23.0	-	8.1	-	12.2	-	0.4

旬別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N 135E	1	10	-	-	-	-	-	-	11	15.7*	25.9	20.7	-	4.6	0.2	0.3	-	0.1
136E	-	10	-	-	-	-	-	-	10	16.0*	29.7	16.2	-	10.0	-	1.3	-	2.2
137E	1	19	-	-	-	-	-	-	20	15.6*	91.0	62.0	-	21.7	-	-	-	7.3
138E	-	39	-	-	-	-	-	-	39	15.5*	137.1	88.4	-	34.5	-	9.7	-	4.5
139E	-	31	-	-	-	-	-	-	31	14.7*	96.1	49.4	0.1	28.4	-	1.6	-	16.6
140E	-	11	-	-	-	-	-	-	11	16.0	30.5	16.9	-	8.6	-	0.2	-	4.8
141E	-	17	-	-	-	-	-	-	17	15.4*	49.3	9.9	7.9	21.2	-	1.6	-	8.7
142E	-	21	-	-	-	-	-	-	21	15.6*	95.5	73.6	18.5	0.1	-	0.2	-	3.1
143E	-	15	-	-	-	-	-	-	15	14.9*	39.5	33.0	0.8	3.8	0.4	-	-	1.5
144E	-	1	-	-	-	-	-	-	1	14.9	3.0	2.7	-	0.1	-	-	-	0.2
145E	-	1	-	-	-	-	-	-	1	15.0	5.0	5.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	25.0	3.0	0.5	-	-	-	-	-	2.5
179E	-	-	-	-	-	-	2	-	2	25.0	2.3	0.5	-	-	-	1.5	-	0.3
29N 128E	-	6	-	-	-	-	-	-	6	10.6	14.0	8.8	-	5.0	-	-	-	0.2
129E	6	47	-	-	-	-	-	-	53	12.6	125.0	107.5	0.1	8.7	-	1.2	3.3	4.2
130E	1	4	-	-	-	-	-	-	5	16.4	11.3	11.1	-	-	-	-	-	0.2
*134E	-	3	-	-	-	-	-	-	3	18.0	11.8	11.8	-	-	-	-	-	-
*136E	-	2	-	-	-	-	-	-	2	18.0*	0.8	0.5	-	0.3	-	-	-	-
137E	-	6	-	-	-	-	-	-	6	17.0	23.8	16.6	-	6.0	-	-	-	1.2
138E	-	10	-	-	-	-	-	-	10	15.5*	37.2	16.0	-	8.4	-	11.8	-	1.0
139E	-	11	-	-	-	-	-	-	11	16.0*	27.6	11.6	-	13.8	-	-	-	2.2
140E	-	11	-	-	-	-	-	-	11	14.9	19.9	12.8	-	4.3	-	1.8	-	1.0
141E	-	26	-	-	-	-	-	-	26	14.8*	106.2	59.1	0.8	36.9	-	2.1	-	7.3
142E	-	5	-	-	-	-	-	-	5	13.8	8.7	4.6	2.1	-	-	-	-	2.0
143E	-	1	-	-	-	-	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
144E	-	2	-	-	-	-	-	-	2	17.5	1.7	1.7	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	27.0	3.4	-	-	-	-	3.4	-	-
179E	-	-	-	-	-	-	3	-	3	23.6	49.0	22.0	-	1.0	-	26.0	-	-
*179W	-	-	-	-	-	-	3	-	3	25.6	33.0	28.0	-	3.0	-	2.0	-	-
28N 137E	-	1	-	-	-	-	-	-	1	15.0	3.3	2.7	-	-	-	-	-	0.6
138E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
139E	-	3	-	-	-	-	-	-	3	14.6	5.6	3.8	-	0.7	-	-	-	1.1
*141E	-	3	-	-	-	-	-	-	3	13.3	1.1	1.1	-	-	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	27.0	1.2	-	-	1.2	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	27.3	85.0	66.0	-	0.5	-	18.5	-	-
178W	-	-	-	-	-	-	2	-	2	24.0	17.0	15.0	-	0.5	-	1.5	-	-
27N 127E	8	-	-	-	-	-	-	-	8	16.6	5.7	5.7	-	-	-	-	-	-
128E	2	-	-	-	-	-	-	-	2	16.5	1.9	1.9	-	-	-	-	-	-
*139E	-	-	-	-	-	1	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
140E	-	2	-	-	-	-	-	-	2	15.5	9.8	7.0	-	1.7	-	-	-	1.1
*145E	-	3	-	-	-	-	-	-	3	17.0	15.2	14.3	-	0.8	-	-	-	0.1
*176W	-	-	-	-	-	-	5	-	5	26.0	26.0	21.3	-	2.0	-	2.7	-	-
175W	-	-	-	-	-	-	1	-	1	32.0	3.0	-	-	1.0	-	2.0	-	-
26N 126E	12	-	-	-	-	-	-	-	12	16.6	11.7	11.7	-	-	-	-	-	-
127E	3	-	-	-	-	-	-	-	3	16.6	5.2	5.2	-	-	-	-	-	-
*140E	-	2	-	-	-	-	-	-	2	16.0	3.7	2.9	-	0.3	-	-	-	0.5
26N *174W	-	-	-	-	-	-	1	-	1	32.0	1.0	1.0	-	-	-	-	-	-
25N 172W	-	-	-	-	-	-	2	-	2	32.0	33.0	26.0	-	7.0	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	32.0	26.5	26.0	-	0.5	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	32.0	6.0	5.0	-	1.0	-	-	-	-
24N 141E	-	1	-	-	-	-	-	-	1	16.0	4.0	4.0	-	-	-	-	-	-
*153E	-	-	-	-	-	1	-	-	1	19.0	11.0	11.0	-	-	-	-	-	-
23N 141E	-	2	-	-	-	-	-	-	2	16.0	19.5	18.5	-	1.0	-	-	-	-
*21N 164E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
20N 142E	-	-	-	-	-	1	-	-	1	24.0	3.9	3.9	-	-	-	-	-	-
*144E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*146E	-	-	-	-	-	-	1	-	1	28.0	9.7	9.7	-	-	-	-	-	-
147E	-	-	-	-	-	-	2	-	2	24.0	8.0	8.0	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	27.0	14.0	14.0	-	-	-	-	-	-
149E	-	-	-	-	-	-	2	-	2	25.0	20.0	20.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	29.0	11.0	11.0	-	-	-	-	-	-
*152E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
153E	-	-	-	-	-	-	2	-	2	23.5	9.0	9.0	-	-	-	-	-	-
154E	-	-	-	-	-	-	3	-	3	27.3	34.0	34.0	-	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	2	-	2	23.5	3.0	3.0	-	-	-	-	-	-
19N 146E	-	-	-	-	-	6	-	-	6	22.0	92.0	92.0	-	-	-	-	-	-
147E	-	-	-	-	-	3	2	-	5	24.6	42.7	42.7	-	-	-	-	-	-
148E	-	-	-	-	-	1	2	-	3	25.0	20.0	20.0	-	-	-	-	-	-
*150E	-	-	-	-	-	-	1	-	1	28.0	28.0	28.0	-	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	28.0	13.0	13.0	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*156E	-	-	-	-	-	-	2	-	2	27.5	13.0	13.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
158E	-	-	-	-	-	-	2	-	2	26.0	8.0	8.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	29.5	7.0	7.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	5	-	5	31.8	26.2	26.2	-	-	-	-	-	-
164E	-	-	-	-	-	-	11	-	11	26.2	112.0	112.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	5	-	5	32.2	31.8	31.8	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
18N 143E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
*146E	-	-	-	-	-	3	-	-	3	24.0	25.9	25.9	-	-	-	-	-	-
147E	-	-	-	-	-	1	-	-	1	24.0	15.0	15.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	28.0	10.0	10.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　JUN -3-007　　　　JUN -135　　　　6月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 ■P	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その E
18N	*164E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	25.0	18.0	18.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	5	-	5	24.6	28.5	27.0	-	-	-	1.5	-	-
17N	147E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
16N	146E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
15N	169E	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
*11N	170E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
10N	164E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*06N	166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
*04N	170E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
03N	154E	-	4	-	-	-	-	-	-	4	25.0	4.7	-	-	3.4	-	1.1	-	0.
	155E	-	2	-	-	-	-	-	-	2	25.0	1.5	-	-	1.3	-	0.2	-	-
	*175E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	7.0	5.0	-	-	-	2.0	-	-
	*179W	-	-	-	-	-	-	2	-	2	26.5	6.5	6.5	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
02N	155E	-	1	-	-	-	-	-	-	1	25.0	1.1	-	-	0.6	-	0.4	-	0.
	*174E	-	-	-	-	-	-	1	-	1	25.0	7.0	4.0	-	-	-	3.0	-	-
	*175W	-	-	-	-	-	-	1	-	1	29.0	8.4	8.4	-	-	-	-	-	-
01N	173E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*01S	179W	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	30.0	22.0	22.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　JUL -1-001　　JUN -136　　7月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
41N	154E	-	-	-	-	-	-	1	-	1	20.0	6.5	-	6.5	-	-	-	-	-
40N	166E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
39N	145E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	25.0	5.5	-	5.5	-	-	-	-	-
	*148E	-	3	-	-	-	5	-	-	8	19.7	48.0	15.0	32.0	1.0	-	-	-	-
	149E	-	-	-	-	-	1	2	-	3	23.0	18.5	-	18.5	-	-	-	-	-
	*151E	-	-	-	-	-	-	3	-	3	23.6	17.5	15.5	2.0	-	-	-	-	-
	152E	-	-	-	-	-	-	15	-	15	22.9	104.3	98.5	4.0	1.2	-	0.2	-	0.4
	*172E	-	-	-	-	-	1	-	-	1	28.0	6.0	-	6.0	-	-	-	-	-
	*178E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
	179E	-	-	-	-	-	14	1	-	15	25.6	143.6	-	143.5	-	-	-	-	0.1
	*179W	-	-	-	-	-	23	3	-	26	24.9	238.1	12.3	225.5	-	-	-	-	0.3
	178W	-	-	-	-	-	1	-	-	1	26.0	2.0	-	2.0	-	-	-	-	-
38N	147E	-	1	-	-	-	-	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	148E	-	1	-	-	-	3	-	-	4	22.7	30.0	19.0	11.0	-	-	-	-	-
	149E	-	-	-	-	-	5	4	-	9	24.5	94.5	53.5	41.0	-	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	25.3	14.1	8.6	5.5	-	-	-	-	-
	151E	-	-	-	-	-	2	23	-	25	23.0	158.6	137.5	20.0	0.2	-	0.1	-	0.8
	152E	-	-	-	-	-	4	29	-	33	23.3	468.0	463.0	5.0	-	-	-	-	-
	153E	-	-	-	-	-	-	5	-	5	25.6	126.0	126.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	2	-	2	25.0	9.0	8.0	1.0	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	28.0	6.0	-	6.0	-	-	-	-	-
	172E	-	-	-	-	-	4	-	-	4	28.0	41.5	-	41.5	-	-	-	-	-
	*174E	-	-	-	-	-	3	-	-	3	25.6	1.0	-	1.0	-	-	-	-	-
	*177E	-	-	-	-	-	1	-	-	1	27.0	1.0	-	1.0	-	-	-	-	-
	178E	-	-	-	-	-	9	2	-	11	24.3	26.8	-	26.8	-	-	-	-	-
	179E	-	-	-	-	-	74	5	-	79	25.8	680.7	5.1	675.4	-	-	-	-	0.2
	*179W	-	-	-	-	-	60	14	-	74	25.7	657.3	-	657.3	-	-	-	-	-
	178W	-	-	-	-	-	10	3	-	13	25.3	43.0	-	43.0	-	-	-	-	-
	177W	-	-	-	-	-	2	-	-	2	24.5	5.0	-	5.0	-	-	-	-	-
37N	143E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	2	-	-	-	1	-	-	3	19.3	21.0	21.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	23.0	0.8	-	0.8	-	-	-	-	-
	*150E	-	1	-	-	-	1	1	-	3	20.3	11.4	11.4	-	-	-	-	-	-
	151E	-	1	-	-	-	2	7	-	10	23.4	103.3	102.0	-	0.5	-	-	-	0.8
	152E	-	-	-	-	-	7	12	-	19	23.0*	195.3	195.3	-	-	-	-	-	-
	153E	-	-	-	-	-	-	3	-	3	23.0	60.1	60.0	-	-	-	0.1	-	-
	*156E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	25.0	3.0	-	-	-	-	2.0	-	1.0
	*160E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	27.0	1.5	-	1.5	-	-	-	-	-
37N	172E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	26.0	3.0	-	3.0	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	29.0	2.0	-	2.0	-	-	-	-	-
	177E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	1	-	-	1	28.0	6.0	-	5.0	-	-	-	-	1.0
	179E	-	-	-	-	-	4	1	-	5	26.2	1.0	-	1.0	-	-	-	-	-
	*179W	-	-	-	-	-	1	1	-	2	30.0	-	-	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
36N	143E	-	1	1	-	-	-	-	-	2	14.5	2.0	2.0	-	-	-	-	-	-
	144E	-	3	-	-	-	-	-	-	3	15.6	0.3	0.3	-	-	-	-	-	-
	145E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*147E	-	3	-	-	-	-	-	-	3	17.3	3.2	3.2	-	-	-	-	-	-
	148E	-	4	-	-	-	-	5	-	9	19.2	28.6	17.1	11.5	-	-	-	-	-
	149E	-	-	-	-	-	-	6	-	6	19.8	32.0	15.5	13.5	-	-	3.0	-	-
	150E	-	2	-	-	-	1	3	-	6	19.0	16.5	0.5	16.0	-	-	-	-	-
	151E	-	1	-	-	-	2	-	-	3	20.6	4.0	4.0	-	-	-	-	-	-
	152E	-	-	-	-	-	4	12	-	16	23.0	206.2	197.5	8.5	0.1	-	-	-	0.1
	153E	-	-	-	-	-	3	9	-	12	22.0	166.8	165.0	1.8	-	-	-	-	-
	154E	-	-	-	-	-	2	3	-	5	20.8	85.0	85.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	18.0	9.0	1.0	8.0	-	-	-	-	-
	156E	-	-	-	-	-	2	1	-	3	21.6	2.9	1.7	1.2	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	19.5	0.5	0.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	2	-	-	2	25.5	3.5	3.0	0.5	-	-	-	-	-
	175E	-	-	-	-	-	10	-	-	10	25.6	39.0	15.5	16.0	-	-	6.9	-	0.6
	176E	-	-	-	-	-	6	-	-	6	26.6	10.5	0.5	9.3	-	-	-	0.3	0.4
	177E	-	-	-	-	-	1	1	-	2	31.0	4.0	-	4.0	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	25.2	8.0	1.5	6.5	-	-	-	-	-
	179E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
35N	141E	-	1	-	-	-	-	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	18.3	11.4	11.4	-	-	-	-	-	-
	143E	-	9	-	-	-	-	-	-	9	20.7	33.6	24.0	9.2	-	-	-	-	0.4
	144E	-	11	-	-	-	-	-	-	11	18.1*	39.2	38.2	-	-	-	1.0	-	-
	145E	-	6	1	-	-	-	-	-	7	17.2	12.9	10.4	2.5	-	-	-	-	-
	146E	-	7	-	-	-	-	-	-	7	17.4	32.2	23.2	9.0	-	-	-	-	-
	147E	-	6	-	-	-	1	11	-	18	20.5	121.7	50.5	71.0	0.2	-	-	-	-
	148E	-	1	1	-	-	6	19	-	27	22.2	241.1	110.1	131.0	-	-	-	-	-
	*150E	-	-	-	-	-	-	2	-	2	20.0	57.0	57.0	-	-	-	-	-	-
	151E	-	-	-	-	-	2	-	-	2	20.0	8.7	-	8.7	-	-	-	-	-
	152E	-	-	-	-	-	23	15	-	38	20.3	198.2	16.6	181.1	0.1	-	0.4	-	-
	153E	-	-	-	-	-	25	17	-	42	21.0*	276.4	237.9	36.9	-	-	1.0	-	0.6
	154E	-	-	-	-	-	8	10	-	18	20.3*	73.8	48.8	24.9	-	-	-	-	0.1
	155E	-	-	-	-	-	1	3	-	4	22.0	22.5	19.5	3.0	-	-	-	-	-
	156E	-	-	-	-	-	4	1	-	5	18.8	6.9	-	6.9	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	22.5	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	28.0	0.2	-	0.2	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUL -1-003 JUN -138 7月上

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その EL
35N *175E	-	-	-	-	-	-	1	-	1	26.0	1.5	-	1.5	-	-	-	-	-
*178E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
34N 139E	-	3	-	-	-	-	-	-	3	18.0	1.2	1.2	-	-	-	-	-	-
140E	-	6	-	-	-	-	-	-	6	18.0	8.1	6.5	-	1.5	-	-	-	0.
141E	2	51	1	-	-	-	-	-	54	16.5	245.0	215.8	25.9	1.4	-	0.4	-	1.
142E	-	63	2	-	-	-	-	-	65	17.1	207.4	107.2	99.2	-	-	0.2	-	0.
143E	-	53	-	-	-	-	-	-	53	17.1*	140.6	82.0	54.3	1.2	0.1	3.0	-	-
144E	-	18	1	-	-	-	-	-	19	17.2	33.6	19.3	14.3	-	-	-	-	-
145E	-	35	2	-	-	-	1	-	38	16.6*	136.8	104.5	20.3	10.5	-	-	-	1.
146E	-	68	3	-	-	-	-	-	71	18.9*	559.6	545.9	13.7	-	-	-	-	-
147E	-	5	1	-	-	-	1	-	7	18.5	49.5	38.5	11.0	-	-	-	-	-
148E	-	4	2	-	-	1	4	-	11	20.2	86.4	52.4	34.0	-	-	-	-	-
149E	-	1	-	-	-	1	1	-	3	20.3	10.3	10.3	-	-	-	-	-	-
*151E	-	1	-	-	-	2	-	-	3	18.6	11.7	0.7	11.0	-	-	-	-	-
152E	-	1	-	-	-	3	8	-	12	20.5*	40.0	2.5	37.5	-	-	-	-	-
153E	-	-	-	-	-	22	18	-	40	19.8*	155.9	18.5	136.9	-	-	-	-	0.
154E	-	-	-	-	-	21	16	-	37	20.1*	136.3	20.4	114.6	0.1	-	0.5	-	0.
155E	-	-	-	-	-	8	19	-	27	20.6	132.5	3.8	128.4	0.2	-	0.1	-	-
156E	-	-	-	-	-	6	7	-	13	18.8	45.7	6.5	38.7	-	-	0.5	-	-
157E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	25.0	2.7	2.5	-	-	-	-	-	0.
*168E	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
33N 137E	-	3	-	-	-	-	-	-	3	21.0*	13.5	13.5	-	-	-	-	-	-
138E	-	6	-	-	-	-	-	-	6	17.3	16.1	11.6	-	4.5	-	-	-	-
139E	-	30	-	-	-	-	-	-	30	16.6	82.9	66.1	-	9.2	-	0.7	0.1	6.
140E	4	23	-	-	-	-	-	-	27	15.8*	71.9	60.2	1.5	6.5	-	-	-	3.
141E	-	28	-	-	-	1	-	-	29	16.8	100.9	68.9	27.2	0.2	-	0.1	-	4.
142E	1	107	1	-	-	-	-	-	109	16.9*	339.2	153.4	181.0	2.3	-	1.7	-	0.
143E	-	86	4	-	-	-	-	-	90	16.6	282.4	165.5	111.3	1.2	-	4.4	-	-
144E	-	22	-	-	-	-	-	-	22	16.7	42.8	20.3	20.5	1.5	-	-	-	0.
145E	-	33	2	-	-	-	-	-	35	18.5*	93.8	59.4	33.7	-	-	0.5	-	0.
146E	-	40	1	-	-	2	1	-	44	18.3*	162.1	133.8	27.8	0.2	-	0.3	-	-
147E	-	39	-	-	-	1	-	-	40	18.8*	231.4	210.1	20.3	-	-	1.0	-	-
148E	-	53	-	-	-	-	-	-	53	16.7	303.1	160.6	142.5	-	-	-	-	-
149E	-	31	2	-	-	1	-	-	34	18.0	311.0	258.8	50.5	0.6	-	1.0	-	0.1
150E	-	26	1	-	-	2	1	-	30	17.5	165.4	44.0	116.8	4.6	-	-	-	-
151E	-	17	3	-	-	4	3	-	27	19.0	124.6	24.2	100.2	0.2	-	-	-	-
152E	-	-	2	-	-	3	-	-	5	22.0	38.7	1.0	37.7	-	-	-	-	-
153E	-	-	-	-	-	3	5	-	8	23.6	5.1	2.0	3.1	-	-	-	-	-
154E	-	-	-	-	-	56	81	-	137	22.0*	426.3	26.9	397.6	0.3	-	-	-	1.
155E	-	-	-	-	-	64	94	-	158	21.6*	564.3	30.0	526.4	1.8	-	4.6	-	1.
156E	-	-	-	-	-	6	11	-	17	19.8*	59.3	5.5	53.5	0.3	-	-	-	-
157E	-	-	-	-	-	1	2	-	3	23.3	9.0	9.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	2	-	2	27.0	2.0	2.0	-	-	-	-	-	-
*173E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
32N 129E	-	1	-	-	-	-	-	-	1	10.0	0.5	0.5	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
135E	-	3	-	-	-	-	-	-	3	16.0	12.5	12.5	-	-	-	-	-	-
136E	-	2	-	-	-	-	-	-	2	17.0	2.2	2.2	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	17.0	0.2	0.2	-	-	-	-	-	-
138E	-	12	-	-	-	-	-	-	12	15.7*	21.1	15.3	-	3.1	-	-	-	2.7
32N 139E	-	23	-	-	-	-	-	-	23	16.1*	49.7	44.2	-	4.6	-	0.1	-	0.8
140E	-	11	-	-	-	-	-	-	11	16.3	17.9	13.0	-	3.9	-	1.0	-	-
141E	-	5	-	-	-	-	-	-	5	14.8	18.7	7.5	0.1	10.9	-	-	-	0.2
142E	-	18	-	-	-	-	-	-	18	17.3*	57.8	52.1	5.7	-	-	-	-	-
143E	-	20	-	-	-	-	-	-	20	16.9	102.3	98.7	0.7	2.9	-	-	-	-
144E	-	14	-	-	-	-	-	-	14	16.7	40.8	31.0	9.5	0.1	-	0.2	-	-
145E	-	14	1	-	-	-	-	-	15	18.0	39.6	34.6	5.0	-	-	-	-	-
146E	-	7	-	-	-	-	-	-	7	18.8	17.3	13.5	3.8	-	-	-	-	-
147E	-	12	1	-	-	-	-	-	13	18.8*	67.8	67.8	-	-	-	-	-	-
148E	-	7	-	-	-	-	-	-	7	18.8	55.5	53.5	2.0	-	-	-	-	-
149E	-	3	-	-	-	-	-	-	3	17.0	16.9	7.5	9.4	-	-	-	-	-
150E	-	1	-	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
155E	-	-	-	-	-	3	3	-	6	23.1	12.3	9.8	2.5	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
31N 134E	-	2	-	-	-	-	-	-	2	16.5	1.7	1.7	-	-	-	-	-	-
135E	-	3	-	-	-	-	-	-	3	15.3	0.4	0.4	-	-	-	-	-	-
136E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*138E	-	12	-	-	-	-	-	-	12	14.6	35.2	28.7	-	3.3	-	2.5	-	0.7
139E	-	39	-	-	-	-	-	-	39	15.4*	109.1	77.0	-	29.4	-	1.3	0.6	0.8
140E	-	15	-	-	-	-	-	-	15	16.3	33.2	20.2	-	4.9	-	0.2	-	7.9
141E	-	1	-	-	-	-	-	-	1	19.0	3.2	3.2	-	-	-	-	-	-
142E	-	5	-	-	-	-	-	-	5	15.4	27.5	26.4	0.6	0.5	-	-	-	-
143E	-	7	-	-	-	-	-	-	7	15.1*	25.8	16.9	0.5	5.4	-	3.0	-	-
144E	-	3	-	-	-	-	-	-	3	15.0	9.0	6.0	-	2.0	-	1.0	-	-
145E	-	9	-	-	-	-	-	-	9	15.2	58.0	57.7	-	0.2	-	-	-	0.1
*148E	-	2	-	-	-	-	-	-	2	21.0	10.5	10.5	-	-	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	28.0	1.0	-	1.0	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
30N 129E	3	-	-	-	-	-	-	-	3	6.6	8.4	5.5	2.5	-	-	-	-	0.4
130E	-	2	-	-	-	-	-	-	2	13.5	-	-	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	14.0	2.1	1.3	-	0.6	-	0.2	-	-
134E	-	8	-	-	-	-	-	-	8	15.7	14.5	10.1	-	3.2	-	1.1	-	0.1
135E	-	12	-	-	-	-	-	-	12	14.4	19.2	12.5	-	5.4	-	0.5	-	0.8
136E	1	5	-	-	-	-	-	-	6	16.1	15.2	14.1	-	0.9	-	-	-	0.2
137E	-	4	-	-	-	-	-	-	4	16.3*	19.6	16.3	-	1.3	-	-	-	2.0
138E	-	24	-	-	-	-	-	-	24	15.8*	82.5	58.4	-	20.9	-	2.3	-	0.9
139E	-	34	-	-	-	-	-	-	34	15.1*	110.2	70.1	-	36.9	-	2.2	-	1.0
140E	-	14	-	-	-	-	-	-	14	14.9*	31.7	14.6	0.1	13.3	-	0.6	-	3.1
141E	-	1	-	-	-	-	-	-	1	19.0	9.5	9.0	-	0.5	-	-	-	-
142E	-	3	-	-	-	-	-	-	3	15.6	13.5	11.0	0.5	1.0	-	1.0	-	-
143E	-	9	-	-	-	-	-	-	9	17.5*	30.0	24.9	-	3.9	-	0.1	-	1.1
144E	-	1	-	-	-	-	-	-	1	17.0	0.7	-	-	0.2	-	-	-	0.5
*154E	-	-	-	-	-	1	-	-	1	26.0	2.5	-	2.5	-	-	-	-	-
29N 127E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.5	-	0.2	-	-	-	0.3
128E	-	9	-	-	-	-	-	-	9	13.2	26.7	23.1	-	2.2	-	-	0.5	0.9
129E	1	38	-	-	-	-	-	-	39	13.7	110.0	93.2	0.4	9.9	-	-	3.4	3.1
*133E	-	3	-	-	-	-	-	-	3	16.3	18.8	15.1	-	3.2	-	0.4	-	0.1
134E	-	1	-	-	-	-	-	-	1	16.0	0.7	0.7	-	-	-	-	-	-
135E	1	5	-	-	-	-	-	-	6	15.5	27.8	19.3	-	5.9	-	2.5	-	0.1

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUL -1-005 JUN -140 7月上旬

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
29N 136E	1	1	-	-	-	-	-	-	2	17.0	5.9	5.5	-	-	-	0.4	-	-
137E	-	1	-	-	-	-	-	-	1	18.0	3.1	1.5	-	1.5	-	-	-	0.1
*139E	-	25	-	-	-	-	-	-	25	15.3*	59.3	23.3	0.2	26.6	-	5.0	-	4.2
140E	-	16	-	-	-	-	-	-	16	14.8*	20.9	8.8	0.1	5.3	-	1.8	-	4.9
141E	-	8	-	-	-	-	-	-	8	15.2*	11.6	2.8	-	6.4	-	2.0	-	0.4
142E	-	1	-	-	-	-	-	-	1	16.0	0.8	0.8	-	-	-	-	-	-
143E	-	6	-	-	-	-	-	-	6	17.6*	21.3	15.4	0.1	4.6	-	-	-	1.2
144E	-	1	-	-	-	-	-	-	1	19.0	0.2	-	-	-	-	-	-	0.2
*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	2	-	2	28.0	9.7	3.7	-	0.5	-	5.5	-	-
*179W	-	-	-	-	-	-	1	-	1	22.0	0.5	0.1	-	0.4	-	-	-	-
28N 133E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*137E	-	6	-	-	-	-	-	-	6	18.6	19.2	5.0	-	14.0	-	-	-	0.2
*139E	-	2	-	-	-	-	-	-	2	15.0	3.0	2.3	-	0.7	-	-	-	-
140E	-	26	-	-	-	-	-	-	26	14.6*	72.0	37.8	0.4	24.1	-	8.1	-	1.6
141E	-	5	-	-	-	-	-	-	5	15.0	7.2	3.0	-	2.4	-	1.3	-	0.5
*143E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
144E	-	2	-	-	-	-	-	-	2	18.0	4.8	4.0	-	0.8	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	2	-	2	18.0	19.0	13.0	-	6.0	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	5.0	3.0	-	2.0	-	-	-	-
178W	-	-	-	-	-	-	4	-	4	26.0	58.5	43.0	-	6.5	-	9.0	-	-
177W	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	22.0	5.2	4.0	-	1.0	-	-	-	0.2
27N 126E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.0	-	0.5	-	-	-	0.5
127E	4	-	-	-	-	-	-	-	4	16.7	1.6	1.6	-	-	-	-	-	-
*139E	-	3	-	-	-	-	-	-	3	15.6	15.9	13.2	-	2.6	-	-	-	0.1
140E	-	5	-	-	-	-	-	-	5	15.5*	47.5	44.2	-	0.5	-	-	-	2.8
*143E	-	1	-	-	-	-	-	-	1	19.0	1.5	1.0	-	0.3	-	-	-	0.2
144E	-	3	-	-	-	-	-	-	3	19.0	11.8	4.8	-	6.1	-	0.9	-	-
145E	-	3	-	-	-	-	-	-	3	17.6	32.2	27.9	-	3.0	-	-	-	1.3
*175E	-	-	-	-	-	-	2	-	2	18.0	15.0	10.0	-	3.0	-	2.0	-	-
176E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
26N 126E	18	-	-	-	-	-	-	-	18	16.6	13.6	13.6	-	-	-	-	-	-
127E	4	-	-	-	-	-	-	-	4	16.7	0.7	0.7	-	-	-	-	-	-
*140E	-	2	-	-	-	-	-	-	2	16.5	10.0	9.0	0.5	-	-	-	-	0.5
*176E	-	-	-	-	-	-	1	-	1	28.0	29.0	29.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	28.0	16.2	14.0	-	2.2	-	-	-	-
*174W	-	-	-	-	-	-	3	-	3	25.0	58.0	54.0	-	3.0	-	1.0	-	-
25N 126E	1	-	-	-	-	-	-	-	1	17.0	0.8	0.8	-	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	25.0	13.0	10.0	-	2.0	-	1.0	-	-
172W	-	-	-	-	-	-	1	-	1	25.0	8.5	8.5	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	25.0	12.0	11.0	-	1.0	-	-	-	-
24N 141E	-	2	-	-	-	-	-	-	2	17.0	14.0	10.6	3.0	-	-	-	-	0.4
*144E	-	-	-	-	-	-	1	-	1	22.0	6.1	5.0	-	0.9	-	-	-	0.2
*163E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*169W	-	-	-	-	-	-	1	-	1	25.0	20.0	20.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	1	-	1	25.0	10.0	10.0	-	-	-	-	-	-
23N 141E	-	5	-	-	-	-	-	-	5	14.8	67.7	61.9	-	3.1	-	-	-	2.7
*145E	-	-	-	-	-	1	-	-	1	13.0	2.0	2.0	-	-	-	-	-	-
146E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
*153E	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	28.0	16.0	16.0	-	-	-	-	-	-
22N 143E	-	1	-	-	-	-	1	-	2	19.0	18.7	18.7	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	22.0	5.8	5.8	-	-	-	-	-	-
146E	-	-	-	-	-	1	5	-	6	24.1	58.0	58.0	-	-	-	-	-	-
147E	-	-	-	-	-	1	1	-	2	24.5	4.0	4.0	-	-	-	-	-	-
148E	-	-	-	-	-	-	2	-	2	26.5	13.0	13.0	-	-	-	-	-	-
*151E	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
*155E	-	-	-	-	-	-	2	-	2	29.0	21.0	21.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	26.0	4.5	4.5	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	33.0	9.0	9.0	-	-	-	-	-	-
21N 142E	-	-	-	-	-	2	-	-	2	20.0	8.0	8.0	-	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*146E	-	-	-	-	-	-	1	-	1	23.0	4.6	4.6	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	22.0	11.2	11.0	-	-	-	-	-	0.2
148E	-	-	-	-	-	1	3	-	4	26.0	33.5	33.5	-	-	-	-	-	-
*150E	-	-	-	-	-	-	1	-	1	29.0	4.0	4.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	4	-	5	26.0	48.0	48.0	-	-	-	-	-	-
*153E	-	-	-	-	-	-	3	-	3	26.0	43.0	40.0	-	-	-	3.0	-	-
154E	-	-	-	-	-	-	3	-	3	30.0	31.0	31.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	22.0	8.5	7.5	-	0.5	-	0.5	-	-
*170E	-	-	-	-	-	-	1	-	1	37.0	0.4	0.4	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
20N 142E	-	-	-	-	-	1	-	-	1	20.0	8.0	8.0	-	-	-	-	-	-
143E	-	-	-	-	-	2	-	-	2	20.0	8.0	8.0	-	-	-	-	-	-
144E	-	-	-	-	-	3	2	-	5	20.6	23.7	23.0	-	-	-	-	-	0.7
145E	-	-	-	-	-	5	-	-	5	21.6	38.5	38.5	-	-	-	-	-	-
146E	-	-	-	-	-	11	1	-	12	22.0	83.3	80.8	-	2.2	-	-	-	0.3
147E	-	-	-	-	-	8	-	-	8	23.6	49.0	49.0	-	-	-	-	-	-
148E	-	-	-	-	-	9	8	-	17	23.4	146.0	146.0	-	-	-	-	-	-
149E	-	-	-	-	-	4	-	-	4	23.5	31.0	31.0	-	-	-	-	-	-
150E	-	-	-	-	-	1	2	-	3	26.3	21.0	21.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	1	-	2	25.0	11.5	11.5	-	-	-	-	-	-
152E	-	-	-	-	-	1	3	-	4	25.0	12.0	12.0	-	-	-	-	-	-
153E	-	-	-	-	-	-	8	-	8	27.1	88.5	88.5	-	-	-	-	-	-
154E	-	-	-	-	-	-	4	-	4	27.2	38.0	38.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
156E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	37.0	2.4	2.4	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	
20N	174E	-	-	-	-	-	-	1	-	1	37.0	1.2	-	-	-	-	1.2	-	-
	175E	-	-	-	-	-	-	2	-	2	37.0	14.5	14.5	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
19N	145E	-	-	-	-	-	3	-	-	3	19.3	26.5	25.5	-	1.0	-	-	-	-
	146E	-	-	-	-	-	5	1	-	6	23.1	68.1	68.1	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	24.5	18.0	18.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	25.0	7.0	7.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	29.0	11.0	11.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	4	-	4	28.5	58.5	58.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	3	-	3	28.0	43.0	43.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	12.0	12.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	3	-	3	37.0	19.3	19.3	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	33.0	12.0	12.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
18N	146E	-	-	-	-	-	2	-	-	2	20.0	16.0	16.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	5	-	5	27.8	59.0	59.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	19.0	19.0	-	-	-	-	-	-
17N	161E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	33.0	3.0	3.0	-	-	-	-	-	-
*14N	162E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
*07N	179W	-	-	-	-	-	-	1	-	1	33.0	23.0	23.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	33.0	8.0	6.0	-	2.0	-	-	-	-
06N	179W	-	-	-	-	-	-	2	-	2	33.0	19.0	9.0	-	-	-	10.0	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
42N	179W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
41N	174E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	4.0	-	3.0	-	-	-	-	1.0
40N	149E	-	-	-	-	-	-	1	-	1	20.0	5.2	2.0	3.0	-	-	-	-	0.2
	*156E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	1	-	2	28.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	2	-	-	2	26.5	-	-	-	-	-	-	-	-
	171E	-	-	-	-	-	1	-	-	1	28.0	4.0	-	4.0	-	-	-	-	-
	172E	-	-	-	-	-	1	2	-	3	26.3	8.6	2.1	6.5	-	-	-	-	-
	173E	-	-	-	-	-	2	-	-	2	27.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	12	-	-	12	24.5	75.8	1.0	74.8	-	-	-	-	-
	177E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	1	1	-	2	24.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	2	3	-	5	24.2	4.5	-	4.5	-	-	-	-	-
	*179W	-	-	-	-	-	4	25	-	29	22.5	113.5	0.5	113.0	-	-	-	-	-
	178W	-	-	-	-	-	1	1	-	2	23.0	6.0	-	6.0	-	-	-	-	-
	177W	-	-	-	-	-	1	1	-	2	26.0	0.1	-	0.1	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	2	-	-	2	24.5	1.3	-	1.3	-	-	-	-	-
39N	146E	-	1	-	-	-	-	-	-	1	20.0	17.5	3.0	14.5	-	-	-	-	-
	147E	-	13	4	-	-	1	-	-	18	18.0	140.1	86.4	50.7	-	3.0	-	-	-
	148E	-	3	-	-	-	-	2	-	5	18.8	27.8	9.5	17.9	-	0.4	-	-	-
	149E	-	1	-	-	-	1	17	-	19	23.1	69.9	12.8	57.1	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	23.0	1.0	-	1.0	-	-	-	-	-
	151E	-	-	-	-	-	4	-	-	4	21.2	63.0	48.0	15.0	-	-	-	-	-
	152E	-	-	-	-	-	2	-	-	2	23.5	11.5	11.0	0.5	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	24.0	19.0	18.0	-	-	-	-	-	1.0
	154E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	24.0	6.0	6.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	-	-	2	20.5	10.0	10.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	3	-	-	3	24.0	3.5	3.5	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	28.0	1.5	-	1.5	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	19.0	2.5	-	2.5	-	-	-	-	-
	171E	-	-	-	-	-	2	-	-	2	28.0	17.0	-	17.0	-	-	-	-	-
	172E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	5	1	-	6	25.0	0.5	-	0.5	-	-	-	-	-
	174E	-	-	-	-	-	6	2	-	8	26.0	37.1	20.0	17.1	-	-	-	-	-
	175E	-	-	-	-	-	3	-	-	3	21.3	7.5	5.0	2.5	-	-	-	-	-
	176E	-	-	-	-	-	2	1	-	3	24.3	4.5	-	4.5	-	-	-	-	-
	177E	-	-	-	-	-	9	2	-	11	26.3	11.3	8.5	0.5	-	-	-	-	2.3
	178E	-	-	-	-	-	6	2	-	8	27.3	23.5	-	23.0	-	-	-	-	0.5
	179E	-	-	-	-	-	36	11	-	47	23.0	153.3	-	148.5	4.8	-	-	-	-
	*179W	-	-	-	-	-	17	26	-	43	23.7	233.2	2.0	225.7	-	-	-	-	5.5
	178W	-	-	-	-	-	6	6	-	12	27.4	47.5	0.5	47.0	-	-	-	-	-
	177W	-	-	-	-	-	1	1	-	2	25.5	0.6	-	0.1	-	-	-	-	0.5
	176W	-	-	-	-	-	-	1	-	1	30.0	1.0	-	-	-	-	-	-	1.0
39N	175W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
38N	143E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	144E	-	3	-	-	-	-	-	-	3	16.6	22.0	22.0	-	-	-	-	-	-
	145E	-	9	-	-	-	-	-	-	9	18.7	95.9	84.8	11.1	-	-	-	-	-
	146E	-	19	-	-	-	-	-	-	19	17.1	78.6	57.2	21.4	-	-	-	-	-
	147E	-	11	5	-	-	1	-	-	17	20.0	83.8	70.2	13.6	-	-	-	-	-
	148E	-	6	-	-	-	-	5	-	11	26.5	146.9	131.0	15.9	-	-	-	-	-
	149E	-	-	-	-	-	4	9	-	13	22.3	78.2	69.7	8.5	-	-	-	-	-
	150E	-	-	-	-	-	-	5	-	5	22.0	44.0	36.0	8.0	-	-	-	-	-
	151E	-	1	-	-	-	3	6	-	10	25.7	92.2	86.5	4.7	-	-	-	-	1.0
	152E	-	-	-	-	-	5	14	-	19	22.9	108.6	107.8	0.5	-	-	-	-	0.3
	153E	-	-	-	-	-	1	2	-	3	23.3	8.5	8.5	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	5	1	-	6	25.8	20.0	20.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	6	-	-	6	27.5	59.5	58.5	-	-	-	-	-	1.0
	160E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	2	-	-	2	28.0	9.0	-	9.0	-	-	-	-	-
	174E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	4	-	-	4	25.7	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	7	2	-	9	26.0	3.0	-	3.0	-	-	-	-	-
	178E	-	-	-	-	-	26	6	-	32	25.1	172.1	5.0	166.1	-	-	-	-	1.0
	179E	-	-	-	-	-	7	2	-	9	24.7	65.0	29.0	36.0	-	-	-	-	-
	*179W	-	-	-	-	-	8	5	-	13	24.0	47.3	3.0	43.9	0.4	-	-	-	-
	178W	-	-	-	-	-	17	14	-	31	23.9	155.5	-	155.5	-	-	-	-	-
	177W	-	-	-	-	-	2	-	-	2	25.0	1.0	-	1.0	-	-	-	-	-
	*161W	-	-	-	-	-	1	-	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	160W	-	-	-	-	-	1	-	-	1	23.0	7.5	7.5	-	-	-	-	-	-
37N	142E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
	145E	-	14	-	-	-	-	-	-	14	17.8	49.5	45.5	4.0	-	-	-	-	-
	146E	-	10	-	-	-	-	-	-	10	17.9	23.0	20.7	2.3	-	-	-	-	-
	147E	-	19	[illegible]	-	-	1	-	-	21	18.3	219.7	217.2	2.5	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	14.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	-	3	-	3	23.3	28.5	28.0	0.5	-	-	-	-	-
	150E	-	1	-	-	-	1	8	-	10	21.4	46.6	44.5	2.0	-	-	0.1	-	-
	151E	-	2	-	-	-	-	9	-	11	23.3	81.6	80.3	-	-	-	-	-	1.3
	152E	-	1	-	-	-	-	22	-	23	22.9	196.0	189.0	7.0	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	23.0	11.6	10.5	1.0	-	-	0.1	-	-
	*156E	-	-	-	-	-	1	1	-	2	23.5	0.8	0.8	-	-	-	-	-	-
	*159E	-	-	-	-	-	2	-	-	2	24.5	10.5	10.5	-	-	-	-	-	-
	160E	-	-	-	-	-	3	-	-	3	24.6	15.0	15.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	26.0	0.3	-	-	-	-	-	-	0.3
	*167E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	3	-	3	25.0	7.0	3.0	3.0	-	-	-	-	1.0
	174E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	2	1	-	3	30.3	2.0	-	2.0	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUL -2-003 JUN -145 7月中

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ・ダ	その
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	■.E.	F.■.	EL
36N 142E	-	2	-	-	-	-	-	-	2	17.5	1.0	1.0	-	-	-	-	-	-
143E	-	5	-	-	-	-	-	-	5	17.2	6.0	6.0	-	-	-	-	-	-
*145E	-	2	-	-	-	1	-	-	3	17.3	6.5	6.5	-	-	-	-	-	-
*147E	-	2	-	-	-	-	-	-	2	16.0*	3.0	3.0	-	-	-	-	-	-
148E	-	4	-	-	-	1	-	-	5	14.4	21.2	9.1	12.1	-	-	-	-	-
149E	-	1	-	-	-	-	2	-	3	22.3	20.0	10.0	10.0	-	-	-	-	-
*151E	-	-	-	-	-	1	-	-	1	20.0	7.6	7.6	-	-	-	-	-	-
152E	-	6	-	-	-	-	12	-	18	22.9*	168.5	162.8	4.2	0.5	-	-	-	1.
153E	-	-	-	-	-	-	8	-	8	21.5*	92.7	92.7	-	-	-	-	-	-
154E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
35N 141E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
142E	-	2	-	-	-	-	-	-	2	14.5	3.5	-	3.5	-	-	-	-	-
143E	-	13	-	-	-	-	-	-	13	18.5	17.6	15.9	1.2	0.5	-	-	-	-
144E	-	8	-	-	-	-	-	-	8	17.1	10.5	10.5	-	-	-	-	-	-
145E	-	9	-	-	-	-	-	-	9	17.6*	34.4	33.9	-	-	-	-	-	0.
146E	-	22	-	-	-	-	1	-	23	16.7*	110.6	95.6	14.7	-	-	0.3	-	-
147E	-	39	1	-	-	-	2	-	42	18.7	248.1	175.8	72.3	-	-	-	-	-
148E	-	5	-	-	-	1	3	-	9	19.8	19.9	10.0	8.1	0.8	-	1.0	-	-
149E	-	1	-	-	-	-	2	-	3	24.0	20.0	20.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	23.0	1.0	-	1.0	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
152E	-	1	-	-	-	-	1	-	2	17.0	5.5	1.5	4.0	-	-	-	-	-
153E	-	-	-	-	-	1	6	-	7	23.2	27.5	23.0	4.5	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	22.0	6.5	-	6.5	-	-	-	-	-
155E	-	-	-	-	-	1	1	-	2	22.5	7.9	5.4	2.5	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
34N 135E	-	-	-	-	-	-	1	-	1	26.0	0.5	-	0.5	-	-	-	-	-
*137E	-	2	-	-	-	-	-	-	2	16.0	9.0	9.0	-	-	-	-	-	-
*139E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
140E	-	1	-	-	-	-	-	-	1	16.0	5.7	-	5.0	0.7	-	-	-	-
141E	-	2	-	-	-	-	-	-	2	18.5	-	-	-	-	-	-	-	-
142E	-	9	-	-	-	-	1	-	10	17.3	11.6	7.6	3.8	0.2	-	-	-	-
143E	-	12	1	-	-	-	-	-	13	17.3	30.7	20.0	10.7	-	-	-	-	-
144E	-	20	-	-	-	-	-	-	20	17.0	31.2	27.5	3.7	-	-	-	-	-
145E	-	34	-	-	-	1	-	-	35	17.4	175.4	172.3	2.7	-	-	-	-	0.4
146E	-	25	-	-	-	-	-	-	25	16.2	138.5	125.0	13.5	-	-	-	-	-
147E	-	60	1	-	-	2	4	-	67	19.5	396.5	300.8	95.0	0.3	-	0.4	-	-
148E	1	52	-	-	-	2	4	-	59	18.1*	345.5	263.9	80.9	-	-	-	-	0.7
149E	-	6	-	-	-	1	-	-	7	16.5	15.2	9.7	4.7	0.3	-	-	-	0.5
150E	-	6	-	-	-	-	2	-	8	19.7	14.0	7.7	5.9	0.2	-	0.2	-	-
151E	-	25	-	-	-	2	4	-	31	17.2	158.6	48.6	108.4	-	-	1.6	-	-
152E	1	27	2	-	-	7	39	-	76	19.8*	246.9	17.6	221.0	-	-	7.0	-	1.3
153E	-	-	4	-	-	7	20	-	31	20.5*	129.3	10.8	116.5	-	-	2.0	-	-
154E	-	-	-	-	-	7	24	-	31	21.6	118.3	3.5	114.8	-	-	-	-	-
155E	-	-	-	-	-	3	10	-	13	21.0	41.6	7.0	34.6	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	20.0	2.0	-	2.0	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	22.0	1.5	-	1.5	-	-	-	-	-
33N 138E	-	4	-	-	-	-	-	-	4	17.7	2.2	0.7	-	1.5	-	-	-	-
139E	-	11	-	-	-	-	-	-	11	14.2*	14.1	13.0	-	0.9	-	-	0.2	-
140E	-	6	-	-	-	-	-	-	6	17.0*	9.6	6.8	-	2.6	-	-	-	0.2
141E	-	4	-	-	-	-	-	-	4	16.0	29.2	29.2	-	-	-	-	-	-
142E	3	8	-	-	-	-	-	-	11	16.2	40.6	39.3	-	0.3	-	0.8	-	0.2
143E	-	7	-	-	-	-	-	-	7	17.7	9.9	8.4	1.5	-	-	-	-	-
144E	-	9	-	-	-	-	-	-	9	18.0	36.8	19.6	17.2	-	-	-	-	-
145E	-	15	-	-	-	-	1	-	16	17.6	52.1	47.1	4.0	-	-	-	-	1.0
146E	1	7	-	-	-	-	-	-	8	15.6	30.5	28.6	1.7	-	-	-	-	0.2
147E	-	21	-	-	-	1	-	-	22	17.7	103.7	65.9	28.8	-	-	9.0	-	-
148E	2	71	1	-	-	4	-	-	78	16.5*	394.1	304.3	89.5	0.2	-	-	-	0.1
149E	-	17	1	-	-	-	1	-	19	17.0	70.9	55.7	12.2	3.0	-	-	-	-
150E	-	24	-	-	-	8	2	-	34	17.5	112.9	35.2	75.4	2.0	-	-	-	0.3
151E	1	34	2	-	-	12	5	-	54	17.7*	270.1	60.0	197.3	11.0	-	1.0	-	0.8
152E	-	17	3	-	-	15	31	-	66	19.8	259.1	24.7	230.8	0.3	-	2.9	-	0.4
153E	-	1	-	-	-	28	38	-	67	19.9	288.0	13.0	274.9	-	-	-	-	0.1
154E	-	-	1	-	-	38	69	-	108	20.5*	486.4	7.2	474.0	3.0	-	-	-	2.2
155E	-	-	1	-	-	7	41	-	49	22.9*	195.6	10.2	178.9	5.5	-	1.0	-	-
156E	-	-	-	-	-	-	2	-	2	18.0	7.5	4.0	3.5	-	-	-	-	-
*159E	-	-	-	-	-	4	1	-	5	24.8	20.2	-	20.2	-	-	-	-	-
32N 128E	-	6	-	-	-	-	-	-	6	11.1	29.9	29.9	-	-	-	-	-	-
129E	-	10	-	-	-	-	-	-	10	11.3	58.6	58.5	-	-	-	-	-	0.1
*137E	-	1	-	-	-	-	-	-	1	11.3	0.6	0.4	-	0.2	-	-	-	-
*139E	-	15	-	-	-	-	-	-	15	16.0*	22.9	16.4	-	4.2	-	1.0	-	1.3
140E	-	11	-	-	-	-	-	-	11	15.4	7.9	7.4	-	0.5	-	-	-	-
141E	-	7	-	-	-	-	-	-	7	17.3*	17.8	17.2	-	0.6	-	-	-	-
142E	-	4	-	-	-	-	-	-	4	19.2	8.8	6.3	-	2.5	-	-	-	-
143E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.5	-	-	-	-	-	-
144E	-	1	-	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
145E	1	4	-	-	-	-	-	-	5	16.6	18.1	13.7	1.5	0.5	-	-	-	2.4
146E	-	1	-	-	-	-	-	-	1	15.0	5.0	5.0	-	-	-	-	-	-
147E	-	1	-	-	-	-	-	-	1	15.0	4.5	4.5	-	-	-	-	-	-
148E	-	11	-	-	-	2	-	-	13	16.7	63.0	55.9	7.1	-	-	-	-	-
149E	-	15	-	-	-	2	1	-	18	17.6	177.0	128.8	46.1	0.1	-	0.9	-	1.1
150E	-	5	-	-	-	-	-	-	5	16.0	18.6	11.0	6.6	1.0	-	-	-	-
151E	-	4	-	-	-	2	2	-	8	18.3	20.1	4.6	14.3	1.2	-	-	-	-
152E	-	-	-	-	-	4	2	-	6	19.0	51.7	29.5	14.5	1.4	-	6.3	-	-
153E	-	-	1	-	-	3	3	-	7	20.7	48.5	1.0	47.5	-	-	-	-	-
154E	-	-	-	-	-	1	2	-	3	18.6	22.5	9.0	11.5	1.0	-	1.0	-	-
*159E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
31N 129E	-	1	-	-	-	-	-	-	1	11.0	2.4	2.4	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	15.0	0.3	0.3	-	-	-	-	-	-
135E	-	2	-	-	-	-	-	-	2	15.0	3.7	2.0	-	1.2	-	0.5	-	-
136E	-	1	-	-	-	-	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
*138E	-	1	-	-	-	-	-	-	1	16.0	0.9	0.7	-	0.2	-	-	-	-
139E	-	19	-	-	-	-	-	-	19	15.4*	37.5	26.6	-	10.5	-	-	-	0.4
140E	-	17	-	-	-	-	-	-	17	15.6*	34.9	22.8	-	9.6	-	2.2	-	0.3
141E	-	2	-	-	-	-	-	-	2	14.0*	6.0	6.0	-	-	-	-	-	-
*149E	-	-	-	-	-	1	2	-	3	20.6	31.8	19.8	12.■	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*139W	-	1	-	-	-	-	-	-	1	15.0	1.5	1.0	-	0.5	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUL -2-005 JUN -147 7月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N	128E	-	1	-	-	-	-	-	-	1	14.0	5.0	2.5	-	2.5	-	-	-	-
	129E	1	4	-	-	-	-	-	-	5	11.4	69.6	67.4	0.1	1.4	-	-	-	0.7
	130E	-	2	-	-	-	-	-	-	2	11.0	2.1	1.5	-	0.4	-	-	-	0.2
	*134E	-	1	-	-	-	-	-	-	1	14.0	2.9	1.7	-	0.7	-	0.3	-	0.2
	135E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	14.0	1.0	1.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	17.0	1.7	-	-	1.0	-	0.7	-	-
	138E	-	17	-	-	-	-	-	-	17	15.8*	31.2	20.6	-	9.2	-	0.2	-	1.2
	139E	-	8	-	-	-	-	-	-	8	15.3	14.5	10.6	-	3.8	-	0.1	-	-
	140E	-	41	-	-	-	-	-	-	41	14.6*	90.3	65.8	-	20.8	-	2.1	-	1.6
	141E	-	8	-	-	-	-	-	-	8	16.6	29.0	15.2	-	5.8	-	7.0	-	1.0
29N	128E	-	5	-	-	-	-	-	-	5	14.6	30.0	29.0	-	-	-	-	0.5	0.5
	129E	5	18	-	-	-	-	-	-	23	12.7	63.5	57.5	0.8	3.0	-	0.2	0.7	1.3
	*134E	-	7	-	-	-	-	-	-	7	14.0*	14.5	10.3	-	3.0	-	1.0	-	0.2
	135E	2	3	-	-	-	-	-	-	5	13.4	10.9	6.8	-	3.1	-	1.0	-	-
	136E	-	1	-	-	-	-	-	-	1	16.0	3.0	3.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	15.5	4.4	4.4	-	-	-	-	-	-
	138E	-	21	-	-	-	-	-	-	21	15.0*	26.7	8.3	0.1	15.6	-	1.4	-	1.3
	139E	-	34	-	-	-	-	-	-	34	14.8*	56.5	10.7	-	40.3	-	3.1	-	2.4
	140E	-	63	-	-	-	-	-	-	63	14.6*	119.9	36.7	0.5	73.6	-	7.5	-	1.6
	141E	-	20	-	-	-	-	-	-	20	15.9	58.7	32.8	0.1	16.1	-	1.1	-	8.6
	142E	-	3	-	-	-	-	-	-	3	16.6	2.4	0.9	-	1.5	-	-	-	-
	143E	-	3	-	-	-	-	-	-	3	15.0	23.5	22.1	-	1.4	-	-	-	-
	144E	-	5	-	-	-	-	-	-	5	17.0*	11.2	10.0	-	0.7	-	0.5	-	-
	*176E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	28.0	11.5	7.5	-	-	-	4.0	-	-
28N	134E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	135E	-	4	-	-	-	-	-	-	4	15.5	12.6	5.9	-	4.7	-	1.9	-	0.1
	*138E	-	7	-	-	-	-	-	-	7	15.6*	16.4	5.6	-	6.6	-	-	-	4.2
	139E	-	11	-	-	-	-	-	-	11	16.1*	32.0	21.3	-	7.1	-	2.6	-	1.0
	140E	-	3	-	-	-	-	-	-	3	16.6	1.3	1.0	-	0.3	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	14.4	11.0	8.1	-	2.5	-	-	-	0.4
	142E	-	3	-	-	-	-	-	-	3	17.0	8.0	6.3	-	-	-	1.7	-	-
	*163E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
27N	127E	2	-	-	-	-	-	-	-	2	16.0	2.2	2.2	-	-	-	-	-	-
	128E	7	-	-	-	-	-	-	-	7	16.8	3.6	3.6	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	14.0	0.3	0.3	-	-	-	-	-	-
	139E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	140E	-	5	-	-	-	-	-	-	5	15.0*	35.0	26.5	-	7.6	-	-	-	0.9
	141E	-	3	-	-	-	-	-	-	3	17.6	8.7	6.6	-	2.1	-	-	-	-
	*145E	-	7	-	-	-	-	-	-	7	12.5*	42.5	37.8	-	4.7	-	-	-	-
	*175W	-	-	-	-	-	-	3	-	3	26.0	28.5	13.5	-	8.5	-	6.5	-	-
26N	140E	-	10	-	-	-	-	-	-	10	17.0*	88.9	79.7	-	6.3	-	-	-	2.9
	*142E	-	1	-	-	-	-	-	-	1	15.0	1.3	1.3	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	3	-	3	24.0	44.4	34.0	-	10.0	-	-	-	0.4
25N	172W	-	-	-	-	-	-	2	-	2	22.0	18.9	18.0	-	0.6	-	-	-	0.3
	171W	-	-	-	-	-	-	1	-	1	22.0	15.1	14.0	-	0.7	-	-	-	0.4
	170W	-	-	-	-	-	-	1	-	1	22.0	14.8	14.0	-	0.6	-	-	-	0.2
	169W	-	-	-	-	-	-	2	-	2	22.0	23.8	20.0	-	3.4	-	-	-	0.4
24N	141E	-	1	-	-	-	-	-	-	1	16.0	6.7	5.0	-	1.5	-	-	-	0.2
	*168W	-	-	-	-	-	-	1	-	1	22.0	13.0	12.0	-	-	-	-	-	1.0
	*166W	-	-	-	-	-	-	2	-	2	26.0	43.0	40.0	-	2.0	-	-	-	1.0
	165W	-	-	-	-	-	-	1	-	1	26.0	16.0	15.0	-	1.0	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	9.0	9.0	-	-	-	-	-	-
23N	141E	-	2	-	-	-	-	-	-	2	15.5	13.5	12.7	-	0.8	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	20.5	20.0	-	-	-	-	-	0.5
22N	143E	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	22.0	7.0	7.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	26.0	2.0	1.0	-	-	-	-	-	1.0
	*166W	-	-	-	-	-	-	1	-	1	26.0	7.0	6.0	-	1.0	-	-	-	-
21N	144E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	18.0	0.3	0.3	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	29.0	7.0	7.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
20N	141E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	18.0	6.0	6.0	-	-	-	-	-	-
	143E	-	-	-	-	-	2	-	-	2	23.5	7.0	7.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	2	-	2	23.5	20.1	19.0	-	1.1	-	-	-	-
	145E	-	-	-	-	-	1	1	-	2	28.0	11.5	11.5	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	3	-	4	22.7	25.8	24.5	-	1.3	-	-	-	-
	147E	-	-	-	-	-	1	2	-	3	23.3	12.0	12.0	-	-	-	-	-	-
	148E	-	-	-	-	-	2	1	-	3	25.6	5.5	5.5	-	-	-	-	-	-
	*150E	-	-	-	-	-	3	-	-	3	21.0	9.3	9.3	-	-	-	-	-	-
	151E	-	-	-	-	-	4	3	-	7	22.2	23.0	23.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	5	1	-	6	20.5	72.0	72.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	21.0	3.4	2.5	-	0.9	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	29.0	12.0	12.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	25.0	10.0	10.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	24.3	26.0	26.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	37.0	4.8	3.2	-	-	-	1.6	-	-
	*172W	-	-	-	-	-	-	1	-	1	26.0	3.2	2.0	-	-	-	1.2	-	-
19N	143E	-	-	-	-	-	2	-	-	2	18.0	7.7	7.5	-	0.2	-	-	-	-
	*145E	-	-	-	-	-	2	-	-	2	18.0	0.7	0.7	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　JUL -2-007　　　　JUN -149　　　　7月中

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	EL
19N	146E	-	-	-	-	-	2	1	-	3	18.3	17.3	16.3	-	1.0	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	24.5	9.0	9.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	2	-	2	30.0	14.0	14.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	23.0	5.0	5.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	2	1	-	3	19.6	8.5	8.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	26.0	4.5	4.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	3	-	3	37.0	19.4	19.4	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	2.0	1.0	-	-	-	1.0	-	-
18N	143E	-	-	-	-	-	2	-	-	2	22.0	17.0	15.5	-	1.5	-	-	-	-
	144E	-	-	-	-	-	1	-	-	1	20.0	7.0	7.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	30.0	11.0	11.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	4	-	-	4	25.2	28.5	28.5	-	-	-	-	-	-
	148E	-	-	-	-	-	4	1	-	5	23.0	25.5	25.5	-	-	-	-	-	-
	149E	-	-	-	-	-	2	2	-	4	26.5	27.5	27.5	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	22.0	3.0	3.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	2	-	-	2	16.5	8.5	8.5	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	23.0	6.0	6.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	23.0	0.7	0.7	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	25.5	9.5	9.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	26.5	38.0	38.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	37.0	0.8	0.3	-	-	-	0.5	-	-
	*174W	-	-	-	-	-	-	1	-	1	37.0	2.0	2.0	-	-	-	-	-	-
17N	150E	-	-	-	-	-	1	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	3	-	-	3	17.6	18.5	18.5	-	-	-	-	-	-
	*154E	-	-	-	-	-	3	-	-	3	23.0	16.8	16.8	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	8	-	8	27.6	96.8	96.8	-	-	-	-	-	-
	167E	-	-	-	-	-	-	7	-	7	26.4	55.0	55.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
16N	155E	-	-	-	-	-	2	-	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
15N	153E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*13N	167E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
12N	138E	-	1	-	-	-	-	-	-	1	30.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
11N	137E	-	2	-	-	-	-	-	-	2	22.0	0.5	-	-	0.4	-	0.1	-	-
	*171E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
10N	168E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
*08N	172E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
07N	170E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
06N	174E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	27.5	36.5	35.5	-	1.0	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	33.0	3.0	3.0	-	-	-	-	-	-
05N	179E	-	-	-	-	-	-	1	-	1	33.0	19.0	19.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	33.0	7.0	7.0	-	-	-	-	-	-
04N	172E	-	-	-	-	-	-	1	-	1	30.0	6.0	6.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	30.0	4.0	3.0	-	1.0	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	33.0	4.0	4.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	33.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	27.5	4.0	4.0	-	-	-	-	-	-
03N	178E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	26.0	26.0	-	-	-	-	-	-
02N	179E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	4	-	4	26.5	51.0	51.0	-	-	-	-	-	-
01N	176E	-	-	-	-	-	-	2	-	2	30.0	23.0	23.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
00N	174E	-	-	-	-	-	-	1	-	1	30.0	9.0	9.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　JUL -3-001　　JUN -151　　7月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
46N	174E	-	-	-	-	-	-	1	-	1	26.0	7.5	-	7.5	-	-	-	-	-
*42N	178E	-	-	-	-	-	-	1	-	1	23.0	2.5	-	2.5	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	22.0	2.0	-	1.7	-	-	-	-	0.3
	*179W	-	-	-	-	-	-	1	-	1	26.0	1.0	-	1.0	-	-	-	-	-
41N	165E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	29.0	13.0	-	13.0	-	-	-	-	-
	175E	-	-	-	-	-	13	40	-	53	22.8	276.6	42.6	233.0	-	-	1.0	-	-
	176E	-	-	-	-	-	-	2	-	2	22.5	16.5	12.0	4.5	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	5	3	-	8	18.6	23.1	1.0	22.1	-	-	-	-	-
40N	154E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	22.0	1.0	-	-	-	-	-	-	1.0
	171E	-	-	-	-	-	2	2	-	4	28.2	2.5	-	2.5	-	-	-	-	-
	172E	-	-	-	-	-	4	-	-	4	23.2	6.2	-	6.2	-	-	-	-	-
	173E	-	-	-	-	-	3	-	-	3	27.3	3.0	-	3.0	-	-	-	-	-
	174E	-	-	-	-	-	40	14	-	54	22.4	392.6	150.0	240.5	-	-	-	-	2.1
	175E	-	-	-	-	-	57	64	-	121	22.8	650.3	301.8	342.2	-	-	0.7	-	5.6
	176E	-	-	-	-	-	27	15	-	42	23.7	203.6	3.0	197.3	-	-	-	-	3.3
	177E	-	-	-	-	-	4	3	-	7	22.7	6.1	-	6.0	-	-	-	-	0.1
	*179E	-	-	-	-	-	-	4	-	4	23.2	2.0	-	2.0	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	20.0	2.5	-	2.5	-	-	-	-	-
39N	143E	-	2	-	-	-	-	-	-	2	15.0	0.7	0.7	-	-	-	-	-	-
	144E	-	10	-	-	-	-	-	-	10	14.6	36.4	36.4	-	-	-	-	-	-
	145E	-	2	-	-	-	-	-	-	2	19.5	0.5	0.5	-	-	-	-	-	-
	146E	-	1	1	-	-	-	-	-	2	15.5	0.5	-	0.5	-	-	-	-	-
	147E	-	6	-	-	-	-	-	-	6	17.0	19.3	11.7	7.1	-	0.5	-	-	-
	148E	-	14	1	-	-	1	5	-	21	21.2*	83.2	80.5	2.7	-	-	-	-	-
	149E	-	4	-	-	-	1	2	-	7	21.2	39.5	39.0	0.5	-	-	-	-	-
	150E	-	2	1	-	-	2	2	-	7	21.1	18.6	6.8	11.4	-	-	-	-	0.4
	151E	-	2	1	-	-	1	2	-	6	23.0	13.6	13.5	-	-	-	-	-	0.1
	*153E	-	-	-	-	-	1	1	-	2	26.0	2.0	2.0	-	-	-	-	-	-
	154E	-	-	-	-	-	4	1	-	5	26.0	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	4	-	4	23.2	33.0	30.0	3.0	-	-	-	-	-
	156E	-	-	-	-	-	3	2	-	5	21.8	21.7	21.7	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	29.0	2.5	2.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	1	-	2	26.5	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	24.5	0.5	0.5	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	24.5	20.5	20.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	4	-	-	4	22.7	5.3	-	5.2	-	-	-	-	0.1
	*169E	-	-	-	-	-	1	-	-	1	21.0	0.5	-	-	-	-	-	-	0.5
	*171E	-	-	-	-	-	2	1	-	3	25.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	3	-	-	3	24.6	3.1	0.1	3.0	-	-	-	-	-
	*175E	-	-	-	-	-	2	4	-	6	22.8	23.6	20.6	3.0	-	-	-	-	-
	176E	-	-	-	-	-	10	12	-	22	23.4	38.5	3.0	35.5	-	-	-	-	-
39N	*179E	-	-	-	-	-	1	-	-	1	22.0	7.5	-	7.5	-	-	-	-	-
	*149W	-	-	-	-	-	2	-	-	2	23.0	13.7	12.8	0.9	-	-	-	-	-
38N	141E	-	16	-	-	-	-	-	-	16	17.6	44.1	44.1	-	-	-	-	-	-
	142E	-	9	-	-	-	-	-	-	9	16.1	31.4	31.4	-	-	-	-	-	-
	143E	-	4	-	-	-	-	-	-	4	14.2	4.9	3.0	-	-	-	-	-	1.9
	144E	-	3	-	-	-	-	-	-	3	14.3	1.0	1.0	-	-	-	-	-	-
	145E	-	7	-	-	-	-	-	-	7	15.0	9.7	9.7	-	-	-	-	-	-
	146E	-	23	1	-	-	-	-	-	24	15.8*	102.0	100.1	1.5	0.2	-	-	-	0.2
	147E	-	18	3	-	-	1	-	-	22	17.4*	76.7	46.1	30.3	-	0.3	-	-	-
	148E	-	56	3	-	-	7	1	-	67	19.3*	318.2	313.0	4.0	-	-	-	-	1.2
	149E	-	33	1	-	-	7	2	-	43	19.5*	657.9	638.6	19.3	-	-	-	-	-
	150E	-	40	2	-	-	4	-	-	46	20.2*	220.4	214.4	6.0	-	-	-	-	-
	151E	-	3	1	-	-	7	2	-	13	23.6	83.6	83.6	-	-	-	-	-	-
	152E	-	4	-	-	-	8	4	-	16	22.5	53.0	53.0	-	-	-	-	-	-
	153E	-	-	-	-	-	6	2	-	8	25.6	26.8	26.3	0.5	-	-	-	-	-
	154E	-	-	-	-	-	7	1	-	8	23.7	59.0	58.0	-	-	-	-	-	1.0
	155E	-	-	-	-	-	1	4	-	5	23.0	4.0	4.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	14.0	6.0	6.0	-	-	-	-	-	-
	157E	-	-	-	-	-	2	7	-	9	24.1	51.5	51.5	-	-	-	-	-	-
	158E	-	-	-	-	-	3	1	-	4	26.7	3.5	3.0	-	-	-	-	-	0.5
	159E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	22.0	6.0	6.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	25.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	1	-	2	26.0	7.0	6.0	-	-	-	-	-	1.0
	167E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	4	-	-	4	21.0	6.0	6.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	1	-	2	19.0	42.0	42.0	-	-	-	-	-	-
37N	141E	1	13	-	-	-	-	-	-	14	17.7	65.1	65.1	-	-	-	-	-	-
	142E	1	13	-	-	-	-	-	-	14	17.8	54.1	54.1	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	17.0	1.5	1.5	-	-	-	-	-	-
	144E	-	5	-	-	-	-	-	-	5	19.0	8.5	8.5	-	-	-	-	-	-
	145E	-	27	-	-	-	-	-	-	27	17.5*	51.5	48.8	1.3	0.1	-	-	-	1.3
	146E	-	20	-	-	-	-	-	-	20	17.2*	48.4	48.3	-	-	-	-	-	0.1
	147E	-	37	1	-	-	1	4	-	43	17.3*	122.4	119.6	-	0.6	-	2.0	-	0.2
	148E	-	47	-	-	-	2	1	-	50	19.1*	196.7	188.4	6.5	0.5	-	-	-	1.3
	149E	-	23	1	-	-	-	-	-	24	17.6*	99.8	97.2	2.6	-	-	-	-	-
	150E	-	13	-	-	-	1	-	-	14	18.7	53.5	53.5	-	-	-	-	-	-
	151E	-	7	-	-	-	-	1	-	8	20.2	22.0	22.0	-	-	-	-	-	-
	152E	-	9	-	-	-	-	4	-	13	19.6	27.3	24.0	3.0	-	-	-	-	0.3
	153E	-	-	-	-	-	-	4	-	4	21.2	3.5	3.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	2	3	-	5	23.6	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	6	30	-	36	22.5	377.4	376.2	-	-	-	-	-	1.2
	157E	-	-	-	-	-	-	4	-	4	23.2	61.0	61.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	23.0	8.0	8.0	-	-	-	-	-	-
	161E	-	-	-	-	-	1	2	-	3	23.3	19.0	19.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	1	-	2	25.5	0.5	0.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	4.0	-	-	-	-	-	-	4.0
	166E	-	-	-	-	-	-	2	-	2	23.5	10.5	9.5	-	-	-	-	-	1.0

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JUL -3-003　　　JUN -153　　　7月下旬

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
37N	167E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	23.0	4.0	4.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
36N	140E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	19.6	19.8	19.8	-	-	-	-	-	-
	142E	-	3	-	-	-	1	-	-	4	20.0	1.0	1.0	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	144E	-	29	-	-	-	-	-	-	29	17.J	98.7	97.3	-	-	-	-	-	1.4
	145E	-	11	-	-	-	-	-	-	11	17.7	10.7	8.8	-	-	-	-	-	1.9
	146E	-	5	-	-	-	-	-	-	5	16.2	1.2	0.8	-	-	-	-	-	0.4
	147E	-	11	1	-	-	1	-	-	13	17.3	6.8	6.8	-	-	-	-	-	-
	148E	-	2	-	-	-	2	1	-	5	15.8	11.5	2.5	9.0	-	-	-	-	-
	149E	-	10	-	-	-	-	-	-	10	16.3	13.1	4.2	8.9	-	-	-	-	-
	150E	-	8	-	-	-	-	1	-	9	17.6	33.9	17.4	15.6	0.4	-	-	-	0.5
	151E	-	3	-	-	-	2	-	-	5	19.6	15.7	-	15.7	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	22.5	11.0	7.0	4.0	-	-	-	-	-
	153E	-	-	-	-	-	-	3	-	3	25.0	6.0	5.0	1.0	-	-	-	-	-
	154E	-	-	-	-	-	1	2	-	3	23.0	48.8	46.3	-	-	-	-	-	2.5
	155E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	7	12	-	19	22.6	138.2	138.2	-	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	23.5	3.0	3.0	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	17.0	0.2	-	-	-	-	-	-	0.2
	*169E	-	-	-	-	-	-	1	-	1	19.0	1.7	-	-	-	-	-	-	1.7
	*172E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
35N	142E	-	3	-	-	-	-	-	-	3	15.3	12.2	9.8	-	0.2	-	0.4	-	1.8
	143E	-	4	-	-	-	-	-	-	4	14.7	4.0	4.0	-	-	-	-	-	-
	144E	-	9	-	-	-	-	1	-	10	17.8	10.6	9.6	-	-	-	-	-	1.0
	145E	-	7	-	-	-	-	2	-	9	16.8	25.2	25.2	-	-	-	-	-	-
	146E	-	3	-	-	-	-	-	-	3	16.3	3.6	3.5	-	0.1	-	-	-	-
	147E	-	10	-	-	-	-	2	-	12	16.1	21.2	1.8	17.4	-	-	1.3	-	0.7
	148E	-	8	-	-	-	1	3	-	12	19.0	11.4	5.5	5.9	-	-	-	-	-
	149E	-	39	-	-	-	-	1	-	40	17.1	61.3	16.4	35.7	9.2	-	-	-	-
	150E	-	32	-	-	-	2	6	-	40	17.4	95.2	39.2	50.2	0.9	-	4.7	-	0.2
	151E	-	13	-	-	-	9	26	-	48	19.9	137.4	27.5	104.9	0.2	-	2.5	-	2.3
	152E	-	2	-	-	-	1	11	-	14	21.7	19.9	13.4	6.5	-	-	-	-	-
	153E	-	-	-	-	-	5	6	-	11	19.1	69.0	53.5	14.5	1.0	-	-	-	-
	154E	-	-	-	-	-	-	7	-	7	23.5	24.0	-	24.0	-	-	-	-	-
	155E	-	-	-	-	-	-	7	-	7	23.0	31.3	22.3	9.0	-	-	-	-	-
	156E	-	-	-	-	-	3	28	-	31	22.5	226.4	222.4	4.0	-	-	-	-	-
	*158E	-	-	-	-	-	2	2	-	4	25.2	16.2	13.5	2.7	-	-	-	-	-
	159E	-	-	-	-	-	6	-	-	6	23.6	38.8	38.8	-	-	-	-	-	-
	160E	-	-	-	-	-	9	1	-	10	23.1	151.4	151.4	-	-	-	-	-	-
	161E	-	-	-	-	-	7	-	-	7	24.4	119.2	116.5	2.7	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	24.0	2.0	-	-	-	-	-	-	2.0
	*175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
34N	138E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
34N	139E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	1	-	2	19.0	-	-	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	16.0	1.0	1.0	-	-	-	-	-	-
	143E	-	4	-	-	-	-	-	-	4	13.5	6.5	6.5	-	-	-	-	-	-
	144E	-	7	-	-	-	-	1	-	8	14.6	3.5	3.5	-	-	-	-	-	-
	145E	-	4	-	-	-	1	-	-	5	15.4	2.7	2.7	-	-	-	-	-	-
	146E	-	6	-	-	-	-	1	-	7	13.0	8.9	0.5	5.0	-	-	3.0	-	0.4
	147E	-	6	-	-	-	-	-	-	6	16.1	6.0	4.5	1.0	-	-	0.5	-	-
	148E	-	11	-	-	-	-	1	-	12	15.1	10.0	5.9	3.4	-	-	-	-	0.7
	149E	-	25	-	-	-	1	-	-	26	16.3	75.4	14.4	49.9	5.5	-	4.5	-	1.1
	150E	-	14	-	-	-	-	-	-	14	15.3	28.2	9.2	19.0	-	-	-	-	-
	151E	1	21	-	-	-	2	4	-	28	16.8	55.8	20.5	35.0	0.3	-	-	-	-
	152E	-	11	-	-	-	3	13	-	27	20.5	36.9	4.8	32.1	-	-	-	-	-
	153E	-	-	-	-	-	3	12	-	15	21.8	38.2	11.0	25.2	-	-	-	-	2.0
	154E	-	-	-	-	-	8	15	-	23	20.6	46.5	-	46.5	-	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	24.5	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	18.5	14.2	14.2	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	22.0	0.1	-	0.1	-	-	-	-	-
	*160E	-	-	-	-	-	2	-	-	2	23.0	13.5	13.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	2	-	3	24.3	7.0	7.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
33N	136E	-	1	-	-	-	-	-	-	1	16.0	4.0	1.0	-	1.6	-	1.4	-	-
	137E	-	2	-	-	-	-	-	-	2	16.5	1.8	1.8	-	-	-	-	-	-
	138E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	139E	-	1	-	-	-	-	-	-	1	14.0	1.1	1.1	-	-	-	-	-	-
	140E	-	4	-	-	-	-	-	-	4	19.0*	4.1	4.1	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	19.0	0.9	0.9	-	-	-	-	-	-
	143E	-	3	-	-	-	-	-	-	3	15.6	1.5	1.5	-	-	-	-	-	-
	144E	1	6	-	-	-	-	-	-	7	17.2	1.2	1.2	-	-	-	-	-	-
	145E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	146E	-	10	-	-	-	-	-	-	10	16.7	24.6	6.5	4.6	11.1	-	0.7	-	1.7
	147E	1	7	-	-	-	-	-	-	8	17.0	20.2	19.0	1.0	-	-	-	-	0.2
	148E	1	11	-	-	-	-	-	-	12	14.7	25.9	15.4	10.5	-	-	-	-	-
	149E	-	6	-	-	-	1	-	-	7	15.1	16.1	7.0	7.1	1.5	-	0.5	-	-
	150E	-	-	-	-	-	1	-	-	1	17.0	0.5	-	0.5	-	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	20.5	3.4	-	3.4	-	-	-	-	-
	*154E	-	-	-	-	-	2	2	-	4	23.5	6.0	-	6.0	-	-	-	-	-
	*159E	-	-	-	-	-	2	-	-	2	24.0	2.2	-	2.2	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
32N	128E	-	3	-	-	-	-	-	-	3	12.0	31.1	25.5	-	4.5	-	-	0.4	0.7
	129E	-	4	-	-	-	-	-	-	4	11.2	27.6	27.2	-	-	-	-	-	0.4
	*136E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	17.0	2.0	2.0	-	-	-	-	-	-
	138E	-	4	-	-	-	-	-	-	4	13.6*	4.6	2.5	-	2.1	-	-	-	-
	139E	-	9	-	-	-	-	-	-	9	15.0*	14.3	8.9	-	3.1	-	2.3	-	-
	140E	-	19	-	-	-	-	-	-	19	16.5*	34.2	28.5	-	5.3	-	-	-	0.4
	141E	-	5	-	-	-	-	-	-	5	15.2	9.7	7.2	-	2.0	-	0.5	-	-
	142E	-	4	-	-	-	-	-	-	4	19.0*	10.4	8.4	-	2.0	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	14.0	2.4	1.5	-	-	-	-	-	0.9
	144E	-	5	-	-	-	-	-	-	5	15.6*	17.7	3.0	-	6.7	-	8.0	-	-
	145E	-	10	-	-	-	-	-	-	10	14.1*	47.5	19.4	0.4	10.1	-	2.0	-	15.6

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　　　　　*** GYOJYO-BETSU TOUKEI ***　　　　　　　　JUL -3-005　　　JUN -155　　　7月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-5■	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
32N	146E	-	3	-	-	-	-	-	-	3	14.3	3.6	-	0.2	3.4	-	-	-	-
	147E	-	1	-	-	-	-	1	-	2	18.5	13.0	13.0	-	-	-	-	-	-
	148E	-	1	-	-	-	8	5	-	14	18.2	103.1	103.1	-	-	-	-	-	-
	149E	-	6	-	-	-	-	-	-	6	17.8	39.1	35.4	2.2	1.0	-	0.1	-	0.4
	*161E	-	-	-	-	-	1	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
31N	129E	1	-	-	-	-	-	-	-	1	9.0	1.7	1.7	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	14.0	3.7	3.7	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	16.0	4.0	1.8	-	1.5	-	0.7	-	-
	136E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	137E	-	4	-	-	-	-	-	-	4	14.2	3.5	3.5	-	-	-	-	-	-
	138E	1	5	-	-	-	-	-	-	6	14.6	15.0	12.9	-	1.3	-	0.3	-	0.5
	139E	-	14	-	-	-	-	-	-	14	14.8	28.6	21.9	-	4.3	-	1.1	-	1.3
	140E	-	6	-	-	-	-	-	-	6	16.0	3.8	1.8	-	1.5	-	0.5	-	-
	141E	-	22	-	-	-	-	-	-	22	15.3	39.0	26.0	-	11.4	-	1.3	-	0.3
	*144E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*147E	-	1	-	-	-	1	-	-	2	16.5	9.5	9.0	-	0.5	-	-	-	-
	148E	-	-	-	-	-	2	1	-	3	19.3	33.4	33.0	-	-	-	0.3	-	0.1
	*173E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
30N	128E	1	8	-	-	-	-	-	-	9	11.3	35.3	29.2	0.1	5.1	-	-	0.5	0.4
	129E	-	2	-	-	-	-	-	-	2	11.5	1.2	1.1	-	0.1	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	15.5	6.5	3.3	-	2.0	-	1.2	-	-
	134E	-	2	-	-	-	-	-	-	2	15.0	6.3	3.2	-	2.0	-	1.1	-	-
	135E	-	3	-	-	-	-	-	-	3	16.3	1.0	1.0	-	-	-	-	-	-
	*137E	1	6	-	-	-	-	-	-	7	15.4	13.2	10.1	-	2.1	-	0.9	-	0.1
	138E	-	11	-	-	-	-	-	-	11	15.8*	11.0	2.5	0.4	6.0	-	2.0	-	0.1
	139E	-	11	-	-	-	-	-	-	11	15.7	25.5	13.1	-	7.0	-	3.1	-	2.3
	140E	-	28	-	-	-	-	-	-	28	14.1*	54.5	39.1	-	9.3	-	5.4	-	0.7
	141E	-	9	-	-	-	-	-	-	9	15.7	22.6	14.6	-	5.9	-	2.1	-	-
	142E	-	2	-	-	-	-	-	-	2	16.5	0.5	-	-	0.5	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	16.0	1.3	1.3	-	-	-	-	-	-
29N	128E	-	6	-	-	-	-	-	-	6	12.6	30.0	25.5	-	2.5	-	-	1.6	0.4
	129E	5	18	-	-	-	-	-	-	23	11.7	52.8	47.1	0.5	1.7	-	0.7	-	2.8
	*132E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	17.5	1.5	1.5	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	16.6	4.4	4.4	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	14.0	1.2	1.0	-	0.2	-	-	-	-
	*138E	-	17	-	-	-	-	-	-	17	15.4	28.9	5.2	0.2	20.3	-	3.0	-	0.2
	139E	-	14	-	-	-	-	-	-	14	16.0*	15.3	7.1	-	6.7	-	1.5	-	-
	140E	-	9	-	-	-	-	-	-	9	14.7*	10.4	3.7	0.2	5.5	-	0.6	-	0.4
	141E	-	1	-	-	-	-	-	-	1	18.0	5.8	3.9	-	1.9	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	16.5	7.6	5.0	-	0.3	-	0.3	-	2.0
	143E	-	5	-	-	-	-	-	-	5	15.2	4.9	1.6	-	1.6	-	-	-	1.7
	*179E	-	-	-	-	-	-	1	-	1	28.0	4.5	3.0	-	-	-	1.5	-	-
	*177W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
28N	135E	-	3	-	-	-	-	-	-	3	17.6	6.9	3.3	-	3.6	-	-	-	-
28N	136E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	137E	-	8	-	-	-	-	-	-	8	16.6	36.7	22.5	0.1	12.4	-	0.2	-	1.5
	138E	-	8	-	-	-	-	-	-	8	15.7	16.8	12.4	-	1.4	-	-	-	3.0
	139E	-	29	-	-	-	-	-	-	29	15.2*	80.9	56.9	-	22.8	-	-	-	1.2
	140E	-	29	-	-	-	-	-	-	29	15.7*	106.0	79.5	-	21.6	-	0.3	-	4.6
	141E	-	13	-	-	-	-	-	-	13	14.8	38.2	26.2	-	8.6	-	-	-	3.4
	142E	-	5	-	-	-	-	-	-	5	13.4	9.7	7.1	-	2.6	-	-	-	-
	*177W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
27N	127E	12	-	-	-	-	-	-	-	12	16.5	17.4	17.4	-	-	-	-	-	-
	128E	3	-	-	-	-	-	-	-	3	16.3	5.3	5.3	-	-	-	-	-	-
	*139E	-	7	-	-	-	-	-	-	7	15.7	11.6	6.5	-	5.1	-	-	-	-
	140E	-	14	-	-	-	-	-	-	14	16.0*	39.7	33.1	-	6.0	-	0.1	-	0.5
	141E	-	4	-	-	-	-	-	-	4	17.5	4.1	2.9	-	1.2	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	10.0	0.8	0.8	-	-	-	-	-	-
	*145E	-	10	-	-	-	-	-	-	10	14.5*	44.7	39.2	-	5.4	-	-	-	0.1
	*175W	-	-	-	-	-	-	1	-	1	20.0	0.1	0.1	-	-	-	-	-	-
26N	127E	6	-	-	-	-	-	-	-	6	16.8	4.7	4.7	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	19.0	15.0	6.0	-	8.5	-	-	-	0.5
	*140E	-	24	-	-	-	-	-	-	24	14.6*	52.3	34.2	-	18.1	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	16.5*	12.2	11.2	-	1.0	-	-	-	-
	*174W	-	-	-	-	-	-	3	-	3	21.3	8.0	8.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	24.0	10.0	10.0	-	-	-	-	-	-
25N	134E	-	1	-	-	-	-	-	-	1	19.0	7.6	4.8	-	2.8	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	17.0	9.7	8.7	-	1.0	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	16.3	16.5	16.0	-	0.5	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	3	-	3	24.0	27.0	27.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	6	-	6	22.1	37.0	37.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	1	-	1	22.0	16.0	14.0	-	2.0	-	-	-	-
24N	141E	-	6	-	-	-	-	1	-	7	17.2	61.4	60.0	-	0.9	-	-	-	0.5
	*154E	-	-	-	-	-	1	-	-	1	19.0	8.5	7.9	-	0.6	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	20.0	4.9	4.0	-	0.4	-	0.5	-	-
	173W	-	-	-	-	-	-	1	-	1	20.0	8.2	4.0	-	2.0	-	2.2	-	-
	172W	-	-	-	-	-	-	1	-	1	20.0	19.5	15.0	-	2.0	-	2.0	-	0.5
	*167W	-	-	-	-	-	-	5	-	5	22.2	43.2	43.2	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	23.0	8.0	8.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
23N	141E	-	5	-	-	-	-	-	-	5	15.6	28.6	28.2	-	0.4	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*149E	-	-		-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.C	-	-	-	-	-	-
	165W	-	-	-	-	-	-	2	-	2	23.0	36.0	36.0	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JUL -3-007　　　JUN -157　　　7月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
22N	142E	-	-	-	-	-	4	-	-	4	14.7	25.6	25.6	-	-	-	-	-	-
	143E	-	-	-	-	-	6	-	-	6	16.6	33.0	33.0	-	-	-	-	-	-
	144E	-	-	-	-	-	4	-	-	4	15.5	34.0	34.0	-	-	-	-	-	-
	145E	-	-	-	-	-	4	-	-	4	16.2	32.7	32.7	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	27.0	5.6	5.6	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	2	-	2	27.0	4.0	4.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	1	-	1	26.0	9.0	9.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	161W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
21N	141E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	142E	-	-	-	-	-	3	-	-	3	16.3	11.5	11.5	-	-	-	-	-	-
	143E	-	-	-	-	-	2	-	-	2	15.0	6.5	6.5	-	-	-	-	-	-
	144E	-	-	-	-	-	4	-	-	4	15.2	15.0	15.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	2	4	-	6	23.1	35.8	35.8	-	-	-	-	-	-
	149E	-	-	-	-	-	6	8	-	14	20.2	60.5	60.5	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	27.0	7.6	7.6	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	26.0	10.5	10.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	27.0	0.2	0.2	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*163W	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	*158W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
20N	141E	-	-	-	-	-	1	-	-	1	17.0	17.0	17.0	-	-	-	-	-	-
	142E	-	1	-	-	-	1	-	-	2	16.0	11.7	11.5	-	0.2	-	-	-	-
	*145E	-	-	-	-	-	3	-	-	3	15.3	10.0	10.0	-	-	-	-	-	-
	146E	-	-	-	-	-	2	-	-	2	17.5	6.5	6.5	-	-	-	-	-	-
	*148E	-	-	-	-	-	21	3	-	24	21.8	106.2	105.9	-	-	-	0.3	-	-
	149E	-	-	-	-	-	2	-	-	2	24.0	11.0	11.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	1	-	2	26.5	5.0	5.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	3	-	3	26.0	35.0	35.0	-	-	-	-	-	-
	161W	-	-	-	-	-	-	1	-	1	26.0	12.0	12.0	-	-	-	-	-	-
19N	141E	-	-	-	-	-	1	-	-	1	22.0	1.2	1.2	-	-	-	-	-	-
	142E	-	-	-	-	-	2	-	-	2	17.0	12.0	12.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	2	-	-	2	22.0	6.7	6.5	-	0.2	-	-	-	-
	145E	-	-	-	-	-	3	-	-	3	21.0	9.3	9.3	-	-	-	-	-	-
	146E	-	-	-	-	-	8	-	-	8	17.6	31.0	31.0	-	-	-	-	-	-
	147E	-	-	-	-	-	4	-	-	4	20.5	16.0	16.0	-	-	-	-	-	-
	148E	-	-	-	-	-	3	1	-	4	22.2	7.0	7.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	19.0	2.5	2.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	19.0	10.0	10.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	13.0	13.0	-	-	-	-	-	-
18N	142E	-	-	-	-	-	1	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	22.0	4.3	4.3	-	-	-	-	-	-
	145E	-	-	-	-	-	2	-	-	2	19.5	11.0	11.0	-	-	-	-	-	-
	146E	-	-	-	-	-	15	-	-	15	21.2	97.6	97.6	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	19.0	4.5	4.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
17N	145E	-	-	-	-	-	2	-	-	2	23.0	8.0	8.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	30.0	6.0	6.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	33.0	13.0	13.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
16N	165E	-	-	-	-	-	-	2	-	2	28.0	17.5	17.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	28.0	34.0	34.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	26.0	10.0	10.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	2	-	2	37.0	14.9	14.9	-	-	-	-	-	-
15N	166E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
14N	153E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	27.0	7.0	7.0	-	-	-	-	-	-
*12N	136E	-	5	-	-	-	-	-	-	5	27.0	3.2	-	-	2.9	-	0.2	-	0.1
	*169E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
11N	166E	-	-	-	-	-	-	1	-	1	33.0	12.0	12.0	-	-	-	-	-	-
10N	137E	-	4	-	-	-	-	-	-	4	33.0	0.6	-	-	0.4	-	0.2	-	-
	*156E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
09N	172E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
08N	179E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** JUL -3-009 JUN -159 7月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
07N	158E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	•170E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	•178E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	28.0	21.0	21.0	-	-	-	-	-	-
	•179W	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
06N	163E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	•172E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	•178E	-	-	-	-	-	-	2	-	2	26.5	4.0	4.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	5	-	5	28.6	33.6	32.2	-	0.5	-	0.9	-	-
	•178W	-	-	-	-	-	-	2	-	2	25.5	14.0	14.0	-	-	-	-	-	-
	•176W	-	-	-	-	-	-	1	-	1	21.0	2.5	2.5	-	-	-	-	-	-
05N	166E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	•172E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	•177E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	•179W	-	-	-	-	-	-	3	-	3	28.6	25.5	24.6	-	-	-	0.9	-	-
	178W	-	-	-	-	-	-	6	-	6	29.1	79.9	72.9	-	2.5	-	4.5	-	-
	177W	-	-	-	-	-	-	4	-	4	27.7	13.5	13.5	-	-	-	-	-	-
04N	179E	-	-	-	-	-	-	1	-	1	28.0	0.2	0.2	-	-	-	-	-	-
	•177W	-	-	-	-	-	-	1	-	1	28.0	7.0	6.0	-	-	-	1.0	-	-
03N	168E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	•175E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	•179E	-	-	-	-	-	-	1	-	1	27.0	16.0	16.0	-	-	-	-	-	-
02N	168E	-	1	-	-	-	-	-	-	1	27.0	0.6	-	-	0.3	-	0.1	-	0.2
	•172E	-	-	-	-	-	3	-	-	3	21.0	19.5	19.5	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	•179E	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	•179W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	•177W	-	-	-	-	-	-	3	-	3	28.0	43.0	43.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	28.0	28.0	28.0	-	-	-	-	-	-
01N	169E	-	1	-	-	-	-	-	-	1	28.0	1.2	-	-	0.7	-	0.3	-	0.2
	170E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	•172E	-	-	-	-	-	2	3	-	5	22.2	60.5	60.5	-	-	-	-	-	-
	•179W	-	-	-	-	-	-	2	-	2	24.5	56.0	56.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	28.0	19.0	19.0	-	-	-	-	-	-
00N	172E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	173E	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	4	-	4	24.0	28.0	27.5	-	0.5	-	-	-	-
•01S	179W	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
•04S	179E	-	-	-	-	-	-	2	-	2	22.0	34.0	34.0	-	-	-	-	-	-
04S	•179W	-	-	-	-	-	-	8	-	8	22.5	86.5	85.0	-	1.0	-	0.5	-	-
05S	179W	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　AUG -1-001　　　JUN -161　　　8月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
43N	178E	-	-	-	-	-	3	-	-	3	23.6	10.6	-	10.6	-	-	-	-	-
42N	177E	-	-	-	-	-	45	6	-	51	22.6	198.8	19.0	178.3	-	-	-	-	1.5
	178E	-	-	-	-	-	26	15	-	41	21.4*	107.1	1.6	103.9	-	-	-	-	1.6
	179E	-	-	-	-	-	19	7	-	26	20.0*	60.9	2.2	58.2	-	-	-	-	0.5
	*178W	-	-	-	-	-	1	-	-	1	18.0	2.0	-	2.0	-	-	-	-	-
41N	150E	-	2	-	-	-	1	-	-	3	20.6	7.1	7.1	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	2	1	-	3	20.6	0.5	-	-	-	-	-	-	0.5
	174E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	32	17	-	49	22.6	214.1	118.0	91.7	-	-	1.0	-	3.4
	176E	-	-	-	-	-	35	38	-	73	22.2	197.8	51.6	138.9	0.1	-	0.1	-	7.1
	177E	-	-	-	-	-	15	6	-	21	20.5	61.1	-	60.5	-	-	-	-	0.6
	178E	-	-	-	-	-	6	7	-	13	20.5	18.4	-	18.4	-	-	-	-	-
	179E	-	-	-	-	-	1	1	-	2	21.5	1.3	-	1.1	-	-	-	-	0.2
	*178W	-	-	-	-	-	1	-	-	1	20.0	2.0	-	2.0	-	-	-	-	-
	177W	-	-	-	-	-	2	-	-	2	20.0	3.0	-	3.0	-	-	-	-	-
40N	145E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	146E	-	3	-	-	-	-	-	-	3	15.3	5.5	2.5	3.0	-	-	-	-	-
	147E	-	3	-	-	-	-	-	-	3	16.0	6.0	6.0	-	-	-	-	-	-
	148E	-	9	1	-	-	1	-	-	11	21.3	62.9	62.6	0.2	-	-	-	-	0.1
	149E	-	76	3	-	-	4	1	-	84	19.2*	645.7	605.9	39.5	-	-	-	-	0.3
	150E	-	32	1	-	-	3	1	-	37	18.2*	191.6	168.8	22.8	-	-	-	-	-
	151E	-	6	-	-	-	1	-	-	7	15.7	27.8	26.2	1.6	-	-	-	-	-
	152E	-	1	-	-	-	1	-	-	2	24.0	4.5	4.0	0.5	-	-	-	-	-
	153E	-	-	-	-	-	3	-	-	3	25.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	22.0	0.3	-	-	-	-	-	-	0.3
	*158E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	25.0	9.0	9.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	26.5	10.0	10.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	27.5	1.0	1.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	1	-	3	23.3	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	26.0	0.5	-	-	-	-	-	-	0.5
	168E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	1	2	-	3	24.6	2.0	1.0	1.0	-	-	-	-	-
	*171E	-	-	-	-	-	2	3	-	5	24.4	58.6	54.0	0.5	-	-	3.0	-	1.1
	172E	-	-	-	-	-	-	2	-	2	22.5	4.3	-	2.8	-	-	-	-	1.5
	173E	-	-	-	-	-	1	5	-	6	24.5	53.0	51.5	-	-	-	-	-	1.5
	174E	-	-	-	-	-	19	3	-	22	23.9	94.6	87.9	1.1	-	-	-	-	5.6
	175E	-	-	-	-	-	16	2	-	18	22.6	84.7	80.5	2.5	-	-	-	-	1.7
	176E	-	-	-	-	-	8	2	-	10	21.5	40.3	36.3	2.0	-	-	-	-	2.0
	*178E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
39N	143E	-	1	-	-	-	-	-	-	1	20.0	0.6	0.6	-	-	-	-	-	-
	144E	-	3	-	-	-	-	1	-	4	17.2	9.0	6.4	-	1.8	-	0.2	-	0.6
	145E	-	9	-	-	-	-	-	-	9	17.2	4.2	4.0	-	0.2	-	-	-	-
	146E	-	11	-	-	-	-	-	-	11	16.4	1.0	0.5	-	-	-	-	-	0.5
	147E	2	36	2	-	-	-	-	-	40	17.6	172.9	172.9	-	-	-	-	-	-
39N	148E	-	63	2	-	-	-	1	-	66	17.1*	361.7	359.4	1.7	-	-	-	-	0.6
	149E	-	24	2	-	-	2	1	-	29	20.1*	198.6	196.1	2.5	-	-	-	-	-
	150E	-	17	2	-	-	1	1	-	21	20.7	124.8	124.8	-	-	-	-	-	-
	151E	-	1	1	-	-	1	1	-	4	22.5	7.0	7.0	-	-	-	-	-	-
	152E	-	-	-	-	-	3	-	-	3	25.3	17.0	16.5	-	-	-	-	-	0.5
	153E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	2	1	-	3	23.3	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	1	3	-	4	21.2	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	24.0	8.5	8.5	-	-	-	-	-	-
	158E	-	-	-	-	-	10	4	-	14	22.4	204.0	204.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	2	-	3	23.3	35.0	35.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.5	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	4	-	-	4	23.2	8.5	8.5	-	-	-	-	-	-
	163E	-	-	-	-	-	3	2	-	5	21.4	13.5	13.5	-	-	-	-	-	-
	164E	-	-	-	-	-	2	1	-	3	24.3	26.0	26.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	1	-	3	21.6	8.0	8.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	20.0	11.0	11.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	19.5	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	3	1	-	4	22.0	3.0	3.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	1	-	2	22.5	3.1	-	0.1	-	-	-	-	3.0
	173E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	24.0	0.2	-	0.2	-	-	-	-	-
	175E	-	-	-	-	-	1	3	-	4	23.7	37.0	36.5	0.5	-	-	-	-	-
	*178W	-	-	-	-	-	1	-	-	1	20.0	1.0	-	1.0	-	-	-	-	-
38N	141E	-	12	-	-	-	-	-	-	12	15.7	17.2	17.2	-	-	-	-	-	-
	142E	-	6	-	-	-	-	-	-	6	14.0	14.3	14.3	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	15.5	5.4	0.9	4.0	-	-	-	-	0.5
	144E	-	3	-	-	-	-	-	-	3	19.3	-	-	-	-	-	-	-	-
	145E	-	12	-	-	-	2	1	-	15	20.0	11.7	9.2	-	1.0	-	1.2	-	0.3
	146E	-	14	1	-	-	-	-	-	15	17.3	28.0	28.0	-	-	-	-	-	-
	147E	-	26	-	-	-	-	-	-	26	15.9*	131.8	128.3	-	1.1	-	1.8	-	0.6
	148E	-	40	3	-	-	-	1	-	44	17.5	244.5	241.8	2.7	-	-	-	-	-
	149E	-	16	2	-	-	3	2	-	23	19.0*	98.8	94.3	4.3	0.2	-	-	-	-
	150E	-	10	1	-	-	-	-	-	11	17.9	39.7	39.7	-	-	-	-	-	-
	151E	-	1	-	-	-	-	1	-	2	22.5	5.5	5.5	-	-	-	-	-	-
	152E	-	1	-	-	-	7	9	-	17	24.0	99.0	99.0	-	-	-	-	-	-
	153E	-	-	-	-	-	3	10	-	13	21.5	91.1	90.8	-	-	-	-	-	0.3
	154E	-	-	-	-	-	3	3	-	6	23.8	19.0	19.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	156E	-	-	-	-	-	-	2	-	2	21.5	5.0	5.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	24.0	5.5	5.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	20.5	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	24.5	24.0	24.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	20.0	2.5	-	-	-	-	-	-	2.5
	*170E	-	-	-	-	-	-	1	-	1	22.0	4.2	0.5	-	-	-	-	-	3.7
	*172E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	21.5	3.0	3.0	-	-	-	-	-	-
37N	141E	-	25	-	-	-	-	-	-	25	16.1	81.6	81.5	-	-	-	-	-	0.1
	142E	-	4	-	-	-	-	-	-	4	15.0	8.1	8.1	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -1-003 JUN -163 8月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ノダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
7N	143E	-	2	-	-	-	1	-	-	3	21.0	-	-	-	-	-	-	-	-
	144E	1	-	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	145E	-	6	-	-	-	-	-	-	6	17.6	22.3	22.3	-	-	-	-	-	-
	146E	-	10	-	-	-	-	-	-	10	17.1*	28.2	28.2	-	-	-	-	-	-
	147E	-	9	-	-	-	-	-	-	9	17.5	5.4	5.4	-	-	-	-	-	-
	148E	-	24	-	-	-	-	1	-	25	19.3*	66.8	66.8	-	-	-	-	-	-
	149E	-	19	-	-	-	2	-	-	21	17.8	61.1	61.1	-	-	-	-	-	-
	150E	-	26	-	-	-	-	2	-	28	18.7*	65.2	64.2	1.0	-	-	-	-	-
	151E	-	1	1	-	-	1	-	-	3	18.0	6.8	6.8	-	-	-	-	-	-
	152E	-	-	-	-	-	1	3	-	4	22.5	30.0	30.0	-	-	-	-	-	-
	153E	-	-	-	-	-	7	18	-	25	22.3	178.2	178.2	-	-	-	-	-	-
	154E	-	-	-	-	-	-	2	-	2	21.0	8.0	8.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	7	-	8	22.1	37.5	37.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	5	-	5	21.2	82.0	82.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
6N	141E	-	1	-	-	-	-	-	-	1	14.0	8.3	8.3	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	143E	-	4	-	-	-	-	-	-	4	15.2	6.9	6.4	-	-	-	-	-	0.5
	144E	-	16	-	-	-	-	-	-	16	15.8*	53.5	36.4	16.0	0.1	-	-	-	1.0
	145E	1	2	-	-	-	-	-	-	3	15.0	1.5	1.5	-	-	-	-	-	-
	146E	-	2	-	-	-	-	1	-	3	20.0*	2.5	2.5	-	-	-	-	-	-
	*148E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	21.5	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	3	7	-	10	20.4	51.0	51.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	23.0	10.5	10.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	19.5	25.1	25.0	-	-	-	-	-	0.1
	*165E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	20.0	2.1	0.1	2.0	-	-	-	-	-
5N	141E	-	3	-	-	-	-	-	-	3	14.0	3.1	2.8	-	0.3	-	-	-	-
	142E	1	1	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	144E	-	6	-	-	-	-	-	-	6	15.6	8.9	8.2	-	0.2	-	-	-	0.5
	145E	-	4	-	-	-	-	-	-	4	15.7	8.5	8.5	-	-	-	-	-	-
	*149E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	-	3	-	3	23.0	10.0	10.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	19.0	5.0	5.0	-	-	-	-	-	-
	152E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	3	-	4	22.5	7.5	6.0	-	-	-	-	-	1.5
	*158E	-	-	-	-	-	1	1	-	2	25.0	5.0	5.0	-	-	-	-	-	-
	159E	-	-	-	-	-	3	-	-	3	23.6	25.5	25.5	-	-	-	-	-	-
	160E	-	-	-	-	-	12	3	-	15	21.6	195.5	195.5	-	-	-	-	-	-
	161E	-	-	-	-	-	8	2	-	10	22.5	108.5	108.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	.	1	-	1	24.0	-	-	-	-	-	-	-	-
4N	138E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	139E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
34N	141E	-	3	-	-	-	-	-	-	3	16.3	2.5	0.6	-	0.5	-	-	-	1.4
	142E	-	1	-	-	-	-	-	-	1	15.0	4.5	4.5	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	*148E	-	2	-	-	-	-	-	-	2	8.0	3.7	3.7	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	1	-	2	16.0	15.0	5.0	10.0	-	-	-	-	-
	152E	-	-	-	-	-	2	2	-	4	17.0	37.0	27.0	8.0	-	-	-	-	2.0
	153E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	1	1	-	2	16.0	7.5	2.0	5.5	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	17.0	13.0	13.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
3N	135E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	18.0	2.2	1.5	-	0.3	-	0.4	-	-
	140E	-	3	-	-	-	-	-	-	3	16.5*	0.3	0.3	-	-	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	15.8	10.8	4.5	0.1	2.2	-	4.0	-	-
	142E	-	1	-	-	-	-	-	-	1	14.0	2.5	2.5	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	14.0	1.9	1.0	-	0.9	-	-	-	-
	144E	-	2	-	-	-	-	-	-	2	16.0	4.4	2.9	-	1.5	-	-	-	-
	145E	-	2	-	-	-	-	-	-	2	16.0	7.1	6.1	-	1.0	-	-	-	-
	146E	-	5	-	-	-	-	-	-	5	16.8	8.8	-	-	3.8	-	4.0	-	1.0
	147E	-	2	-	-	-	-	-	-	2	16.0	3.8	-	-	1.8	-	-	-	2.0
	*153E	-	-	-	-	-	1	-	-	1	14.0	5.0	-	5.0	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	14.0	5.5	-	5.5	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	14.0	10.0	-	10.0	-	-	-	-	-
2N	128E	-	9	-	-	-	-	-	-	9	13.0	20.7	15.7	-	4.9	-	-	-	0.1
	129E	-	14	-	-	-	-	-	-	14	12.0	50.6	44.3	-	4.4	-	-	-	1.9
	*137E	-	2	-	-	-	-	-	-	2	16.5	6.4	1.6	-	2.3	-	2.5	-	-
	138E	-	5	-	-	-	-	-	-	5	16.8	6.1	5.0	-	-	-	1.1	-	-
	139E	-	8	-	-	-	-	-	-	8	14.8	4.4	2.5	-	0.7	-	-	-	1.2
	140E	1	6	-	-	-	-	-	-	7	15.0	5.7	3.4	-	2.3	-	-	-	-
	141E	-	13	-	-	-	-	-	-	13	15.7	25.6	11.6	-	6.4	-	5.4	-	2.2
	142E	-	16	-	-	-	-	-	-	16	14.1	16.2	1.4	0.1	12.7	-	1.9	-	0.1
	*146E	-	13	-	-	-	-	-	-	13	13.7	23.1	0.4	3.2	19.1	-	-	-	0.4
	147E	-	3	-	-	-	-	-	-	3	12.3	5.8	0.5	-	5.3	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
1N	129E	-	2	-	-	-	-	-	-	2	12.5	4.0	4.0	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.1	-	0.1	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	17.0	1.4	0.5	-	0.7	-	-	-	0.2
	136E	-	1	-	-	-	-	-	-	1	17.0	1.2	1.0	-	-	-	0.2	-	-
	137E	-	2	-	-	-	-	-	-	2	14.5	0.2	0.1	-	0.1	-	-	-	-
	*139E	1	39	-	-	-	-	-	-	40	15.3*	40.7	20.8	-	15.3	-	1.2	-	3.4
	140E	-	6	-	-	-	-	-	-	6	13.8*	2.1	0.8	-	1.3	-	-	-	-
	141E	-	8	-	-	-	-	-	-	8	14.5	11.1	2.1	-	8.0	-	1.0	-	-
	142E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
0N	128E	-	12	-	-	-	-	-	-	12	15.0	44.0	37.6	-	5.7	-	-	-	0.7
	129E	2	10	-	-	-	-	-	-	12	12.1	41.8	33.4	0.8	6.4	-	-	-	1.2
	130E	-	2	-	-	-	-	-	-	2	15.0	2.3	1.0	-	1.3	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ ダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N *138E	-	5	-	-	-	-	-	-	5	15.2	1.3	1.3	-	-	-	-	-	-
139E	-	15	-	-	-	-	-	-	15	14.6	24.5	8.2	-	9.5	-	-	-	6.8
140E	-	13	-	-	-	-	-	-	13	14.3	21.8	14.6	-	7.1	-	-	-	0.1
141E	-	1	-	-	-	-	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
*178E	-	-	-	-	-	-	2	-	2	27.5	3.0	3.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	3	-	3	23.3	38.8	28.0	-	-	-	10.5	-	0.3
29N 128E	-	11	-	-	-	-	-	-	11	12.4	40.3	17.1	19.5	3.6	-	-	-	0.1
129E	4	9	-	-	-	-	-	-	13	11.7	26.3	25.3	0.1	0.7	-	0.2	-	-
130E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*132E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	13.0	2.2	1.7	-	0.5	-	-	-	-
*136E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
137E	-	2	-	-	-	-	-	-	2	15.0	0.7	0.2	0.2	0.2	-	-	-	0.1
138E	-	3	-	-	-	-	-	-	3	15.0*	2.0	-	-	2.0	-	-	-	-
139E	-	3	-	-	-	-	-	-	3	15.3	4.6	4.2	-	0.4	-	-	-	-
140E	-	9	-	-	-	-	-	-	9	14.0	9.7	5.5	-	4.2	-	-	-	-
141E	-	2	-	-	-	-	-	-	2	16.5	1.4	1.0	-	0.4	-	-	-	-
142E	-	8	-	-	-	-	-	-	8	15.1*	17.8	7.3	-	10.4	-	-	-	0.1
*179E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	23.0	10.5	1.5	-	6.0	-	3.0	-	-
28N 128E	-	1	-	-	-	-	-	-	1	11.0	15.8	-	15.8	-	-	-	-	-
129E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
*131E	-	1	-	-	-	-	-	-	1	16.0	4.9	4.5	-	0.4	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*137E	-	1	-	-	-	-	-	-	1	16.0	0.8	0.8	-	-	-	-	-	-
*140E	-	1	-	-	-	-	-	-	1	20.0	0.1	0.1	-	-	-	-	-	-
141E	-	4	-	-	-	-	-	-	4	14.7	24.6	10.8	-	4.3	-	9.5	-	-
142E	-	5	-	-	-	-	-	-	5	14.0*	7.5	5.4	-	2.1	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	27.5	2.0	2.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	2	-	2	21.5	2.0	2.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	23.3	31.5	20.5	-	7.0	-	4.0	-	-
27N 127E	-	3	-	-	-	-	-	-	3	14.3	6.6	1.0	5.6	-	-	-	-	-
*140E	-	1	-	-	-	-	-	-	1	14.3	0.3	0.2	-	0.1	-	-	-	-
141E	-	2	-	-	-	-	-	-	2	15.0*	5.0	4.9	-	0.1	-	-	-	-
142E	-	6	-	-	-	-	-	-	6	16.3	7.2	7.0	-	-	-	-	-	0.2
*145E	-	6	-	-	-	-	-	-	6	18.0*	12.4	11.8	-	0.6	-	-	-	-
26N 126E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
*128E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
*140E	-	6	-	-	-	-	-	-	6	15.6	5.1	3.5	-	1.3	-	-	-	0.3
141E	-	3	-	-	-	-	-	-	3	17.0	5.2	3.4	-	1.5	-	-	-	0.3
142E	-	7	-	-	-	-	-	-	7	17.5	43.7	39.8	-	2.9	-	-	-	1.0
143E	-	2	-	-	-	-	-	-	2	17.0	4.8	4.8	-	-	-	-	-	-
*179E	-	-	-	-	-	-	2	-	2	20.0	29.5	22.2	-	-	-	7.3	-	-
*176W	-	-	-	-	-	-	1	-	1	31.0	10.1	10.1	-	-	-	-	-	-
175W	-	-	-	-	-	-	2	-	2	23.5	6.0	6.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	2	-	2	23.5	6.0	6.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	1	-	1	24.0	3.0	2.0	-	-	-	-	-	1.0
25N 141E	-	4	-	-	-	-	-	-	4	14.3*	20.2	18.4	-	1.4	-	-	-	0.4
142E	-	1	-	-	-	-	-	-	1	19.0	9.7	8.5	-	1.0	-	-	-	0.2
*176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	5	-	5	20.0	43.5	43.0	-	-	-	-	-	0.5
*174W	-	-	-	-	-	-	2	-	2	21.0	6.3	6.0	-	-	-	0.3	-	-
173W	-	-	-	-	-	-	4	-	4	24.5	47.0	47.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	6	-	6	23.8	53.0	53.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	31.0	6.0	6.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	2	-	2	25.0	10.5	9.0	-	-	-	-	-	1.5
169W	-	-	-	-	-	-	2	-	2	28.5	12.0	12.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
24N 141E	-	6	-	-	-	-	-	-	6	16.2*	13.0	10.7	-	1.1	-	-	-	1.2
*172W	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
*167W	-	-	-	-	-	-	3	-	3	24.0	24.0	24.0	-	-	-	-	-	-
*165W	-	-	-	-	-	-	3	-	3	23.0	27.0	26.5	-	-	-	-	-	0.5
164W	-	-	-	-	-	-	1	-	1	24.0	9.0	9.0	-	-	-	-	-	-
23N 125E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
*141E	-	11	-	-	-	1	-	-	12	15.6*	57.0	54.6	-	2.1	-	-	-	0.3
142E	-	-	-	-	-	-	1	-	1	21.0	11.4	11.4	-	-	-	-	-	-
*172W	-	-	-	-	-	-	2	-	2	23.5	4.0	4.0	-	-	-	-	-	-
*167W	-	-	-	-	-	-	2	-	2	23.0	14.0	14.0	-	-	-	-	-	-
166W	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	2	-	2	23.0	16.0	16.0	-	-	-	-	-	-
22N 140E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*142E	-	-	-	-	-	5	-	-	5	14.8	20.9	20.9	-	-	-	-	-	-
143E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
*145E	-	-	-	-	-	2	-	-	2	15.0	5.8	5.5	-	0.3	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	19.0	2.5	2.5	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
*169W	-	-	-	-	-	-	1	-	1	31.0	5.3	5.3	-	-	-	-	-	-
*166W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
21N 139E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
143E	-	3	-	-	-	-	-	-	3	16.6	23.1	22.6	-	0.5	-	-	-	-
144E	-	-	-	-	-	4	1	-	5	17.2	22.4	21.7	-	0.5	-	-	-	0.2
145E	-	-	-	-	-	2	1	-	3	20.0	8.7	8.0	-	0.7	-	-	-	-
*148E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
149E	-	-	-	-	-	2	-	-	2	19.0	10.4	10.4	-	-	-	-	-	-
*151E	-	-	-	-	-	1	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
*159E	-	-	-	-	-	1	1	-	2	19.0	12.5	12.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	18.0	5.5	5.5	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
20N 140E	-	-	-	-	-	2	-	-	2	20.0	3.0	3.0	-	-	-	-	-	-
141E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -1-007 JUN -167 8月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	■LB.	Y.F.	B.F.	B.E.	F.M.	ELS
20N	143E	-	-	-	-	-	2	-	-	2	14.0	12.5	12.5	-	-	-	-	-	-
	144E	-	-	-	-	-	2	-	-	2	16.5	19.2	18.1	-	1.0	-	-	-	0.1
	145E	-	-	-	-	-	3	-	-	3	17.3	16.7	16.5	-	-	-	-	-	0.2
	*147E	-	-	-	-	-	1	-	-	1	19.0	3.5	3.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	8.4	8.4	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	17.0	5.5	5.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	21.0	18.8	18.5	-	0.3	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	21.0	1.3	1.3	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	21.5	25.0	25.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	7	-	7	21.1	43.6	43.6	-	-	-	-	-	-
	*163W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	*159W	-	-	-	-	-	-	2	-	2	26.0	13.0	13.0	-	-	-	-	-	-
19N	143E	-	-	-	-	-	3	-	-	3	19.6	12.8	12.8	-	-	-	-	-	-
	144E	-	-	-	-	-	5	-	-	5	16.8	22.8	22.0	-	0.2	-	0.3	-	0.3
	145E	-	-	-	-	-	6	-	-	6	18.8	18.5	18.2	-	-	-	0.3	-	-
	146E	-	-	-	-	-	1	1	-	2	20.0	4.8	4.7	-	-	-	-	-	0.1
	147E	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	2	-	-	2	19.0	31.0	31.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	17.0	0.2	0.2	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	21.0	3.1	3.1	-	-	-	-	-	-
	*169E	-	-	-	-	-	3	2	-	5	19.6	50.5	50.5	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*158W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
18N	144E	-	-	-	-	-	6	-	-	6	22.0	14.2	14.2	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	146E	-	-	-	-	-	5	-	-	5	18.6	12.1	12.1	-	-	-	-	-	-
	147E	-	-	-	-	-	3	2	-	5	21.8	18.1	18.1	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	149E	-	-	-	-	-	3	1	-	4	20.7	12.1	12.1	-	-	-	-	-	-
	150E	-	-	-	-	-	2	2	-	4	20.0	23.4	23.3	-	-	-	-	-	0.1
	151E	-	-	-	-	-	1	-	-	1	19.0	7.0	6.0	-	-	-	-	-	1.0
	*153E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	22.0	15.9	15.9	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	31.0	2.0	2.0	-	-	-	-	-	-
17N	143E	-	-	-	-	-	4	-	-	4	19.5	15.4	13.4	-	-	-	2.0	-	-
	144E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	3	-	-	3	20.0	11.0	11.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	17.5	4.0	4.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
16N	142E	-	1	-	-	-	-	-	-	1	19.0	0.2	-	-	0.1	-	-	-	0.1
	143E	-	-	-	-	-	3	-	-	3	18.3	17.0	17.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	17.0	3.3	1.9	-	1.4	-	-	-	-
15N	142E	-	3	-	-	-	-	-	-	3	17.0	2.0	-	-	1.4	-	-	-	0.6
	143E	-	2	-	-	-	-	-	-	2	17.0	1.7	-	-	1.5	-	-	-	0.2
	*174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*160W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*10N	137E	-	1	-	-	-	-	-	-	1	28.0	-	-	-	-	-	-	-	-
*07N	179E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
06N	179E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
05N	178W	-	-	-	-	-	-	3	-	3	26.0	13.0	13.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	1.2	0.7	-	0.5	-	-	-	-
04N	175W	-	-	-	-	-	-	1	-	1	21.0	1.5	1.5	-	-	-	-	-	-
03N	178E	-	-	-	-	-	-	2	-	2	18.0	7.0	7.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	24.0	3.0	3.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	21.0	1.7	1.2	-	-	-	0.5	-	-
	176W	-	-	-	-	-	-	4	-	4	21.0	56.5	56.5	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*164W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
02N	168E	-	1	-	-	-	-	-	-	1	28.0	2.0	-	-	1.3	-	0.4	-	0.3
	169E	-	1	-	-	-	-	-	-	1	28.0	0.9	-	-	0.7	-	-	-	0.2
	*172E	-	-	-	-	-	-	1	-	1	27.0	8.0	8.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	23.0	18.0	18.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	3	-	3	27.0	32.5	32.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	7	-	7	24.5	57.3	57.3	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	7	-	7	22.8	56.0	56.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	10	-	10	24.4	141.0	141.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	13	-	13	26.6	190.6	190.6	-	-	-	-	-	-
	176W	-	-	-	-	-	-	4	-	4	26.2	63.8	63.8	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	28.0	11.0	10.0	-	1.0	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
01N	168E	-	1	-	-	-	-	-	-	1	28.0	0.7	-	-	0.4	-	-	-	0.3
	*177E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	18.0	32.0	32.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	5	-	5	32.2	93.8	93.2	-	-	-	0.6	-	-
	*179W	-	-	-	-	-	-	4	-	4	29.5	68.9	68.9	-	-	-	-	-	-
	178W	-	-	-	-	-	-	11	-	11	25.5	180.2	180.2	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	27.0	54.0	54.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -1-009 JUN -169 8月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ ■.F.	メバチ B.E.	ソーダ F.■.	その他 ELS
00N	168E	-	2	-	-	-	-	-	-	2	28.0	2.4	-	-	1.4	-	0.5	-	0.5
	169E	-	2	-	-	-	-	-	-	2	28.0	2.2	-	-	1.2	-	0.6	-	0.4
	*178W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
*00S	179W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
01S	173E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	2	-	2	25.5	1.8	1.8	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
02S	174E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	37.0	0.7	0.7	-	-	-	-	-	-
03S	179E	-	-	-	-	-	-	1	-	1	26.0	21.0	21.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	7	-	7	29.7	49.1	49.1	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	23.0	17.0	17.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
04S	169E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	24.0	20.0	20.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
05S	169E	-	-	-	-	-	-	1	-	1	24.0	6.0	6.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	24.0	8.5	8.5	-	-	-	-	-	-
06S	171E	-	-	-	-	-	-	1	-	1	24.0	8.0	5.5	-	1.0	-	1.5	-	-
	*173E	-	-	-	-	-	-	1	-	1	24.0	2.0	1.5	-	0.5	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -2-001 JUN -170 8月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
44N	174E	-	-	-	-	-	1	-	-	1	14.0	4.3	-	4.3	-	-	-	-	-
	175E	-	-	-	-	-	1	-	-	1	14.0	1.3	-	1.3	-	-	-	-	-
43N	174E	-	-	-	-	-	17	12	-	29	18.8*	92.6	-	92.6	-	-	-	-	-
	*177E	-	-	-	-	-	1	2	-	3	18.5*	3.5	-	3.5	-	-	-	-	-
	178E	-	-	-	-	-	13	13	-	26	18.2*	102.1	1.0	100.0	-	-	-	-	1.1
	179E	-	-	-	-	-	6	1	-	7	17.2	21.6	0.9	20.7	-	-	-	-	-
42N	156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	4	1	-	5	26.8	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	4	-	4	20.0	17.0	-	16.5	-	-	-	-	0.5
	178E	-	-	-	-	-	24	8	-	32	18.4*	160.6	2.4	155.5	-	-	-	-	2.7
	179E	-	-	-	-	-	5	1	-	6	18.2*	14.2	-	14.2	-	-	-	-	-
41N	146E	-	1	-	-	-	-	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	147E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*150E	-	26	-	-	-	-	1	-	27	19.2	270.4	130.5	139.9	-	-	-	-	-
	151E	-	2	-	-	-	1	-	-	3	21.0	11.3	11.3	-	-	-	-	-	-
	152E	-	1	-	-	-	4	1	-	6	25.1	55.5	55.5	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	5	-	-	5	25.4	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	5	1	-	6	22.6	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	25.7	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	2	1	-	3	25.0	42.5	42.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	20.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	3	-	-	3	21.0	3.7	3.0	0.7	-	-	-	-	-
	176E	-	-	-	-	-	2	-	-	2	19.0	6.2	3.2	3.0	-	-	-	-	-
	177E	-	-	-	-	-	1	-	-	1	22.0	3.0	-	-	-	-	-	-	3.0
40N	143E	-	1	-	-	-	-	-	-	1	23.0	-	-	-	-	-	-	-	-
	144E	-	3	-	-	-	-	-	-	3	18.3	-	-	-	-	-	-	-	-
	145E	-	5	-	-	-	-	1	-	6	17.0	1.5	1.0	-	-	0.5	-	-	-
	146E	-	10	-	-	-	-	1	-	11	15.7*	81.8	81.8	-	-	-	-	-	-
	147E	-	4	-	-	-	-	-	-	4	18.5	5.0	5.0	-	-	-	-	-	-
	148E	-	12	1	-	-	-	-	-	13	18.1	13.4	13.4	-	-	-	-	-	-
	149E	-	14	-	-	-	1	-	-	15	19.2	114.3	109.3	5.0	-	-	-	-	-
	150E	-	26	3	-	-	4	-	-	33	18.7	233.9	164.3	69.2	-	-	-	-	0.4
	151E	-	11	-	-	-	-	1	-	12	19.0	86.9	83.2	3.7	-	-	-	-	-
	152E	-	2	-	-	-	1	1	-	4	22.0	38.0	38.0	-	-	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	24.5	0.5	0.5	-	-	-	-	-	-
	154E	-	-	-	-	-	4	-	-	4	26.0	4.5	4.5	-	-	-	-	-	-
	155E	-	-	-	-	-	6	1	-	7	24.7	8.5	8.5	-	-	-	-	-	-
	156E	-	-	-	-	-	3	-	-	3	24.6	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	20	4	-	24	24.7	107.0	107.0	-	-	-	-	-	-
	158E	-	-	-	-	-	12	26	-	38	22.0	318.0	317.5	-	-	-	-	-	0.5
	159E	-	-	-	-	-	40	65	-	105	22.7	772.7	769.8	-	-	-	-	-	2.9
	160E	-	-	-	-	-	53	13	-	66	23.9	474.4	473.5	-	-	-	-	-	0.9
	161E	-	-	-	-	-	-	6	-	6	20.5	19.0	17.0	-	-	-	-	-	2.0
	162E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
40N	163E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	5	1	-	6	24.3	6.0	4.0	-	-	-	-	-	2.0
	165E	-	-	-	-	-	4	1	-	5	25.4	12.0	12.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	4	1	-	5	24.0	6.5	4.0	-	-	-	-	-	2.5
	168E	-	-	-	-	-	2	-	-	2	21.0	1.5	1.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	-	-	3	26.3	0.1	-	-	-	-	-	-	0.1
	*171E	-	-	-	-	-	1	1	-	2	24.0	0.5	0.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	4	-	-	4	23.2	20.4	20.0	-	-	-	-	-	0.4
	174E	-	-	-	-	-	8	-	-	8	23.8	36.5	35.0	-	-	-	-	-	1.5
	175E	-	-	-	-	-	3	-	-	3	19.0	12.8	4.4	8.4	-	-	-	-	-
39N	142E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	15.0	6.1	6.1	-	-	-	-	-	-
	144E	-	6	-	-	-	-	-	-	6	17.3	4.3	3.7	-	0.1	-	0.4	-	0.1
	145E	-	8	-	-	-	-	-	-	8	20.1	4.5	4.5	-	-	-	-	-	-
	146E	-	11.	1	-	-	-	-	-	12	19.8	30.8	30.8	-	-	-	-	-	-
	147E	-	26	2	-	-	-	-	-	28	18.3	69.2	69.2	-	-	-	-	-	-
	148E	-	22	-	-	-	1	-	-	23	18.7	81.3	79.3	2.0	-	-	-	-	-
	149E	-	19	-	-	-	-	-	-	19	18.0*	112.5	112.5	-	-	-	-	-	-
	150E	-	15	2	-	-	-	-	-	17	20.4*	123.5	123.5	-	-	-	-	-	-
	151E	-	3	-	-	-	-	-	-	3	20.0	23.0	23.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	23.0	1.5	1.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	2	2	-	4	23.2	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	4	7	-	11	23.6	12.0	11.5	-	-	-	-	-	0.5
	157E	-	-	-	-	-	10	10	-	20	23.4	215.0	215.0	-	-	-	-	-	-
	158E	-	-	-	-	-	19	26	-	45	22.3	641.6	640.6	-	-	-	-	-	1.0
	159E	-	-	-	-	-	4	16	-	20	22.3	274.1	274.1	-	-	-	-	-	-
	160E	-	-	-	-	-	-	4	-	4	20.2	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
38N	143E	-	2	-	-	-	-	-	-	2	17.5	1.0	1.0	-	-	-	-	-	-
	144E	-	4	-	-	-	-	1	-	5	16.2	0.1	0.1	-	-	-	-	-	-
	145E	-	7	-	-	-	-	-	-	7	16.1	11.5	11.5	-	-	-	-	-	-
	146E	-	9	-	-	-	-	-	-	9	18.3	18.5	18.5	-	-	-	-	-	-
	147E	-	8	-	-	-	1	-	-	9	15.8	32.1	32.1	-	-	-	-	-	-
	148E	-	5	-	-	-	-	1	-	6	18.6	22.9	22.9	-	-	-	-	-	-
	149E	-	4	-	-	-	1	-	-	5	16.6	16.7	12.7	4.0	-	-	-	-	-
	150E	-	1	-	-	-	1	1	-	3	21.6	10.0	10.0	-	-	-	-	-	-
	151E	-	2	-	-	-	1	-	-	3	17.6	12.0	11.5	0.5	-	-	-	-	-
	152E	-	-	-	-	-	-	3	-	3	23.0	14.0	14.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	3	-	4	22.5	35.8	34.5	-	-	-	-	-	1.3
	154E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	22.0-	6.0	6.0	-	-	-	-	-	-
	156E	-	-	-	-	-	-	4	-	4	23.2	10.5	10.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	2	-	3	22.6	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	0.1	-	-	-	-	-	-	0.1
37N	141E	-	3	-	-	-	-	-	-	3	15.6	0.7	0.4	-	-	-	-	-	0.3
	142E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	16.5	1.5	1.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -2-003 JUN -172 8月中旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
37N 146E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
*152E	-	-	-	-	-	-	1	-	1	23.0	3.5	3.0	-	-	-	-	-	0.5
*154E	-	-	-	-	-	-	2	-	2	21.0	19.0	19.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	9	-	9	22.4	52.3	52.3	-	-	-	-	-	-
156E	-	-	-	-	-	2	12	-	14	22.4	151.0	150.0	-	-	-	-	-	1.0
*161E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
36N 143E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
144E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
*159E	-	-	-	-	-	1	4	-	5	21.8	35.0	35.0	-	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	27.0	10.0	10.0	-	-	-	-	-	-
35N 142E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*145E	-	1	-	-	-	-	-	-	1	12.0	5.5	4.0	1.5	-	-	-	-	-
*159E	-	-	-	-	-	8	6	-	14	22.0	141.0	141.0	-	-	-	-	-	-
160E	-	-	-	-	-	5	-	-	5	21.0	41.0	41.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	17.0	10.0	10.0	-	-	-	-	-	-
34N 139E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
33N 137E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
*139E	-	1	-	-	-	-	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
*142E	-	1	-	-	-	-	-	-	1	12.0	0.9	-	-	0.9	-	-	-	-
32N 129E	-	5	-	-	-	-	-	-	5	12.2	8.5	8.3	-	-	-	-	-	0.2
*139E	-	1	-	-	-	-	-	-	1	10.0	0.9	0.8	-	0.1	-	-	-	-
140E	-	1	-	-	-	-	-	-	1	10.0	1.0	1.0	-	-	-	-	-	-
*143E	-	1	-	-	-	-	-	-	1	10.0	4.7	0.3	0.1	4.1	-	-	-	0.2
31N 130E	-	2	-	-	-	-	-	-	2	10.0	2.2	2.2	-	-	-	-	-	-
*139E	-	8	-	-	-	-	-	-	8	13.0*	6.1	4.6	-	1.1	-	0.3	-	0.1
140E	-	3	-	-	-	-	-	-	3	15.5*	1.9	1.5	-	0.2	-	-	-	0.2
*176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
30N 128E	-	3	-	-	-	-	-	-	3	15.3	17.5	13.5	3.5	-	-	-	-	0.5
129E	-	9	-	-	-	-	-	-	9	14.0	30.7	22.2	-	7.0	-	0.5	-	1.0
130E	-	3	-	-	-	-	-	-	3	15.6	15.3	14.0	-	1.3	-	-	-	-
*139E	-	8	-	-	-	-	-	-	8	14.6*	19.5	7.8	-	11.4	-	-	-	0.3
140E	-	2	-	-	-	-	-	-	2	14.5	2.2	1.2	-	1.0	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	23.0	17.0	17.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
29N 128E	-	16	-	-	-	-	-	-	16	13.1	39.8	34.3	-	3.4	-	0.8	-	1.3
129E	-	8	-	-	-	-	-	-	8	12.7	26.8	21.3	-	5.1	-	-	-	0.4
*140E	-	1	-	-	-	-	-	-	1	18.0	0.6	0.5	-	0.1	-	-	-	-
*178E	-	-	-	-	-	-	3	-	3	24.0	36.0	10.0	-	3.0	-	23.0	-	-
28N 128E	-	1	-	-	-	-	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
*141E	-	3	-	-	-	-	-	-	3	14.5*	-	-	-	-	-	-	-	-
142E	-	2	-	-	-	-	-	-	2	16.5	-	-	-	-	-	-	-	-
*177W	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
27N 140E	-	1	-	-	-	-	-	-	1	17.0	0.7	0.7	-	-	-	-	-	-
141E	-	1	-	-	-	-	-	-	1	15.0	11.0	11.0	-	-	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	17.0	25.0	24.5	-	0.5	-	-	-	-
*145E	-	2	-	-	-	-	-	-	2	13.0	12.7	11.4	-	1.0	-	-	-	0.3
*179E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
26N 142E	-	7	-	-	-	-	-	-	7	15.5*	68.6	67.9	-	0.7	-	-	-	-
25N 141E	-	7	-	-	-	-	-	-	7	16.7	28.1	26.4	-	1.0	-	-	-	0.7
*174W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	23.0	11.0	10.0	-	-	-	1.0	-	-
*169W	-	-	-	-	-	-	2	-	2	23.0	52.0	51.0	-	-	-	1.0	-	-
24N 141E	-	1	-	-	-	-	-	-	1	17.0	0.2	0.1	-	0.1	-	-	-	-
*168W	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
*166W	-	-	-	-	-	-	1	-	1	23.0	0.1	0.1	-	-	-	-	-	-
*164W	-	-	-	-	-	-	1	-	1	23.0	0.2	0.2	-	-	-	-	-	-
23N 136E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*141E	-	-	-	-	-	1	-	-	1	14.0	2.7	2.0	-	0.5	-	-	-	0.2
*154E	-	-	-	-	-	-	1	-	1	24.0	0.9	0.6	-	0.3	-	-	-	-
*172E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
*165W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
163W	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
22N 143E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.2	-	-	-	0.3	-	-
*167E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
21N 141E	-	-	-	-	-	1	-	-	1	20.0	0.8	0.8	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	14.0	4.0	4.0	-	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	16.0	6.0	6.0	-	-	-	-	-	-
*145E	-	-	-	-	-	1	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	2	-	2	27.5	7.0	7.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
20N 159E	-	-	-	-	-	1	1	-	2	19.0	8.5	8.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	20.0	7.9	5.5	2.4	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	1	-	-	1	20.0	3.5	0.5	3.0	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

UN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -2-005 JUN -174 8月中旬

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	SP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
ON	*166E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	1	-	2	22.0	3.5	3.5	-	-	-	-	-	-
9N	142E	-	-	-	-	-	3	-	-	3	20.0	36.4	36.4	-	-	-	-	-	-
	*145E	-	-	-	-	-	2	-	-	2	24.0	9.5	9.2	-	-	-	0.3	-	-
	146E	-	-	-	-	-	1	-	-	1	26.0	1.7	1.7	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	26.0	1.8	1.8	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	20.0	1.1	0.5	0.[illegible]	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	3	-	3	21.3	16.5	16.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	3	-	3	24.0	13.0	13.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	1	-	2	26.0	12.0	12.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	7	-	8	22.8	47.4	47.1	-	-	-	-	-	0.3
	169E	-	-	-	-	-	3	1	-	4	21.0	17.0	17.0	-	-	-	-	-	-
	170E	-	-	-	-	-	4	1	-	5	22.2	28.0	28.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	33.0	5.0	5.0	-	-	-	-	-	-
	*158W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
8N	144E	-	-	-	-	-	1	-	-	1	20.0	2.8	2.8	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	20.0	9.0	9.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	-	-	2	24.0	3.5	3.5	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	2.5	2.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	6	-	6	25.3	34.2	34.2	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	2	1	-	3	20.0	29.0	29.0	-	-	-	-	-	-
7N	145E	-	-	-	-	-	1	-	-	1	20.0	10.0	10.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
6N	157E	-	-	-	-	-	-	1	-	1	24.0	0.6	0.6	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
5N	164E	-	-	-	-	-	1	-	-	1	17.0	0.8	0.8	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
4N	167E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
14N	174E	-	-	-	-	-	-	1	-	1	27.0	12.0	12.0	-	-	-	-	-	-
13N	169E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
12N	167E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
11N	168E	-	-	-	-	-	-	2	-	2	27.5	8.1	8.1	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	24.0	8.0	8.0	-	-	-	-	-	-
10N	173E	-	-	-	-	-	-	1	-	1	28.0	13.0	11.0	-	2.0	-	-	-	-
09N	173E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
08N	164E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	2	-	2	27.5	2.9	2.9	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	19.0	3.0	3.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
07N	156E	-	-	-	-	-	-	1	-	1	21.0	0.9	0.9	-	-	-	-	-	-
	*176E	-	-	-	-	-	1	3	-	4	23.2	7.0	7.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	26.0	3.5	3.0	-	-	-	-	-	0.5
	*163W	-	-	-	-	-	-	1	-	1	24.0	2.0	1.0	-	-	-	-	-	1.0
06N	178E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	22.0	7.0	7.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
05N	150E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	171E	-	-	-	-	-	4	-	-	4	17.0	27.0	27.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	37.0	0.6	0.6	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	26.0	5.0	2.0	-	-	-	3.0	-	-
	*179W	-	-	-	-	-	1	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	3	-	3	24.0	9.0	9.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	1	-	1	24.0	15.0	15.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -2-007 JUN -176 8月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
04N	158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	3	-	3	18.0	16.0	16.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	4	-	4	18.0	24.5	24.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	21.0	15.0	15.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	20.5	10.5	10.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
03N	164E	-	1	-	-	-	-	-	-	1	24.0	1.4	-	-	1.3	-	-	-	0.1
	165E	-	1	-	-	-	-	-	-	1	24.0	1.1	-	-	0.8	-	-	-	0.3
	166E	-	1	-	-	-	-	-	-	1	24.0	0.4	-	-	0.4	-	-	-	-
	*168E	-	3	-	-	-	-	1	-	4	21.0*	14.2	9.0	-	4.1	-	1.0	-	0.1
	169E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	3	-	3	22.0	39.5	39.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	24.0	18.0	18.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	24.0	18.0	18.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	24.0	10.0	10.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	7	-	7	22.0	45.0	45.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	10	-	10	21.9	61.5	61.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	5	-	5	19.4	37.5	37.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
02N	152E	-	-	-	-	-	-	1	-	1	27.0	3.0	2.5	-	0.5	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.0	-	0.5	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	27.0	3.5	1.0	-	2.5	-	-	-	-
	*168E	-	1	-	-	-	-	-	-	1	27.0	0.4	-	-	0.4	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	27.0	0.2	0.2	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	18.0	9.5	9.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	3	-	3	26.0	35.0	35.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	29.0	6.0	6.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	5	-	5	25.2	28.0	28.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	4	-	4	24.2	20.0	20.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	11	-	11	24.7	103.0	103.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	12	-	12	23.6	250.5	250.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	18	-	18	24.8	290.5	290.5	-	-	-	-	-	-
01N	160E	-	-	-	-	-	-	1	-	1	21.0	4.2	3.1	-	0.7	-	0.4	-	-
	161E	-	-	-	-	-	-	1	-	1	21.0	4.5	2.8	-	1.7	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
01N	170E	-	-	-	-	-	1	1	-	2	19.0	9.8	9.8	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	18.0	26.0	26.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	6	-	6	26.8	30.6	30.6	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	23.5	42.0	42.0	-	-	-	-	-	-
00N	167E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	21.0	0.2	0.2	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	18.0	3.5	3.5	-	-	-	-	-	-
*00S	164E	-	-	-	-	-	1	-	-	1	17.0	4.9	3.8	-	1.1	-	-	-	-
01S	162E	-	-	-	-	-	-	1	-	1	21.0	7.7	7.1	-	0.6	-	-	-	-
	163E	-	-	-	-	-	-	2	-	2	21.0	19.4	18.4	-	-	-	1.0	-	-
	*167E	-	-	-	-	-	1	-	-	1	17.0	3.2	3.2	-	-	-	-	-	-
*03S	169E	-	-	-	-	-	-	1	-	1	21.0	1.0	0.6	-	0.4	-	-	-	-
04S	169E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
05S	170E	-	-	-	-	-	-	1	-	1	21.0	2.4	2.4	-	-	-	-	-	-
	171E	-	-	-	-	-	-	3	-	3	23.0	30.0	30.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -3-001 JUN -178 8月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
44N	151E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•174E	-	-	-	-	-	12	7	-	19	20.5	113.[illegible]	-	113.7	-	-	-	-	0.1
43N	172E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	0.2	-	-	-	-	-
	•174E	-	-	-	-	-	38	24	-	62	18.1•	490.7	1.7	489.0	-	-	-	-	-
	175E	-	-	-	-	-	2	-	-	2	14.0	7.4	-	7.4	-	-	-	-	-
	•178E	-	-	-	-	-	3	-	-	3	19.0	6.0	-	6.0	-	-	-	-	-
	179E	-	-	-	-	-	1	-	-	1	19.0	1.8	-	1.8	-	-	-	-	-
42N	152E	-	-	-	-	-	3	-	-	3	24.3	3.0	3.0	-	-	-	-	-	-
	153E	-	-	-	-	-	3	-	-	3	24.3	1.5	1.5	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	•171E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	0.2	-	-	-	-	-
	•175E	-	-	-	-	-	1	-	-	1	27.0	1.0	-	1.0	-	-	-	-	-
	•178E	-	-	-	-	-	5	-	-	5	19.0	16.1	1.6	14.5	-	-	-	-	-
	179E	-	-	-	-	-	2	-	-	2	19.0	3.2	-	3.2	-	-	-	-	-
41N	141E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•145E	-	2	-	-	-	-	-	-	2	16.5	-	-	-	-	-	-	-	-
	146E	-	18	-	-	-	-	-	-	18	15.2	24.4	21.6	-	0.6	-	-	-	2.2
	147E	-	8	-	-	-	-	-	-	8	16.2•	31.2	31.2	-	-	-	-	-	-
	•149E	-	1	-	-	-	1	-	-	2	17.0	4.2	4.2	-	-	-	-	-	-
	150E	-	28	-	-	-	2	-	-	30	18.3	172.9	171.4	-	-	-	-	-	1.5
	151E	-	28	3	-	-	9	4	-	44	20.8•	315.2	315.2	-	-	-	-	-	-
	152E	-	1	-	-	-	38	8	-	47	23.6	198.7	198.2	-	-	-	-	-	0.5
	153E	-	-	-	-	-	1	2	-	3	25.6	9.0	9.0	-	-	-	-	-	-
	154E	-	-	-	-	-	10	1	-	11	23.9	6.5	6.5	-	-	-	-	-	-
	155E	-	-	-	-	-	6	1	-	7	24.4	6.0	5.0	-	-	-	-	-	1.0
	156E	-	-	-	-	-	4	-	-	4	24.7	1.5	1.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	•159E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	19.0	12.0	12.0	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	•163E	-	-	-	-	-	4	-	-	4	22.7	155.0	152.0	-	-	-	-	-	3.0
	164E	-	-	-	-	-	2	-	-	2	26.0	30.0	30.0	-	-	-	-	-	-
	165E	-	-	-	-	-	8	-	-	8	22.1	11.0	9.5	-	-	-	-	-	1.5
	166E	-	-	-	-	-	7	2	-	9	23.5	39.0	39.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	•171E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	•175E	-	-	-	-	-	1	1	-	2	25.5	-	-	-	-	-	-	-	-
40N	143E	-	3	-	-	-	-	-	-	3	14.6	5.0	5.0	-	-	-	-	-	-
	144E	-	1	-	-	-	-	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	145E	-	10	-	-	-	1	-	-	11	17.5	3.0	2.6	-	-	-	-	-	0.4
	146E	-	35	-	-	-	-	-	-	35	16.8•	60.8	60.8	-	-	-	-	-	-
	147E	-	11	1	-	-	-	-	-	12	17.1	16.9	16.9	-	-	-	-	-	-
	148E	-	26	-	-	-	2	-	-	28	1[illegible].1	69.9	69.9	-	-	-	-	-	-
	149E	-	23	1	-	-	-	-	-	24	17.1	77.1	77.0	-	-	-	-	-	0.1
	150E	-	4	-	-	-	4	1	-	9	21.5	16.1	16.1	-	-	-	-	-	-
	151E	-	3	-	-	-	11	4	-	18	22.5	74.8	73.3	-	-	-	-	-	1.5
	152E	-	-	-	-	-	2	-	-	2	25.5	1.0	1.0	-	-	-	-	-	-
	•154E	-	-	-	-	-	3	2	-	5	24.4	4.1	4.0	-	-	-	-	-	0.1
	155E	-	-	-	-	-	2	-	-	2	21.5	8.8	7.5	-	-	-	-	-	1.3
40N	156E	-	-	-	-	-	1	2	-	3	19.0	-	-	-	-	-	-	-	-
	•158E	-	-	-	-	-	3	-	-	3	23.6	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	7	3	-	10	24.3	12.0	12.0	-	-	-	-	-	-
	160E	-	-	-	-	-	9	1	-	10	22.6	50.0	50.0	-	-	-	-	-	-
	161E	-	-	-	-	-	3	2	-	5	20.0	14.5	14.5	-	-	-	-	-	-
	162E	-	-	-	-	-	3	1	-	4	23.2	11.0	11.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	2	-	4	23.2	104.0	104.0	-	-	-	-	-	-
	164E	-	-	-	-	-	12	1	-	13	22.7	112.5	112.5	-	-	-	-	-	-
	165E	-	-	-	-	-	10	2	-	12	23.1	76.5	76.5	-	-	-	-	-	-
	166E	-	-	-	-	-	3	1	-	4	23.7	1.0	1.0	-	-	-	-	-	-
	167E	-	-	-	-	-	5	-	-	5	24.4	1.0	1.0	-	-	-	-	-	-
	•170E	-	-	-	-	-	-	1	-	1	26.0	0.5	-	-	-	-	-	-	0.5
	171E	-	-	-	-	-	3	-	-	3	23.6	6.0	6.0	-	-	-	-	-	-
39N	142E	-	2	-	-	-	-	-	-	2	19.0	10.0	8.0	-	0.9	-	-	-	1.1
	143E	-	4	-	-	-	-	-	-	4	17.2	-	-	-	-	-	-	-	-
	144E	-	2	-	-	-	-	-	-	2	20.0	23.6	23.6	-	-	-	-	-	-
	145E	-	14	-	-	-	-	-	-	14	18.0	63.3	63.3	-	-	-	-	-	-
	146E	-	45	2	-	-	-	1	-	48	18.6•	262.3	262.3	-	-	-	-	-	-
	147E	-	28	1	-	-	3	-	-	32	17.3•	153.0	153.0	-	-	-	-	-	-
	148E	-	17	-	-	-	-	-	-	17	16.8•	85.8	85.3	-	-	-	-	-	0.5
	149E	-	7	-	-	-	1	-	-	8	17.0	29.0	27.0	-	-	-	-	-	2.0
	150E	-	15	1	-	-	-	2	-	18	19.7	125.2	125.2	-	-	-	-	-	-
	151E	-	-	-	-	-	3	-	-	3	21.6	9.0	9.0	-	-	-	-	-	-
	•153E	-	-	-	-	-	-	2	-	2	23.5	1.0	1.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	•158E	-	-	-	-	-	-	2	-	2	19.0	5.0	5.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	•161E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	162E	-	-	-	-	-	7	2	-	9	25.4	19.0	19.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	26.0	-	-	-	-	-	-	-	-
	•165E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	•167E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
38N	141E	-	1	-	-	-	-	-	-	1	11.0	0.4	0.3	-	-	-	-	-	0.1
	•143E	-	2	-	-	-	-	-	-	2	13.0	0.8	0.8	-	-	-	-	-	-
	144E	-	7	-	-	-	-	-	-	7	17.7	12.3	12.0	-	-	-	-	-	0.3
	145E	1	16	-	-	-	2	-	-	19	16.8	54.6	54.6	-	-	-	-	-	-
	146E	-	32	1	-	-	-	-	-	33	16.9	115.5	115.0	-	-	-	-	-	0.5
	147E	-	30	-	-	-	-	-	-	30	14.2•	116.9	116.6	-	-	-	-	-	0.3
	148E	-	50	-	-	-	-	-	-	50	15.6	241.6	241.0	-	-	-	-	-	0.6
	149E	2	68	3	-	-	1	1	-	75	16.1	582.9	582.6	-	-	-	-	-	0.3
	150E	-	30	4	-	-	5	8	-	47	18.7•	371.1	371.1	-	-	-	-	-	-
	151E	-	-	-	-	-	-	5	-	5	21.4	37.0	37.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	7	-	8	20.0	13.5	13.5	-	-	-	-	-	-
	153E	-	-	-	-	-	-	5	-	5	22.6	26.0	26.0	-	-	-	-	-	-
	•160E	-	-	-	-	-	-	1	-	1	22.0	0.3	0.3	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
37N	142E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	13.0	1.8	1.8	-	-	-	-	-	-
	144E	-	2	-	-	-	1	-	-	3	14.6	1.8	1.1	-	-	-	-	-	0.7
	145E	-	1	-	-	-	-	-	-	1	19.0	10.9	10.8	-	-	-	-	-	0.1

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** AUG -3-003 JUN -180 8月下旬

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
37N 146E	-	1	-	-	-	-	-	-	1	20.0	6.0	6.0	-	-	-	-	-	-
147E	-	5	-	-	-	-	-	-	5	15.8	11.6	11.6	-	-	-	-	-	-
148E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
149E	1	4	-	-	-	-	-	-	5	14.8	30.3	30.3	-	-	-	-	-	-
150E	-	8	2	-	-	7	32	-	49	20.1	392.5	392.5	-	-	-	-	-	-
151E	-	-	-	-	-	-	4	-	4	23.0	42.0	42.0	-	-	-	-	-	-
152E	-	-	-	-	-	2	10	-	12	21.4	125.0	125.0	-	-	-	-	-	-
153E	-	-	-	-	-	-	1	-	1	19.0	4.0	4.0	-	-	-	-	-	-
36N 143E	-	5	-	-	-	-	-	-	5	15.0	12.4	8.8	-	1.7	-	1.0	-	0.9
144E	-	3	-	-	-	-	-	-	3	16.6	1.2	1.2	-	-	-	-	-	-
*146E	-	1	-	-	-	1	-	-	2	21.5	8.5	8.5	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	21.0	8.0	8.0	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
35N 144E	-	1	-	-	-	-	-	-	1	15.0	4.7	3.6	-	0.2	-	-	-	0.9
145E	-	-	-	-	-	-	1	-	1	23.0	14.0	14.0	-	-	-	-	-	-
*156E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
34N 143E	-	1	-	-	-	-	-	-	1	13.0	0.6	0.1	-	0.4	-	-	-	0.1
*171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
33N 139E	-	9	-	-	-	-	-	-	9	15.3*	10.9	10.3	-	0.4	-	-	-	0.2
140E	-	1	-	-	-	-	-	-	1	15.3	0.1	0.1	-	-	-	-	-	-
*142E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
143E	-	5	-	-	-	-	-	-	5	12.6	7.0	3.6	-	3.1	-	-	-	0.3
*167E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
32N 128E	1	3	-	-	-	-	-	-	4	12.5	9.8	9.5	-	-	-	-	-	0.3
129E	-	5	-	-	-	-	-	-	5	12.0	6.0	5.3	-	-	-	-	-	0.7
*139E	-	2	-	-	-	-	-	-	2	15.0	2.1	2.1	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
31N 128E	-	2	-	-	-	-	-	-	2	14.0	1.2	0.1	-	-	-	-	-	1.1
129E	1	2	-	-	-	-	-	-	3	11.6	2.0	2.0	-	-	-	-	-	-
*137E	-	1	-	-	-	-	-	-	1	17.0	0.2	-	-	-	-	-	-	0.2
*139E	-	6	-	-	-	-	-	-	6	16.4*	3.7	1.7	-	1.6	-	-	-	0.4
140E	-	3	-	-	-	-	-	-	3	12.3	4.1	3.6	-	0.3	-	-	-	0.2
*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
30N 128E	1	6	-	-	-	-	-	-	7	12.0	46.6	33.7	1.5	9.5	-	1.2	-	0.7
129E	-	15	-	-	-	-	-	-	15	12.6	30.9	25.5	1.0	2.2	-	0.2	-	2.0
130E	-	3	-	-	-	-	-	-	3	12.6	4.3	2.7	-	0.5	-	-	-	1.1
*139E	-	2	-	-	-	-	-	-	2	13.5	0.7	0.7	-	-	-	-	-	-
140E	2	5	-	-	-	-	-	-	7	12.3*	5.7	5.4	-	0.2	-	-	-	0.1
30N *144E	-	3	-	-	-	-	-	-	3	12.3	1.4	0.4	-	1.0	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	24.0	0.6	-	-	-	-	0.2	-	0.4
29N 128E	-	14	-	-	-	-	-	-	14	14.0	37.5	32.1	0.3	2.5	-	-	0.1	2.5
129E	2	29	-	-	-	-	-	-	31	12.4	59.0	53.4	0.5	3.4	-	0.2	0.1	1.4
130E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
*140E	-	2	-	-	-	-	-	-	2	16.0	1.2	0.5	-	0.7	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
179E	-	-	-	-	-	-	5	-	5	24.0	38.5	10.0	-	6.0	-	22.5	-	-
*179W	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
28N 127E	-	6	-	-	-	-	-	-	6	12.8	31.1	22.0	-	6.5	-	-	-	2.6
*129E	-	2	-	-	-	-	-	-	2	15.0.	2.1	1.8	-	0.2	-	-	-	0.1
130E	-	1	-	-	-	-	-	-	1	12.0	2.1	2.1	-	-	-	-	-	-
*141E	-	2	-	-	-	-	-	-	2	10.5	-	-	-	-	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	15.0	4.0	4.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	24.3	21.0	10.0	-	3.0	-	8.0	-	-
178W	-	-	-	-	-	-	2	-	2	21.0	7.5	7.0	-	-	-	0.5	-	-
177W	-	-	-	-	-	-	1	-	1	21.0	2.5	2.0	-	0.5	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	25.0	1.0	0.5	-	0.5	-	-	-	-
27N 126E	-	3	-	-	-	-	-	-	3	14.6	23.1	19.9	-	2.7	-	-	-	0.5
127E	-	1	-	-	-	-	-	-	1	14.0	0.5	0.5	-	-	-	-	-	-
128E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*139E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
140E	-	2	-	-	-	-	-	-	2	12.0	-	-	-	-	-	-	-	-
141E	-	2	-	-	-	-	-	-	2	18.5	1.4	1.4	-	-	-	-	-	-
142E	-	3	-	-	-	-	-	-	3	17.6	2.1	1.3	-	0.5	-	-	-	0.3
143E	-	2	-	-	-	-	-	-	2	19.0	4.2	3.6	-	0.4	-	-	-	0.2
*145E	-	8	-	-	-	-	-	-	8	14.8	17.4	16.2	-	1.2	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	28.0	1.5	1.5	-	-	-	-	-	-
175W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
26N 124E	-	2	-	-	-	-	-	-	2	12.5	14.5	14.5	-	-	-	-	-	-
125E	-	1	-	-	-	-	-	-	1	14.0	9.0	9.0	-	-	-	-	-	-
*127E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
128E	-	1	-	-	-	-	-	-	1	12.0	4.7	4.7	-	-	-	-	-	-
*140E	-	27	-	-	-	-	-	-	27	14.5	17.8	3.9	-	13.7	-	-	-	0.2
141E	-	5	-	-	-	-	1	-	6	14.6	2.5	0.8	-	1.7	-	-	-	-
142E	-	7	-	-	-	-	-	-	7	15.8	15.9	15.5	-	0.4	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	21.0	2.5	2.0	-	0.5	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
25N 124E	-	2	-	-	-	-	-	-	2	13.5	9.0	8.4	-	0.4	-	-	-	0.2
125E	-	1	-	-	-	-	-	-	1	15.0	21.5	20.0	-	1.5	-	-	-	-
126E	-	1	-	-	-	-	-	-	1	12.0	2.5	2.5	-	-	-	-	-	-
127E	-	4	-	-	-	-	-	-	4	14.7	17.4	16.3	-	-	-	1.1	-	-
*141E	-	4	-	-	-	-	-	-	4	16.2	11.3	11.3	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　AUG -3-005　　　　JUN -182　　　　8月下旬

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
25N	*174W	-	-	-	-	-	-	1	-	1	28.0	3.5	3.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	22.0	0.5	-	-	-	-	-	-	0.5
	*171W	-	-	-	-	-	-	1	-	1	28.0	16.0	10.0	-	4.0	-	1.0	-	1.0
	170W	-	-	-	-	-	-	3	-	3	25.0	6.7	6.2	-	0.5	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	28.0	33.0	33.0	-	-	-	-	-	-
24N	134E	-	1	-	-	-	-	-	-	1	11.0	3.5	1.7	-	1.8	-	-	-	-
	*141E	-	4	-	-	-	-	-	-	4	17.7	6.8	6.4	-	0.4	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	18.0	0.7	0.7	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	28.0	11.0	11.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	26.5	6.0	6.0	-	-	-	-	-	-
23N	141E	-	5	-	-	-	-	-	-	5	15.4	10.8	9.0	-	1.8	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	1	-	1	25.0	2.3	2.3	-	-	-	-	-	-
22N	178E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
21N	143E	-	1	-	-	-	-	-	-	1	14.0	7.8	7.5	-	0.3	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
20N	140E	-	-	-	-	-	3	-	-	3	21.0	27.0	27.0	-	-	-	-	-	-
	141E	-	-	-	-	-	2	-	-	2	20.0	22.2	22.2	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	15.0	5.8	5.5	-	0.3	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	26.0	2.2	1.6	-	0.6	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	19.0	9.5	9.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
19N	140E	-	-	-	-	-	4	1	-	5	23.0	41.0	41.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	4	-	-	4	20.0	10.0	10.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	2	-	-	2	22.5	6.5	6.5	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	2	-	-	2	17.0	4.0	4.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	1	-	2	20.0	2.0	2.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	1	-	2	20.5	17.0	17.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
18N	141E	-	-	-	-	-	4	-	-	4	22.0	25.0	25.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	1	-	2	19.0	6.8	6.8	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
17N	141E	-	-	-	-	-	2	-	-	2	22.0	16.0	16.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	18.0	9.1	9.0	-	-	-	-	-	0.1
	*145E	-	-	-	-	-	-	1	-	1	18.0	4.7	4.5	-	-	-	-	-	0.2
	146E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
16N	142E	-	-	-	-	-	-	1	-	1	27.0	4.5	4.5	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	18.0	3.0	2.5	-	0.5	-	-	-	-
	*145E	-	-	-	-	-	-	2	-	2	23.0	5.0	5.0	-	-	-	-	-	-
15N	144E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
14N	147E	-	1	-	-	-	-	-	-	1	18.0	9.0	9.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	17.0	1.8	1.8	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
13N	169E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
12N	144E	-	-	-	-	-	-	1	-	1	23.0	2.5	2.5	-	-	-	-	-	-
11N	174E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	19.0	1.0	0.5	-	-	-	-	-	0.5
	176E	-	-	-	-	-	-	1	-	1	26.0	7.0	5.0	-	2.0	-	-	-	-
10N	173E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
09N	148E	-	-	-	-	-	1	-	-	1	15.0	0.5	-	-	0.5	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	4	-	4	27.2	22.0	21.5	-	0.5	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
08N	145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	26.0	3.0	2.0	-	1.0	-	-	-	-
07N	146E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	3	-	3	25.0	3.0	2.0	-	1.0	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	33.0	7.0	7.0	-	-	-	-	-	-
06N	148E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	149E	-	-	-	-	-	1	2	-	3	21.6	4.8	4.8	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU   *** GYOJYO-BETSU TOUKEI ***   AUG -3-007   JUN -184   8月下旬

操業位置 POSITION		毛数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
06N	*178E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	20.0	1.3	-	-	1.3	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
05N	158E	-	-	-	-	-	1	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	2	1	-	3	26.0	16.0	16.0	-	-	-	-	-	-
	177W	-	-	-	-	-	2	-	-	2	27.0	7.0	7.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	9	-	-	9	23.0	0.8	0.7	-	-	-	0.1	-	-
04N	151E	-	-	-	-	-	1	-	-	1	15.0	2.2	2.0	-	0.2	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	163E	-	1	-	-	-	-	-	-	1	26.0	0.6	-	-	0.4	-	0.2	-	-
	*169E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	18.0	9.0	9.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
03N	000E	-	-	-	-	-	1	-	-	1	23.0	6.6	5.2	-	-	-	0.1	-	1.3
	*159E	-	1	-	-	-	1	-	-	2	17.0*	2.6	0.1	-	1.9	-	0.6	-	-
	*162E	-	1	-	-	-	-	-	-	1	17.0	0.1	-	-	0.1	-	-	-	-
	163F	-	1	-	-	-	-	-	-	1	17.0	0.8	-	-	0.4	-	0.4	-	-
	164E	-	1	-	-	-	-	-	-	1	17.0	0.5	-	-	0.4	-	-	-	0.1
	*171E	-	-	-	-	-	-	2	-	2	18.5	2.5	2.5	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	22.0	22.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	33.0	2.0	2.0	-	-	-	-	-	-
	177W	-	-	-	-	-	3	2	-	5	21.6	41.0	41.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	6	-	6	21.6	73.5	73.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	19.0	14.0	14.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	5	-	-	5	23.0	24.8	22.9	-	0.3	-	0.7	-	0.9
02N	000E	-	-	-	-	-	7	-	-	7	23.0	70.9	54.8	-	0.9	-	1.7	-	13.5
	001E	-	-	-	-	-	1	-	-	1	23.0	3.2	2.9	-	-	-	0.1	-	0.2
	*157E	-	-	-	-	-	1	-	-	1	15.0	4.0	4.0	-	-	-	-	-	-
	158E	-	-	-	-	-	4	-	-	4	15.0	36.2	3[illegible].5	-	0.5	-	1.2	-	-
	159E	-	-	-	-	-	1	-	-	1	15.0	7.0	6.5	-	0.5	-	-	-	-
	160E	-	1	-	-	-	-	-	-	1	15.0	3.5	-	-	3.4	-	0.1	-	-
	161E	-	2	-	-	-	-	-	-	2	15.0	1.9	-	-	1.5	-	0.4	-	-
	*165E	-	-	-	-	-	-	1	-	1	19.0	10.5	10.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	21.5	5.0	5.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	172E	-	-	-	-	-	3	16	-	19	19.3	206.5	206.0	-	0.5	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	25.0	49.0	49.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	4	6	-	10	21.7	98.1	97.5	-	0.6	-	-	-	-
	177W	-	-	-	-	-	9	6	-	15	22.1	206.5	206.5	-	-	-	-	-	-
	176W	-	-	-	-	-	5	15	-	20	21.6	246.7	245.0	-	1.7	-	-	-	-
	175W	-	-	-	-	-	-	3	-	3	25.3	32.0	32.0	-	-	-	-	-	-
02N	*002W	-	-	-	-	-	1	-	-	1	23.0	4.3	4.0	-	-	-	-	-	0.3
	001W	-	-	-	-	-	6	-	-	6	23.0	41.4	36.3	-	1.2	-	1.9	-	2.0
	000W	-	-	-	-	-	4	-	-	4	23.0	26.1	22.0	-	0.2	-	0.7	-	3.2
01N	161E	-	2	-	-	-	-	-	-	2	23.0	2.3	-	-	1.8	-	0.4	-	0.1
	*163E	-	-	-	-	-	-	1	-	1	24.0	0.8	0.8	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	24.0	1.4	0.3	-	1.1	-	-	-	-
	*172E	-	-	-	-	-	-	6	-	6	19.6	32.3	32.3	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	4	-	4	25.5	137.0	137.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	10	-	10	24.4	175.0	175.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	5	19	-	24	25.1	394.8	393.5	-	1.3	-	-	-	-
	176W	-	-	-	-	-	-	11	-	11	25.5	293.3	293.0	-	-	-	-	-	0.3
	*001W	-	-	-	-	-	1	-	-	1	23.0	9.5	9.3	-	-	-	0.2	-	-
00N	160E	-	-	-	-	-	2	-	-	2	17.0	9.4	0.1	-	3.1	-	6.2	-	-
	*172E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	23.0	19.0	19.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	27.0	2.3	2.0	-	0.1	-	-	-	0.2
	*177W	-	-	-	-	-	10	16	-	26	24.4	421.0	421.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	27.0	25.0	25.0	-	-	-	-	-	-
*00S	162E	-	-	-	-	-	1	-	-	1	17.0	1.3	0.8	-	0.5	-	-	-	-
01S	162E	-	-	-	-	-	-	2	-	2	21.0	12.9	12.5	-	0.4	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	21.0	4.7	4.5	-	0.2	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	17.0	3.7	3.6	-	0.1	-	-	-	-
*04S	169E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　SEP -1-001　　JUN -186　　9月上旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
44N 174E	-	-	-	-	-	20	15	-	35	19.3	143.3	-	143.3	-	-	-	-	-
175E	-	-	-	-	-	2	2	-	4	16.5	25.0	-	25.0	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	21.0	0.3	-	0.3	-	-	-	-	-
43N 156E	-	-	-	-	-	1	-	-	1	26.0	25.0	13.0	12.0	-	-	-	-	-
*173E	-	-	-	-	-	2	-	-	2	15.5	0.4	-	0.4	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	21.0	0.4	-	0.4	-	-	-	-	-
179E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
42N 146E	-	1	-	-	-	-	-	-	1	21.0	3.6	3.6	-	-	-	-	-	-
*152E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	1	-	-	1	20.0	0.5	-	0.5	-	-	-	-	-
41N 144E	-	1	-	-	-	-	-	-	1	16.0	11.1	11.1	-	-	-	-	-	-
145E	-	10	-	-	-	-	-	-	10	18.8	31.7	31.7	-	-	-	-	-	-
146E	-	5	-	-	-	-	-	-	5	17.2	18.8	18.8	-	-	-	-	-	-
147E	-	1	-	-	-	-	-	-	1	11.0	1.0	1.0	-	-	-	-	-	-
*149E	-	1	-	-	-	-	-	-	1	20.0	2.5	2.5	-	-	-	-	-	-
150E	-	25	1	-	-	-	-	-	26	19.0	216.8	216.8	-	-	-	-	-	-
151E	-	2	-	-	-	1	-	-	3	21.5*	5.0	5.0	-	-	-	-	-	-
152E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
153E	-	-	-	-	-	2	1	-	3	23.5*	6.0	6.0	-	-	-	-	-	-
154E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
163E	-	-	-	-	-	15	2	-	17	24.1	177.5	177.5	-	-	-	-	-	-
164E	-	-	-	-	-	3	-	-	3	23.0	21.5	21.5	-	-	-	-	-	-
165E	-	-	-	-	-	1	1	-	2	26.5	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	2	1	-	3	26.0	2.4	-	-	-	-	-	-	2.4
*170E	-	-	-	-	-	3	-	-	3	21.0	19.0	19.0	-	-	-	-	-	-
171E	-	-	-	-	-	2	-	-	2	18.0	10.5	10.0	-	-	-	-	-	0.5
*174E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
40N 143F	-	1	-	-	-	1	-	-	2	22.0*	-	-	-	-	-	-	-	-
144E	-	37	3	-	-	-	-	-	40	17.3*	158.9	158.9	-	-	-	-	-	-
145E	-	28	-	-	-	-	-	-	28	16.6*	61.6	61 6	-	-	-	-	-	-
146E	-	25	-	-	-	-	-	-	25	16.2	58.7	58.7	-	-	-	-	-	-
147E	-	32	5	-	-	-	-	-	37	18.3	157.2	157.2	-	-	-	-	-	-
148E	-	17	1	-	-	-	-	-	18	18.6*	101.1	101.1	-	-	-	-	-	-
149E	-	15	-	-	-	-	-	-	15	19.4*	87.4	87.4	-	-	-	-	-	-
150E	-	12	-	-	-	3	-	-	15	19.6	49.3	49.3	-	-	-	-	-	-
151E	-	1	-	-	-	1	2	-	4	20.5	27.1	27.1	-	-	-	-	-	-
*154E	-	-	-	-	-	2	-	-	2	23.5	3.0	3.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
158E	-	-	-	-	-	4	-	-	4	25.2	0.5	0.5	-	-	-	-	-	-
159E	-	-	-	-	-	9	1	-	10	25.3	19.5	19.5	-	-	-	-	-	-
160E	-	-	-	-	-	8	1	-	9	24.8	43.5	43.5	-	-	-	-	-	-
161E	-	-	-	-	-	4	1	-	5	24.2	57.5	57.5	-	-	-	-	-	-
162E	-	-	-	-	-	3	-	-	3	25.3	2.5	2.5	-	-	-	-	-	-
163E	-	-	-	-	-	18	1	-	19	24.1	208.0	208.0	-	-	-	-	-	-
164E	-	-	-	-	-	2	-	-	2	26.5	-	-	-	-	-	-	-	-
40N 165E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	19.0	6.0	6.0	-	-	-	-	-	-
170E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
39N 143E	-	4	-	-	-	-	-	-	4	17.2	6.0	6.0	-	-	-	-	-	-
144E	-	2	-	-	-	-	-	-	2	22.0*	2.0	2.0	-	-	-	-	-	-
145E	-	17	-	-	-	-	-	-	17	19.2	45.4	45.4	-	-	-	-	-	-
146E	-	66	1	-	-	-	-	-	67	16.7	200.2	199.3	-	-	-	-	-	0.9
147E	-	49	-	-	-	-	-	-	49	17.0*	193.9	193.4	-	-	-	-	-	0.5
148E	1	37	1	-	-	-	-	-	39	17.0*	208.2	207.9	-	-	-	-	-	0.3
149E	-	10	-	-	-	-	-	-	10	15.5	29.6	29.6	-	-	-	-	-	-
150E	-	3	-	-	-	-	-	-	3	18.3	15.0	15.0	-	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
152E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
153E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	2	-	-	2	21.0*	34.0	34.0	-	-	-	-	-	-
161E	-	-	-	-	-	9	8	-	17	22.7*	226.2	226.2	-	-	-	-	-	-
162E	-	-	-	-	-	28	14	-	42	24.2*	736.7	736.7	-	-	-	-	-	-
163E	-	-	-	-	-	13	6	-	19	23.8*	125.6	125.6	-	-	-	-	-	-
164E	-	-	-	-	-	3	2	-	5	25.0	24.0	24.0	-	-	-	-	-	-
*166E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
38N 142E	-	2	-	-	-	-	-	-	2	20.5	0.2	0.2	-	-	-	-	-	-
143E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
144E	-	5	-	-	-	-	-	-	5	16.0	1.4	1.4	-	-	-	-	-	-
145E	1	29	2	-	-	-	-	-	32	15.5*	71.8	71.8	-	-	-	-	-	-
146E	1	36	1	-	-	-	-	-	38	17.3*	137.2	137.2	-	-	-	-	-	-
147E	-	47	-	-	-	1	-	-	48	16.5*	230.4	229.9	-	-	-	-	-	0.5
148E	2	62	2	-	-	-	-	-	66	16.1*	367.3	366.8	-	-	-	-	-	0.5
149E	-	9	-	-	-	-	1	-	10	17.7	22.5	21.8	-	-	-	-	-	0.7
150E	-	2	-	-	-	4	4	-	10	19.6	35.2	35.2	-	-	-	-	-	-
151E	-	-	-	-	-	-	2	-	2	23.0	2.5	2.5	-	-	-	-	-	-
152E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
153E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
154E	-	-	-	-	-	1	1	-	2	25.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	25.0	2.2	2.2	-	-	-	-	-	-
*165E	-	-	-	-	-	4	-	-	4	26.2	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	3	1	-	4	25.2	-	-	-	-	-	-	-	-
37N 144E	-	2	-	-	-	-	-	-	2	18.0	6.5	5.7	-	-	-	-	-	0.8
145E	-	10	-	-	-	-	-	-	10	16.3	24.7	24.7	-	-	-	-	-	-
146E	-	2	-	-	-	-	-	-	2	16.0	7.0	7.0	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
148E	-	1	-	-	-	-	-	-	1	11.0	3.5	3.5	-	-	-	-	-	-
149E	-	-	1	-	-	-	-	-	1	20.0	12.0	12.0	-	-	-	-	-	-
150E	-	1	-	-	-	4	3	-	8	18.1*	27.0	27.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	4	-	5	22.2	18.5	18.5	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	20.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** SEP -1-003 JUN -188 9月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
37N	165E	-	-	-	-	-	2	1	-	3	27.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	4	2	-	6	25.1	-	-	-	-	-	-	-	-
36N	143E	-	2	-	-	-	-	-	-	2	18.0	8.0	8.0	-	-	-	-	-	-
35N	158E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
34N	139E	-	4	-	-	-	-	-	-	4	17.2	0.8	0.7	-	-	-	-	-	0.1
	140E	-	1	-	-	-	-	-	-	1	20.0	5.6	4.7	-	0.6	-	-	-	0.3
	*142E	-	1	-	-	-	-	-	-	1	12.0	2.6	2.6	-	-	-	-	-	-
33N	138E	-	2	-	-	-	-	-	-	2	15.0	1.3	-	-	0.7	-	-	-	0.6
	139E	-	18	-	-	-	-	-	-	18	15.8	16.4	15.8	-	0.3	-	-	0.1	0.2
	140E	-	6	-	-	-	-	-	-	6	16.1	6.2	6.0	-	-	-	-	-	0.2
32N	128E	-	2	-	-	-	-	-	-	2	13.5	0.5	-	-	-	-	-	-	0.5
	129E	-	3	-	-	-	-	-	-	3	11.0	6.4	6.4	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	15.0	3.0	0.5	-	1.7	-	-	-	0.8
	*139E	-	4	-	-	-	-	-	-	4	16.6*	5.6	4.8	-	0.5	-	-	-	0.3
	140E	-	5	-	-	-	-	-	-	5	17.7*	8.0	6.4	-	1.6	-	-	-	-
31N	129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*139E	-	19	-	-	-	-	-	-	19	14.6*	13.0	4.1	-	8.0	-	-	-	0.9
	140E	-	2	-	-	-	-	-	-	2	18.5	2.0	0.5	-	0.1	-	-	-	1.4
30N	127E	-	3	-	-	-	-	-	-	3	14.0	2.0	1.0	-	-	-	-	-	1.0
	128E	-	6	-	-	-	-	-	-	6	12.0	36.6	23.5	-	6.0	-	-	-	7.1
	129E	1	4	-	-	-	-	-	-	5	11.2	14.9	10.6	1.7	1.7	-	-	-	0.9
	*132E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	17.0	0.5	0.2	-	0.3	-	-	-	-
	139E	-	2	-	-	-	-	-	-	2	12.0	1.0	1.0	-	-	-	-	-	-
	140E	-	7	-	-	-	-	-	-	7	15.2*	7.8	3.4	0.3	3.7	-	-	-	0.4
	*179W	-	-	-	-	-	-	1	-	1	25.0	11.0	2.0	-	-	-	6.0	-	3.0
29N	127E	-	3	-	-	-	-	-	-	3	13.6	1.0	1.0	-	-	-	-	-	-
	128E	-	11	-	-	-	-	-	-	11	13.2	31.9	27.4	-	4.4	-	-	-	0.1
	129E	4	10	-	-	-	-	-	-	14	11.7	24.4	23.2	0.2	0.1	-	0.3	-	0.6
	*140E	-	34	-	-	-	-	-	-	34	14.8*	20.7	0.6	-	19.6	-	-	-	0.5
	*178E	-	-	-	-	-	-	1	-	1	22.0	2.0	1.0	-	-	-	1.0	-	-
	*179W	-	-	-	-	-	-	3	-	3	25.0	12.3	2.7	-	1.0	-	8.6	-	-
28N	127E	-	6	-	-	-	-	-	-	6	12.6	11.0	8.5	-	1.1	-	1.2	-	0.2
	128E	-	2	-	-	-	-	-	-	2	12.5	-	-	-	-	-	-	-	-
	*137E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	16.0	0.8	0.5	-	0.3	-	-	-	-
28N	*179W	-	-	-	-	-	-	1	-	1	22.0	8.0	5.0	-	-	-	3.0	-	-
	*176W	-	-	-	-	-	-	3	-	3	24.0	13.9	7.4	-	1.5	-	5.0	-	-
27N	126E	-	22	-	-	-	-	-	-	22	14.0	63.9	49.2	0.5	10.3	-	-	-	3.9
	127E	1	2	-	-	-	-	-	-	3	15.0	1.4	1.1	-	0.3	-	-	-	-
	128E	18	-	-	-	-	-	-	-	18	16.6	25.3	25.3	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
26N	125E	-	21	-	-	-	-	-	-	21	13.6	87.2	76.4	0.6	8.4	-	-	-	1.8
	126E	-	8	-	-	-	-	-	-	8	14.0	33.1	25.8	0.5	3.2	-	3.3	-	0.3
	127E	-	1	-	-	-	-	-	-	1	14.0	1.5	0.5	-	1.0	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	15.0	0.1	-	-	0.1	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	15.0	1.6	1.0	-	0.6	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	16.0	5.0	3.5	-	1.5	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	25.0	0.9	0.8	-	0.1	-	-	-	-
25N	124E	-	9	-	-	-	-	-	-	9	14.1	32.9	22.1	-	10.5	-	-	-	0.3
	125E	-	4	-	-	-	-	-	-	4	12.5	13.1	6.7	3.0	2.8	-	-	-	0.6
	126E	-	2	-	-	-	1	-	-	3	17.0	11.0	7.8	3.0	-	-	-	-	0.2
	127E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	2	-	2	20.0	9.0	9.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	4	-	4	24.2	22.4	22.0	-	0.4	-	-	-	-
24N	123E	-	2	-	-	-	-	-	-	2	15.0	3.3	3.3	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*127E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	16.0	3.0	2.0	-	1.0	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	22.0	0.5	-	-	-	-	-	-	0.5
	170W	-	-	-	-	-	-	2	-	2	25.0	21.5	19.0	-	1.5	-	1.0	-	-
23N	122E	-	3	-	-	-	-	-	-	3	16.3	4.5	4.5	-	-	-	-	-	-
	123E	-	6	-	-	-	-	-	-	6	13.6	17.0	16.8	-	0.2	-	-	-	-
	*125E	-	2	-	-	-	-	-	-	2	14.0	8.0	4.0	-	4.0	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	15.0	4.1	1.4	0.7	1.8	-	-	-	0.2
	*157E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
22N	122E	-	2	-	-	-	-	-	-	2	15.0	11.5	11.5	-	-	-	-	-	-
	123E	-	2	-	-	-	-	-	-	2	13.5	-	-	-	-	-	-	-	-
	124E	-	2	-	-	-	-	-	-	2	18.0	7.0	4.0	3.0	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
21N	124E	-	1	-	-	-	-	-	-	1	18.0	6.0	4.0	2.0	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	12.0	0.3	-	-	0.3	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　SEP -1-005　　　　JUN -190　　　　9月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
20N	144E	-	1	-	-	-	-	-	-	1	12.0	0.4	-	-	0.4	-	-	-	-
19N	139E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*145E	-	6	-	-	-	-	-	-	6	12.0	5.9	-	-	5.9	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	147F	-	-	-	-	-	1	-	-	1	16.0	3.5	3.5	-	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	16.0	4.5	4.5	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	16.0	3.5	3.5	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
18N	142E	-	-	-	-	-	1	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	16.0	4.0	4.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	21.0	14.0	14.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
17N	143E	-	-	-	-	-	-	2	-	2	23.0	9.0	9.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
16N	147E	-	-	-	-	-	1	-	-	1	17.0	2.8	2.8	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
12N	167W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
08N	168W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
05N	171W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	14	-	-	14	23.0	6.2	6.1	-	-	-	0.1	-	-
04N	158E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
03N	001E	-	-	-	-	-	1	-	-	1	23.0	5.3	5.1	-	-	-	0.1	-	0.1
	*154E	-	-	-	-	-	1	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	15.0	2.4	2.0	-	0.4	-	-	-	-
	*159E	-	1	-	-	-	-	1	-	2	19.0*	2.8	1.0	-	1.2	-	0.6	-	-
	160E	-	-	-	-	-	-	1	-	1	17.0	0.4	0.3	-	0.1	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*002W	-	-	-	-	-	1	-	-	1	23.0	9.2	9.0	-	-	-	0.2	-	-
	001W	-	-	-	-	-	3	-	-	3	23.0	17.9	17.3	-	-	-	0.6	-	-
	000W	-	-	-	-	-	2	-	-	2	23.0	7.4	7.2	-	-	-	0.2	-	-
02N	000E	-	-	-	-	-	1	-	-	1	23.0	4.1	3.7	-	-	-	0.2	-	0.2
	*003E	-	-	-	-	-	3	-	-	3	23.0	37.6	26.1	-	-	-	0.3	-	11.2
	*154E	-	1	-	-	-	-	-	-	1	23.0	0.9	-	-	0.8	-	-	-	0.1
	*156E	-	1	-	-	-	-	-	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	2	-	-	2	15.0	6.5	5.5	-	0.5	-	0.5	-	-
	159E	-	-	-	-	-	1	-	-	1	15.0	2.1	1.0	-	1.0	-	0.1	-	-
	160E	-	1	-	-	-	1	1	-	3	19.5*	2.8	1.6	-	0.9	-	0.3	-	-
	*162E	-	-	-	-	-	2	-	-	2	26.0	9.3	2.5	-	3.3	-	3.5	-	-
	*165E	-	-	-	-	-	-	3	-	3	22.0	12.5	8.4	-	3.1	-	1.0	-	-
	166E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	24.0	7.7	5.7	-	2.0	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	21.5	8.7	6.2	-	2.5	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	17.0	0.9	0.9	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	3	-	3	27.0	62.6	62.6	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	23.0	1.5	1.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	*001W	-	-	-	-	-	6	-	-	6	23.0	56.5	53.5	-	0.2	-	1.9	-	0.9
	000W	-	-	-	-	-	9	-	-	9	23.0	74.2	57.5	-	0.4	-	1.9	-	14.4
01N	000E	-	-	-	-	-	1	-	-	1	23.0	6.1	6.0	-	-	-	0.1	-	-
	*003E	-	-	-	-	-	1	-	-	1	23.0	18.6	10.2	-	0.1	-	0.1	-	8.2
	*154E	-	1	-	-	-	-	-	-	1	23.0	0.3	-	-	0.1	-	0.1	-	0.1
	*160E	-	1	-	-	-	1	-	-	2	20.0*	4.7	3.0	-	1.2	-	0.2	-	0.3
	161E	-	-	-	-	-	4	-	-	4	19.5	9.6	5.7	-	1.2	-	1.1	-	1.6
	162E	-	-	-	-	-	2	-	-	2	23.0	12.5	3.5	-	3.2	-	5.8	-	-
	*165E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	19.0	4.5	4.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	23.0	22.0	22.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	8.0	8.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	5	-	5	24.6	83.2	82.6	-	-	-	-	-	0.6
	*179W	-	-	-	-	-	-	3	-	3	29.0	41.0	41.0	-	-	-	-	-	-
	178W	-	-	-	-	-	2	7	-	9	25.4	151.5	149.5	-	2.0	-	-	-	-
	177W	-	-	-	-	-	2	7	-	9	18.3	140.5	140.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	15	-	15	21.2	278.0	278.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	6	-	6	24.6	284.0	284.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	*001W	-	-	-	-	-	2	-	-	2	23.0	11.3	9.8	-	0.6	-	0.9	-	-
	000W	-	-	-	-	-	3	-	-	3	23.0	21.0	19.8	-	-	-	1.2	-	-
00N	158E	-	1	-	-	-	-	-	-	1	23.0	0.3	-	-	0.2	-	0.1	-	-
	159E	-	1	-	-	-	-	-	-	1	23.0	1.0	-	-	0.8	-	0.1	-	0.1
	*162E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	5	-	5	23.0	85.0	85.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	3	-	3	25.6	20.7	20.5	-	-	-	-	-	0.2
	179E	-	-	-	-	-	1	2	-	3	24.3	25.4	25.0	-	-	-	-	-	0.4
	*178W	-	-	-	-	-	1	10	-	11	22.0	147.5	147.5	-	-	-	-	-	-
	177W	-	-	-	-	-	7	33	-	40	22.5	733.0	733.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	9	-	9	20.0	117.0	117.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	6	-	6	24.6	117.0	117.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	21.0	26.0	26.0	-	-	-	-	-	-
*00S	162E	-	-	-	-	-	1	-	-	1	20.0	5.7	5.7	-	-	-	-	-	-
	163C	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
01S	162E	-	-	-	-	-	1	2	-	3	22.6	16.3	15.0	-	0.7	-	0.6	-	-
	163E	-	-	-	-	-	4	1	-	5	24.4	12.0	11.8	-	-	-	-	-	0.2
	*166E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** SEP -2-001 JUN -193 9月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
44N	174E	-	-	-	-	-	4	3	-	7	18.7	28.0	-	28.0	-	-	-	-	-
	175E	-	-	-	-	-	59	16	-	75	19.6	312.3	7.0	305.3	-	-	-	-	-
	176E	-	-	-	-	-	10	2	-	12	18.0	28.8	-	28.8	-	-	-	-	-
43N	173E	-	-	-	-	-	1	1	-	2	28.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	2	-	-	2	24.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	36	8	-	44	23.1*	117.6	8.5	108.6	-	-	-	-	0.5
42N	152E	-	1	-	-	-	-	-	-	1	22.0	6.7	6.7	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	29.0	7.7	7.7	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	2	-	-	2	24.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
41N	144E	-	8	-	-	-	-	-	-	8	18.8	34.1	34.1	-	-	-	-	-	-
	145E	-	3	1	-	-	-	-	-	4	19.0	6.0	6.0	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.5	-	-	-	-	-	-
	147E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*149E	-	1	-	-	-	-	-	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	150E	-	31	2	-	-	-	-	-	33	19.1*	121.1	121.1	-	-	-	-	-	-
	*152E	-	2	-	-	-	3	1	-	6	22.0*	27.9	27.9	-	-	-	-	-	-
	153E	-	1	-	-	-	-	-	-	1	18.0	4.5	4.5	-	-	-	-	-	-
	*155E	-	1	-	-	-	-	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	38	8	-	46	23.6*	247.3	234.2	11.1	-	-	-	-	2.0
	166E	-	-	-	-	-	10	1	-	11	24.4*	38.4	34.6	-	-	-	-	0.3	3.5
	*171E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	2	-	-	2	25.0	1.0	-	1.0	-	-	-	-	-
	174E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	1	-	-	1	19.0	7.5	7.5	-	-	-	-	-	-
40N	144E	-	9	-	-	-	1	-	-	10	14.9	17.0	17.0	-	-	-	-	-	-
	145E	-	13	-	-	-	1	-	-	14	14.6*	68.0	68.0	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	147E	-	3	-	-	-	-	-	-	3	18.3	6.0	6.0	-	-	-	-	-	-
	148E	-	9	-	-	-	1	-	-	10	20.0*	57.0	57.0	-	-	-	-	-	-
	149E	-	8	-	-	-	1	-	-	9	19.8	45.1	45.1	-	-	-	-	-	-
	150E	-	13	-	-	-	2	-	-	15	19.3*	58.9	58.9	-	-	-	-	-	-
	151E	-	5	-	-	-	2	-	-	7	21.8	33.8	33.8	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	26.0	10.0	10.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	23.0	3.5	3.5	-	-	-	-	-	-
	159E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	18	4	-	22	23.3*	148.3	146.9	-	-	-	-	-	1.4
	165E	-	-	-	-	-	68	14	-	82	23.8*	757.3	755.0	1.0	-	-	-	-	1.3
	166E	-	-	-	-	-	1	1	-	2	25.5	10.0	10.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
40N	170E	-	-	-	-	-	-	1	-	1	28.0	3.0	-	3.0	-	-	-	-	-
	*175E	-	-	-	-	-	2	-	-	2	19.0	8.5	8.5	-	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	19.0	2.5	2.5	-	-	-	-	-	-
39N	144E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	145E	-	5	-	-	-	-	-	-	5	15.6	19.5	19.5	-	-	-	-	-	-
	146E	-	47	-	-	-	-	-	-	47	15.8	169.0	169.0	-	-	-	-	-	-
	147E	-	42	-	-	-	-	-	-	42	17.1*	149.8	149.8	-	-	-	-	-	-
	148E	-	10	1	-	-	-	-	-	11	18.6	40.1	39.6	-	-	-	-	-	0.5
	149E	-	2	-	-	-	-	-	-	2	15.5	1.8	1.8	-	-	-	-	-	-
	150E	-	2	-	-	-	1	-	-	3	19.3	23.3	23.3	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	3	1	-	4	22.2	2.5	2.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	5	7	-	12	23.5	34.9	34.9	-	-	-	-	-	-
	164E	-	-	-	-	-	17	2	-	19	23.2	93.5	93.5	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	22.5	38.0	38.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	2	-	-	2	25.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
38N	142E	-	4	-	-	-	-	-	-	4	13.5	3.0	3.0	-	-	-	-	-	-
	143E	-	4	-	-	-	-	-	-	4	16.7	8.9	8.9	-	-	-	-	-	-
	144E	1	7	-	-	-	-	-	-	8	15.0	15.0	15.0	-	-	-	-	-	-
	145E	-	46	-	-	-	-	-	-	46	15.6	182.0	181.5	-	-	-	-	-	0.5
	146E	1	104	3	-	-	-	-	-	108	17.1	555.8	553.2	-	0.1	-	-	-	2.5
	147E	2	45	-	-	-	-	-	-	47	16.0	160.3	160.2	-	-	-	-	-	0.1
	148E	-	16	-	-	-	-	1	-	17	16.4*	56.5	56.5	-	-	-	-	-	-
	149E	-	6	-	-	-	-	-	-	6	16.1	19.6	19.6	-	-	-	-	-	-
	150E	-	1	-	-	-	-	-	-	1	15.0	4.0	4.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	2	-	2	21.0	5.0	5.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
37N	142E	-	2	-	-	-	-	-	-	2	16.0	0.9	0.9	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	14.0	2.3	2.3	-	-	-	-	-	-
	144E	-	2	-	-	-	-	-	-	2	12.0	1.5	1.5	-	-	-	-	-	-
	145E	-	40	-	-	-	-	-	-	40	16.8	199.1	199.1	-	-	-	-	-	-
	146E	-	38	3	-	-	-	-	-	41	17.0*	241.9	241.6	-	-	-	-	-	0.3
	147E	-	42	3	-	-	-	1	-	46	18.5	373.9	373.9	-	-	-	-	-	-
	148E	-	1	-	-	-	-	1	-	2	17.5	15.5	15.5	-	-	-	-	-	-
	149E	-	-	1	-	-	-	-	-	1	20.0	6.0	6.0	-	-	-	-	-	-
	150E	-	-	2	-	-	-	-	-	2	20.0	15.0	15.0	-	-	-	-	-	-
	151E	-	-	-	-	-	3	2	-	5	22.5*	43.0	41.0	-	-	-	-	-	2.0
	*171E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
36N	141E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	142E	-	4	-	-	-	-	-	-	4	17.5	7.2	6.7	0.5	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	16.0	3.0	3.0	-	-	-	-	-	-
	144E	-	4	-	-	-	-	-	-	4	15.0	16.5	16.5	-	-	-	-	-	-
	145E	1	82	2	-	-	-	-	-	85	15.9*	401.3	401.1	-	-	-	-	-	0.2

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　SEP -2-003　　　　JUN -195　　9月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ ダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
36N	146E	1	34	-	-	-	-	-	-	35	17.6*	261.5	261.5	-	-	-	-	-	-
	147E	-	7	1	-	-	-	-	-	8	18.7	68.0	68.0	-	-	-	-	-	-
35N	144E	-	1	-	-	-	-	-	-	1	18.0	1.7	0.6	-	-	-	-	-	1.1
	145E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
34N	139E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
33N	134E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*139E	-	2	-	-	-	-	-	-	2	12.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	20.0	0.4	0.4	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
32N	129E	-	2	-	-	-	-	-	-	2	14.0	5.6	4.0	-	1.3	-	-	-	0.3
	*139E	-	6	-	-	-	-	-	-	6	16.3	8.2	7.0	-	1.2	-	-	-	-
31N	127E	-	1	-	-	-	-	-	-	1	9.0	1.2	1.2	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	10.5	0.3	-	-	-	-	-	-	0.3
	*139E	-	18	-	-	-	-	-	-	18	14.7*	7.5	1.4	-	6.1	-	-	-	-
	140E	-	9	-	-	-	-	-	-	9	18.8*	7.4	1.4	-	4.6	-	-	-	1.4
30N	127E	-	1	-	-	-	-	-	-	1	9.0	1.2	1.2	-	-	-	-	-	-
	128E	-	10	-	-	-	-	-	-	10	10.5	39.8	23.4	-	4.4	-	-	-	12.0
	129E	-	2	-	-	-	-	-	-	2	12.0	3.0	1.4	-	0.9	-	-	-	0.7
	130E	3	2	-	-	-	-	-	-	5	12.6	2.3	1.6	-	-	-	-	-	0.7
	*140E	-	6	-	-	-	-	-	-	6	14.5*	1.7	0.6	-	1.1	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	20.0	9.5	1.0	-	2.4	-	6.0	-	0.1
29N	127E	-	2	-	-	-	-	-	-	2	16.0	2.7	2.2	-	0.5	-	-	-	-
	128E	-	8	-	-	-	-	-	-	8	12.7	8.2	5.3	-	2.9	-	-	-	-
	129E	2	19	-	-	-	-	-	-	21	13.0	30.1	27.9	-	2.2	-	-	-	-
	*139E	1	-	-	-	-	-	-	-	1	12.0	1.1	0.2	-	0.4	-	-	-	0.5
	140E	-	70	-	-	-	-	-	-	70	15.1*	35.4	0.8	-	33.9	-	-	-	0.7
	*173E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	24.5	11.0	2.5	-	6.0	-	2.5	-	-
28N	127E	-	9	-	-	-	-	-	-	9	12.6	13.8	10.7	-	3.0	-	-	-	0.1
	128E	-	1	-	-	-	-	-	-	1	14.0	2.5	1.0	-	1.5	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	13.0	1.1	1.0	-	-	-	-	-	0.1
	142E	-	3	-	-	-	-	-	-	3	15.6	7.3	7.1	0.2	-	-	-	-	-
	*178W	-	-	-	-	-	-	2	-	2	24.0	8.0	4.0	-	4.0	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	26.0	4.0	2.0	-	2.0	-	-	-	-
27N	126E	-	7	-	-	-	-	-	-	7	12.7	11.8	9.3	-	2.0	-	-	-	0.5
	127E	8	2	-	-	-	-	-	-	10	15.5	7.0	7.0	-	-	-	-	-	-
	128E	13	2	-	-	-	-	-	-	15	15.9	8.9	8.7	-	0.2	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	12.5*	0.3	0.2	-	0.1	-	-	-	-
27N	*145E	-	1	-	-	-	-	-	-	1	17.0	0.9	0.5	0.1	-	-	-	0.3	-
	*177W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
26N	125E	-	8	-	-	-	-	-	-	8	12.7	17.8	12.4	-	3.0	-	1.6	-	0.8
	126E	-	7	-	-	-	-	-	-	7	12.8	20.7	19.0	-	0.5	-	1.0	-	0.2
	*128E	-	1	-	-	-	-	-	-	1	15.0	2.5	2.5	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	15.3	0.7	0.1	-	0.6	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	15.3	1.2	1.1	-	0.1	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	14.6	4.9	3.8	-	1.1	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	26.0	1.3	0.7	-	0.6	-	-	-	-
25N	124E	-	1	-	-	-	-	-	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	14.0	13.1	7.5	-	5.6	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	15.0	4.0	3.2	-	0.8	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	17.0	3.1	0.3	-	1.5	-	-	-	1.3
24N	126E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	15.0	1.3	1.3	-	-	-	-	-	-
23N	123E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	124E	-	1	-	-	-	1	-	-	2	18.5	7.0	6.0	-	0.5	-	-	-	0.5
	125E	-	3	-	-	-	-	-	-	3	13.6	16.0	16.0	-	-	-	-	-	-
	126E	-	3	-	-	-	-	-	-	3	14.6	5.0	5.0	-	-	-	-	-	-
	*141E	-	10	-	-	-	-	-	-	10	15.0	13.8	6.0	0.2	6.7	-	-	-	0.9
	142E	-	2	-	-	-	-	-	-	2	13.5	1.5	1.1	-	0.3	-	-	-	0.1
22N	124E	-	4	-	-	-	-	-	-	4	13.0	17.0	17.0	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	14.0	2.5	2.5	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	15.0	2.7	2.7	-	-	-	-	-	-
21N	125E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	126E	-	7	-	-	-	-	-	-	7	14.1	32.0	32.0	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	11.0	1.0	0.5	-	0.5	-	-	-	-
	128E	-	6	-	-	-	-	-	-	6	13.6	29.4	28.4	-	1.0	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	11.0	1.5	1.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	26.0	2.6	2.0	-	0.6	-	-	-	-
20N	123E	-	-	-	-	-	2	-	-	2	23.0	5.0	5.0	-	-	-	-	-	-
	124E	-	-	-	-	-	3	-	-	3	23.0	9.0	9.0	-	-	-	-	-	-
	*127E	-	7	-	-	-	-	-	-	7	14.1	35.0	32.0	-	3.0	-	-	-	-
	128E	-	16	-	-	-	-	-	-	16	13.3	99.1	89.8	-	9.1	-	-	-	0.2
	129E	-	2	-	-	-	-	-	-	2	13.5	9.0	9.0	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	15.0	3.5	3.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	16.0	0.2	-	-	0.2	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　SEP -2-005　　JUN -197　　9月中旬

操業位置		屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
20N	145E	-	-	-	-	-	3	-	-	3	16.6	17.5	17.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	16.0	3.0	3.0	-	-	-	-	-	-
19N	127E	-	2	-	-	-	-	-	-	2	13.0	4.5	4.0	-	0.5	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	12.0	4.0	4.0	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	4	-	-	4	17.2	15.0	15.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	18.0	5.1	5.1	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	2	-	2	25.5	7.0	7.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	4	-	4	21.5	50.0	50.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	2	-	2	26.5	6.0	6.0	-	-	-	-	-	-
18N	140E	-	-	-	-	-	4	-	-	4	21.0	11.0	11.0	-	-	-	-	-	-
	141E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	2	-	3	20.3	5.0	5.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	2	-	-	2	25.0	24.0	24.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	1	-	2	23.0	15.0	15.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	2	-	2	25.0	1.0	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	1	-	2	18.5	15.0	15.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	-	5	-	5	25.2	66.0	66.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	5	-	5	22.0	33.0	33.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
17N	137E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	19.0	1.2	1.2	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	23.0	11.7	8.5	-	-	-	3.1	-	0.1
	*166E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
16N	145E	-	-	-	-	-	1	-	-	1	23.0	5.6	5.6	-	-	-	-	-	-
	146E	-	-	-	-	-	10	-	-	10	18.8	37.9	37.8	-	-	-	-	-	0.1
	*169E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
15N	133E	-	-	-	-	-	1	-	-	1	29.0	1.5	1.5	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	16.0	1.2	1.2	-	-	-	-	-	-
	*148E	-	-	-	-	-	2	-	-	2	21.5	7.2	7.2	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*13N	135E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
12N	138E	-	-	-	-	-	1	-	-	1	29.0	0.7	0.7	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*09N	172E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
08N	136E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	31.0	1.5	1.5	-	-	-	-	-	-
07N	138E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*05N	158E	-	-	-	-	-	1	-	-	1	19.0	0.2	0.2	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	17.0	1.3	0.5	-	0.5	-	0.3	-	-
	*176E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	6	-	-	6	23.0	-	-	-	-	-	-	-	-
04N	150E	-	1	-	-	-	-	-	-	1	23.0	0.6	-	-	0.3	-	0.3	-	-
	151E	-	1	-	-	-	-	-	-	1	23.0	0.5	-	-	0.1	-	0.3	-	0.1
	*154E	-	-	-	-	-	2	-	-	2	23.0	2.5	1.5	-	1.0	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	*002W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	001W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
03N	145E	-	1	-	-	-	-	-	-	1	23.0	0.4	-	-	0.1	-	0.1	-	0.2
	*148E	-	1	-	-	-	-	-	-	1	23.0	0.6	-	-	0.3	-	0.2	-	0.1
	149E	-	2	-	-	-	-	-	-	2	23.0	0.8	-	-	0.3	-	0.4	-	0.1
	*152E	-	2	-	-	-	-	-	-	2	23.0	0.5	-	-	0.2	-	0.2	-	0.1
	*158E	-	-	-	-	-	2	1	-	3	21.0	14.7	13.3	-	1.3	-	0.1	-	-
	*160E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	17.0	1.0	-	-	0.5	-	0.5	-	-
	*175E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*001W	-	-	-	-	-	8	-	-	8	23.0	109.5	82.1	-	1.0	-	1.2	-	25.2
	000W	-	-	-	-	-	6	-	-	6	23.0	58.7	47.9	-	-	-	0.7	-	10.[illegible]
02N	000E	-	-	-	-	-	1	-	-	1	23.0	7.8	3.2	-	-	-	0.2	-	4.4
	*154E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	18.0	1.0	0.9	-	0.1	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	26.0	0.4	0.4	-	-	-	-	-	-
	*176E	-	-	-	-	-	2	-	-	2	23.5	10.5	10.5	-	-	-	-	-	-
	177E	-	-	-	-	-	4	-	-	4	22.2	25.5	25.5	-	-	-	-	-	-
	178E	-	-	-	-	-	1	-	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	179E	-	-	-	-	-	1	4	-	5	21.6	14.2	14.2	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	20.0	8.5	8.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** SEP -2-007 JUN -199 9月中旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
02N 177W	-	-	-	-	-	-	1	-	1	18.0	0.3	0.3	-	-	-	-	-	-
176W	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	2	-	2	28.0	16.5	16.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
*003W	-	-	-	-	-	1	-	-	1	23.0	6.4	4.6	-	-	-	0.1	-	1.7
002W	-	-	-	-	-	5	-	-	5	23.0	40.6	30.5	-	0.5	-	0.2	-	9.4
001W	-	-	-	-	-	19	-	-	19	23.0	254.6	180.6	-	-	-	4.4	-	69.6
000W	-	-	-	-	-	2	-	-	2	23.0	32.1	23.2	-	-	-	0.7	-	8.2
01N 161E	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	20.0	0.1	0.1	-	-	-	-	-	-
*174E	-	-	-	-	-	1	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
175E	-	-	-	-	-	1	2	-	3	27.3	38.0	20.0	-	-	-	18.0	-	-
176E	-	-	-	-	-	2	1	-	3	21.3	11.0	11.0	-	-	-	-	-	-
177E	-	-	-	-	-	15	-	-	15	21.8	80.5	78.5	-	-	-	2.0	-	-
178E	-	-	-	-	-	1	-	-	1	24.0	5.5	5.5	-	-	-	-	-	-
179E	-	-	-	-	-	6	7	-	13	22.2	64.6	64.6	-	-	-	-	-	-
*179W	-	-	-	-	-	-	11	-	11	22.0	34.3	34.3	-	-	-	-	-	-
178W	-	-	-	-	-	1	1	-	2	22.0	1.0	1.0	-	-	-	-	-	-
177W	-	-	-	-	-	1	3	-	4	21.7	7.0	7.0	-	-	-	-	-	-
176W	-	-	-	-	-	4	3	-	7	22.7	14.7	14.5	-	-	-	0.2	-	-
175W	-	-	-	-	-	-	7	-	7	20.0	57.0	57.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	3	-	3	24.6	9.0	9.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	23.5	48.0	48.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	9	-	9	24.4	25.5	25.5	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	22.0	13.0	13.0	-	-	-	-	-	-
*001W	-	-	-	-	-	1	-	-	1	23.0	8.9	5.6	-	-	-	0.3	-	3.0
00N 165E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	29.0	0.5	0.5	-	-	-	-	-	-
*178E	-	-	-	-	-	-	4	-	4	21.7	39.5	39.5	-	-	-	-	-	-
179E	-	-	-	-	-	2	2	-	4	23.0	19.8	19.8	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	23.3	23.0	23.0	-	-	-	-	-	-
178W	-	-	-	-	-	1	3	-	4	20.5	12.8	12.8	-	-	-	-	-	-
177W	-	-	-	-	-	1	5	-	6	18.6	21.0	21.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	4	-	4	20.7	17.0	17.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	5	-	5	21.8	42.0	42.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	12	-	12	23.0	126.3	126.0	-	0.3	-	-	-	-
172W	-	-	-	-	-	-	16	-	16	23.3	141.3	140.3	-	1.0	-	-	-	-
171W	-	-	-	-	-	-	11	-	11	25.0	152.0	152.0	-	-	-	-	-	-
*00S 162E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
163E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
*178E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-
*172W	-	-	-	-	-	-	3	-	3	24.3	43.2	43.2	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
01S 179E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	33.0	8.0	8.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
01S 175W	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
02S 179W	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
*172W	-	-	-	-	-	-	2	-	2	23.5	5.0	5.0	-	-	-	-	-	-
03S 179W	-	-	-	-	-	-	1	-	1	20.0	4.6	4.6	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	22.0	9.0	9.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
04S 177W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*06S 175W	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
07S 173W	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** SEP -3-001 JUN -201 9月下

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	EL
44N	175E	-	-	-	-	-	1	-	-	1	17.0	0.5	-	0.5	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	14.0	0.4	-	0.4	-	-	-	-	-
43N	171E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	6	2	-	8	19.0	9.2	-	9.1	0.1	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
42N	151E	-	-	-	-	-	5	2	-	7	22.8	55.0	55.0	-	-	-	-	-	-
	152E	-	18	-	-	-	10	1	-	29	20.8*	411.1	411.1	-	-	-	-	-	-
	153E	-	-	-	-	-	4	-	-	4	23.0	23.0	23.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	2	-	-	2	24.0	22.0	22.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	4	-	-	4	16.0*	10.8	1.1	9.7	-	-	-	-	-
	167E	-	-	-	-	-	4	-	-	4	20.3*	1.5	0.5	1.0	-	-	-	-	-
	168E	-	-	-	-	-	3	-	-	3	14.6	0.8	0.1	0.7	-	-	-	-	-
	*172E	-	-	-	-	-	1	1	-	2	20.0	0.5	-	0.5	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	2	-	-	2	26.5	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	4	-	-	4	17.0*	6.0	-	6.0	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	16.0	8.0	1.0	7.0	-	-	-	-	-
41N	145E	-	4	-	-	-	-	-	-	4	18.0	22.9	22.9	-	-	-	-	-	-
	146E	-	5	-	-	-	1	-	-	6	18.1	15.8	15.8	-	-	-	-	-	-
	147E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*149E	-	2	-	-	-	-	-	-	2	17.0	6.1	6.1	-	-	-	-	-	-
	150E	-	2	-	-	-	1	-	-	3	19.0	10.5	10.5	-	-	-	-	-	-
	151E	-	6	-	-	-	2	1	-	9	20.2*	36.0	36.0	-	-	-	-	-	-
	152E	-	25	2	-	-	6	3	-	36	19.8*	432.1	432.1	-	-	-	-	-	-
	153E	-	4	-	-	-	1	1	-	6	21.3	45.4	45.4	-	-	-	-	-	-
	*155E	-	-	-	-	-	5	2	-	7	25.7	38.0	38.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	11	-	-	11	25.7*	122.5	122.5	-	-	-	-	-	-
	158E	-	-	-	-	-	18	1	-	19	23.8*	249.5	249.5	-	-	-	-	-	-
	159E	-	-	-	-	-	11	1	-	12	23.7*	39.6	39.6	-	-	-	-	-	-
	160E	-	-	-	-	-	2	-	-	2	23.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	165E	-	-	-	-	-	7	2	-	9	21.1*	17.9	12.6	5.3	-	-	-	-	-
	166E	-	-	-	-	-	18	2	-	20	21.6	47.2	29.7	17.5	-	-	-	-	-
	167E	-	-	-	-	-	17	3	-	20	22.2*	16.3	12.6	2.6	-	-	-	-	1.1
	168E	-	-	-	-	-	7	4	-	11	19.2	40.5	40.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	1	-	4	19.5	5.6	5.1	0.5	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	2	1	-	3	21.3	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	1	-	2	23.0	1.0	1.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	4	1	-	5	18.2	7.1	0.4	6.7	-	-	-	-	-
	178E	-	-	-	-	-	2	1	-	3	18.0	2.2	0.1	2.1	-	-	-	-	-
40N	143E	-	2	-	-	-	-	-	-	2	12.0	0.1	-	-	-	-	-	-	0.1
	144E	-	18	-	-	-	-	-	-	18	14.1	33.8	33.4	-	-	-	-	-	0.4
	145E	-	34	-	-	-	-	-	-	34	16.1*	88.6	87.6	-	-	-	-	-	1.0
	146E	1	14	-	-	-	-	-	-	15	14.0	28.1	28.1	-	-	-	-	-	-
	147E	-	4	-	-	-	-	-	-	4	18.5	1.2	1.2	-	-	-	-	-	-
40N	148E	-	4	-	-	-	-	-	-	4	15.0	6.5	6.5	-	-	-	-	-	-
	149E	-	13	-	-	-	-	-	-	13	18.3	16.1	15.7	-	-	-	-	-	0.
	150E	-	9	-	-	-	-	1	-	10	16.2	45.0	45.0	-	-	-	-	-	-
	151E	-	2	-	-	-	-	-	-	2	19.0	6.5	6.5	-	-	-	-	-	-
	152E	-	17	-	-	-	-	-	-	17	15.7	132.5	132.2	-	-	-	-	-	0.
	153E	-	12	-	-	-	-	-	-	12	16.4	80.4	80.1	-	-	-	-	-	0.
	*158E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	3	1	-	4	25.5	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	4	-	-	4	23.0*	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	28.0	8.5	8.5	-	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	24.3	15.0	15.0	-	-	-	-	-	-
	163E	-	-	-	-	-	16	1	-	17	24.0*	47.7	47.2	-	-	-	-	-	0.
	164E	-	-	-	-	-	24	2	-	26	24.9*	60.6	58.6	2.0	-	-	-	-	-
	165E	-	-	-	-	-	11	-	-	11	22.3*	31.0	26.5	4.5	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	22.3	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	7	1	-	8	25.7	38.5	38.5	-	-	-	-	-	-
	168E	-	-	-	-	-	56	3	-	59	24.9*	365.7	358.1	7.4	-	-	-	-	0.
	169E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	3	-	-	3	23.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	1	1	-	2	27.0	1.3	-	1.3	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
39N	142E	-	3	-	-	-	-	-	-	3	14.6	0.3	-	-	-	-	-	-	0.
	143E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*145E	-	10	-	-	-	-	-	-	10	15.6	3.8	3.8	-	-	-	-	-	-
	146E	-	5	-	-	-	-	-	-	5	17.4	18.9	18.9	-	-	-	-	-	-
	147E	-	3	-	-	-	-	1	-	4	18.5	4.5	4.0	-	-	-	-	-	0.
	148E	-	7	-	-	-	-	-	-	7	16.0	4.3	4.3	-	-	-	-	-	-
	149E	-	30	-	-	-	-	-	-	30	15.5	56.4	56.4	-	-	-	-	-	-
	150E	-	6	2	-	-	-	-	-	8	20.1	81.5	81.5	-	-	-	-	-	-
	151E	-	1	-	-	-	-	-	-	1	19.0	5.0	5.0	-	-	-	-	-	-
	152E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	3	-	-	3	20.3	3.0	3.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	21.0*	3.5	3.5	-	-	-	-	-	-
38N	143E	-	1	-	-	-	-	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
	144E	2	1	-	-	-	-	-	-	3	17.6	8.1	8.1	-	-	-	-	-	-
	145E	-	5	-	-	-	-	-	-	5	14.6	2.4	2.4	-	-	-	-	-	-
	146E	-	11	-	-	-	1	-	-	12	18.5*	25.6	25.6	-	-	-	-	-	-
	147E	2	6	-	-	-	1	-	-	9	16.0	20.8	20.8	-	-	-	-	-	-
	148E	-	16	-	-	-	-	-	-	16	16.1*	24.8	23.8	-	-	-	-	-	1.
	149E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	150E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
37N	143E	-	4	-	-	-	-	-	-	4	14.7	1.4	1.1	-	0.3	-	-	-	-
	144E	-	5	-	-	-	-	-	-	5	17.8	6.0	6.0	-	-	-	-	-	-
	145E	-	6	-	-	-	-	-	-	6	14.8	6.7	6.7	-	-	-	-	-	-
	146E	1	40	2	-	-	1	1	-	45	17.6	140.7	140.1	-	-	-	-	-	0.
	147E	1	35	-	-	-	-	-	-	36	16.7	98.6	98.6	-	-	-	-	-	-
	148E	-	14	-	-	-	-	-	-	14	15.9*	52.2	51.7	-	-	-	-	-	0.

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** SEP -3-003 JUN -203 9月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
36N	141E	-	3	-	-	-	-	-	-	3	16.0*	2.3	1.5	-	0.8	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	144E	-	6	-	-	-	-	-	-	6	16.5	8.9	8.9	-	-	-	-	-	-
	145E	-	3	-	-	-	-	-	-	3	19.0	4.0	4.0	-	-	-	-	-	-
	146E	-	7	1	-	-	-	-	-	8	19.5	35.5	35.5	-	-	-	-	-	-
	147E	-	24	-	-	-	-	-	-	24	17.2*	103.9	103.9	-	-	-	-	-	-
	148E	-	2	1	-	-	-	-	-	3	17.3	9.7	9.7	-	-	-	-	-	-
	149E	-	1	-	-	-	-	-	-	1	24.0	1.5	1.5	-	-	-	-	-	-
35N	140E	-	30	-	-	-	-	-	-	30	14.2*	40.6	40.4	-	-	-	-	-	0.2
	141E	-	13	-	-	-	-	-	-	13	16.4	60.2	60.2	-	-	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	18.0	10.5	10.5	-	-	-	-	-	-
34N	138E	-	3	-	-	-	-	-	-	3	17.6	2.4	2.3	-	-	-	-	-	0.1
	139E	-	9	-	-	-	-	-	-	9	15.2*	4.6	4.2	-	-	0.1	-	-	0.3
	140E	-	3	-	-	-	-	-	-	3	18.3	2.1	1.7	-	0.2	-	-	-	0.2
33N	139E	-	1	-	-	-	-	-	-	1	10.0	0.8	-	-	0.4	-	-	-	0.4
32N	139E	-	1	-	-	-	-	-	-	1	17.0	5.8	5.3	-	-	-	-	-	0.5
	*146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
31N	128E	-	1	-	-	-	-	-	-	1	14.0	4.2	4.2	-	-	-	-	-	-
	*139E	-	14	-	-	-	-	-	-	14	14.7	6.9	0.1	-	5.9	-	-	-	0.9
	140E	-	3	-	-	-	-	-	-	3	17.6	1.9	-	-	1.4	-	-	-	0.5
	*144E	-	1	-	-	-	-	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
30N	128E	-	12	-	-	-	-	-	-	12	11.7	30.3	26.9	-	1.0	-	-	-	2.4
	129E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	14.0	2.0	0.5	-	1.5	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	19.0	2.2	0.4	-	1.6	-	-	-	0.2
	*140E	-	2	-	-	-	-	-	-	2	19.0	1.8	-	0.2	1.6	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
29N	128E	-	2	-	-	-	-	-	-	2	11.5	5.5	3.5	-	2.0	-	-	-	-
	129E	-	9	-	-	-	-	-	-	9	11.5	12.0	8.2	-	3.6	-	-	-	0.2
	*140E	-	5	-	-	-	-	-	-	5	16.3*	1.6	-	-	1.6	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
28N	128E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	15.0	0.7	0.7	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	14.5	5.4	4.0	-	1.2	-	-	-	0.2
27N	126E	-	1	-	-	-	-	-	-	1	14.0	1.3	0.8	-	0.5	-	-	-	-
	127E	4	-	-	-	-	-	-	-	4	16.7	2.0	2.0	-	-	-	-	-	-
	128E	6	-	-	-	-	-	-	-	6	16.5	3.3	3.3	-	-	-	-	-	-
	*140E	-	2	-	-	-	-	-	-	2	13.5	2.6	1.9	-	0.4	-	-	-	0.3
	141E	-	5	-	-	-	-	-	-	5	16.3*	4.9	2.6	-	1.9	-	-	-	0.4
27N	*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
26N	127E	1	-	-	-	-	-	-	-	1	17.0	0.1	0.1	-	-	-	-	-	-
	*140E	-	5	-	-	-	-	-	-	5	14.4	1.2	-	-	1.2	-	-	-	-
*24N	124E	-	1	-	-	-	-	-	-	1	13.0	4.5	4.0	-	0.5	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	14.0	1.0	-	-	1.0	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
23N	123E	-	1	-	-	-	-	-	-	1	12.0	2.5	2.2		0.3	-	-	-	-
	124E	-	4	-	-	-	-	-	-	4	14.5	13.4	9.0		4.4	-	-	-	-
	125E	-	3	-	-	-	-	-	-	3	15.6	6.0	6.0		-	-	-	-	-
	*130E	-	2	-	-	-	-	-	-	2	11.0	4.0	4.0		-	-	-	-	-
	*136E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*141E	-	4	-	-	-	-	-	-	4	15.5	12.3	8.7	-	3.6	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
22N	123E	-	3	-	-	-	-	-	-	3	13.6	11.0	11.0	-	-	-	-	-	-
	124E	-	6	-	-	-	-	-	-	6	13.8	42.5	42.5	-	-	-	-	-	-
	125E	-	6	-	-	-	-	-	-	6	14.5	27.0	25.0	-	1.0	-	1.0	-	-
	*128E	-	1	-	-	-	-	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	11.0	0.5	0.5	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	11.0	5.3	5.0	-	-	-	-	-	0.3
	131E	-	1	-	-	-	-	-	-	1	11.0	1.5	1.5	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	29.0	0.8	0.8	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	19.0	0.9	0.3	-	0.6	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
21N	123E	-	2	-	-	-	-	-	-	2	14.0	0.5	0.5	-	-	-	-	-	-
	124E	-	2	-	-	-	-	-	-	2	12.5	2.0	1.0	-	1.0	-	-	-	-
	125E	-	2	-	-	-	-	-	-	2	14.5	6.7	5.5	-	0.7	-	-	-	0.5
	126E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.5	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
	128E	-	4	-	-	-	-	-	-	4	12.0	6.8	3.9	-	2.9	-	-	-	-
	*132E	-	5	-	-	-	-	-	-	5	12.6	17.7	17.0	-	-	-	-	-	0.7
20N	123E	-	2	-	-	-	-	-	-	2	15.5	6.5	6.5	-	-	-	-	-	-
	124E	-	5	-	-	-	-	-	-	5	15.8	20.6	18.5	-	2.0	-	-	-	0.1
	125E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
	126E	-	5	-	-	-	-	-	-	5	13.2	11.9	11.5	-	0.3	-	-	-	0.1
	127E	-	2	-	-	-	-	-	-	2	13.5	5.6	4.5	-	-	-	1.1	-	-
	128E	-	11	-	-	-	-	-	-	11	14.0	56.0	48.7	-	6.2	-	-	-	1.1
	*132E	-	3	-	-	-	-	-	-	3	13.0	9.0	9.0	-	-	-	-	-	-
	*139E	-	-	-	-	-	3	-	-	3	23.6	8.3	8.3	-	-	-	-	-	-
	140E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	19.0	2.1	2.0	-	0.1	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	20.0	6.3	6.0	-	-	-	0.2	-	0.1
19N	123E	-	4	-	-	-	-	-	-	4	13.5	23.0	23.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　SEP -3-005　　　　JUN -205　　　　9月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ ダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
19N	124E	-	8	-	-	-	-	-	-	8	13.8	46.0	46.0	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	13.0	1.5	1.2	-	0.3	-	-	-	-
	*130E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	13.0	3.5	3.5	-	-	-	-	-	-
	133E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*136E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*139E	-	-	-	-	-	2	-	-	2	29.0	6.4	6.4	-	-	-	-	-	-
	140E	-	-	-	-	-	3	-	-	3	23.6	2.5	2.5	-	-	-	-	-	-
	141E	-	-	-	-	-	4	-	-	4	21.0	2.0	2.0	-	-	-	-	-	-
	*145E	-	7	-	-	-	-	-	-	7	12.0	6.4	-	-	6.4	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	20.0	7.0	7.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
18N	128E	-	2	-	-	-	-	-	-	2	15.5	7.0	7.0	-	-	-	-	-	-
	*131E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	17.0	4.4	4.4	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	7.5	7.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	3	-	3	22.6	35.0	35.0	-	-	-	-	-	-
	171E	-	-	-	-	-	1	2	-	3	23.3	18.0	18.0	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	21.0	11.0	11.0	-	-	-	-	-	-
17N	127E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	3	-	-	3	21.6	11.8	11.5	-	0.3	-	-	-	-
	*146E	-	-	-	-	-	10	-	-	10	19.8	48.6	48.6	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	2	-	3	23.6	21.5	21.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	3	-	3	23.6	18.0	18.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	3	-	4	24.2	22.0	22.0	-	-	-	-	-	-
	171E	-	-	-	-	-	1	1	-	2	24.0	2.0	2.0	-	-	-	-	-	-
16N	131E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	23.0	0.2	0.2	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	23.0	2.7	2.7	-	-	-	-	-	-
	146E	-	-	-	-	-	4	-	-	4	16.7	28.0	28.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	2	-	2	20.0	15.0	15.0	-	-	-	-	-	-
15N	130E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	18.0	5.0	5.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	20.0	0.6	0.5	-	-	-	-	-	0.1
15N	169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*13N	175E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
12N	131E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
11N	170E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
10N	178E	-	-	-	-	-	-	3	-	3	25.6	-	-	-	-	-	-	-	-
09N	173E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
08N	178W	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	27.0	1.0	1.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
07N	178W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	18.0	0.1	0.1	-	-	-	-	-	-
06N	151E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	25.0	2.2	0.8	-	1.4	-	-	-	-
	*172E	-	-	-	-	-	2	-	-	2	19.5	12.0	12.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	174E	-	-	-	-	-	2	-	-	2	24.0	12.0	12.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	4	-	4	23.0	35.5	35.5	-	-	-	-	-	-
05N	140E	-	1	-	-	-	-	-	-	1	23.0	0.5	-	-	0.3	-	0.2	-	-
	*172E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	2	-	-	2	24.0	5.0	5.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	20.5	0.5	0.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	28.0	11.0	11.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	22.5	15.0	15.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	4	-	4	26.0	34.0	34.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	3	-	3	28.0	23.0	21.0	-	-	-	2.0	-	-
	*000W	-	-	-	-	-	2	-	-	2	23.0	-	-	-	-	-	-	-	-
04N	140E	-	1	-	-	-	-	-	-	1	23.0	1.1	-	-	0.8	-	0.3	-	-
	*145E	-	1	-	-	-	-	-	-	1	23.0	0.3	-	-	0.2	-	0.1	-	-
	*154E	-	-	-	-	-	-	1	-	1	29.0	0.3	0.3	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** SEP -3-007 JUN -207 9月下旬

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
04N	•161E	-	-	-	-	-	-	1	-	1	29.0	6.5	6.5	-	-	-	-	-	-
	•175E	-	-	-	-	-	1	-	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	•176W	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	•174W	-	-	-	-	-	-	2	-	2	22.5	6.0	6.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	9	-	9	19.3	105.0	105.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	11	-	11	22.5	84.5	83.0	-	-	-	1.5	-	-
	•009W	-	-	-	-	-	2	-	-	2	23.0	4.7	3.5	-	1.2	-	-	-	-
	008W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	•005W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	004W	-	-	-	-	-	1	-	-	1	23.0	1.1	0.6	-	0.5	-	-	-	-
	003W	-	-	-	-	-	2	-	-	2	23.0	11.3	10.2	-	1.1	-	-	-	-
	002W	-	-	-	-	-	3	-	-	3	23.0	2.5	2.5	-	-	-	-	-	-
	001W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
03N	155E	-	-	-	-	-	1	-	-	1	25.0	0.1	0.1	-	-	-	-	-	-
	•158E	-	-	-	-	-	2	-	-	2	19.0	3.3	3.3	-	-	-	-	-	-
	•172E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	•175E	-	-	-	-	-	1	-	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	•178W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	•175W	-	-	-	-	-	-	2	-	2	23.0	0.5	0.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	2	-	2	20.5	22.0	22.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	11	-	11	23.0	103.5	103.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	12	-	12	21.5	83.5	83.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	4	-	4	20.7	8.5	8.0	-	0.5	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	3	-	3	22.0	44.0	44.0	-	-	-	-	-	-
	•004W	-	-	-	-	-	2	-	-	2	23.0	24.1	14.7	-	2.4	-	0.5	-	6.5
	003W	-	-	-	-	-	2	-	-	2	23.0	5.9	3.5	-	1.5	-	0.2	-	0.7
	002W	-	-	-	-	-	2	-	-	2	23.0	14.6	8.8	-	0.6	-	0.1	-	5.1
	001W	-	-	-	-	-	3	-	-	3	23.0	15.5	13.2	-	-	-	0.2	-	2.1
	000W	-	-	-	-	-	3	-	-	3	23.0	28.9	21.2	-	-	-	0.3	-	7.4
02N	000E	-	-	-	-	-	1	-	-	1	23.0	8.9	6.1	-	0.2	-	-	-	2.6
	•150E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
	•156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•171E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	•174E	-	-	-	-	-	1	1	-	2	25.0	8.0	8.0	-	-	-	-	-	-
	175E	-	-	-	-	-	7	1	-	8	23.0	15.5	15.5	-	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	•178E	-	-	-	-	-	1	-	-	1	19.0	0.2	0.2	-	-	-	-	-	-
	•174W	-	-	-	-	-	-	1	-	1	24.0	11.0	11.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	3	-	3	24.0	13.0	13.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	34	-	34	23.0*	218.4	218.0	-	0.4	-	-	-	-
	171W	-	-	-	-	-	-	12	-	12	24.3*	92.0	92.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	•009W	-	-	-	-	-	1	-	-	1	23.0	2.3	0.6	-	1.6	-	-	-	0.1
	008W	-	-	-	-	-	1	-	-	1	23.0	1.4	1.2	-	-	-	-	-	0.2
	•005W	-	-	-	-	-	1	-	-	1	23.0	5.0	2.3	-	2.3	-	-	-	0.4
	004W	-	-	-	-	-	1	-	-	1	23.0	6.5	4.1	-	1.5	-	0.1	-	0.8
	003W	-	-	-	-	-	2	-	-	2	23.0	13.3	6.6	-	1.5	-	-	-	5.2
	002W	-	-	-	-	-	2	-	-	2	23.0	16.0	10.6	-	0.2	-	0.3	-	4.9
	001W	-	-	-	-	-	5	-	-	5	23.0	26.7	18.0	-	-	-	0.9	-	7.8
02N	000W	-	-	-	-	-	4	-	-	4	23.0	23.8	15.9	-	0.1	-	0.4	-	7.4
01N	000E	-	-	-	-	-	1	-	-	1	23.0	2.7	2.4	-	-	-	0.1	-	0.2
	•158E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	•160E	-	-	-	-	-	1	-	-	1	25.0	0.1	0.1	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	•172E	-	-	-	-	-	1	-	-	1	23.0	2.5	2.5	-	-	-	-	-	-
	173E	-	-	-	-	-	3	-	-	3	23.0	19.0	19.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
	175E	-	-	-	-	-	2	1	-	3	22.3	6.4	6.4	-	-	-	-	-	-
	•179E	-	-	-	-	-	1	1	-	2	24.5	14.5	14.5	-	-	-	-	-	-
	•179W	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	•177W	-	-	-	-	-	1	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
	176W	-	-	-	-	-	1	-	-	1	15.0	6.0	6.0	-	-	-	-	-	-
	•174W	-	-	-	-	-	1	1	-	2	18.5	7.0	7.0	-	-	-	-	-	-
	•172W	-	-	-	-	-	-	26	-	26	24.6*	241.5	241.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	16	-	16	25.5	183.5	183.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	8	-	8	25.7	41.5	41.5	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	26.5	7.5	7.5	-	-	-	-	-	-
	•002W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	001W	-	-	-	-	-	1	-	-	1	23.0	3.9	3.2	-	-	-	0.3	-	0.4
00N	171E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	172E	-	-	-	-	-	17	-	-	17	22.6	91.0	91.0	-	-	-	-	-	-
	173E	-	-	-	-	-	3	-	-	3	19.6	3.1	3.1	-	-	-	-	-	-
	174E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	2	-	-	2	20.0	7.0	7.0	-	-	-	-	-	-
	•177E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	•179E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	•178W	-	-	-	-	-	-	3	-	3	24.3	7.0	7.0	-	-	-	-	-	-
	•175W	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	19	-	19	24.9	236.0	236.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	35	-	35	24.5	350.5	350.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	4	-	4	21.7	19.0	19.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	7	-	7	22.0	52.0	52.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
•00S	171E	-	-	-	-	-	4	-	-	4	24.5	13.0	13.0	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	24.0	11.0	11.0	-	-	-	-	-	-
	•175W	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	3	-	3	28.0	6.5	6.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
01S	172W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
02S	179E	-	-	-	-	-	-	1	-	1	20.0	0.3	0.3	-	-	-	-	-	-
03S	174W	-	-	-	-	-	-	1	-	1	22.0	12.5	12.0	-	0.5	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	22.0	13.0	13.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	2	-	2	23.5	8.0	8.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** OCT -1-001 JUN -210 10月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	そ
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	E
42N	151E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	152E	-	3	-	-	-	-	-	-	3	18.0	6.3	6.3	-	-	-	-	-	-
	153E	-	1	-	-	-	1	-	-	2	19.0	25.8	25.8	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	5	1	-	6	24.0	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	158E	-	-	-	-	-	10	-	-	10	22.8	33.5	33.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	23.0	23.0	23.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	3	2	-	5	16.5*	10.5	-	10.5	-	-	-	-	-
41N	147E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	148E	-	2	-	-	-	-	-	-	2	15.5	-	-	-	-	-	-	-	-
	149E	-	4	-	-	-	-	-	-	4	20.2	1.0	1.0	-	-	-	-	-	-
	150E	-	23	1	-	-	-	-	-	24	18.1	98.4	98.4	-	-	-	-	-	-
	151E	-	54	1	-	-	1	-	-	56	18.7*	161.6	161.6	-	-	-	-	-	-
	152E	-	58	2	-	-	5	-	-	65	18.0*	229.0	225.9	-	-	-	-	-	3.
	153E	-	30	-	-	-	3	-	-	33	16.6*	171.4	171.3	-	-	-	-	-	0.
	154E	-	-	-	-	-	5	-	-	5	23.8	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	8	1	-	9	23.6	2.0	2.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	1	-	3	24.0*	1.0	1.0	-	-	-	-	-	-
	157E	-	-	-	-	-	19	2	-	21	22.8*	61.5	61.5	-	-	-	-	-	-
	158E	-	-	-	-	-	55	8	-	63	24.3*	397.8	350.1	47.0	-	-	-	-	0.
	159E	-	-	-	-	-	19	2	-	21	23.1*	55.4	11.3	43.7	-	-	-	-	0.
	160E	-	-	-	-	-	1	-	-	1	23.0	5.0	-	5.0	-	-	-	-	-
	*166E	-	-	-	-	-	2	-	-	2	24.0	0.3	-	0.3	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
	177E	-	-	-	-	-	47	18	-	65	17.9*	319.8	1.0	■18.8	-	-	-	-	-
	178E	-	-	-	-	-	19	6	-	25	17.2*	60.8	-	60.8	-	-	-	-	-
40N	143E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	144E	1	2	-	-	-	-	-	-	3	16.3	-	-	-	-	-	-	-	-
	145E	-	5	-	-	-	-	-	-	5	16.6	2.4	2.2	-	-	-	-	-	0.
	146E	-	12	-	-	-	-	-	-	12	15.2	0.8	0.8	-	-	-	-	-	-
	147E	1	15	-	-	-	-	-	-	16	16.1	6.1	5.3	-	-	-	-	-	0.
	148E	-	12	-	-	-	-	-	-	12	17.9	33.9	33.8	-	-	-	-	-	0.
	149E	-	23	-	-	-	-	-	-	23	16.1	15.6	14.9	-	-	-	-	-	0.
	150E	-	31	2	-	-	-	-	-	33	17.1*	82.2	82.2	-	-	-	-	-	-
	151E	-	12	-	-	-	-	-	-	12	15.8	3.7	3.7	-	-	-	-	-	-
	152E	-	11	-	-	-	1	-	-	12	17.5	34.3	33.4	-	-	-	-	-	0.
	153E	-	8	-	-	-	-	-	-	8	13.5	29.8	29.8	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	11	1	-	12	25.0*	21.5	21.5	-	-	-	-	-	-
	158E	-	-	-	-	-	14	1	-	15	24.6*	14.0	14.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	-	-	-	-	-	0.
	*173E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	2	1	-	3	19.3	0.7	-	0.5	-	-	-	-	0.
	175E	-	-	-	-	-	1	1	-	2	17.0	0.8	0.5	0.3	-	-	-	-	-
	*177E	-	-	-	-	-	1	2	-	3	17.0*	2.4	-	2.4	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	15.5*	13.6	-	13.6	-	-	-	-	-
39N	141E	-	1	-	-	-	-	-	-	1	15.0	1.2	-	-	1.2	-	-	-	-
39N	142E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	144E	2	1	-	-	-	-	-	-	3	16.3	1.6	1.6	-	-	-	-	-	-
	145E	1	4	-	-	-	-	-	-	5	16.8	0.9	0.9	-	-	-	-	-	-
	146E	-	12	-	-	-	1	-	-	13	16.8	1.0	0.5	-	-	-	-	-	0.
	147E	-	9	-	-	-	-	-	-	9	15.4	0.1	0.1	-	-	-	-	-	-
	148E	-	8	-	-	-	-	-	-	8	12.3	1.1	1.1	-	-	-	-	-	-
	149E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	153E	-	1	-	-	-	1	-	-	2	24.5	15.3	15.3	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	14.0	0.5	-	0.5	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	8	3	-	11	18.4■	10.5	0.2	9.4	-	-	-	-	0.
	178E	-	-	-	-	-	2	-	-	2	20.0	1.5	-	1.5	-	-	-	-	-
38N	141E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	12.0	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	16.5	-	-	-	-	-	-	-	-
	144E	-	4	-	-	-	-	-	-	4	15.2	-	-	-	-	-	-	-	-
	145E	-	3	-	-	-	-	-	-	3	17.6	-	-	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	147E	1	2	-	-	-	-	-	-	3	12.0*	-	-	-	-	-	-	-	-
	148E	-	2	-	-	-	-	-	-	2	12.0	1.2	1.2	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	1	2	-	3	18.0	1.4	0.1	1.3	-	-	-	-	-
37N	143E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*147E	1	3	-	-	-	-	-	-	4	15.2	11.1	11.1	-	-	-	-	-	-
	148E	-	2	-	-	-	-	-	-	2	16.5	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
36N	142E	-	2	-	-	-	-	-	-	2	12.5	0.4	-	-	-	-	-	-	0.
	143E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
35N	139E	-	2	-	-	-	-	-	-	2	17.0*	1.0	1.0	-	-	-	-	-	-
	140E	-	23	-	-	-	-	-	-	23	13.4*	20.0	19.8	-	-	-	-	-	0.
	141E	1	16	-	-	-	-	-	-	17	14.4*	23.9	22.5	-	0.1	-	-	-	1.
	142E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	16.0	0.1	0.1	-	-	-	-	-	-
34N	138E	-	6	-	-	-	-	-	-	6	16.8*	12.2	12.0	-	0.2	-	-	-	-
	139E	-	47	-	-	-	-	-	-	47	15.4*	61.5	61.4	-	-	-	-	-	0.
	140E	-	4	-	-	-	-	-	-	4	17.6*	6.1	6.1	-	-	-	-	-	-
	*152E	-	1	-	-	-	-	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
33N	135E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** OCT -1-003 JUN -212 10月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
33N	139E	-	35	-	-	-	-	-	-	35	14.0*	72.3	68.5	-	3.6	-	-	-	0.2
	140E	-	31	-	-	-	-	-	-	31	15.6*	58.9	58.9	-	-	-	-	-	-
32N	128E	-	2	-	-	-	-	-	-	2	11.0	0.3	0.3	-	-	-	-	-	-
	129E	-	9	-	-	-	-	-	-	9	11.7	19.7	15.2	-	1.2	-	0.8	-	2.5
	*139E	-	4	-	-	-	-	-	-	4	18.5	9.0	6.8	-	2.2	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	18.5	-	-	-	-	-	-	-	-
31N	132E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*139E	-	11	-	-	-	-	-	-	11	14.3*	2.7	-	-	2.7	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	14.3	0.2	-	-	-	-	-	-	0.2
30N	128E	-	1	-	-	-	-	-	-	1	10.0	0.3	-	-	-	-	-	-	0.3
	129E	-	3	-	-	-	-	-	-	3	9.3	3.1	2.9	-	0.2	-	-	-	-
	130E	2	-	-	-	-	-	-	-	2	10.0	0.5	0.5	-	-	-	-	-	-
	*140E	-	2	-	-	-	-	-	-	2	10.0*	7.7	6.6	0.1	0.5	-	-	-	0.5
29N	128E	-	19	-	-	-	-	-	-	19	13.2	27.0	24.7	-	1.8	-	-	-	0.5
	129E	3	13	-	-	-	-	-	-	16	13.1	21.9	19.2	-	2.1	-	-	-	0.6
	130E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	13.6	2.9	2.0	-	0.9	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	22.0	8.0	5.0	-	-	-	3.0	-	-
28N	127E	-	2	-	-	-	-	-	-	2	12.0	2.5	2.5	-	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	129E	2	3	-	-	-	-	-	-	5	13.0	6.8	6.8	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
27N	126E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	127E	-	2	-	-	-	-	-	-	2	13.5	2.6	2.5	-	0.1	-	-	-	-
	128E	-	4	-	-	-	-	-	-	4	13.5	3.6	2.6	-	1.0	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	22.0	7.0	4.0	-	-	-	3.0	-	-
	175W	-	-	-	-	-	-	2	-	2	22.0	17.0	13.5	-	-	-	3.5	-	-
26N	126E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
25N	125E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
24N	123E	-	1	-	-	-	-	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
23N	123E	-	2	-	-	-	-	-	-	2	12.5	7.0	7.0	-	-	-	-	-	-
	124E	-	6	-	-	-	-	-	-	6	11.5	33.3	30.0	-	3.0	-	-	-	0.3
	125E	-	2	-	-	-	-	-	-	2	14.5	5.9	5.9	-	-	-	-	-	-
22N	122E	-	4	-	-	-	-	-	-	4	13.5	10.0	9.7	-	0.3	-	-	-	-
	123E	-	4	-	-	-	-	-	-	4	13.0	4.1	2.6	-	1.5	-	-	-	-
	124E	-	6	-	-	-	-	-	-	6	12.3	13.9	13.0	-	0.9	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
21N	120E	-	3	-	-	-	-	-	-	3	12.3	3.0	2.5	-	0.5	-	-	-	-
	*122E	-	4	-	-	-	-	-	-	4	13.2	12.8	11.4	-	1.4	-	-	-	-
	123E	-	4	-	-	-	-	-	-	4	15.5	11.5	11.5	-	-	-	-	-	-
	124E	-	6	-	-	-	-	-	-	6	10.3	10.8	8.7	-	2.0	-	-	-	0.1
	125E	-	11	-	-	-	-	-	-	11	12.7	36.9	34.0	-	2.8	-	-	-	0.1
	*143E	-	-	-	-	-	1	-	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	31.0	10.0	10.0	-	-	-	-	-	-
20N	122E	-	4	-	-	-	-	-	-	4	14.0	12.5	12.5	-	-	-	-	-	-
	123E	-	3	-	-	-	-	-	-	3	17.3	15.5	15.5	-	-	-	-	-	-
	124E	-	2	-	-	-	-	-	-	2	15.0	5.5	5.5	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	14.2	13.7	12.0	-	1.5	-	-	-	0.2
	126E	-	1	-	-	-	-	-	-	1	13.0	2.5	1.7	-	0.5	-	-	-	0.3
	*130E	-	1	-	-	-	-	-	-	1	12.0	5.0	5.0	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	13.0	6.0	6.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
19N	123E	-	2	-	-	-	-	-	-	2	15.5	3.5	3.5	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	13.0	4.5	3.5	-	1.0	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
18N	148E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	166E	-	-	-	-	-	4	-	-	4	21.0	18.5	18.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	27.0	6.0	6.0	-	-	-	-	-	-
17N	132E	-	-	1	-	-	-	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
16N	145E	-	-	-	-	-	1	-	-	1	17.0	6.1	5.5	-	0.5	-	-	-	0.1
	146E	-	-	-	-	-	3	-	-	3	21.0	23.5	23.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
*08N	173W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
07N	173E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その EL
07N *177E	-	-	-	-	-	-	3	-	3	19.0	25.0	25.0	-	-	-	-	-	-
06N 153E	-	-	-	-	-	1	-	-	1	19.0	0.7	0.7	-	-	-	-	-	-
*170E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	2	-	2	21.0	-	-	-	-	-	-	-	-
177E	-	-	-	-	-	-	2	-	2	19.0	16.0	16.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	19.0	3.0	3.0	-	-	-	-	-	-
*174W	-	-	-	-	-	-	3	-	3	20.3	7.5	7.5	-	-	-	-	-	-
*167W	-	-	-	-	-	-	2	-	2	19.0	16.5	16.5	-	-	-	-	-	-
*165W	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
163W	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
05N 000E	-	-	-	-	-	1	-	-	1	23.0	2.7	2.6	-	-	-	0.1	-	-
*140E	-	2	-	-	-	-	-	-	2	23.0	0.6	-	-	0.3	-	0.2	-	0.
*146E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*148E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
*179E	-	-	-	-	-	1	1	-	2	26.5	9.0	9.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
*174W	-	-	-	-	-	1	15	-	16	23.6	139.5	139.5	-	-	-	-	-	-
173W	-	-	-	-	-	1	7	-	8	23.6	54.0	54.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	4	-	4	23.0	52.0	52.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	23.0	6.0	5.0	-	-	-	1.0	-	-
*168W	-	-	-	-	-	-	2	-	2	20.5	26.0	26.0	-	-	-	-	-	-
167W	-	-	-	-	-	-	5	-	5	19.0	60.5	60.5	-	-	-	-	-	-
166W	-	-	-	-	-	-	2	-	2	22.5	4.7	4.5	-	0.2	-	-	-	-
165W	-	-	-	-	-	-	5	-	5	22.4	33.5	33.5	-	-	-	-	-	-
164W	-	-	-	-	-	-	2	-	2	23.0	25.0	25.0	-	-	-	-	-	-
*000W	-	-	-	-	-	10	-	-	10	23.0	-	-	-	-	-	-	-	-
04N 139E	-	4	-	-	-	-	-	-	4	23.0	2.6	-	-	1.5	-	1.0	-	0.
140E	-	3	-	-	-	-	-	-	3	23.0	1.5	-	-	0.9	-	0.6	-	-
*147E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	23.0	2.5	0.5	-	2.0	-	-	-	-
*172E	-	-	-	-	-	1	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	29.0	4.0	4.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	2	-	2	20.0	-	-	-	-	-	-	-	-
178W	-	-	-	-	-	-	3	-	3	22.6	40.0	40.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	16.0	1.0	1.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	17.3	16.0	16.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	8	-	8	23.1	64.0	64.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	10	-	10	22.2*	50.0	50.0	-	-	-	-	-	-
*003W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
002W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
001W	-	-	-	-	-	4	-	-	4	23.0	21.9	15.5	-	6.4	-	-	-	-
03N 001E	-	-	-	-	-	1	-	-	1	23.0	3.1	2.8	-	-	-	0.1	-	0.
*147E	-	-	-	-	-	2	-	-	2	17.0	7.5	7.5	-	-	-	-	-	-
148E	-	-	-	-	-	3	-	-	3	17.6	9.7	9.7	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	19.0	2.2	2.2	-	-	-	-	-	-
*151E	-	-	-	-	-	2	-	-	2	19.0	4.3	4.3	-	-	-	-	-	-
03N *153E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
*167E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	2	-	2	26.0	22.0	22.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	31.0	20.0	20.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	31.0	11.0	11.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	25.0	1.5	1.5	-	-	-	-	-	-
*177W	-	-	-	-	-	1	19	-	20	24.1*	91.3	90.1	-	1.2	-	-	-	-
176W	-	-	-	-	-	1	31	-	32	23.7*	185.0	185.0	-	-	-	-	-	-
175W	-	-	-	-	-	1	30	-	31	22.1	241.9	241.9	-	-	-	-	-	-
174W	-	-	-	-	-	1	58	-	59	23.8*	492.6	492.5	-	-	-	-	-	0.
173W	-	-	-	-	-	-	4	-	4	22.7	19.5	19.5	-	-	-	-	-	-
*004W	-	-	-	-	-	2	-	-	2	23.0	17.3	10.4	-	1.5	-	0.6	-	4.
003W	-	-	-	-	-	5	-	-	5	23.0	32.4	16.6	-	0.3	-	3.3	-	12.
002W	-	-	-	-	-	11	-	-	11	23.0	88.5	55.9	-	2.9	-	7.1	-	22.
001W	-	-	-	-	-	2	-	-	2	23.0	13.5	7.8	-	-	-	0.7	-	5.
000W	-	-	-	-	-	1	-	-	1	23.0	4.0	3.1	-	-	-	-	-	0.
02N 000E	-	-	-	-	-	3	-	-	3	23.0	15.8	9.1	-	-	-	1.2	-	5.
001E	-	-	-	-	-	1	-	-	1	23.0	1.1	0.6	-	-	-	0.2	-	0.
*149E	-	-	-	-	-	2	-	-	2	18.0	1.1	1.1	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*156E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	21.0	9.0	9.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*177W	-	-	-	-	-	-	2	-	2	25.0	7.5	7.5	-	-	-	-	-	-
176W	-	-	-	-	-	1	14	-	15	24.5*	68.5	68.5	-	-	-	-	-	-
175W	-	-	-	-	-	-	42	-	42	24.0*	272.7	272.7	-	-	-	-	-	-
174W	-	-	-	-	-	2	62	-	64	23.8*	680.8	680.5	-	-	-	0.3	-	-
173W	-	-	-	-	-	-	9	-	9	22.7	33.5	33.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	4	-	4	22.3*	23.0	23.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	2	-	2	23.0	1.0	1.0	-	-	-	-	-	-
*005W	-	-	-	-	-	1	-	-	1	23.0	7.0	5.3	-	0.1	-	0.3	-	1.
004W	-	-	-	-	-	3	-	-	3	23.0	35.1	18.1	-	2.9	-	1.6	-	12.
003W	-	-	-	-	-	3	-	-	3	23.0	22.6	10.9	-	-	-	1.2	-	10.
002W	-	-	-	-	-	3	-	-	3	23.0	13.7	9.1	-	0.2	-	1.6	-	2.
001W	-	-	-	-	-	2	-	-	2	23.0	11.5	3.6	-	5.5	-	0.5	-	1.
000W	-	-	-	-	-	3	-	-	3	23.0	18.6	8.7	-	-	-	0.8	-	9.
01N 000E	-	-	-	-	-	1	-	-	1	23.0	1.1	0.6	-	-	-	0.1	-	0.
*154E	-	-	-	-	-	-	1	-	1	23.0	0.5	-	-	0.5	-	-	-	-
*163E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	2	-	-	2	25.0	5.0	5.0	-	-	-	-	-	-
*174E	-	-	-	-	-	1	-	-	1	25.0	1.5	1.5	-	-	-	-	-	-
175E	-	-	-	-	-	4	-	-	4	17.5	30.0	2.6	-	27.4	-	-	-	-
*179E	-	-	-	-	-	2	-	-	2	15.0	9.5	9.5	-	-	-	-	-	-
*176W	-	-	-	-	-	1	1	-	2	21.5	15.0	15.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	11	-	11	25.0	103.0	103.0	-	-	-	-	-	-
174W	-	-	-	-	-	1	10	-	11	21.4	129.5	129.5	-	-	-	-	-	-
173W	-	-	-	-	-	-	7	-	7	25.8	71.0	71.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	5	-	5	22.7*	15.0	15.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** OCT -1-007 JUN -216 10月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
01N	*003W	-	-	-	-	-	1	-	-	1	23.0	7.0	4.0	-	0.1	-	0.6	-	2.3
	002W	-	-	-	-	-	2	-	-	2	23.0	7.5	6.9	-	0.4	-	0.2	-	-
	001W	-	-	-	-	-	4	-	-	4	23.0	9.6	8.1	-	0.4	-	0.7	-	0.4
00N	000E	-	-	-	-	-	1	-	-	1	23.0	0.8	0.8	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	3	-	-	3	24.3	9.5	9.5	-	-	-	-	-	-
	168E	-	-	-	-	-	2	-	-	2	22.5	4.5	4.5	-	-	-	-	-	-
	169E	-	-	-	-	-	10	-	-	10	23.9	28.1	28.1	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	21.5	17.0	17.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	23.8	23.0	23.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	3	-	3	24.3	8.5	8.5	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*00S	000E	-	-	-	-	-	1	-	-	1	23.0	0.9	0.7	-	-	-	0.2	-	-
	*168E	-	-	-	-	-	5	-	-	5	24.0	23.5	23.5	-	-	-	-	-	-
	169E	-	-	-	-	-	5	-	-	5	22.0	25.0	25.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	25.0	1.0	0.8	-	0.2	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	27.0	6.0	6.0	-	-	-	-	-	-
01S	174W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	25.0	8.0	8.0	-	-	-	-	-	-
02S	000E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.2	-	-	-	-	-	0.3
	*174W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
03S	000E	-	-	-	-	-	1	-	-	1	23.0	1.6	0.9	-	-	-	-	-	0.7
04S	000E	-	-	-	-	-	1	-	-	1	23.0	0.1	0.1	-	-	-	-	-	-
*06S	000E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置	竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ ダ	その
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.■.	EL
42N 152E	-	1	-	-	-	-	-	-	1	21.0	2.3	2.3	-	-	-	-	-	-
153E	-	2	-	-	-	9	1	-	12	21.1	31.0	28.5	2.5	-	-	-	-	-
*155E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
156E	-	-	-	-	-	3	-	-	3	23.0	23.5	23.5	-	-	-	-	-	-
*158E	-	-	-	-	-	2	-	-	2	23.0	7.0	1.0	6.0	-	-	-	-	-
159E	-	-	-	-	-	3	-	-	3	22.3	13.0	-	13.0	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	1	-	-	1	23.0	5.5	-	5.5	-	-	-	-	-
41■ 143E	-	1	1	-	-	-	-	-	2	18.0	2.5	-	-	-	-	-	-	2.
*145E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
146E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
*148E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
149E	-	-	-	-	-	2	-	-	2	23.5	-	-	-	-	-	-	-	-
150E	-	3	-	-	-	4	-	-	7	21.8	14.6	14.6	-	-	-	-	-	-
151E	-	4	-	-	-	5	1	-	10	22.3*	13.1	13.0	-	-	-	-	-	0.
152E	-	8	-	-	-	5	1	-	14	21.3	15.9	15.9	-	-	-	-	-	-
153E	-	26	-	-	-	11	-	-	37	19.8*	166.7	166.7	-	-	-	-	-	-
154E	-	-	-	-	-	14	-	-	14	23.3	140.5	140.5	-	-	-	-	-	-
155E	-	1	-	-	-	27	3	-	31	24.0*	137.6	137.6	-	-	-	-	-	-
*158E	-	-	-	-	-	25	3	-	28	23.2*	234.5	38.5	196.0	-	-	-	-	-
*160E	-	-	-	-	-	3	-	-	3	22.0	5.0	-	5.0	-	-	-	-	-
*165E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
166E	-	-	-	-	-	1	-	-	1	20.0	5.0	5.0	-	-	-	-	-	-
*176E	-	-	-	-	-	17	6	-	23	18.0*	168.7	0.9	167.6	-	0.2	-	-	-
177E	-	-	-	-	-	68	33	-	101	18.5*	428.0	1.1	426.8	-	0.1	-	-	-
178E	-	-	-	-	-	1	-	-	1	18.5	0.4	-	0.4	-	-	-	-	-
40N 143E	-	-	1	-	-	-	-	-	1	20.0	1.0	-	-	-	-	-	-	1.
144E	-	2	-	-	-	-	-	-	2	19.0	3.8	-	-	-	-	-	-	3.
145E	-	1	-	-	-	1	-	-	2	18.0	-	-	-	-	-	-	-	-
146E	-	2	-	-	-	-	-	-	2	14.5	0.2	0.2	-	-	-	-	-	-
147E	-	3	-	-	-	-	-	-	3	13.6	4.3	4.3	-	-	-	-	-	-
148E	-	30	1	-	-	1	-	-	32	18.4*	103.5	103.5	-	-	-	-	-	-
149E	-	16	-	-	-	4	-	-	20	19.4	33.1	33.1	-	-	-	-	-	-
150E	-	10	1	-	-	6	-	-	17	18.4*	28.0	27.1	-	-	-	-	-	0.
151E	-	6	-	-	-	4	1	-	11	20.7	10.7	10.6	-	-	-	-	-	0.
152E	-	12	-	-	-	-	-	-	12	17.4	23.9	23.4	-	-	-	-	-	0.
153E	-	2	-	-	-	-	-	-	2	15.0	1.4	0.6	-	-	-	-	-	0.
154E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
*160E	-	-	-	-	-	3	1	-	4	26.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	3	-	-	3	21.3	0.5	0.5	-	-	-	-	-	-
*167E	-	-	-	-	-	1	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
*172E	-	-	-	-	-	1	-	-	1	13.0	0.1	-	0.1	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	10	9	-	19	19.0*	78.9	-	78.8	-	-	-	-	0.
177E	-	-	-	-	-	15	6	-	21	18.8*	34.7	-	34.7	-	-	-	-	-
39N 142E	-	2	-	-	-	-	-	-	2	15.5	-	-	-	-	-	-	-	-
*144E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
145E	-	2	-	-	-	2	-	-	4	18.7	-	-	-	-	-	-	-	-
146E	-	3	-	-	-	1	-	-	4	19.7	0.5	0.5	-	-	-	-	-	-
39N 147E	-	5	-	-	-	-	-	-	5	18.4	0.1	0.1	-	-	-	-	-	-
148E	-	9	-	-	-	-	-	-	9	18.5	4.4	4.4	-	-	-	-	-	-
149E	-	7	-	-	-	-	-	-	7	15.7	4.4	4.4	-	-	-	-	-	-
150E	-	16	2	-	-	-	-	-	18	18.8	37.9	37.9	-	-	-	-	-	-
151E	-	3	-	-	-	1	-	-	4	19.7	4.6	4.6	-	-	-	-	-	-
38N 142E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
143E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*145E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
*147E	-	1	-	-	-	-	-	-	1	16.0	6.0	6.0	-	-	-	-	-	-
148E	-	2	-	-	-	-	-	-	2	20.0	0.8	0.8	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	-	-	-	-	-	0.
*175E	-	-	-	-	-	1	-	-	1	23.0	0.3	-	0.3	-	-	-	-	-
176E	-	-	-	-	-	4	2	-	6	17.6*	0.7	-	0.7	-	-	-	-	-
37N 144E	-	2	-	-	-	-	-	-	2	18.5	0.4	0.2	-	-	-	-	-	0.
*147E	-	1	-	-	-	1	-	-	2	17.0	2.3	2.3	-	-	-	-	-	-
36N 141E	-	2	-	-	-	-	-	-	2	14.0	0.6	-	-	-	-	-	-	0.
*146E	-	-	-	-	-	1	-	-	1	18.0	0.4	0.4	-	-	-	-	-	-
147E	-	1	-	-	-	-	-	-	1	22.0	2.5	2.5	-	-	-	-	-	-
*164E	-	1	-	-	-	-	-	-	1	22.0	0.5	-	0.3	-	-	0.1	-	0.
35N 140E	-	23	-	-	-	-	-	-	23	14.6*	21.0	16.3	-	-	-	-	-	4.
141E	-	1	-	-	-	-	-	-	1	14.0	0.8	0.4	-	0.4	-	-	-	-
*143E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
*155E	-	1	-	-	-	-	-	-	1	22.0	0.1	-	-	-	-	0.1	-	-
*164E	-	1	-	-	-	-	-	-	1	22.0	0.8	-	0.6	-	-	-	-	0.
34N 138E	-	8		-	-	-	-	-	8	14.8*	8.2	5.4	-	0.7	1.5	-	-	0.
139E	-	33	-	-	-	-	-	-	33	14.7*	14.6	12.1	-	-	0.4	-	-	2.
140E	-	10	-	-	-	-	-	-	10	13.5*	7.7	7.7	-	-	-	-	-	-
141E	-	1	-	-	-	-	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	10.0	4.1	1.0	-	2.1	-	-	-	1.
33N 138E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
139E	-	10	-	-	-	-	-	-	10	14.5	1.9	1.7	-	0.2	-	-	-	-
140E	2	30	-	-	-	-	-	-	32	15.0*	24.3	22.9	-	0.5	-	-	-	0.
141E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
32N 129E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
*139E	-	2	-	-	-	-	-	-	2	17.0*	0.3	0.3	-	-	-	-	-	-
140E	-	3	-	-	-	-	-	-	3	17.5*	6.2	3.0	-	3.1	-	-	-	0.
31N 128E	-	1	-	-	-	-	-	-	1	8.0	1.2	1.0	-	-	-	-	-	0.
*139E	-	1	-	-	-	-	-	-	1	15.0	0.3	0.3	-	-	-	-	-	-
30N 128E	-	2	-	-	-	-	-	-	2	17.5	0.9	0.9	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N	129E	-	5	-	-	-	-	-	-	5	13.0	0.9	0.9	-	-	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	13.6	2.1	0.9	-	0.8	-	-	-	0.4
29N	128E	-	19	-	-	-	-	-	-	19	12.1	19.4	17.8	0.5	0.4	-	0.5	-	0.2
	129E	-	5	-	-	-	-	-	-	5	12.8	4.5	3.7	-	0.8	-	-	-	-
	*140E	-	13	-	-	-	-	-	-	13	14.3	12.9	5.4	-	7.2	-	-	-	0.3
	*179E	-	-	-	-	-	-	1	-	1	22.0	11.0	8.0	-	-	-	3.0	-	-
28N	128E	-	4	-	-	-	-	-	-	4	15.0	3.2	3.2	-	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	10.0	2.9	2.8	-	0.1	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	22.0	3.0	2.0	-	-	-	1.0	-	-
27N	127E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	12.0	0.6	0.6	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	22.0	4.0	3.0	-	-	-	1.0	-	-
26N	142E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
25N	141E	-	1	-	-	-	-	-	-	1	15.0	10.5	7.8	-	2.7	-	-	-	-
24N	123E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	12.0	1.0	0.5	-	0.5	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
23N	123E	-	12	-	-	-	-	-	-	12	12.6	19.9	14.9	-	4.5	-	-	-	0.5
	124E	-	2	-	-	-	-	-	-	2	13.0	7.3	6.9	-	0.4	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	14.0	10.0	10.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
22N	120E	-	1	-	-	-	-	-	-	1	12.0	0.5	0.5	-	-	-	-	-	-
	*122E	-	1	-	-	-	-	-	-	1	14.0	2.5	2.5	-	-	-	-	-	-
	*129E	-	2	-	-	-	-	-	-	2	12.5	6.5	6.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	11.0	2.6	2.6	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	18.0	10.0	10.0	-	-	-	-	-	-
21N	120E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.0	-	0.5	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	11.0	7.3	7.2	-	-	-	-	-	0.1
	*162E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	18.0	1.3	0.4	-	0.2	-	0.7	-	-
	167E	-	-	-	-	-	-	2	-	2	26.0	9.0	9.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	5	-	5	25.2	100.5	100.0	-	0.5	-	-	-	-
20N	122E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	130E	-	-	1	-	-	-	-	-	1	15.0	0.4	0.4	-	-	-	-	-	-
	*145E	-	5	-	-	-	-	-	-	5	15.0	6.5	-	-	6.5	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	22.0	28.0	28.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	22.0	2.5	2.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	-	8	-	8	25.0	68.5	68.5	-	-	-	-	-	-
	170E	-	-	-	-	-	1	4	-	5	23.4	26.0	26.0	-	-	-	-	-	-
19N	145E	-	1	-	-	-	-	-	-	1	23.4	1.7	-	-	1.7	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	2	-	3	20.0	4.5	4.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	5	-	5	25.4	18.5	18.5	-	-	-	-	-	-
	170E	-	-	-	-	-	-	3	-	3	22.3	1.0	1.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	21.0	13.0	13.0	-	-	-	-	-	-
18N	145E	-	-	-	-	-	1	-	-	1	20.0	1.5	1.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	3	-	3	25.0	10.0	10.0	-	-	-	-	-	-
17N	148E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	17.0	8.6	8.6	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
16N	144E	-	-	-	-	-	1	-	-	1	16.0	0.8	0.8	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	16.0	1.5	1.5	-	-	-	-	-	-
	146E	-	-	-	-	-	3	-	-	3	20.0	17.5	17.5	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	20.0	3.5	3.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	2	-	2	24.0	2.0	2.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	2	-	2	25.5	4.5	3.5	-	1.0	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
15N	143E	-	-	-	-	-	2	-	-	2	16.0	4.8	4.8	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	-	-	2	20.0	11.5	11.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	1	-	2	20.0	6.0	6.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** OCT -2-005 JUN -221 10月

操業位置 POSITION	竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その EL
15N 177E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
14N 167E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
13N 146E	-	-	-	-	-	1	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
*176E	-	-	-	-	-	1	1	-	2	20.0	13.0	13.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	2	-	2	26.5	12.5	12.5	-	-	-	-	-	-
12N 159E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
*09N 168E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	32.0	1.0	1.0	-	-	-	-	-	-
08N 178E	-	-	-	-	-	-	1	-	1	16.0	1.0	1.0	-	-	-	-	-	-
07N 145E	-	-	-	-	-	1	-	-	1	17.0	4.6	4.6	-	-	-	-	-	-
*172E	-	-	-	-	-	1	1	-	2	22.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	1	-	-	1	14.0	0.5	-	-	0.5	-	-	-	-
*177E	-	-	-	-	-	-	3	-	3	18.6	8.5	8.5	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	18.0	9.0	9.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	28.0	13.0	8.0	-	3.2	-	1.6	-	0.
*166W	-	-	-	-	-	-	1	-	1	28.0	15.0	15.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	1	-	1	28.0	10.0	10.0	-	-	-	-	-	-
*163W	-	-	-	-	-	-	3	-	3	28.0	23.0	23.0	-	-	-	-	-	-
162W	-	-	-	-	-	-	1	-	1	28.0	3.0	2.5	-	0.5	-	-	-	-
06N 144E	-	-	-	-	-	2	-	-	2	17.0	15.1	6.0	-	9.1	-	-	-	-
*165E	-	-	-	-	-	1	1	-	2	21.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
*175E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
176E	-	-	-	-	-	1	1	-	2	20.0	0.3	0.1	-	0.2	-	-	-	-
177E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
178E	-	-	-	-	-	-	4	-	4	19.0	12.0	12.0	-	-	-	-	-	-
179E	-	-	-	-	-	1	1	-	2	17.5	5.6	5.0	-	0.6	-	-	-	-
*179W	-	-	-	-	-	-	4	-	4	23.0	12.5	12.5	-	-	-	-	-	-
178W	-	-	-	-	-	-	1	-	1	27.0	13.0	13.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	29.0	4.0	3.0	-	1.0	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	19.0	8.0	8.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	18.0	4.0	4.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	4	-	4	21.2	50.0	50.0	-	-	-	-	-	-
167W	-	-	-	-	-	-	5	-	5	20.6	43.0	43.0	-	-	-	-	-	-
166W	-	-	-	-	-	-	6	-	6	21.0	64.0	64.0	-	-	-	-	-	-
*164W	-	-	-	-	-	-	1	-	1	28.0	3.5	3.5	-	-	-	-	-	-
163W	-	-	-	-	-	-	2	-	2	28.0	13.0	13.0	-	-	-	-	-	-
05N 000E	-	-	-	-	-	2	-	-	2	23.0	4.0	4.0	-	-	-	-	-	-
*146E	-	-	-	-	-	2	-	-	2	25.0	11.5	11.5	-	-	-	-	-	-
*158E	-	-	-	-	-	2	-	-	2	17.5	5.2	5.2	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	24.0	15.0	15.0	-	-	-	-	-	-
*179E	-	-	-	-	-	1	3	-	4	26.0	24.5	23.0	-	1.5	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	27.0	24.0	24.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	9	-	9	26.3	108.0	108.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	38.0	3.5	3.5	-	-	-	-	-	-
*174W	-	-	-	-	-	-	5	-	5	26.2	3.3	3.3	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	3	-	3	23.0	21.0	21.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	2	-	2	25.5	12.0	12.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	3	-	3	28.0	39.0	39.0	-	-	-	-	-	-
*168W	-	-	-	-	-	-	4	-	4	20.5	33.5	33.5	-	-	-	-	-	-
*000W	-	-	-	-	-	15	-	-	15	23.0	17.5	17.5	-	-	-	-	-	-
04N 000E	-	-	-	-	-	2	-	-	2	23.0	0.4	0.4	-	-	-	-	-	-
001E	-	-	-	-	-	2	-	-	2	23.0	12.2	12.2	-	-	-	-	-	-
*153E	-	-	-	-	-	3	-	-	3	21.6	8.5	8.5	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	5	-	5	23.6	29.0	29.0	-	-	-	-	-	-
177E	-	-	-	-	-	1	12	-	13	23.0	77.5	77.5	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	2	-	2	23.5	6.3	6.0	-	0.2	-	-	-	-
*179W	-	-	-	-	-	4	2	-	6	21.5	30.5	28.5	-	-	-	2.0	-	0.
178W	-	-	-	-	-	1	1	-	2	21.0	5.8	5.8	-	-	-	-	-	-
177W	-	-	-	-	-	-	3	-	3	21.0*	8.2	8.2	-	-	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	24.0	3.0	3.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	3	-	3	26.0	8.3	8.3	-	-	-	-	-	-
174W	-	-	-	-	-	-	13	-	13	23.8	121.6	121.6	-	-	-	-	-	-
173W	-	-	-	-	-	-	20	-	20	24.2	180.8	180.8	-	-	-	-	-	-
*171W	-	-	-	-	-	-	2	-	2	28.0	25.0	25.0	-	-	-	-	-	-
*168W	-	-	-	-	-	-	1	-	1	19.0	10.0	10.0	-	-	-	-	-	-
*002W	-	-	-	-	-	2	-	-	2	23.0	3.7	1.7	-	2.0	-	-	-	-
001W	-	-	-	-	-	3	-	-	3	23.0	4.4	2.2	-	2.1	-	0.1	-	-
000W	-	-	-	-	-	1	-	-	1	23.0	3.3	3.3	-	-	-	-	-	-
03N 000E	-	-	-	-	-	6	-	-	6	23.0	37.1	22.1	-	-	-	0.7	-	14.
001E	-	-	-	-	-	4	-	-	4	23.0	20.4	12.0	-	0.2	-	0.2	-	8.
002E	-	-	-	-	-	6	-	-	6	23.0	27.4	24.7	-	0.1	-	0.8	-	1.
*141E	-	-	-	-	-	3	-	-	3	23.0	22.6	22.6	-	-	-	-	-	-
142E	-	-	-	-	-	3	-	-	3	23.0	19.5	19.5	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	25.0	3.0	1.5	-	1.5	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	24.0	2.0	1.3	-	0.3	-	0.4	-	-
151E	-	-	-	-	-	2	-	-	2	17.0	7.0	7.0	-	-	-	-	-	-
*154E	-	-	-	-	-	2	-	-	2	17.0	11.6	11.6	-	-	-	-	-	-
*156E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
157E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
*159E	-	-	-	-	-	1	-	-	1	22.0	2.1	1.3	-	0.8	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	23.0	7.0	7.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	3	-	3	21.0	25.0	25.0	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　OCT -2-007　　　　JUN -223　　　　10月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
03N	176E	-	-	-	-	-	-	3	-	3	24.6	16.5	16.5	-	-	-	-	-	-
	177E	-	-	-	-	-	1	2	-	3	24.0	21.0	21.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	20.0	1.7	1.7	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	21.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	8	-	8	24.8*	17.0	17.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	9	-	9	22.2	12.5	12.5	-	-	-	-	-	-
	175W	-	-	-	-	-	1	8	-	9	25.0	33.4	33.4	-	-	-	-	-	-
	174W	-	-	-	-	-	-	8	-	8	23.1*	60.0	60.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	9	-	9	24.3	117.0	116.0	-	1.0	-	-	-	-
	172W	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	25.0	4.5	4.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*004W	-	-	-	-	-	2	-	-	2	23.0	13.4	7.5	-	0.7	-	0.6	-	4.6
	*002W	-	-	-	-	-	4	-	-	4	23.0	19.6	10.9	-	1.5	-	0.4	-	6.8
	001W	-	-	-	-	-	1	-	-	1	23.0	3.7	3.1	-	-	-	0.1	-	0.5
	000W	-	-	-	-	-	5	-	-	5	23.0	20.7	10.8	-	0.1	-	1.1	-	8.7
02N	000E	-	-	-	-	-	1	-	-	1	23.0	8.7	4.4	-	-	-	0.2	-	4.1
	001E	-	-	-	-	-	1	-	-	1	23.0	5.3	4.4	-	0.1	-	0.3	-	0.5
	002E	-	-	-	-	-	5	-	-	5	23.0	36.5	23.3	-	0.2	-	1.3	-	11.7
	003E	-	-	-	-	-	1	-	-	1	23.0	4.4	2.5	-	-	-	0.6	-	1.3
	*150E	-	-	-	-	-	2	-	-	2	25.0	9.3	5.8	-	3.5	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	3	-	-	3	24.0	23.0	23.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	25.0	0.6	0.6	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	25.0	0.7	0.7	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	3	-	3	21.0	27.0	27.0	-	-	-	-	-	-
	176E	-	-	-	-	-	1	4	-	5	25.0	10.0	10.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	2	-	3	29.0	3.0	3.0	-	-	-	-	-	-
	179E	-	-	-	-	-	2	2	-	4	27.0*	9.0	9.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	29.0	10.5	10.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	5	-	5	26.2	9.0	9.0	-	-	-	-	-	-
	177W	-	-	-	-	-	3	15	-	18	24.3*	64.5	64.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	7	-	7	23.0	21.0	21.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	25.0	0.1	0.1	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*004W	-	-	-	-	-	1	-	-	1	23.0	6.5	2.4	-	1.0	-	-	-	3.1
	003W	-	-	-	-	-	1	-	-	1	23.0	1.2	0.8	-	-	-	0.3	-	0.1
	002W	-	-	-	-	-	1	-	-	1	23.0	5.3	3.8	-	0.4	-	0.3	-	0.8
	*000W	-	-	-	-	-	2	-	-	2	23.0	14.4	8.3	-	0.4	-	0.4	-	5.3
01N	153E	-	-	-	-	-	-	1	-	1	24.0	1.2	1.2	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	25.0	0.5	0.2	-	0.3	-	-	-	-
	*166E	-	-	-	-	-	2	-	-	2	22.5	12.6	12.6	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	1	-	2	24.0	0.1	0.1	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	176W	-	-	-	-	-	1	1	-	2	24.5	13.5	13.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	*004W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
00N	168E	-	-	-	-	-	5	-	-	5	20.0	16.5	16.5	-	-	-	-	-	-
	169E	-	-	-	-	-	5	-	-	5	21.0	21.5	21.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	3	-	4	23.2	13.5	13.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	1	-	-	1	24.0	7.5	7.5	-	-	-	-	-	-
	175W	-	-	-	-	-	1	2	-	3	20.0	3.0	3.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*00S	154E	-	-	-	-	-	-	1	-	1	24.0	1.5	-	-	1.5	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	28.0	0.1	0.1	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	1	-	-	1	24.0	3.0	2.5	-	0.5	-	-	-	-
	174W	-	-	-	-	-	-	2	-	2	21.0	4.5	4.5	-	-	-	-	-	-
01S	169E	-	-	-	-	-	1	-	-	1	15.0	0.7	0.7	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	15.0	1.6	1.6	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	26.0	13.0	13.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	0.3	0.3	-	-	-	-	-	-
	178W	-	-	-	-	-	1	1	-	2	23.5	2.5	2.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	26.5	23.0	23.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	10	-	10	23.8	74.0	74.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	20.0	17.0	17.0	-	-	-	-	-	-
02S	171E	-	-	-	-	-	1	-	-	1	15.0	2.6	2.6	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	23.0	15.0	15.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	26.0	21.5	21.5	-	-	-	-	-	-
03S	179W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	EL
43N	153E	-	1	-	-	-	-	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
42N	152E	-	2	-	-	-	-	-	-	2	21.0	4.0	4.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	16	-	-	16	22.3*	65.2	3.1	62.1	-	-	-	-	-
	167E	-	-	-	-	-	28	4	-	32	23.3	128.1	9.0	119.0	-	0.1	-	-	-
	168E	-	-	-	-	-	4	-	-	4	23.0	50.2	0.1	50.0	-	0.1	-	-	-
41N	152E	-	3	-	-	-	-	-	-	3	18.6	6.0	6.0	-	-	-	-	-	-
	153E	-	1	-	-	-	-	-	-	1	20.0	11.5	11.5	-	-	-	-	-	-
	154E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	156E	-	1	-	-	-	-	-	-	1	22.0	8.2	8.2	-	-	-	-	-	-
	*158E	-	-	1	-	-	1	-	-	2	23.5	4.5	-	1.0	-	-	3.5	-	-
	159E	-	-	2	-	-	1	-	-	3	23.0	15.0	-	2.0	-	-	13.0	-	-
	*163E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	49	12	-	61	22.4*	333.3	22.2	309.7	-	0.8	-	-	0.
	167E	-	-	-	-	-	36	9	-	45	22.7*	281.6	11.2	269.9	-	0.5	-	-	-
	168E	-	-	-	-	-	10	-	-	10	24.3*	68.3	0.7	65.8	-	-	-	-	1.
	169E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	3.0	-	-	-	-	-
	*171E	-	-	-	-	-	2	-	-	2	14.0	2.5	-	2.5	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	14.0	3.3	-	3.3	-	-	-	-	-
	173E	-	-	-	-	-	2	-	-	2	14.0*	0.4	-	0.4	-	-	-	-	-
40N	147E	-	1	-	-	-	-	-	-	1	14.0	0.4	0.4	-	-	-	-	-	-
	148E	-	3	-	-	-	-	-	-	3	17.6	2.0	2.0	-	-	-	-	-	-
	149E	-	1	-	-	-	1	-	-	2	21.5	0.9	0.9	-	-	-	-	-	-
	150E	-	4	-	-	-	-	-	-	4	20.0	0.2	0.2	-	-	-	-	-	-
	151E	-	5	1	-	-	3	-	-	9	20.2*	3.0	3.0	-	-	-	-	-	-
	152E	-	21	2	-	-	-	-	-	23	18.5	84.3	84.1	-	-	-	-	-	0.
	153E	-	10	-	-	-	2	-	-	12	18.8*	21.3	21.3	-	-	-	-	-	-
	154E	-	90	6	-	-	2	-	-	98	19.2*	285.5	285.0	-	-	-	-	-	0.
	155E	-	3	-	-	-	4	-	-	7	20.1	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	6	1	-	7	24.2	15.0	15.0	-	-	-	-	-	-
	157E	-	1	-	-	-	2	-	-	3	20.3	9.0	9.0	-	-	-	-	-	-
	158E	-	2	-	-	-	3	-	-	5	20.5*	3.5	2.0	1.5	-	-	-	-	-
	159E	-	-	-	-	-	2	-	-	2	22.5	10.0	5.0	5.0	-	-	-	-	-
	160E	-	-	-	-	-	10	-	-	10	23.8	3.5	0.5	3.0	-	-	-	-	-
	161E	-	-	-	-	-	5	-	-	5	24.0	0.5	0.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	2	-	-	2	27.0	3.0	3.0	-	-	-	-	-	-
	165E	-	-	-	-	-	9	-	-	9	21.6	2.9	2.7	0.2	-	-	-	-	-
	166E	-	-	-	-	-	5	1	-	6	27.0	7.5	-	7.5	-	-	-	-	-
	167E	-	-	-	-	-	1	1	-	2	17.0	0.6	-	0.3	-	-	-	-	0.
	*171E	-	-	-	-	-	11	12	-	23	19.2*	39.7	2.1	37.3	-	-	-	-	0.
	172E	-	-	-	-	-	-	1	-	1	17.0	4.0	-	4.0	-	-	-	-	-
	173E	-	-	-	-	-	5	6	-	11	19.6	9.3	1.8	7.0	0.3	-	-	-	0.
	*175E	-	-	-	-	-	1	1	-	2	20.0*	0.2	-	-	-	-	-	-	0.
	176E	-	-	-	-	-	15	10	-	25	19.2*	57.1	-	57.1	-	-	-	-	-
	177E	-	-	-	-	-	4	-	-	4	14.0*	2.9	-	2.9	-	-	-	-	-
39N	146E	-	4	-	-	-	1	-	-	5	21.6	-	-	-	-	-	-	-	-
	*148E	-	2	-	-	-	-	-	-	2	18.5	-	-	-	-	-	-	-	-
	149E	-	1	-	-	-	2	-	-	3	18.6	0.5	0.5	-	-	-	-	-	-
39N	150E	-	3	-	-	-	-	1	-	4	21.7	-	-	-	-	-	-	-	-
	151E	-	2	-	-	-	1	-	-	3	21.6	0.5	0.5	-	-	-	-	-	-
	152E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	153E	-	2	-	-	-	-	-	-	2	18.0	5.5	5.5	-	-	-	-	-	-
	154E	-	9	-	-	-	-	-	-	9	18.7	37.9	37.6	-	-	-	-	-	0.3
	155E	-	-	-	-	-	6	-	-	6	24.6	36.0	36.0	-	-	-	-	-	-
	156E	-	16	-	-	-	1	-	-	17	17.8	59.8	58.8	-	-	-	-	-	1.0
	*160E	-	-	-	-	-	2	-	-	2	26.5	9.0	9.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	21.5	0.8	-	0.8	-	-	-	-	-
	176E	-	-	-	-	-	3	5	-	8	18.8	30.0	-	30.0	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	19.0	0.5	-	0.5	-	-	-	-	-
38N	143E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	144E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	145E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*147E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	1	-	2	22.0	1.0	-	1.0	-	-	-	-	-
	176E	-	-	-	-	-	5	2	-	7	19.0*	1.6	-	1.1	-	-	-	-	0.5
37N	145E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*147E	-	1	-	-	-	-	-	-	1	23.0	8.0	8.0	-	-	-	-	-	-
36N	160E	-	1	-	-	-	-	-	-	1	23.0	0.2	-	0.1	-	-	0.1	-	-
	*164E	-	1	-	-	-	-	-	-	1	23.0	0.2	-	0.1	-	-	0.1	-	-
35N	140E	-	2	-	-	-	-	-	-	2	15.5	1.3	0.3	-	-	-	-	-	1.0
	*164E	-	1	-	-	-	-	-	-	1	15.5	0.4	-	0.2	0.1	-	0.1	-	-
34N	138E	-	2	-	-	-	-	-	-	2	16.0	1.3	1.3	-	-	-	-	-	-
	139E	-	16	-	-	-	-	-	-	16	16.0	7.6	7.4	-	0.2	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*159E	-	1	-	-	-	-	-	-	1	17.0	0.3	-	0.2	-	-	0.1	-	-
	160E	-	1	-	-	-	-	-	-	1	17.0	0.4	-	0.1	-	-	0.3	-	-
	*163E	-	1	-	-	-	-	-	-	1	17.0	0.2	-	0.1	-	-	0.1	-	-
	164E	-	1	-	-	-	-	-	-	1	17.0	0.3	-	0.1	0.1	-	0.1	-	-
33N	138E	-	3	-	-	-	-	-	-	3	15.0	1.0	0.3	-	0.5	-	-	-	0.2
	139E	-	11	-	-	-	-	-	-	11	16.3	9.1	9.1	-	-	-	-	-	-
	140E	-	35	-	-	-	-	-	-	35	14.2	34.9	30.4	-	0.2	-	-	-	4.3
32N	139E	-	2	-	-	-	-	-	-	2	15.0*	0.2	0.2	-	-	-	-	-	-
31N	139E	-	4	-	-	-	-	-	-	4	16.3*	1.0	-	-	0.9	-	-	-	0.1
	140E	-	2	-	-	-	-	-	-	2	14.0	2.4	-	-	1.8	-	-	-	0.6
30N	128E	-	2	-	-	-	-	-	-	2	12.5	1.7	1.7	-	-	-	-	-	-
	129E	1	4	-	-	-	-	-	-	5	9.8	2.8	2.3	-	-	-	-	-	0.5
	*131E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　OCT -3-003　　　JUN -227　　　10月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
30N	•137E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•140E	-	3	-	-	-	-	-	-	3	13.0•	1.8	0.3	-	1.1	-	-	-	0.4
29N	128E	-	20	-	-	-	-	-	-	20	11.1	32.7	28.6	-	2.6	-	-	-	1.5
	129E	2	15	-	-	-	-	-	-	17	11.2	11.7	9.1	-	1.7	-	-	-	0.9
	130E	-	2	-	-	-	-	-	-	2	12.0	6.5	4.5	-	2.0	-	-	-	-
	•140E	-	29	-	-	-	-	-	-	29	13.7•	14.1	0.6	-	13.0	-	-	-	0.5
28N	127E	-	20	-	-	-	-	-	-	20	12.6	84.7	71.6	-	10.3	-	-	-	2.8
	128E	-	3	-	-	-	-	-	-	3	11.6	4.0	3.5	-	0.5	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	15.0	0.7	0.5	-	-	-	-	-	0.2
	•140E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•142E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
27N	126E	-	3	-	-	-	-	-	-	3	14.0	6.5	5.8	0.7	-	-	-	-	-
	127E	2	17	-	-	-	-	-	-	19	11.3	57.3	39.7	-	14.0	-	-	-	3.6
	128E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	•136E	-	1	-	-	-	-	-	-	1	15.0	0.3	0.3	-	-	-	-	-	-
	•141E	-	2	-	-	-	-	-	-	2	14.0	0.2	0.2	-	-	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	16.0	7.5	7.5	-	-	-	-	-	-
	•145E	-	6	-	-	-	-	-	-	6	16.0•	5.3	0.6	-	4.5	-	-	-	0.2
26N	125E	-	1	-	-	-	-	-	-	1	17.0	1.1	0.5	-	-	-	0.6	-	-
	126E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	127E	-	3	-	-	-	-	-	-	3	13.0	10.3	7.1	3.0	-	-	-	-	0.2
	•134E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	1.2	1.0	-	0.2	-	-	-	-
	•140E	-	16	-	-	-	-	-	-	16	14.6•	22.9	15.5	-	7.4	-	-	-	-
	141E	-	6	-	-	-	-	-	-	6	17.0•	41.1	39.3	-	1.1	-	-	-	0.7
	142E	-	2	-	-	-	-	-	-	2	15.5	1.2	1.1	-	0.1	-	-	-	-
25N	125E	-	2	-	-	-	-	-	-	2	12.0	-	-	-	-	-	-	-	-
	•141E	-	3	-	-	-	-	-	-	3	16.0	16.5	6.6	-	0.3	-	-	-	9.6
	142E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
24N	123E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•126E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	•134E	-	1	-	-	-	-	-	-	1	15.0	2.7	-	-	2.6	-	-	-	0.1
	•141E	-	6	-	-	-	-	-	-	6	17.0•	37.7	34.8	-	2.6	-	-	0.1	0.2
	142E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
23N	122E	-	7	-	-	-	-	-	-	7	15.0	25.7	25.7	-	-	-	-	-	-
	123E	-	7	-	-	-	-	-	-	7	15.0	27.0	27.0	-	-	-	-	-	-
	124E	-	7	-	-	-	-	-	-	7	12.5	15.2	15.2	-	-	-	-	-	-
	125E	-	6	-	-	-	-	-	-	6	15.5	36.1	36.1	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	16.0	2.2	2.2	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	15.0	3.5	3.5	-	-	-	-	-	-
	•130E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.2	-	-	-	-	-	-
	•138E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•141E	-	6	-	-	-	-	-	-	6	13.0	22.7	18.9	0.1	2.9	-	-	-	0.8
23N	142E	-	1	-	-	-	-	-	-	1	16.0	1.7	1.7	-	-	-	-	-	-
	•157E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
22N	119E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	120E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•122E	-	43	-	-	-	-	-	-	43	13.6	172.7	169.5	-	2.7	-	-	-	0.5
	123E	-	6	-	-	-	-	-	-	6	14.0	7.5	6.5	-	1.0	-	-	-	-
	124E	-	8	-	-	-	-	-	-	8	13.2	29.0	29.0	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	14.0	32.4	32.4	-	-	-	-	-	-
	•127E	-	4	-	-	-	-	-	-	4	13.2	16.5	15.8	-	0.7	-	-	-	-
	128E	-	4	-	-	-	-	-	-	4	11.2	17.7	16.7	1.0	-	-	-	-	-
	•130E	-	1	-	-	-	-	-	-	1	11.0	5.0	5.0	-	-	-	-	-	-
	•142E	-	2	-	-	-	-	-	-	2	13.0	7.6	4.7	-	2.6	-	-	-	0.3
	•154E	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
	•164E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
21N	120E	-	2	-	-	-	-	-	-	2	14.0	8.5	8.1	0.4	-	-	-	-	-
	•122E	-	4	-	-	-	-	-	-	4	14.0	6.5	6.5	-	-	-	-	-	-
	123E	-	7	-	-	-	-	-	-	7	13.0	14.1	13.5	-	0.5	-	-	-	0.1
	124E	-	3	-	-	-	-	-	-	3	12.0	6.6	6.5	-	-	-	-	-	0.1
	•126E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	•128E	-	-	-	-	-	3	-	-	3	23.0	10.0	10.0	-	-	-	-	-	-
	129E	-	-	-	-	-	13	-	-	13	20.5	41.0	41.0	-	-	-	-	-	-
	130E	-	4	-	-	-	-	-	-	4	13.7	20.2	20.2	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	13.0	5.5	5.5	-	-	-	-	-	-
	•138E	-	2	-	-	-	-	-	-	2	17.0	11.1	10.6	-	-	-	0.5	-	-
	•142E	-	-	-	-	-	1	-	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	16.0	9.0	2.3	-	6.7	-	-	-	-
	144E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	•153E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	•157E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
	•164E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	•166E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
20N	122E	-	3	-	-	-	-	-	-	3	12.3	7.8	7.5	-	0.2	-	-	-	0.1
	123E	-	2	-	-	-	-	-	-	2	14.0	6.2	6.2	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	15.0	2.5	2.5	-	-	-	-	-	-
	•129E	-	2	-	-	-	-	-	-	2	14.5	3.2	3.2	-	-	-	-	-	-
	•131E	-	1	-	-	-	-	-	-	1	14.0	8.0	8.0	-	-	-	-	-	-
	•135E	-	1	-	-	-	-	-	-	1	15.0	14.5	14.5	-	-	-	-	-	-
	•145E	-	4	-	-	-	-	-	-	4	10.0	2.2	-	-	2.2	-	-	-	-
	•162E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	•168E	-	-	-	-	-	-	1	-	1	31.0	8.0	8.0	-	-	-	-	-	-
19N	128E	-	2	-	-	-	-	-	-	2	14.0	4.0	4.0	-	-	-	-	-	-
	129E	-	5	-	-	-	2	-	-	7	16.1	27.6	19.5	-	7.1	-	-	-	1.0
	•131E	-	-	-	-	-	1	1	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	•135E	-	1	1	-	-	-	-	-	2	14.0	4.0	4.0	-	-	-	-	-	-
	•142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	•164E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	E
18N 128E	-	1	-	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
*130E	-	1	-	-	-	4	-	-	5	18.6	7.0	7.0	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
*145E	-	-	-	-	-	2	-	-	2	20.5	5.5	5.5	-	-	-	-	-	-
*155E	-	-	-	-	-	1	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
17N 128E	-	1	-	-	-	-	-	-	1	14.0	7.0	5.0	-	2.0	-	-	-	-
*131E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
*133E	-	1	-	-	-	1	-	-	2	20.0	4.8	4.8	-	-	-	-	-	-
134E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
135E	-	-	1	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
*139E	-	-	-	-	-	1	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
*146E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	26.0	7.0	7.0	-	-	-	-	-	-
16N 131E	-	-	-	-	-	2	-	-	2	19.0	3.0	3.0	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
134E	-	3	1	-	-	-	-	-	4	14.7	14.2	14.2	-	-	-	-	-	-
135E	-	4	2	-	-	-	-	-	6	15.0	43.0	43.0	-	-	-	-	-	-
*140E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
*146E	-	-	-	-	-	2	-	-	2	16.0	11.0	10.0	-	1.0	-	-	-	-
147E	-	-	-	-	-	1	-	-	1	18.0	7.5	7.5	-	-	-	-	-	-
15N 130E	-	-	-	-	-	2	-	-	2	19.0	4.0	4.0	-	-	-	-	-	-
*133E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
134E	-	-	1	-	-	1	-	-	2	18.5	10.0	10.0	-	-	-	-	-	-
*141E	-	-	-	-	-	2	-	-	2	16.0	8.4	4.8	-	3.6	-	-	-	-
142E	-	-	-	-	-	3	-	-	3	15.0	25.7	25.7	-	-	-	-	-	-
*146E	-	-	-	-	-	3	-	-	3	18.3	7.5	7.5	-	-	-	-	-	-
14N 142E	-	-	-	-	-	1	-	-	1	17.0	4.1	4.0	-	-	-	-	-	0.
*151E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*12N 134E	-	-	-	-	-	-	2	-	2	25.0	20.0	20.0	-	-	-	-	-	-
135E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
11N 147E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
10N 136E	-	-	-	-	-	1	-	-	1	23.0	6.7	6.7	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
09N 160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
08N 138E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
07N 150E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	2	3	-	5	20.6	12.0	12.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	21.0	0.7	0.7	-	-	-	-	-	-
*178W	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
*166W	-	-	-	-	-	-	1	-	1	28.0	10.0	10.0	-	-	-	-	-	-
06N 141E	-	-	-	-	-	1	-	-	1	23.0	0.2	0.2	-	-	-	-	-	-
*144E	-	-	-	-	-	3	-	-	3	17.3	18.5	18.5	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	1	-	-	1	14.0	1.1	0.5	-	0.5	-	-	-	0.
*178E	-	-	-	-	-	-	1	-	1	21.0	9.5	9.0	-	0.5	-	-	-	-
179E	-	-	-	-	-	3	3	-	6	17.5	30.5	30.5	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	20.0	19.0	19.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	5	-	5	22.2	25.5	25.5	-	-	-	-	-	-
177W	-	-	-	-	-	-	3	-	3	22.6	11.0	11.0	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	28.0	1.5	1.5	-	-	-	-	-	-
168W	-	-	-	-	-	-	2	-	2	22.5	1.5	1.5	-	-	-	-	-	-
167W	-	-	-	-	-	-	4	-	4	20.0	34.0	34.0	-	-	-	-	-	-
*165W	-	-	-	-	-	-	2	-	2	22.5	16.0	16.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	5	-	5	24.6	45.5	45.5	-	-	-	-	-	-
163W	-	-	-	-	-	-	3	-	3	27.0	33.0	33.0	-	-	-	-	-	-
05N 000E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*148E	-	-	-	-	-	1	-	-	1	15.0	5.0	5.0	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
*153E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	21.0	9.0	9.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	5	-	5	21.0	24.0	24.0	-	-	-	-	-	-
179E	-	-	-	-	-	1	1	-	2	17.5	3.7	3.5	-	0.1	-	-	-	0.
*179W	-	-	-	-	-	-	3	-	3	22.3	23.2	23.2	-	-	-	-	-	-
178W	-	-	-	-	-	1	4	-	5	24.0	19.0	19.0	-	-	-	-	-	-
177W	-	-	-	-	-	1	2	-	3	22.3	7.0	7.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	3	-	3	20.3	12.5	12.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	21.0	7.5	7.5	-	-	-	-	-	-
*171W	-	-	-	-	-	-	4	-	4	24.5	19.0	19.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU ,OUKEI *** OCT -3-007 JUN -231 10月下旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ノダ F.M.	その他 ELS
05N	170W	-	-	-	-	-	-	9	-	9	27.0	38.3	38.3	-	-	-	-	-	-
	169W	-	-	-	-	-	-	3	-	3	27.6	26.0	26.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	26.0	11.0	11.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	2	-	2	18.0	7.0	7.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	19.0	5.0	5.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	3	-	3	21.3	16.0	16.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	4	-	4	22.5	21.5	21.5	-	-	-	-	-	-
	163W	-	-	-	-	-	-	2	-	2	27.0	14.0	14.0	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	11	-	-	11	23.0	-	-	-	-	-	-	-	-
04N	000E	-	-	-	-	-	2	-	-	2	23.0	2.3	2.2	-	0.1	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	146E	-	-	-	-	-	3	-	-	3	17.0	21.4	19.0	-	2.4	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	17.0	6.0	5.0	-	1.0	-	-	-	-
	148E	-	-	-	-	-	5	-	-	5	16.0	17.2	17.2	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	15.0	1.6	1.0	-	0.6	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	16.0	3.5	3.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	1	2	-	3	24.3	3.0	3.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	21.0	5.0	5.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	2	3	-	5	25.0	25.5	25.5	-	-	-	-	-	-
	176W	-	-	-	-	-	2	-	-	2	22.0	23.0	23.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	22.5	7.0	7.0	-	-	-	-	-	-
	174W	-	-	-	-	-	1	8	-	9	21.0	39.4	39.4	-	-	-	-	-	-
	173W	-	-	-	-	-	1	10	-	11	30.0	59.9	59.9	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	25.2	28.7	28.7	-	-	-	-	-	-
	171W	-	-	-	-	-	-	14	-	14	26.2	98.8	98.8	-	-	-	-	-	-
	170W	-	-	-	-	-	-	8	-	8	24.6	59.0	59.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	21.0	11.5	11.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	22.5	5.5	5.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	2	-	2	19.0	12.0	12.0	-	-	-	-	-	-
	*005W	-	-	-	-	-	2	-	-	2	23.0	8.3	8.3	-	-	-	-	-	-
	*003W	-	-	-	-	-	3	-	-	3	23.0	9.9	8.9	-	1.0	-	-	-	-
	002W	-	-	-	-	-	10	-	-	10	23.0	102.8	54.1	-	46.5	-	2.2	-	-
	001W	-	-	-	-	-	5	-	-	5	23.0	16.6	8.8	-	7.8	-	-	-	-
	000W	-	-	-	-	-	1	-	-	1	23.0	4.2	1.6	-	2.6	-	-	-	-
03N	000E	-	-	-	-	-	2	-	-	2	23.0	10.4	3.5	-	1.0	-	0.1	-	5.8
	001E	-	-	-	-	-	1	-	-	1	23.0	4.8	2.7	-	-	-	-	-	2.1
	002E	-	-	-	-	-	4	-	-	4	23.0	32.8	22.1	-	0.1	-	0.6	-	10.0
	*148E	-	-	-	-	-	1	-	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	16.0	3.1	3.1	-	-	-	-	-	-
	150E	-	-	-	-	-	3	-	-	3	16.0	9.9	9.9	-	-	-	-	-	-
	151E	-	-	-	-	-	3	-	-	3	18.0	3.7	3.7	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	6	-	-	6	19.5	8.8	8.1	-	0.7	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	22.0	8.0	8.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	13.0	0.2	0.2	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	21.0	3.5	3.5	-	-	-	-	-	-
03N	*170E	-	-	-	-	-	2	-	-	2	17.5	1.5	1.5	-	-	-	-	-	-
	171E	-	-	-	-	-	1	-	-	1	21.0	7.5	7.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	1	-	2	23.5	3.5	3.5	-	-	-	-	-	-
	*177E	-	-	-	-	-	5	1	-	6	23.5	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	1	1	-	2	21.5	2.0	2.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	4	-	4	24.7	20.7	20.7	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	26.0	2.5	2.5	-	-	-	-	-	-
	176W	-	-	-	-	-	2	4	-	6	25.3	29.5	29.5	-	-	-	-	-	-
	175W	-	-	-	-	-	4	10	-	14	25.0	108.1	108.1	-	-	-	-	-	-
	174W	-	-	-	-	-	-	10	-	10	23.5	47.0	47.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	10	-	10	20.8	37.5	37.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	20	-	20	22.1	145.8	145.8	-	-	-	-	-	-
	171W	-	-	-	-	-	-	2	-	2	21.5	2.5	2.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	18.0	6.0	6.0	-	-	-	-	-	-
02N	000E	-	-	-	-	-	2	-	-	2	23.0	12.0	7.9	-	-	-	0.3	-	3.8
	001E	-	-	-	-	-	1	-	-	1	23.0	8.7	6.9	-	0.1	-	0.3	-	1.4
	002E	-	-	-	-	-	6	-	-	6	23.0	40.8	23.4	-	1.0	-	1.5	-	14.9
	003E	-	-	-	-	-	5	-	-	5	23.0	42.8	32.5	-	0.2	-	2.9	-	7.2
	004E	-	-	-	-	-	2	-	-	2	23.0	19.4	9.6	-	-	-	2.5	-	7.3
	*157E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	1	-	2	22.0	4.0	4.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	20.0	6.5	6.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	14.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	28.0	2.0	2.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	2	-	-	2	22.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	173W	-	-	-	-	-	1	5	-	6	22.1	17.7	17.5	-	-	-	0.2	-	-
	172W	-	-	-	-	-	1	8	-	9	20.7	41.5	41.5	-	-	-	-	-	-
	*000W	-	-	-	-	-	3	-	-	3	23.0	15.9	13.4	-	-	-	0.3	-	2.2
01N	004E	-	-	-	-	-	1	-	-	1	23.0	10.7	7.3	-	-	-	0.6	-	2.8
	*153E	-	-	-	-	-	1	-	-	1	22.0	14.0	14.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	22.0	13.0	13.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	-	-	2	18.5	4.9	4.9	-	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	24.0	12.0	12.0	-	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	24.3	15.3	15.0	-	0.3	-	-	-	-
	163E	-	-	-	-	-	7	1	-	8	23.7	31.3	30.0	-	0.3	-	-	-	1.0
	164E	-	-	-	-	-	1	1	-	2	26.5	9.1	[illegible]	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	22.5	5.5	[illegible]	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
00N	161E	-	-	-	-	-	-	5	-	5	26.4	19.0	18.0	-	1.0	-	-	-	-
	162E	-	-	-	-	-	7	-	-	7	15.1	50.0	43.0	-	6.9	-	-	-	0.1

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** OCT -3-009 JUN -233 10月下

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その EL
00N	163E	-	-	-	-	-	8	-	-	8	17.8	27.6	19.9	-	7.2	-	-	-	0.
	*176E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	21.0	1.0	-	-	-	-	1.0	-	-
*00S	163E	-	-	-	-	-	2	-	-	2	15.0	7.6	4.5	-	3.1	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	25.0	0.3	0.3	-	-	-	-	-	-
	*172E	-	-	-	-	-	2	2	-	4	24.5	29.5	29.5	-	-	-	-	-	-
	173E	-	-	-	-	-	6	2	-	8	24.2	37.8	37.5	-	0.3	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	21.0	2.5	0.5	-	-	-	2.0	-	-
	*174W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
01S	162E	-	-	-	-	-	1	-	-	1	15.0	2.2	-	-	2.2	-	-	-	-
	*173E	-	-	-	-	-	1	2	-	3	23.3	12.0	12.0	-	-	-	-	-	-
02S	155E	-	-	-	-	-	-	1	-	1	24'.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*09S	154E	-	-	-	-	-	-	2	-	2	24.0	18.9	18.2	-	0.5	-	0.2	-	-
10S	154E	-	-	-	-	-	-	2	-	2	24.0	18.5	18.5	-	-	-	-	-	-
*12S	149E	-	-	-	-	-	-	1	-	1	24.0	3.0	1.7	-	1.3	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
13S	146E	-	-	-	-	-	-	1	-	1	24.0	2.0	1.0	-	1.0	-	-	-	-
14S	149E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
*16S	147E	-	-	-	-	-	-	1	-	1	24.0	3.3	3.0	-	0.3	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -1-001 JUN -234 11月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均年数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
42N	168E	-	-	-	-	-	6	-	-	6	23.0*	31.5	0.2	31.2	-	0.1	-	-	-
41N	153E	-	1	-	-	-	-	-	-	1	19.0	6.0	6.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	2	-	-	2	22.0	4.5	-	4.5	-	-	-	-	-
	167E	-	-	-	-	-	60	18	-	78	22.0*	186.9	0.8	184.4	-	1.7	-	-	-
	168E	-	-	-	-	-	82	12	-	94	23.0*	334.6	0.8	330.2	-	2.0	-	-	1.6
40N	150E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	151E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*155E	-	2	-	-	-	-	-	-	2	18.5	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	4	2	-	6	24.3	0.1	-	0.1	-	-	-	-	-
	165E	-	-	-	-	-	12	1	-	13	24.4*	6.2	-	6.2	-	-	-	-	-
	166E	-	-	-	-	-	12	-	-	12	22.0	2.5	-	2.5	-	-	-	-	-
	167E	-	-	-	-	-	27	4	-	31	22.9*	61.7	0.5	61.1	-	0.1	-	-	-
	168E	-	-	-	-	-	7	2	-	9	25.7	7.5	2.0	5.5	-	-	-	-	-
39N	149E	-	2	-	-	-	-	-	-	2	17.5	10.0	10.0	-	-	-	-	-	-
	*154E	-	3	-	-	-	-	-	-	3	17.6	-	-	-	-	-	-	-	-
	155E	-	5	-	-	-	-	-	-	5	19.8	-	-	-	-	-	-	-	-
	156E	-	1	-	-	-	-	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	19	2	-	21	23.6	18.8	-	18.8	-	-	-	-	-
	166E	-	-	-	-	-	12	1	-	13	22.5*	10.2	-	10.2	-	-	-	-	-
	167E	-	-	-	-	-	12	-	-	12	22.7	2.7	-	2.7	-	-	-	-	-
38N	148E	-	1	-	-	-	-	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	149E	-	6	-	-	-	-	-	-	6	17.8*	6.0	6.0	-	-	-	-	-	-
	150E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	151E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	11	-	-	11	22.9	2.0	-	2.0	-	-	-	-	-
	167E	-	-	-	-	-	14	1	-	15	25.0	3.1	-	3.1	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
37N	148E	-	2	-	-	-	-	-	-	2	19.0	9.5	9.5	-	-	-	-	-	-
	149E	-	18	-	-	-	-	-	-	18	17.7*	59.4	59.4	-	-	-	-	-	-
	*167E	-	-	-	-	-	2	-	-	2	22.5	0.3	-	0.3	-	-	-	-	-
36N	148E	-	3	-	-	-	-	-	-	3	18.3	10.5	10.5	-	-	-	-	-	-
35N	150E	-	1	-	-	-	-	-	-	1	18.3	0.1	-	0.1	-	-	-	-	-
34N	137E	-	1	-	-	-	-	-	-	1	14.0	0.2	-	-	0.2	-	-	-	-
	138E	-	20	-	-	-	-	-	-	20	15.5	15.7	8.6	-	3.4	3.7	-	-	-
	139E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	1	-	-	-	-	-	-	1	18.0	0.2	-	0.1	-	-	0.1	-	-
34N	*157E	-	1	-	-	-	-	-	-	1	18.0	0.1	-	-	-	-	0.1	-	-
33N	139E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	140E	-	13	-	-	-	-	-	-	13	13.9	16.4	16.4	-	-	-	-	-	-
	*156E	-	4	-	-	-	-	-	-	4	13.9	1.0	-	0.3	-	-	0.4	-	0.3
	157E	-	1	-	-	-	-	-	-	1	13.9	0.4	-	0.2	-	-	0.1	-	0.1
*30N	129E	1	-	-	-	-	-	-	-	1	10.0	0.8	0.8	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	13.0	1.5	1.5	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	8.0	0.2	0.2	-	-	-	-	-	-
29N	127E	-	1	-	-	-	-	-	-	1	15.0	1.3	1.3	-	-	-	-	-	-
	128E	-	17	-	-	-	-	-	-	17	12.7	36.3	29.0	1.0	3.9	-	-	-	2.4
	129E	-	6	-	-	-	-	-	-	6	12.6	5.6	3.8	-	1.5	-	-	-	0.3
	130E	-	2	-	-	-	-	-	-	2	13.0	5.0	3.0	-	2.0	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	15.3	0.5	-	-	0.5	-	-	-	-
28N	127E	4	23	-	-	-	-	-	-	27	12.0	58.8	49.2	-	7.7	-	0.8	-	1.1
	128E	3	9	-	-	-	-	-	-	12	12.0	21.0	16.1	-	4.0	-	-	-	0.9
	129E	-	3	-	-	-	-	-	-	3	12.0	2.6	2.6	-	-	-	-	-	-
	*141E	-	13	-	-	-	-	-	-	13	13.3	5.2	-	-	4.6	-	-	-	0.6
27N	126E	-	4	-	-	-	-	-	-	4	16.5	6.3	5.0	-	0.3	-	1.0	-	-
	127E	-	18	-	-	-	-	-	-	18	12.4	41.2	31.6	-	7.8	-	-	-	1.8
	*130E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
26N	126E	-	5	-	-	-	-	-	-	5	14.8	6.5	6.5	-	-	-	-	-	-
	*140E	-	9	-	-	-	-	-	-	9	14.0*	3.9	1.5	-	2.3	-	-	-	0.1
	141E	-	2	-	-	-	-	-	-	2	16.0	3.6	1.0	-	2.6	-	-	-	-
25N	125E	-	1	-	-	-	-	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	13.0	1.2	0.6	-	0.6	-	-	-	-
24N	140E	-	2	-	-	-	-	-	-	2	10.0	6.6	6.6	-	-	-	-	-	-
	141E	-	7	-	-	-	-	-	-	7	17.2	20.7	18.1	-	2.6	-	-	-	-
23N	124E	-	1	-	-	-	-	-	-	1	11.0	3.5	3.5	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	11.0	1.4	-	-	1.0	-	-	-	0.4
	130E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*141E	-	8	-	-	-	-	-	-	8	15.7	25.1	18.9	-	5.9	-	-	-	0.3
	142E	-	17	-	-	-	-	-	-	17	15.5*	84.5	81.2	-	3.3	-	-	-	-
	143E	-	5	-	-	-	-	-	-	5	12.8	29.5	29.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
22N	125E	-	1	-	-	-	-	-	-	1	11.0	5.5	5.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	11.0	6.3	6.0	-	0.2	-	-	-	0.1

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -1-003 JUN -236 11月上

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その EL
22N	*129E	-	2	-	-	-	-	-	-	2	13.0	3.0	3.0	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	14.0	5.0	5.0	-	-	-	-	-	-
	131E	-	6	-	-	-	-	-	-	6	12.1	21.5	21.5	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	14.0	8.5	8.5	-	-	-	-	-	-
	*142E	-	9	-	-	-	1	-	-	10	15.7	53.1	45.7	-	7.3	-	-	-	0.
	*157E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
21N	128E	-	2	-	-	-	-	-	-	2	14.5	1.2	1.2	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	13.0	2.3	2.3	-	-	-	-	-	-
	130E	-	17	-	-	-	-	-	-	17	12.3	71.3	61.7	-	6.7	-	-	-	2.
	131E	-	17	-	-	-	-	-	-	17	13.7	49.5	46.1	-	2.9	-	-	-	0.
	132E	-	18	-	-	-	-	-	-	18	12.8	61.3	61.0	-	-	-	-	-	0.
	133E	-	6	-	-	-	-	-	-	6	13.1	12.3	11.9	-	0.4	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	11.5	2.1	2.1	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	17.0	2.7	0.5	-	-	-	2.2	-	-
	*143E	-	1	-	-	-	-	-	-	1	14.0	7.8	6.3	-	1.5	-	-	-	-
	144E	-	1	-	-	-	-	-	-	1	14.0	0.6	-	-	0.6	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	21.0	7.0	6.5	-	0.5	-	-	-	-
20N	128E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	14.6	2.4	2.4	-	-	-	-	-	-
	130E	-	3	-	-	-	-	-	-	3	15.3	5.5	3.5	-	2.0	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	16.0	3..	3.0	-	0.5	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	136E	-	4	-	-	-	-	-	-	4	11.5	12.5	9.0	-	3.0	-	-	-	0.
	*138E	-	1	-	-	-	-	-	-	1	18.0	4.6	1.8	-	2.8	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.1	-	0.4	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	16.0	3.4	-	-	3.4	-	-	-	-
	*145E	-	8	-	-	-	-	-	-	8	10.0*	5.2	-	-	5.2	-	-	-	-
19N	128E	-	2	-	-	-	-	-	-	2	14.5	7.0	7.0	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	11.0	6.0	3.0	-	3.0	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	13.0	1.9	1.8	-	0.1	-	-	-	-
	*145E	-	3	-	-	-	-	-	-	3	10.0*	2.2	-	-	2.2	-	-	-	-
18N	128E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	*131E	-	2	-	-	-	-	-	-	2	10.5	-	-	-	-	-	-	-	-
	*133E	-	1	1	-	-	-	-	-	2	15.5	6.0	6.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
17N	128E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	4	-	-	5	17.2	5.0	5.0	-	-	-	-	-	-
	134E	-	-	1	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	1	-	-	-	2	-	-	3	16.0	5.2	4.2	-	0.7	-	-	-	0.3
	143E	-	-	-	-	-	1	-	-	1	16.0	3.1	3.1	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
16N	131E	-	-	-	-	-	2	-	-	2	19.0	10.0	10.0	-	-	-	-	-	-
	132E	-	-	-	-	-	4	-	-	4	21.0	6.0	6.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
15N	131E	-	-	-	-	-	6	-	-	6	19.0	15.0	15.0	-	-	-	-	-	-
	*133E	-	-	-	-	-	2	-	-	2	19.0	2.0	2.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
14N	133E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
	*141E	-	-	-	-	-	2	-	-	2	15.0	8.2	8.2	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	28.0	3.5	3.5	-	-	-	-	-	-
13N	131E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	24.0	10.0	10.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
12N	130E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	131E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
11N	131E	-	-	-	-	-	3	-	-	3	23.0	7.4	7.4	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
10N	176W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
09N	149E	-	-	-	-	-	-	1	-	1	22.0	11.0	7.0	-	1.0	-	3.0	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
08N	140E	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	24.5	6.0	6.0	-	-	-	-	-	-
07N	165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	1	-	2	24.5	4.1	3.0	-	1.0	-	-	-	0.
	*173W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
06N	138E	-	-	-	-	-	1	-	-	1	16.0	0.3	0.2	-	0.1	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	21.0	0.2	0.2	-	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	25.0	0.5	-	-	0.5	-	-	-	-
	*144E	-	-	-	-	-	3	-	-	3	16.6	4.9	4.9	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	19.0	1.7	1.5	-	0.2	-	-	-	-
	*176E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　NOV -1-005　　JUN -238　　11月上旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	LS
06N	*179W	-	-	-	-	-	-	2	-	2	21.5	2.1	1.7	-	0.4	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	22.0	1.5	1.5	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	26.5	13.5	13.5	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	2	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	1	-	1	19.0	3.0	3.0	-	-	-	-	-	-
05N	140E	-	-	-	-	-	1	-	-	1	21.0	0.3	0.1	-	0.2	-	-	-	-
	141E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	2	-	-	2	15.5	1.9	0.9	-	1.0	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	22.0	1.0	1.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	4	-	4	21.7	11.5	11.0	-	0.5	-	-	-	-
	178W	-	-	-	-	-	-	5	-	5	26.8	22.7	22.7	-	-	-	-	-	-
	177W	-	-	-	-	-	-	3	-	3	20.6	11.7	11.5	-	0.2	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	3	-	3	22.0	6.0	6.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	3	-	3	21.6	11.5	11.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	7	-	7	22.4	32.5	32.5	-	-	-	-	-	-
	169W	-	-	-	-	-	-	3	-	3	21.0	12.0	12.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	11	-	11	23.1	50.2	50.2	-	-	-	-	-	-
	167W	-	-	-	-	-	-	6	-	6	22.6	19.5	19.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	3	-	3	22.3	19.0	19.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	9	-	9	23.3	34.0	34.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	2	-	2	24.0	9.0	9.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	8	-	-	8	23.0	-	-	-	-	-	-	-	-
04N	143E	-	-	-	-	-	1	-	-	1	21.0	0.8	0.8	-	-	-	-	-	-
	144E	-	-	-	-	-	4	-	-	4	17.2	12.7	12.7	-	-	-	-	-	-
	145E	-	-	-	-	-	2	-	-	2	17.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	2	-	-	2	19.5	6.5	6.5	-	-	-	-	-	-
	147E	-	-	-	-	-	5	-	-	5	16.2	16.7	14.2	-	2.5	-	-	-	-
	148E	-	-	-	-	-	9	-	-	9	16.3	40.3	40.0	-	0.3	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	15.0	5.0	1.5	-	2.9	-	-	-	0.6
	150E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	-	-	2	16.0	5.6	5.6	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	16.0	2.4	2.4	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	1	-	2	15.5	7.5	5.5	-	-	-	2.0	-	-
	167E	-	-	-	-	-	-	1	-	1	21.0	1.0	0.5	-	-	-	-	-	0.5
	168E	-	-	-	-	-	2	2	-	4	16.2	9.5	9.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	38.0	4.8	4.5	-	-	-	-	-	0.3
	177E	-	-	-	-	-	1	2	-	3	28.6	14.0	14.0	-	-	-	-	-	-
	178E	-	-	-	-	-	2	-	-	2	22.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	2	4	-	6	26.5	16.9	16.9	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	25.0	5.1	4.5	-	0.5	-	-	-	0.1
	178W	-	-	-	-	-	1	6	-	7	21.7	56.5	50.5	-	-	-	6.0	-	-
04N	177W	-	-	-	-	-	3	3	-	6	19.8	33.0	33.0	-	-	-	-	-	-
	176W	-	-	-	-	-	2	4	-	6	23.5	11.2	11.2	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	22.0	6.0	6.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	2	-	2	20.0	1.0	1.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	21.0	9.0	9.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	6	-	6	22.3	46.5	46.5	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	165W	-	-	-	-	-	-	4	-	4	21.5	18.5	18.5	-	-	-	-	-	-
	164W	-	-	-	-	-	-	8	-	8	21.6	46.0	46.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*009W	-	-	-	-	-	3	-	-	3	23.0	43.4	41.1	-	2.3	-	-	-	-
	008W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*005W	-	-	-	-	-	1	-	-	1	23.0	13.2	6.5	-	4.3	-	2.4	-	-
	004W	-	-	-	-	-	2	-	-	2	23.0	31.1	13.6	-	14.8	-	2.7	-	-
	003W	-	-	-	-	-	2	-	-	2	23.0	12.6	8.9	-	3.7	-	-	-	-
	002W	-	-	-	-	-	8	-	-	8	23.0	61.6	51.3	-	9.8	-	0.5	-	-
03N	143E	-	-	-	-	-	1	-	-	1	21.0	1.7	1.7	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.2	-	0.3	-	-	-	-
	*148E	-	-	-	-	-	3	-	-	3	16.3	9.8	9.5	-	0.3	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	21.0	2.5	1.0	-	-	-	-	-	1.5
	153E	-	-	-	-	-	3	-	-	3	19.3	11.1	8.6	-	-	-	-	-	2.5
	154E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	28.0	15.0	15.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	32.0	5.0	5.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	3	-	4	23.5	28.6	28.6	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	32.0	1.5	1.5	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	32.0	2.0	2.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	32.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	38.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	20.0	4.6	4.6	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	27.5	5.3	5.3	-	-	-	-	-	-
	175W	-	-	-	-	-	-	4	-	4	28.2	11.2	11.2	-	-	-	-	-	-
	174W	-	-	-	-	-	-	9	-	9	20.4	49.0	49.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	16.5	6.5	6.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	2	-	2	26.0	2.5	2.5	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	2	-	2	27.0	27.0	27.0	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*004W	-	-	-	-	-	1	-	-	1	23.0	5.2	2.9	-	-	-	0.1	-	2.2
	*002W	-	-	-	-	-	2	-	-	2	23.0	16.9	10.1	-	0.2	-	0.8	-	5.8
	001W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
02N	000E	-	-	-	-	-	4	-	-	4	23.0	27.8	17.3	-	1.0	-	1.2	-	8.3
	001E	-	-	-	-	-	2	-	-	2	23.0	24.2	17.0	-	0.1	-	1.4	-	5.7
	*153E	-	-	-	-	-	1	-	-	1	21.0	4.0	2.0	-	-	-	-	-	2.0
	*156E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	21.0	4.5	4.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　NOV -1-007　　　JUN -240　　　11月上

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	EL
02N	*179W	-	-	-	-	-	-	1	-	1	19.0	1.1	1.0	-	-	-	-	-	0.
	178W	-	-	-	-	-	-	6	-	6	23.5	43.5	43.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	11	-	11	20.8	80.7	80.6	-	0.1	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	17.0	15.5	15.5	-	-	-	-	-	-
	*00_W	-	-	-	-	-	1	-	-	1	23.0	10.0	5.6	-	0.5	-	1.2	-	2.
	001W	-	-	-	-	-	5	-	-	5	23.0	54.8	32.5	-	3.7	-	2.3	-	16.
	000W	-	-	-	-	-	4	-	-	4	23.0	34.2	21.2	-	0.2	-	1.6	-	11.
01N	000E	-	-	-	-	-	1	-	-	1	23.0	10.1	9.6	-	-	-	0.5	-	-
	*154E	-	-	-	-	-	2	..	-	2	22.0*	9.0	7.0	-	-	-	2.0	-	-
	155E	-	-	-	-	-	-	1	-	1	25.0	11.0	11.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	13.0	2.3	2.3	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	24.0	7.0	7.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	38.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	1	-	-	1	23.0	2.9	2.9	-	-	-	-	-	-
00N	000E	-	-	-	-	-	1	-	-	1	23.0	10.9	7.7	-	2.1	-	1.1	-	-
	*152E	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.0	-	0.5	-	-	-	-
	154E	-	-	-	-	-	4	-	-	4	21.6*	29.5	26.0	-	-	-	2.0	-	1.
	155E	-	-	-	-	-	6	2	-	8	21.3	40.0	32.0	-	-	-	6.5	-	1.
	156E	-	-	-	-	-	1	-	-	1	21.0	5.0	3.0	-	-	-	-	-	2.
	157E	-	-	-	-	-	-	2	-	2	25.0	4.0	3.2	-	-	-	0.8	-	-
	158E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.3	-	-	-	0.2	-	-
	*163E	-	-	-	-	-	1	1	-	2	23.5	3.2	1.1	-	1.5	-	-	-	0.
	*166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	1	-	2	22.5	5.0	5.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
*00S	155E	-	-	-	-	-	4	1	-	5	25.0*	27.5	27.5	-	-	-	-	-	-
	156E	-	-	-	-	-	5	-	-	5	21.5*	27.0	26.0	-	-	-	-	-	1.
	157E	-	-	-	-	-	2	-	-	2	21.5	4.5	3.5	-	-	-	-	-	1.
	158E	-	.	-	-	-	-	1	-	1	25.0	3.0	2.0	-	1.0	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
01S	161E	-	-	-	-	-	-	1	-	1	25.0	13.0	13.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	13.0	1.0	0.5	-	-	-	0.5	-	-
	*172E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
02S	000E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*04S	158E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.2	-	-	-	0.3	-	-
	*176E	-	-	-	-	-	-	1	-	1	38.0	2.0	2.0	-	-	-	-	-	-
05S	164E	-	-	-	-	-	-	1	-	1	24.0	15.5	15.0	-	0.5	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*07S	163E	-	-	-	-	-	-	1	-	1	24.0	13.0	13.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	24.0	6.0	6.0	-	-	-	-	-	-
08S	161E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*10S	153E	-	-	-	-	-	-	1	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	4	-	4	24.0	24.4	24.1	-	0.3	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	24.0	12.8	12.3	-	0.5	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	24.0	7.0	7.0	-	-	-	-	-	-
11S	154E	-	-	-	-	-	-	2	-	2	24.0	5.8	5.3	-	0.2	-	0.2	-	0.

旬別・漁場別努力量及び漁獲量

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
41N	166E	-	-	-	-	-	1	-	-	1	22.0	2.0	-	2.0	-	-	-	-	-
	•173E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
40N	163E	-	-	-	-	-	2	1	-	3	26.0	2.5	-	2.5	-	-	-	-	-
	164E	-	-	-	-	-	38	1	-	39	24.0•	129.9	2.5	127.4	-	-	-	-	-
	165E	-	-	-	-	-	5	-	-	5	22.8	9.0	-	9.0	-	-	-	-	-
	166E	-	-	-	-	-	9	4	-	13	23.6	18.4	-	18.4	-	-	-	-	-
	167E	-	-	-	-	-	3	1	-	4	21.7	2.7	-	2.7	-	-	-	-	-
	168E	-	-	-	-	-	2	-	-	2	20.5	2.0	-	2.0	-	-	-	-	-
	169E	-	-	-	-	-	34	7	-	41	23.3	176.0	0.1	174.2	-	1.0	-	-	0.7
	170E	-	-	-	-	-	7	-	-	7	21.8	14.0	-	14.0	-	-	-	-	-
	171E	-	-	-	-	-	7	1	-	8	24.7	0.1	-	0.1	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	21.5	0.1	-	0.1	-	-	-	-	-
	173E	-	-	-	-	-	5	1	-	6	25.5	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	2	-	-	2	19.5	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	1	-	-	1	23.0	1.2	-	1.2	-	-	-	-	-
	•177E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
39N	160E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	•164E	-	-	-	-	-	6	3	-	9	22.4	38.3	-	38.3	-	-	-	-	-
	165E	-	-	-	-	-	5	-	-	5	25.0	7.2	-	7.2	-	-	-	-	-
	166E	-	-	-	-	-	16	4	-	20	22.4	34.5	-	34.5	-	-	-	-	-
	167E	-	-	-	-	-	10	1	-	11	23.0	9.0	-	9.0	-	-	-	-	-
	168E	-	-	-	-	-	33	1	-	34	22.3•	158.2	0.5	157.7	-	-	-	-	-
	169E	-	-	-	-	-	26	4	-	30	22.5	148.1	1.0	147.1	-	-	-	-	-
	170E	-	-	-	-	-	11	-	-	11	23.2•	4.1	0.5	3.6	-	-	-	-	-
	171E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	3	-	-	3	21.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	3	-	-	3	23.0	0.2	-	0.1	-	-	-	-	0.1
	174E	-	-	-	-	-	5	-	-	5	22.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	3	-	-	3	23.6	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	2	-	-	2	24.0	0.3	-	0.3	-	-	-	-	-
	177E	-	-	-	-	-	4	-	-	4	22.2	1.3	0.5	0.8	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	21.7	3.0	-	3.0	-	-	-	-	-
38N	148E	-	1	-	-	-	-	-	-	1	19.0	7.0	7.0	-	-	-	-	-	-
	•168E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	•173E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	•177E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
37N	146E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	147E	-	1	-	-	-	-	-	-	1	18.0	13.0	13.0	-	-	-	-	-	-
	148E	-	4	-	-	-	-	-	-	4	15.7	11.0	11.0	-	-	-	-	-	-
	149E	-	3	-	-	-	-	-	-	3	14.6	11.0	11.0	-	-	-	-	-	-
36N	146E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
•34N	138E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	139E	-	3	-	-	-	-	-	-	3	11.0	2.7	2.7	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	20.0	0.3	0.3	-	-	-	-	-	-
33N	139E	-	3	-	-	-	-	-	-	3	18.0•	3.7	3.6	-	0.1	-	-	-	-
	140E	-	2	-	-	-	-	-	-	2	16.0•	1.9	1.6	-	-	-	-	-	0.3
32N	147E	-	1	-	-	-	-	-	-	1	16.0	0.5	-	0.3	-	-	0.1	-	0.1
31N	139E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	20.0	0.8	-	-	0.8	-	-	-	-
•29N	127E	-	2	-	-	-	-	-	-	2	12.0	3.6	3.6	-	-	-	-	-	-
	128E	-	10	-	-	-	-	-	-	10	12.5	8.4	6.2	-	1.8	-	-	-	0.4
	129E	3	9	-	-	-	-	-	-	12	11.6	6.2	4.3	-	1.5	-	-	-	0.4
	•141E	-	1	-	-	-	-	-	-	1	11.6	-	-	-	-	-	-	-	-
28N	127E	-	5	-	-	-	-	-	-	5	12.8	0.6	0.6	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	12.5	0.5	0.5	-	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	14.0	0.8	0.8	-	-	-	-	-	-
	•141E	-	8	-	-	-	-	-	-	8	14.1	2.7	0.1	-	2.6	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	14.1	0.6	-	-	0.6	-	-	-	-
27N	127E	-	5	-	-	-	-	-	-	5	12.2	4.5	4.5	-	-	-	-	-	-
	•145E	-	1	-	-	-	-	-	-	1	15.0	1.1	0.1	-	1.0	-	-	-	-
26N	131E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	•140E	-	11	-	-	-	-	-	-	11	14.1•	11.0	3.6	-	7.3	-	-	-	0.1
	141E	-	1	-	-	-	-	-	-	1	19.0	1.2	1.0	-	0.2	-	-	-	-
25N	140E	-	2	-	-	-	-	-	-	2	14.0	7.9	7.9	-	-	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	16.0•	14.0	14.0	-	-	-	-	-	-
24N	140E	-	2	-	-	-	1	-	-	3	15.6	5.4	4.8	-	-	-	0.6	-	-
	141E	-	2	-	-	-	-	-	-	2	16.0•	0.3	0.3	-	-	-	-	-	-
	•152E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
23N	124E	-	1	-	-	-	-	-	-	1	11.0	16.0	16.0	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	11.0	2.0	2.0	-	-	-	-	-	-
	•132E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	•141E	-	6	-	-	-	-	-	-	6	15.5	9.9	4.2	-	4.9	-	-	-	0.8
	142E	-	6	-	-	-	-	-	-	6	15.6	8.4	4.5	-	3.6	-	-	-	0.3
	143E	-	3	-	-	-	-	-	-	3	12.0	14.3	10.3	-	4.0	-	-	-	-
	•153E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
22N	124E	-	1	-	-	-	-	-	-	1	11.0	4.6	4.0	-	-	-	-	-	0.6
	•133E	-	1	-	-	-	-	-	-	1	12.0	2.5	2.5	-	-	-	-	-	-
	•135E	-	2	-	-	-	-	-	-	2	15.0	1.0	1.0	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	12.0	1.5	0.8	-	-	-	-	-	0.7
	137E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.2	-	-	-	-	-	-
	•141E	-	1	-	-	-	-	1	-	2	21.0•	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -2-003 JUN -244 11月中

操業位置 POSITION		竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 EL
22N	142E	-	13	-	-	-	-	-	-	13	15.2	27.7	13.7	-	13.7	-	-	-	0.
	143E	-	4	-	-	-	-	-	-	4	16.5	11.7	8.7	-	3.0	-	-	-	-
21N	131E	-	2	-	-	-	-	-	-	2	11.0	1.0	-	-	0.1	-	-	-	0.
	*133E	-	2	-	-	-	-	-	-	2	13.5	0.2	-	-	0.2	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	12.7	5.4	4.2	-	1.2	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	15.0	1.0	1.0	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	15.0	8.9	8.2	-	0.7	-	-	-	-
	*143E	-	2	-	-	-	-	-	-	2	16.5	5.4	5.4	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	27.0	3.1	3.0	-	0.1	-	-	-	-
20N	131E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*133E	-	3	-	-	-	-	-	-	3	12.3	11.0	7.0	-	4.0	-	-	-	-
	134E	-	18	-	-	-	-	-	-	18	12.6	67.1	62.3	-	3.8	-	1.0	-	-
	135E	-	11	-	-	-	-	-	-	11	13.4	124.4	43.3	-	0.8	-	-	80.2	0.
	136E	-	3	-	-	-	-	-	-	3	15.0	8.4	8.4	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	11.5	0.8	0.8	-	-	-	-	-	-
	138E	-	1	-	-	-	-	-	-	1	12.0	8.0	8.0	-	-	-	-	-	-
	*142E	-	2	-	-	-	-	1	-	3	16.3	5.7	4.7	-	1.0	-	-	-	-
	143E	-	8	-	-	-	-	-	-	8	13.3■	37.3	36.1	-	1.0	-	-	-	0.
	144E	-	2	-	-	-	-	-	-	2	17.0	1.8	1.8	-	-	-	-	-	-
19N	128E	-	1	-	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	10.5	1.1	0.8	-	0.3	-	-	-	-
	133E	-	25	1	-	-	-	-	-	26	13.6	116.5	114.0	-	1.5	-	-	-	1.
	134E	-	30	-	-	-	-	-	-	30	13.6	123.8	120.4	-	2.5	-	-	-	0.
	135E	-	22	-	-	-	1	-	-	23	13.6	90.8	89.3	-	0.5	-	-	-	1.
	136E	-	13	-	-	-	-	-	-	13	12.8	72.8	72.8	-	-	-	-	-	-
	137E	-	8	-	-	-	-	-	-	8	13.1	31.1	30.1	-	1.0	-	-	-	-
	138E	-	-	-	-	-	-	1	-	1	33.0	16.5	16.5	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	33.0	9.0	9.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
18N	128E	-	1	-	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	*130E	-	1	-	-	-	2	-	-	3	17.6	9.3	9.0	-	0.3	-	-	-	-
	*132E	-	3	-	-	-	-	-	-	3	14.6	8.5	8.5	-	-	-	-	-	-
	133E	-	4	-	-	-	-	-	-	4	14.2	11.5	11.5	-	-	-	-	-	-
	134E	-	2	1	-	-	-	-	-	3	16.3	3.0	3.0	-	-	-	-	-	-
	*136E	-	3	1	-	-	1	-	-	5	17.2	9.6	9.6	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
17N	128E	-	2	-	-	-	-	-	-	2	14.0	8.0	8.0	-	-	-	-	-	-
	*133E	-	-	1	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	1	-	2	18.5	11.0	11.0	-	-	-	-	-	-
	137E	-	1	-	-	-	1	-	-	2	18.5	7.0	7.0	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	13.0	0.2	-	-	0.2	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	28.0	7.0	7.0	-	-	-	-	-	-
16N	133E	-	-	1	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	135E	-	-	1	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
	*143E	-	9	-	-	-	-	-	-	9	14.3	10.7	-	-	9.0	-	-	-	1.7
	*162E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
15N	132E	-	-	-	-	-	1	-	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*142E	-	4	-	-	-	-	-	-	4	14.5	4.3	-	-	4.0	-	-	-	0.3
	*163E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
14N	130E	-	-	-	-	-	2	-	-	2	19.0	4.0	4.0	-	-	-	-	-	-
	*133E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	*136E	-	-	-	-	-	1	-	-	1	16.0	0.1	0.1	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	2	-	2	28.0	12.0	12.0	-	-	-	-	-	-
13N	130E	-	-	-	-	-	2	-	-	2	19.0	6.0	6.0	-	-	-	-	-	-
	*132E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	*136E	-	-	-	-	-	2	-	-	2	16.0	9.6	9.6	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*166F	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
12N	130E	-	-	-	-	-	7	-	-	7	20.7	18.5	18.5	-	-	-	-	-	-
	*136E	-	-	-	-	-	-	1	-	1	19.0	1.6	1.5	-	-	-	0.1	-	-
	*140E	-	-	-	-	-	-	1	-	1	33.0	6.0	6.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
11N	136E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
10N	136E	-	-	-	-	-	1	-	-	1	22.0	1.0	-	-	1.0	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.2	-	0.3	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
09N	141E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	33.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
08N	138E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	-	-	2	23.5	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	2	-	2	20.0	1.5	1.0	-	0.5	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	18.0	4.0	3.0	-	-	-	1.0	-	-
	*159E	-	-	-	-	-	-	1	-	1	24.0	0.8	0.6	-	-	-	0.2	-	-
	*167E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
07N	170E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	24.0	0.4	0.4	-	-	-	-	-	-
06N	144E	-	-	-	-	-	1	-	-	1	16.0	1.8	1.5	-	0.3	-	-	-	-
	*149E	-	-	-	-	-	1	3	-	4	23.0	21.0	15.5	-	[illegible].5	-	2.0	-	-
	150E	-	-	-	-	-	1	6	-	7	22.2	52.0	45.0	-	-	-	7.0	-	-
	151E	-	-	-	-	-	-	4	-	4	24.2	44.7	39.1	-	0.5	-	4.1	-	1.0
	*153E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.0	-	0.5	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	6.0	5.0	-	1.0	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	164W	-	-	-	-	-	-	3	-	3	24.6	13.5	13.5	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
05N	14'E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	9	1	-	10	18.0	50.6	46.7	-	3.3	-	0.1	-	0.5
	'50E	-	-	-	-	-	5	3	-	8	20.7	27.1	22.5	-	3.5	-	1.1	-	-
	151E	-	-	-	-	-	1	-	-	1	17.0	5.0	2.5	-	0.5	-	2.0	-	-
	152E	-	-	-	-	-	2	1	-	3	20.3	20.6	14.8	-	5.8	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	17.0	1.7	1.7	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	28.5	3.0	3.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	3	-	3	22.6	3.1	3.1	-	-	-	-	-	-
	170W	-	-	-	-	-	-	14	-	14	25.2	63.5	63.5	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	26.0	10.5	10.5	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	28.0	9.0	9.0	-	-	-	-	-	-
05N	167W	-	-	-	-	-	-	8	-	8	22.1	47.5	47.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	7	-	7	23.2	53.0	53.0	-	-	-	-	-	-
	*164W	-	-	-	-	-	-	9	-	9	21.4	56.0	56.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	7	-	7	22.0	49.0	49.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	5	-	-	5	23.0	11.7	7.0	-	4.7	-	-	-	-
04N	000E	-	-	-	-	-	2	-	-	2	23.0	8.1	7.3	-	0.2	-	0.6	-	-
	*147E	-	-	-	-	-	-	1	-	1	30.0	4.5	4.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	149E	-	-	-	-	-	8	-	-	8	17.5	33.0	33.0	-	-	-	-	-	-
	150E	-	-	-	-	-	3	1	-	4	19.0	24.8	22.5	-	0.3	-	2.0	-	-
	151E	-	-	-	-	-	3	1	-	4	19.0	10.2	4.2	-	3.0	-	3.0	-	-
	152E	-	-	-	-	-	1	1	-	2	18.0	7.0	5.0	-	2.0	-	-	-	-
	153E	-	-	-	-	-	2	2	-	4	21.2	18.5	13.0	-	2.0	-	3.5	-	-
	154E	-	-	-	-	-	-	2	-	2	22.0	9.3	9.0	-	0.3	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	22.0*	6.0	6.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	24.0	4.0	3.0	-	1.0	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	21.0	1.5	1.0	-	0.5	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	19.5	2.5	2.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	20.0	3.5	2.5	-	-	-	1.0	-	-
	169E	-	-	-	-	-	-	1	-	1	20.0	4.0	2.0	-	-	-	2.0	-	-
	*178E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	19.3	6.2	6.2	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	19.3	2.5	2.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	25.5	5.8	5.8	-	-	-	-	-	-
	177W	-	-	-	-	-	2	12	-	14	25.5*	60.8	58.2	-	2.1	-	0.5	-	-
	*175W	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	22.5	2.2	2.2	-	-	-	-	-	-
	172W	-	-	-	-	-	-	2	-	2	21.0	3.5	3.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	25.0	0.7	0.7	-	-	-	-	-	-
	170W	-	-	-	-	-	-	7	-	7	27.8	30.5	30.5	-	-	-	-	-	-
	169W	-	-	-	-	-	-	8	-	8	21.8	37.5	37.5	-	-	-	-	-	-
	168W	-	-	-	-	-	-	3	-	3	23.6	16.0	16.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	4	-	4	23.7	12.2	12.0	-	0.2	-	-	-	-
	166W	-	-	-	-	-	-	6	-	6	24.1	28.5	28.5	-	-	-	-	-	-
	165W	-	-	-	-	-	-	7	-	7	22.5	26.0	26.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	7	-	7	22.1	39.0	39.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	3	-	3	20.0	9.0	9.0	-	-	-	-	-	-
	*001W	-	-	-	-	-	2	-	-	2	23.0	7.4	7.4	-	-	-	-	-	-
	000W	-	-	-	-	-	2	-	-	2	23.0	6.5	6.5	-	-	-	-	-	-
03N	000E	-	-	-	-	-	1	-	-	1	23.0	4.7	4.0	-	0.3	-	0.2	-	0.2
	*144E	-	-	-	-	-	1	-	-	1	21.0	0.8	0.3	-	0.5	-	-	-	-
	*148E	-	-	-	-	-	5	-	-	5	17.2	13.9	12.6	-	1.3	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	16.0	0.7	0.7	-	-	-	-	-	-
	*153E	-	-	-	-	-	2	1	-	3	19.3	9.5	7.0	-	1.5	-	1.0	-	-
	154E	-	-	-	-	-	2	-	-	2	17.0	5.0	4.5	-	0.5	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	1	-	2	18.5	4.0	2.5	-	1.5	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	25.0	9.0	9.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -2-007 JUN -248 11月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
03N	*174E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	3	-	3	24.6	9.5	9.5	-	-	-	-	-	-
	177W	-	-	-	-	-	1	7	-	8	22.7*	42.0	42.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	6	-	6	23.0	10.3	10.3	-	-	-	-	-	-
	174W	-	-	-	-	-	-	7	-	7	23.5	19.0	19.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	26.5	0.2	0.2	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	20.0	7.0	7.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	22.0	2.5	2.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	3	-	3	23.3	14.0	14.0	-	-	-	-	-	-
02N	001E	-	-	-	-	-	4	-	-	4	23.0	24.2	19.1	-	0.1	-	3.0	-	2.0
	002E	-	-	-	-	-	2	-	-	2	23.0	14.2	10.8	-	-	-	2.0	-	1.4
	*148E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	26.0	7.0	5.5	-	-	-	-	-	1.5
	151E	-	-	-	-	-	1	1	-	2	28.0	7.5	7.5	-	-	-	-	-	-
	152E	-	-	-	-	-	9	1	-	10	19.9	47.2	41.3	-	5.7	-	0.2	-	-
	153E	-	-	-	-	-	3	1	-	4	21.7	11.5	10.0	-	0.5	-	1.0	-	-
	154E	-	-	-	-	-	-	1	-	1	20.0	13.5	13.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	2	-	2	27.0	7.0	6.5	-	-	-	0.5	-	-
	*160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	22.0	12.0	9.0	-	3.0	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	1	1	-	2	21.0	4.6	4.6	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	21.0	0.2	0.2	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	25.5	2.0	2.0	-	-	-	-	-	-
	179E	-	-	-	-	-	4	-	-	4	21.0	5.5	5.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	3	-	-	3	21.0	13.5	13.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	5	-	5	22.8	10.7	10.5	-	0.2	-	-	-	-
	177W	-	-	-	-	-	-	4	-	4	22.7	4.0	3.5	-	-	-	0.5	-	-
	176W	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	20.0	17.0	17.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	1	-	-	1	23.0	8.3	5.7	-	-	-	1.4	-	1.2
01N	000E	-	-	-	-	-	6	-	-	6	23.0	30.5	22.7	-	3.2	-	3.5	-	1.1
	001E	-	-	-	-	-	2	-	-	2	23.0	13.3	11.3	-	0.1	-	1.9	-	-
	002E	-	-	-	-	-	1	-	-	1	23.0	7.0	3.8	-	-	-	2.2	-	1.0
	*004E	-	-	-	-	-	1	-	-	1	23.0	5.4	5.1	-	-	-	0.3	-	-
	*153E	-	-	-	-	-	-	2	-	2	21.5	5.5	4.5	-	1.0	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	17.0	2.0	1.0	-	-	-	1.0	-	-
	155E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	13.0	2.0	0.5	-	-	-	1.5	-	-
	*163E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.0	-	-	-	0.5	-	-
	*172E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	21.0	0.5	0.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
01N	176W	-	-	-	-	-	-	5	-	5	22.2	31.3	31.0	-	0.3	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
00N	000E	-	-	-	-	-	1	-	-	1	23.0	4.9	4.8	-	-	-	0.1	-	-
	001E	-	-	-	-	-	3	-	-	3	23.0	21.4	19.8	-	0.4	-	1.2	-	-
	002E	-	-	-	-	-	1	-	-	1	23.0	5.5	5.0	-	0.1	-	0.4	-	-
	003E	-	-	-	-	-	1	-	-	1	23.0	4.7	4.7	-	-	-	-	-	-
	*153E	-	-	-	-	-	6	1	-	7	18.1	37.0	20.5	-	15.5	-	1.0	-	-
	154E	-	-	-	-	-	2	1	-	3	19.6	13.4	6.3	-	2.0	-	5.1	-	-
	155E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	1	-	2	22.0	8.6	4.6	-	4.0	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	5.0	2.0	-	-	-	-	-	3.0
	161E	-	-	-	-	-	1	1	-	2	24.0	4.0	3.4	-	-	-	0.6	-	-
	*168E	-	-	-	-	-	-	1	-	1	21.0	5.0	4.5	-	-	-	0.5	-	-
	*178W	-	-	-	-	-	-	2	-	2	23.0	2.0	2.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	24.0	3.5	3.2	-	0.3	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	172W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*00S	153E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	154E	-	-	-	-	-	6	-	-	6	19.3	31.0	13.0	-	5.0	-	13.0	-	-
	155E	-	-	-	-	-	2	-	-	2	19.3	1.0	1.0	-	-	-	-	-	-
	156E	-	-	-	-	-	5	-	-	5	21.6*	20.0	20.0	-	-	-	-	-	-
	157E	-	-	-	-	-	3	-	-	3	22.6	7.5	7.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	26.5	5.0	4.7	-	-	-	0.3	-	-
	*160E	-	-	-	-	-	2	-	-	2	23.0*	9.0	4.5	-	4.5	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	21.0	4.5	2.0	-	-	-	2.5	-	-
	*166E	-	-	-	-	-	1	-	-	1	21.0	2.2	0.2	-	-	-	2.0	-	-
	*168E	-	-	-	-	-	-	2	-	2	20.5	1.5	1.0	-	-	-	0.5	-	-
	*171E	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	25.0	0.1	0.1	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	22.0	1.5	1.5	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
01S	001E	-	-	-	-	-	1	-	-	1	23.0	7.2	7.0	-	-	-	0.2	-	-
	*154E	-	-	-	-	-	-	3	-	3	22.0	12.5	12.0	-	0.5	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	21.5	4.5	3.5	-	-	-	-	-	1.0
	156E	-	-	-	-	-	2	-	-	2	21.0	16.0	16.0	-	-	-	-	-	-
	157E	-	-	-	-	-	4	-	-	4	21.5*	14.0	14.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	26.0	2.0	0.5	-	-	-	-	-	1.5
	*163E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	21.0	1.0	0.5	-	-	-	0.5	-	-
	*169E	-	-	-	-	-	1	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	2	-	2	20.0	1.5	1.0	-	-	-	0.5	-	-
	*179E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	2	-	2	22.0	1.5	1.5	-	-	-	-	-	-

別・漁場別努力量及び漁獲量

UN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -2-009 JUN -250 11月中旬

業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均屯数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
S 000E	-	-	-	-	-	1	-	-	1	23.0	12.4	6.4	-	-	-	-	-	6.0
*160E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
*179W	-	-	-	-	-	4	4	-	8	20.0*	31.7	31.5	-	0.2	-	-	-	-
178W	-	-	-	-	-	-	4	-	4	24.2	11.4	11.4	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
S 154E	-	-	-	-	-	-	1	-	1	23.0	1.5	0.8	-	0.6	-	-	-	0.1
*160E	-	-	-	-	-	-	1	-	1	24.0	4.0	3.0	-	1.0	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	3	-	3	20.0	1.5	1.5	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
S 001E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	26.0	12.0	10.5	-	1.5	-	-	-	-
170E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	21.0	15.5	15.5	-	-	-	-	-	-
*179W	-	-	-	-	-	-	5	-	5	21.0	35.5	34.5	-	1.0	-	-	-	-
178W	-	-	-	-	-	-	3	-	3	18.6	6.5	6.3	-	0.2	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*174W	-	-	-	-	-	-	2	-	2	22.0	1.0	1.0	-	-	-	-	-	-
S 001E	-	-	-	-	-	1	-	-	1	23.0	8.2	7.7	-	0.5	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	27.0	2.5	2.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
168E	-	-	-	-	-	1	1	-	2	23.5	18.5	18.0	-	-	-	0.5	-	-
*179W	-	-	-	-	-	-	10	-	10	20.9	72.2	72.0	-	-	-	-	-	0.2
178W	-	-	-	-	-	-	2	-	2	22.5	7.0	7.0	-	-	-	-	-	-
S 000E	-	-	-	-	-	1	-	-	1	23.0	4.7	4.4	-	0.3	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
*163E	-	-	-	-	-	-	2	-	2	24.0	7.0	7.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	27.0*	18.0	18.0	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	38.0	4.6	4.6	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
7S 154E	-	-	-	-	-	-	2	-	2	23.0	19.0	18.0	-	1.0	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	23.0	10.0	9.8	-	0.2	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	27.0	9.0	9.0	-	-	-	-	-	-
7S *178W	-	-	-	-	-	-	1	-	1	20.0	33.0	33.0	-	-	-	-	-	-
0S 155E	-	-	-	-	-	-	1	-	1	24.0	5.3	5.3	-	-	-	-	-	-
4S 163E	-	-	-	-	-	-	1	-	1	27.0	18.0	18.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	27.0	18.0	18.0	-	-	-	-	-	-
6S 147E	-	-	-	-	-	-	1	-	1	24.0	0.3	-	-	0.3	-	-	-	-
*162E	-	-	-	-	-	-	2	-	2	25.0	26.0	26.0	-	-	-	-	-	-
7S 147E	-	-	-	-	-	-	5	-	5	24.0	11.4	-	-	10.6	-	0.8	-	-
*161E	-	-	-	-	-	-	3	-	3	25.0	102.0	102.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	25.0	25.0	25.0	-	-	-	-	-	-
0S 166E	-	-	-	-	-	-	1	-	1	38.0	1.7	1.7	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	38.0	1.4	1.4	-	-	-	-	-	-
1S 168E	-	-	-	-	-	-	1	-	1	38.0	5.6	5.6	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -3-001 JUN -252 11月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	EL
42N	167E	-	-	-	-	-	1	-	-	1	16.0	3.0	-	3.0	-	-	-	-	-
41N	166E	-	-	-	-	-	2	-	-	2	16.0	5.5	4.0	1.5	-	-	-	-	-
40N	163E	-	-	-	-	-	1	-	-	1	22.0	0.5	-	0.5	-	-	-	-	-
	164E	-	-	-	-	-	21	3	-	24	23.3*	57.9	2.4	55.5	-	-	-	-	-
	165E	-	-	-	-	-	54	11	-	65	23.7	214.0	1.4	212.4	-	-	-	-	0.2
	166E	-	-	-	-	-	8	1	-	9	22.7	15.5	-	15.5	-	-	-	-	-
	*169E	-	-	-	-	-	2	-	-	2	19.0	4.0	-	4.0	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	24.0	3.0	-	3.0	-	-	-	-	-
39N	161E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	14	-	-	14	23.2	21.7	-	21.7	-	-	-	-	-
	164E	-	-	-	-	-	24	5	-	29	22.7	87.8	0.5	87.0	-	-	-	-	0.3
	165E	-	-	-	-	-	4	1	-	5	24.2	8.8	-	8.8	-	-	-	-	-
	166E	-	-	-	-	-	9	4	-	13	24.1	21.5	-	21.5	-	-	-	-	-
	167E	-	-	-	-	-	3	-	-	3	23.3	7.7	-	7.7	-	-	-	-	-
	168E	-	-	-	-	-	16	-	-	16	21.8	158.0	-	158.0	-	-	-	-	-
	169E	-	-	-	-	-	24	-	-	24	20.8	89.3	-	89.3	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	20.0	3.0	-	3.0	-	-	-	-	-
38N	152E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
37N	148E	-	3	-	-	-	1	-	-	4	18.7	6.5	6.5	-	-	-	-	-	-
36N	145E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*147E	-	2	-	-	-	-	-	-	2	15.0	10.9	10.9	-	-	-	-	-	-
	148E	-	6	-	-	-	-	-	-	6	14.0	23.5	23.5	-	-	-	-	-	-
35N	140E	-	1	-	-	-	-	-	-	1	10.0	0.6	0.6	-	-	-	-	-	-
34N	139E	-	6	-	-	-	-	-	-	6	12.0	3.6	3.6	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	10.0	0.9	0.9	-	-	-	-	-	-
*32N	146E	-	2	-	-	-	-	-	-	2	10.0	0.5	-	0.3	-	-	0.2	-	-
	147E	-	2	-	-	-	-	-	-	2	10.0	1.3	-	1.0	-	-	0.2	-	0.1
31N	148E	-	1	-	-	-	-	-	-	1	10.0	0.7	-	0.5	-	-	-	-	0.2
30N	129E	-	1	-	-	-	-	-	-	1	13.0	3.0	1.5	-	1.5	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	15.6	3.9	2.2	-	1.7	-	-	-	-
29N	128E	-	6	-	-	-	-	-	-	6	12.1	3.3	1.8	-	1.4	-	-	-	0.1
	129E	4	10	-	-	-	-	-	-	14	11.2	8.3	7.3	-	0.8	-	-	-	0.2
	130E	-	2	-	-	-	-	-	-	2	9.0	2.0	2.0	-	-	-	-	-	-
	*140E	-	2	-	-	-	-	-	-	2	14.0	1.0	-	-	0.4	-	-	-	0.6
28N	129E	-	2	-	-	-	-	-	-	2	9.0	3.2	3.2	-	-	-	-	-	-
	*141E	-	8	-	-	-	-	-	-	8	12.8	3.1	0.2	-	1.8	-	-	-	1.1
27N	139E	-	1	-	-	-	-	-	-	1	12.8	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	17.0	0.2	-	-	0.2	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	14.0*	0.7	-	-	0.7	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	14.0	0.2	-	-	0.2	-	-	-	-
26N	140E	-	14	-	-	-	-	-	-	14	14.4*	6.4	-	-	6.3	-	-	-	0.1
25N	140E	-	2	-	-	-	-	-	-	2	16.5	3.8	3.3	-	0.5	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	10.0	0.8	0.8	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	14.0	2.3	0.3	-	2.0	-	-	-	-
24N	141E	-	4	-	-	-	-	-	-	4	16.0*	1.2	0.9	-	0.3	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	12.0	0.2	-	-	-	-	-	-	0.2
23N	138E	-	1	-	-	-	-	-	-	1	19.0	3.2	1.5	-	1.2	-	-	-	0.5
	*141E	-	2	-	-	-	-	-	-	2	13.0	0.6	0.6	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	17.0	1.3	1.1	-	0.2	-	-	-	-
22N	133E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	15.5	10.0	6.2	-	3.8	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	10.0	4.5	4.5	-	-	-	-	-	-
21N	136E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	19.0	2.6	2.6	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.3	-	0.7	-	-	-	-
	143E	-	2	-	-	-	1	-	-	3	15.6	4.9	2.6	-	2.2	-	-	-	0.1
20N	132E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	15.5	14.0	14.0	-	-	-	-	-	-
	134E	-	2	-	-	-	1	-	-	3	13.6	3.5	3.5	-	-	-	-	-	-
	135E	-	4	-	-	-	-	-	-	4	16.0	3.9	3.9	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	14.0	-	-	-	-	-	-	-	-
	*142E	-	4	-	-	-	-	-	-	4	13.0*	5.8	4.0	-	1.8	-	-	-	-
	143E	-	1	-	-	-	1	-	-	2	21.0	6.7	5.2	-	1.5	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -3-003 JUN -254 11月下旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
19N	132E	-	3	-	-	-	-	-	-	3	11.6	0.2	-	-	0.2	-	-	-	-
	133E	-	19	-	-	-	2	-	-	21	13.1	50.4	49.4	-	0.8	-	0.2	-	-
	134E	-	30	-	-	-	-	-	-	30	14.2	86.3	83.3	-	0.9	-	0.3	-	1.8
	135E	-	3	-	-	-	-	2	-	5	15.0	19.4	19.1	-	0.3	-	-	-	-
	*140E	-	2	-	-	-	-	-	-	2	17.0	2.0	1.2	-	0.8	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	17.0	0.3	-	-	0.3	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
18N	129E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	12.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	13.0	1.4	1.4	-	-	-	-	-	-
	133E	-	5	-	-	-	-	-	-	5	14.6	3.5	3.5	-	-	-	-	-	-
	134E	-	7	-	-	-	-	-	-	7	15.0	21.1	19.0	2.0	-	-	-	-	0.1
	*136E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	16.0	0.1	0.1	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	13.0	1.8	0.8	-	1.0	-	-	-	-
17N	130E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	131E	-	4	-	-	-	-	-	-	4	11.5	5.0	5.0	-	-	-	-	-	-
	132E	-	11	-	-	-	-	-	-	11	16.1	69.5	62.4	-	4.4	-	-	-	2.7
	133E	-	2	-	-	-	-	-	-	2	14.0	4.6	3.9	-	0.2	-	-	-	0.5
	134E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	15.0	2.2	-	-	2.2	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	15.0	0.5	-	-	0.5	-	-	-	-
16N	130E	-	5	-	-	-	-	-	-	5	12.0	4.8	2.5	-	0.4	-	-	-	1.9
	131E	-	6	-	-	-	-	-	-	6	14.0	15.1	15.1	-	-	-	-	-	-
	132E	-	7	-	-	-	1	-	-	8	14.1	22.5	21.5	-	-	-	-	-	1.0
	133E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	14.0	10.4	10.4	-	-	-	-	-	-
	*143E	-	2	-	-	-	-	1	-	3	21.0*	1.5	0.5	-	1.0	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
15N	130E	-	3	-	-	-	-	-	-	3	12.6	12.1	6.1	6.0	-	-	-	-	-
	131E	-	7	-	-	-	-	-	-	7	14.0	63.3	62.0	-	-	-	1.3	-	-
	132E	-	4	-	-	-	-	-	-	4	14.0	15.1	13.5	-	1.0	-	-	-	0.6
14N	129E	-	1	-	-	-	-	-	-	1	12.0	2.0	1.5	-	0.5	-	-	-	-
13N	131E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	11.0	7.0	2.5	3.0	1.5	-	-	-	-
	*134E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
*11N	150E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
*09N	153E	-	-	-	-	-	1	1	-	2	25.0	11.0	11.0	-	-	-	-	-	-
08N	149E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	27.0	22.4	22.0	-	0.4	-	-	-	-
	*168W	-	-	-	-	-	-	1	-	1	22.0	6.0	6.0	-	-	-	-	-	-
07N	147E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	14.0	7.0	4.5	-	2.5	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	21.0	1.5	1.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	3	-	3	22.0	18.0	18.0	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	2	-	2	26.5	15.0	15.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	8	-	8	25.1	49.4	49.4	-	-	-	-	-	-
	163W	-	-	-	-	-	-	3	-	3	28.3	13.5	13.5	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
06N	142E	-	-	-	-	-	-	3	-	3	19.0	9.0	7.0	-	1.0	-	1.0	-	-
	143E	-	-	-	-	-	-	1	-	1	19.0	0.1	-	-	-	-	-	-	0.1
	*145E	-	-	-	-	-	1	1	-	2	17.5	5.7	3.4	-	2.3	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	3	-	-	3	14.0	21.4	13.5	-	7.9	-	-	-	-
	*153E	-	-	-	-	-	1	1	-	2	23.0	3.0	1.5	-	1.5	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	20.0	3.5	3.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	9.0	8.0	-	0.3	-	0.7	-	-
	*177W	-	-	-	-	-	-	1	-	1	29.0	6.5	6.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	2	-	2	23.0	22.7	22.7	-	-	-	-	-	-
	167W	-	-	-	-	-	-	2	-	2	22.0	20.0	20.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	13	-	13	23.2	72.0	72.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	20	-	20	23.1	194.5	193.5	-	1.0	-	-	-	-
	164W	-	-	-	-	-	-	6	-	6	21.6	51.0	51.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	10	-	10	22.1	109.5	109.5	-	-	-	-	-	-
	162W	-	-	-	-	-	-	13	-	13	22.9	110.0	110.0	-	-	-	-	-	-
05N	139E	-	-	-	-	-	1	-	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	24.0*	12.0	12.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	24.0	1.0	0.5	-	-	-	-	-	0.5
	150E	-	-	-	-	-	1	1	-	2	19.0	12.0	11.5	-	0.5	-	-	-	-
	151E	-	-	-	-	-	6	4	-	10	19.3	119.5	112.2	-	3.0	-	-	-	4.3
	152E	-	-	-	-	-	4	1	-	5	21.2*	45.8	41.3	-	4.5	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	14.0	1.2	0.6	-	0.6	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	24.0	0.4	0.2	-	-	-	0.2	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	1.0	0.5	-	-	-	0.5	-	-
	*178W	-	-	-	-	-	-	1	-	1	27.0	11.0	11.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	27.0	19.5	17.0	-	2.0	-	0.5	-	-
	*175W	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	2	-	2	29.5	3.0	3.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	6	-	6	25.3	62.5	62.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -3-005 JUN -256 [illegible]下旬

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
05N	168W	-	-	-	-	-	-	4	-	4	19.2	16.0	16.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	5	-	5	24.0	30.0	30.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	3	-	3	21.0	21.0	21.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	3	-	3	22.3	12.0	12.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	1	-	1	22.0	20.0	20.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	2	-	2	22.0	9.0	9.0	-	-	-	-	-	-
04N	148E	-	-	-	-	-	3	-	-	3	15.3	13.6	11.7	-	1.9	-	-	-	-
	*150E	-	-	-	-	-	5	2	-	7	17.2	56.5	54.0	-	2.0	-	0.5	-	-
	151E	-	-	-	-	-	16	3	-	19	18.6*	144.5	139.5	-	4.0	-	-	-	1.0
	152E	-	-	-	-	-	5	7	-	12	19.4	117.4	117.4	-	-	-	-	-	-
	153E	-	-	-	-	-	3	3	-	6	19.1	17.1	13.2	-	3.9	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	22.0	4.0	3.0	-	-	-	1.0	-	-
	*160E	-	-	-	-	-	-	2	-	2	25.5	10.0	9.0	-	-	-	-	-	1.0
	*162E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	23.0	8.0	8.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	27.0	12.0	12.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	28.0	7.0	7.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	2	-	2	27.5	7.0	7.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	27.5	5.0	5.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
03N	000E	-	-	-	-	-	1	-	-	1	23.0	7.5	4.0	-	1.2	-	-	-	2.3
	*144E	-	-	-	-	-	1	-	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	*150E	-	-	-	-	-	2	3	-	5	18.6	27.3	27.0	-	-	-	0.3	-	-
	151E	-	-	-	-	-	2	1	-	3	19.0	22.5	21.5	-	1.0	-	-	-	-
	152E	-	-	-	-	-	2	2	-	4	20.6*	13.8	10.5	-	3.3	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	17.0*	2.0	2.0	-	-	-	-	-	-
	154E	-	-	-	-	-	2	1	-	3	19.6	1.5	1.0	-	0.5	-	-	-	-
	155E	-	-	-	-	-	2	2	-	4	18.7	5.8	5.3	-	-	-	-	-	0.5
	156E	-	-	-	-	-	2	-	-	2	16.0	6.2	4.2	-	2.0	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	18.0	1.2	1.2	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	4	-	4	22.7	22.5	22.5	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*177E		-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	178[illegible]		-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*1[illegible]9W		-	-	-	-	-	6	-	6	25.1	40.0	40.0	-	-	-	-	-	-
	1[illegible]		-	-	-	-	-	7	-	7	24.0	109.0	108.5	-	0.5	-	-	-	-
	*[illegible]		-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	[illegible]	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
02N	151E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	152E	-	-	-	-	-	6	-	-	6	16.3	16.5	15.0	-	1.0	-	0.5	-	-
	153E	-	-	-	-	-	3	1	-	4	18.0	7.5	5.5	-	2.0	-	-	-	-
	154E	-	-	-	-	-	2	1	-	3	19.0	5.5	5.0	-	0.5	-	-	-	-
	155E	-	-	-	-	-	5	-	-	5	15.3*	14.0	11.8	-	2.2	-	-	-	-
02N	156E	-	-	-	-	-	1	-	-	1	21.0	5.5	5.0	-	0.5	-		-	
	*158E	-	-	-	-	-	2	-	-	2	21.0	1.3	1.3	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	3	-	3	19.0	6.0	3.0	-	3.0	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	4	-	4	26.2	18.0	18.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	2	-	2	26.0	1.5	1.5	-	-	-	-	-	-
	*000W	-	-	-	-	-	1	-	-	1	23.0	2.8	1.4	-	1.2	-	-	-	0.2
01N	001E	-	-	-	-	-	2	-	-	2	23.0	15.5	11.5	-	-	-	4.0	-	-
	002E	-	-	-	-	-	2	-	-	2	23.0	27.4	25.5	-	-	-	1.9	-	-
	*141E	-	-	-	-	-	-	1	-	1	33.0	0.5	0.5	-	-	-	-	-	-
	*152E	-	-	-	-	-	3	-	-	3	17.0	11.5	11.5	-	-	-	-	-	-
	153E	-	-	-	-	-	4	2	-	6	20.5	9.9	5.1	-	4.8	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	17.0	5.5	5.5	-	-	-	-	-	-
	155E	-	-	-	-	-	9	1	-	10	17.7	51.5	45.0	-	1.0	-	3.0	-	2.5
	156E	-	-	-	-	-	2	1	-	3	19.3	13.3	8.0	-	5.3	-	-	-	-
	157E	-	-	-	-	-	5	-	-	5	19.6	18.0	15.1	-	2.9	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	20.0	6.0	3.5	-	2.5	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	19.0	9.3	2.3	-	5.0	-	2.0	-	-
	*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	26.0	8.5	8.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	25.6	19.0	19.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	3	-	3	23.0	14.0	14.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	24.0	10.0	10.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
00N	001E	-	-	-	-	-	1	-	-	1	23.0	4.4	4.1	-	0.2	-	0.1	-	
	*145E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	21.0	5.7	1.0	-	4.7	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	17.0	9.0	3.5	-	2.0	-	3.5	-	-
	154E	-	-	-	-	-	3	2	-	5	19.2	9.5	8.0	-	0.5	-	1.0	-	-
	155E	-	-	-	-	-	5	2	-	7	19.1	23.8	18.5	-	4.3	-	1.0	-	-
	156E	-	-	-	-	-	1	-	-	1	15.0	1.5	0.6	-	0.9	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	20.0	16.2	7.7	-	8.5	-	-	-	-
	158E	-	-	-	-	-	4	1	-	5	20.0	17.0	12.5	-	4.5	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	22.0	6.5	6.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	23.5	-	-	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	24.0	9.0	9.0	-	-	-	-	-	-
	*001W	-	-	-	-	-	2	-	-	2	23.0	28.1	21.1	-	5.4	-	1.6	-	-
	000W	-	-	-	-	-	1	-	-	1	23.0	8.5	7.0	-	1.1	-	0.4	-	-
*00S	149E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	33.0	1.0	-	-	-	-	1.0	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -3-007 JUN -258 11月下旬

操業位置		屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
00S	154E	-	-	-	-	-	-	1	-	1	20.0	3.0	2.0	-	1.0	-	-	-	-
	155E	-	-	-	-	-	9	2	-	11	19.0	51.5	31.5	-	9.0	-	11.0	-	-
	156E	-	-	-	-	-	4	1	-	5	17.6	33.5	19.0	-	2.5	-	12.0	-	-
	157E	-	-	-	-	-	1	1	-	2	19.0	4.5	3.0	-	1.5	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	30.0	3.5	3.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	17.0	0.1	0.1	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	22.0	0.1	0.1	-	-	-	-	-	-
01S	154E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	22.0	5.5	5.0	-	0.5	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	22.0	0.5	-	-	0.5	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	1	2	-	3	28.5*	15.5	15.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
02S	154E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.2	-	0.3	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	22.0	6.0	6.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	0.4	0.4	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
03S	154E	-	-	-	-	-	-	1	-	1	33.0	14.0	2.0	-	-	-	12.0	-	-
	*162E	-	-	-	-	-	-	1	-	1	30.0	9.5	9.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	22.0	2.5	2.5	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	4	-	4	17.7	11.3	11.3	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
04S	164E	-	-	-	-	-	1	-	-	1	22.0	0.5	-	-	0.5	-	-	-	-
	165E	-	-	-	-	-	3	-	-	3	22.0	16.5	16.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	1	1	-	2	21.0	9.0	9.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	5	-	5	18.2	20.0	20.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
05S	154E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	2	1	-	3	23.6	16.0	14.9	-	-	-	1.1	-	-
	170E	-	-	-	-	-	-	3	-	3	24.0	27.2	24.0	-	3.0	-	-	-	0.2
	*177E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	21.0	6.0	6.0	-	-	-	-	-	-
05S	*179W	-	-	-	-	-	-	3	-	3	22.0	8.0	8.0	-	-	-	-	-	-
	178W	-	-	-	-	-	1	-	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	171W	-	-	-	-	-	-	2	-	2	20.0	20.5	20.5	-	-	-	-	-	-
06S	154E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	17.0	1.2	1.1	-	0.1	-	-	-	-
	*165E	-	-	-	-	-	2	-	-	2	17.0	13.0	13.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	2	-	5	22.6	26.0	20.0	-	5.0	-	1.0	-	-
	170E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	24.0	1.5	-	-	1.5	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	22.0	9.0	9.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	23.5	14.0	14.0	-	-	-	-	-	-
	178W	-	-	-	-	-	5	6	-	11	22.3*	63.0	62.0	-	-	-	1.0	-	-
	177W	-	-	-	-	-	-	28	-	28	22.4	257.5	257.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	22.3	9.0	9.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	15	-	15	23.4	152.5	152.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
07S	155E	-	-	-	-	-	-	1	-	1	23.0	4.5	4.0	-	0.5	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	17.0	4.5	4.2	-	0.1	-	-	-	0.2
	*165E	-	-	-	-	-	1	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	27.0	15.5	15.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	1	-	2	26.0*	9.5	9.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	-	-	3	22.6	10.5	10.5	-	-	-	-	-	-
	170E	-	-	-	-	-	3	-	-	3	22.6	14.0	11.0	-	0.3	-	2.7	-	-
	*177E	-	-	-	-	-	-	2	-	2	23.5	12.0	12.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	25.0	3.0	1.0	-	2.0	-	-	-	-
	*179W	-	-	-	-	-	1	8	-	9	22.5*	69.9	69.9	-	-	-	-	-	-
	178W	-	-	-	-	-	2	12	-	14	22.8*	104.3	104.3	-	-	-	-	-	-
	177W	-	-	-	-	-	-	14	-	14	21.5	97.9	97.1	-	0.8	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	25.0	10.5	10.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	16	-	16	22.4	98.7	98.7	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	22.0	22.0	22.0	-	-	-	-	-	-
08S	154E	-	-	-	-	-	-	2	-	2	22.0	7.0	7.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	17.0	3.8	3.3	-	0.5	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	20.0	0.1	0.1	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	5	-	5	19.6	46.5	46.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	21.0	31.5	31.5	-	-	-	-	-	-
09S	154E	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	3	-	3	25.6	12.1	12.0	-	0.1	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** NOV -3-009 JUN -260 11月下旬

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ・ダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
09S *165E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
*168E	-	-	-	-	-	-	2	-	2	27.0	13.0	13.0	-	-	-	-	-	-
169E	-	-	-	-	-	2	-	-	2	26.0	9.5	9.5	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
10S 154E	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	22.0	9.0	9.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	2	-	2	22.0*	10.0	10.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	1	3	-	4	18.0	40.9	39.2	-	1.5	-	-	-	0.2
164E	-	-	-	-	-	1	-	-	1	18.0	9.0	9.0	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
11S 156E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
*158E	-	-	-	-	-	-	3	-	3	33.0	32.0	29.0	-	3.0	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
163E	-	-	-	-	-	2	-	-	2	17.0	19.2	19.0	-	0.2	-	-	-	-
12S 158E	-	-	-	-	-	-	1	-	1	23.0	0.1	0.1	-	-	-	-	-	-
*163E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
*166E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
13S 163E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	26.0	18.0	18.0	-	-	-	-	-	-
14S 159E	-	-	-	-	-	-	1	-	1	23.0	16.0	16.0	-	-	-	-	-	-
*161E	-	-	-	-	-	1	-	-	1	21.0	7.0	7.0	-	-	-	-	-	-
162E	-	-	-	-	-	2	-	-	2	21.0	15.0	15.0	-	-	-	-	-	-
163E	-	-	-	-	-	1	-	-	1	21.0	8.0	8.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	7	-	7	26.7	77.0	77.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	4	-	4	25.5	16.5	16.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	25.0	20.5	20.5	-	-	-	-	-	-
15S 159E	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	3	-	3	23.5*	26.4	25.0	-	1.4	-	-	-	-
162E	-	-	-	-	-	-	6	-	6	23.5	54.2	52.5	-	0.7	-	1.0	-	-
163E	-	-	-	-	-	-		-	2	28.5	16.0	15.5	-	-	-	0.5	-	-
164E	-	-	-	-	-	-		-	3	27.0*	29.0	29.0	-	-	-	-	-	-
165E	-	-	-	-	-	-		-	1	27.0	9.0	9.0	-	-	-	-	-	-
16S 159E	-	-	-	-	-	-	2	-	2	26.0	30.5	28.5	-	2.0	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	27.0	16.0	15.5	-	-	-	0.5	-	-
*166E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
17S 159E	-	-	-	-	-	-	1	-	1	26.0	17.0	17.0	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	27.0	41.0	41.0	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	25.0	20.0	20.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	3	-	3	30.6	62.0	62.0	-	-	-	-	-	-
17S 163E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
18S 160E	-	-	-	-	-	-	10	-	10	29.7	176.2	176.2	-	-	-	-	-	-
161E	-	-	-	-	-	-	7	-	7	26.8	141.9	141.9	-	-	-	-	-	-
162E	-	-	-	-	-	-	3	-	3	29.6	44.0	44.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	38.0	7.7	7.7	-	-	-	-	-	-
19S 159E	-	-	-	-	-	-	1	-	1	27.0	18.0	18.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	38.0	8.4	8.4	-	-	-	-	-	-
162E	-	-	-	-	-	-	1	-	1	23.0	4.5	4.5	-	-	-	-	-	-
*165E	-	-	-	-	-	-	2	-	2	38.0	21.7	21.7	-	-	-	-	-	-
*25S 162E	-	-	-	-	-	6	-	-	6	23.0	41.0	41.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** DEC -1-001 JUN -262 12月上旬

操業位置 POSITION		竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
42N	167E	-	-	-	-	-	1	-	-	1	16.0	5.5	-	5.5	-	-	-	-	-
41N	167E	-	-	-	-	-	1	-	-	1	16.0	5.0	-	5.0	-	-	-	-	-
	168E	-	-	-	-	-	2	-	-	2	16.0	7.5	-	7.5	-	-	-	-	-
40N	164E	-	-	-	-	-	1	-	-	1	16.0	3.0	-	3.0	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	22.5	2.5	-	2.5	-	-	-	-	-
	166E	-	-	-	-	-	2	-	-	2	27.0	1.0	-	1.0	-	-	-	-	-
	167E	-	-	-	-	-	2	-	-	2	16.0	4.0	-	4.0	-	-	-	-	-
	*169E	-	-	-	-	-	2	-	-	2	16.0	7.0	-	7.0	-	-	-	-	-
39N	161E	-	-	-	-	-	2	-	-	2	22.0	0.5	-	0.5	-	-	-	-	-
	*164E	-	-	-	-	-	4	-	-	4	22.0	0.2	-	0.2	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	18.0	1.0	0.5	0.5	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	26.0	3.5	-	3.5	-	-	-	-	-
	167E	-	-	-	-	-	20	7	-	27	25.4	115.0	-	115.0	-	-	-	-	-
	168E	-	-	-	-	-	3	-	-	3	23.3	13.5	-	13.5	-	-	-	-	-
38N	145E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	4	1	-	5	21.8	2.4	0.5	1.9	-	-	-	-	-
	161E	-	-	-	-	-	4	-	-	4	19.7	1.2	-	1.2	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	15.0	2.5	-	2.5	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	15.0	1.0	-	1.0	-	-	-	-	-
	165E	-	-	-	-	-	2	2	-	4	27.0	2.5	-	2.5	-	-	-	-	-
	*167E	-	-	-	-	-	2	-	-	2	28.0	-	-	-	-	-	-	-	-
37N	141E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*147E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
36N	147E	-	4	-	-	-	-	-	-	4	13.0	0.7	0.7	-	-	-	-	-	-
	148E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
35N	140E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
34N	139E	-	3	-	-	-	-	-	-	3	12.0	0.3	0.3	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
33N	138E	-	1	-	-	-	-	-	-	1	10.0	0.3	-	-	-	-	-	-	0.3
	139E	-	1	-	-	-	-	-	-	1	12.0	0.3	0.3	-	-	-	-	-	-
32N	139E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
31N	139E	-	15	-	-	-	-	-	-	15	13.7	6.7	2.5	-	3.5	-	-	-	0.7
	*150E	-	1	-	-	-	-	-	-	1	13.7	0.6	-	0.6	-	-	-	-	-
	151E	-	6	-	-	-	-	-	-	6	13.7	2.9	-	2.4	0.1	-	0.3	-	0.1
30N	129E	-	4	-	-	-	-	-	-	4	13.0	1.0	0.3	-	0.3	-	-	-	0.4
	*138E	-	1	-	-	-	-	-	-	1	20.0	2.7	1.6	-	0.9	-	-	-	0.2
	*140E	-	3	-	-	-	-	-	-	3	11.3	0.7	0.3	-	0.3	-	-	-	0.1
	141E	-	3	-	-	-	-	-	-	3	14.0	3.3	-	-	3.3	-	-	-	-
	*151E	-	3	-	-	-	-	-	-	3	14.0	1.9	-	1.7	-	-	0.1	-	0.1
29N	129E	-	4	-	-	-	-	-	-	4	13.0	2.0	1.2	-	0.8	-	-	-	-
	*140E	-	14	-	-	-	-	-	-	14	13.2	6.6	0.8	-	5.5	-	-	-	0.3
	141E	-	1	-	-	-	-	-	-	1	13.2	-	-	-	-	-	-	-	-
28N	141E	-	3	-	-	-	-	-	-	3	11.0	0.7	-	-	0.5	-	-	-	0.2
27N	141E	-	3	-	-	-	-	-	-	3	13.3	1.5	0.1	-	1.2	-	-	-	0.2
26N	140E	-	17	-	-	-	-	-	-	17	13.0	9.1	0.8	-	7.8	-	-	-	0.5
	*142E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
25N	140E	-	1	-	-	-	-	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	15.5	3.3	0.6	-	2.7	-	-	-	-
*23N	141E	-	6	-	-	-	-	-	-	6	14.5	5.9	2.0	-	3.7	-	-	-	0.2
22N	142E	-	1	-	-	-	-	-	-	1	14.5	-	-	-	-	-	-	-	-
21N	142E	-	1	-	-	-	-	-	-	1	20.0	2.6	1.4	-	1.2	-	-	-	-
20N	142E	-	15	-	-	-	-	-	-	15	14.2*	45.2	17.8	-	26.5	-	-	-	0.9
	143E	-	3	-	-	-	-	-	-	3	15.6	10.0	9.0	-	1.0	-	-	-	-
19N	131E	-	1	-	-	-	-	-	-	1	13.0	0.1	0.1	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*142E	-	2	-	-	-	-	-	-	2	15.0	9.2	6.5	-	-	-	-	-	2.7
18N	133E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	134E	-	5	-	-	-	-	-	-	5	13.2	23.6	23.5	-	0.1	-	-	-	-
	*142E	-	4	-	-	-	-	-	-	4	13.6*	6.2	-	-	6.2	-	-	-	-
17N	130E	-	3	-	-	-	-	-	-	3	11.3	1.9	1.1	-	0.3	-	-	-	0.5
	*132E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*142E	-	9	-	-	-	-	-	-	9	13.6	23.3	-	-	20.3	-	-	-	3.0

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELSE
17N	143E	-	1	-	-	-	-	-	-	1	13.0	1.3	-	-	1.0	-	-	-	0.3
	*148E	-	-	-	-	-	1	-	-	1	19.0	4.5	4.5	-	-	-	-	-	-
16N	130E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	131E	-	7	-	-	-	-	-	-	7	12.2	6.0	6.0	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	11.0	1.6	1.6	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
15N	129E	-	1	-	-	-	-	-	-	1	12.0	2.0	1.5	-	0.5	-	-	-	-
	130E	-	7	-	-	-	-	-	-	7	12.5	8.5	8.0	-	0.3	-	0.1	-	0.1
	131E	-	29	-	-	-	-	-	-	29	12.0	124.7	121.2	-	1.4	-	-	-	2.1
	132E	-	1	-	-	-	-	-	-	1	13.0	3.5	3.5	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	134E	-	2	1	-	-	-	-	-	3	13.6	1.5	1.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
14N	129E	-	2	-	-	-	-	-	-	2	15.0	4.5	4.5	-	-	-	-	-	-
	130E	-	26	-	-	-	-	-	-	26	11.7	85.1	78.7	5.0	0.3	-	-	-	1.1
	131E	-	4	-	-	-	-	-	-	4	12.2	21.2	21.2	-	-	-	-	-	-
	*157E	-	-	-	-	-	2	-	-	2	22.0	6.0	6.0	-	-	-	-	-	-
13N	129E	-	1	-	-	-	-	-	-	1	13.0	4.5	4.5	-	-	-	-	-	-
	130E	-	8	-	-	-	-	-	-	8	13.6	24.2	23.2	-	1.0	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	134E	-	2	2	-	-	-	-	-	4	17.5	16.0	13.0	3.0	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	22.0	12.0	12.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
12N	128E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
	129E	-	4	1	-	-	-	-	-	5	15.4	14.5	14.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	15.0	2.6	-	-	1.6	-	-	-	1.0
	*133E	-	2	-	-	-	-	-	-	2	15.0	5.5	5.5	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	2?.0	0.5	0.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	22.0	6.0	6.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
11N	128E	-	3	-	-	-	-	-	-	3	13.3	14.2	14.2	-	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	12.3	2.5	2.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	15.0	5.0	5.0	-	-	-	-	-	-
	*134E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
10N	128E	-	1	-	-	-	-	-	-	1	9.0	-	-	-	-	-	-	-	-
	*132E	-	-	1	-	-	-	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	133E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
10N	*165E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
09N	132E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	2	-	-	2	23.0	15.6	15.2	-	0.4	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
08N	137E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	17.0	2.0	1.0	-	1.0	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
07N	150E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	3	-	3	24.0	25.1	25.1	-	-	-	-	-	-
06N	149E	-	-	-	-	-	4	-	-	4	16.7	5.5	5.5	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	19.5	4.5	4.5	-	-	-	-	-	-
	151E	-	-	-	-	-	2	-	-	2	18.5	5.4	4.5	-	0.8	-	-	-	0.
	152E	-	-	-	-	-	4	1	-	5	18.8	29.0	25.2	-	3.8	-	-	-	-
	153E	-	-	-	-	-	2	1	-	3	17.3	5.5	5.5	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	23.6	8.0	8.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	2	-	2	22.5	2.0	2.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	7	-	7	24.0	64.5	64.5	-	-	-	-	-	-
	164W	-	-	-	-	-	-	2	-	2	24.0	20.0	20.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	15	-	15	24.8	154.1	154.1	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
05N	134E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	2	-	-	2	21.0	10.5	10.3	-	0.2	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	6	2	-	8	17.5	11.1	10.6	-	0.4	-	0.1	-	-
	152E	-	-	-	-	-	8	6	-	14	19.7*	105.2	102.0	-	3.2	-	-	-	-
	153E	-	-	-	-	-	2	2	-	4	21.2	25.5	24.0	-	1.5	-	-	-	-
	154E	-	-	-	-	-	5	3	-	8	19.1	25.8	25.4	-	0.4	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	22.0	36.5	36.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	12	-	12	21.7	110.0	110.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	3	-	3	21.3	14.0	14.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	2	-	2	24.5	0.2	0.2	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	23.0	19.0	19.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	2	-	2	26.5	3.0	3.0	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	2	-	2	19.0	2.0	2.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	3	-	3	27.0	5.0	5.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	7	-	7	26.0	53.0	53.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	2	-	2	24.5	6.4	6.4	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　DEC -1-005　　　JUN -266　　　12月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
05N	*163W	-	-	-	-	-	-	2	-	2	20.0	8.0	8.0	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	20.0	10.0	10.0	-	-	-	-	-	-
04N	146E	-	-	-	-	-	1	-	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	151E	-	-	-	-	-	17	5	-	22	18.2	97.7	94.4	-	3.3	-	-	-	-
	152E	-	-	-	-	-	10	5	-	15	20.3*	91.4	88.9	-	0.2	-	2.3	-	-
	153E	-	-	-	-	-	15	2	-	17	16.5	97.4	94.6	-	2.8	-	-	-	-
	154E	-	-	-	-	-	1	9	-	10	21.8	30.7	29.8	-	0.9	-	-	-	-
	155E	-	-	-	-	-	3	2	-	5	18.4	9.1	8.3	-	0.8	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	16.0	2.0	2.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	27.0	10.5	10.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	1	-	2	21.5	4.0	4.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	27.0	23.0	23.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	27.0	14.0	14.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	1	6	-	7	20.7	53.0	53.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	34.0	15.0	15.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	4	-	4	21.7	60.0	60.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	9	-	9	22.3	84.5	84.5	-	-	-	-	-	-
	177E	-	-	-	-	-	-	2	-	2	20.0	1.5	1.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	2	-	2	25.0	24.0	24.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	8	-	8	22.5	39.0	39.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	20	-	20	23.4	235.5	235.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	12	-	12	25.0	121.0	121.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	30.0	11.0	11.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	3	-	3	22.0	10.0	10.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	3	-	3	25.0	14.0	14.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	3	-	3	20.0	24.0	24.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	4	-	4	21.5	27.6	27.6	-	-	-	-	-	-
	170W	-	-	-	-	-	-	2	-	2	23.5	9.0	8.5	-	-	-	0.5	-	-
	*161W	-	-	-	-	-	-	1	-	1	20.0	4.5	4.5	-	-	-	-	-	-
03N	143E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	3	-	-	3	16.0	4.6	4.5	-	0.1	-	-	-	-
	151E	-	-	-	-	-	10	5	-	15	18.4*	27.8	27.7	-	0.1	-	-	-	-
	152E	-	-	-	-	-	6	4	-	10	17.1*	19.4	13.4	-	5.4	-	0.6	-	-
	153E	-	-	-	-	-	5	2	-	7	19.4	13.0	11.4	-	1.6	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	20.0	6.0	6.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	18.0	18.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	21.0	11.0	11.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	2	-	2	20.5	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	2	-	-	2	21.0	29.0	29.0	-	-	-	-	-	-
	169E	-	2	-	-	-	-	1	-	3	23.0*	2.2	-	-	1.1	-	0.8	-	0.3
	170E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
03N	*172E	-	-	-	-	-	1	2	-	3	22.6	18.0	18.0	-	-	-	-	-	-
	173E	-	-	-	-	-	2	5	-	7	22.7	70.0	70.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	6	-	6	25.0	111.5	111.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	20.0	15.0	13.0	-	2.0	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	23.0	13.5	13.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	19.5	21.0	21.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	22.0	18.0	18.0	-	-	-	-	-	-
02N	149E	-	-	-	-	-	1	-	-	1	15.0	5.7	3.0	-	2.7	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	14.0	2.3	2.0	-	0.3	-	-	-	-
	151E	-	-	-	-	-	8	3	-	11	19.0*	41.1	38.6	-	2.5	-	-	-	-
	152E	-	-	-	-	-	22	6	-	28	17.4*	85.3	80.7	-	4.0	-	-	-	0.6
	153E	-	-	-	-	-	9	6	-	15	18.0*	41.7	39.2	-	2.5	-	-	-	-
	154E	-	-	-	-	-	3	2	-	5	17.0	16.4	14.9	-	1.5	-	-	-	-
	155E	-	-	-	-	-	2	5	-	7	17.4	19.8	14.3	-	5.5	-	-	-	-
	156E	-	-	-	-	-	3	2	-	5	16.4	8.3	5.4	-	2.9	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	17.0	8.5	6.5	-	2.0	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	17.0	9.3	8.6	-	0.7	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*168E	-	1	-	-	-	-	-	-	1	20.0	1.2	-	0.1	0.9	-	0.1	-	0.1
	169E	-	3	-	-	-	-		-	3	20.0	2.5	-	-	1.7	-	0.6	-	0.2
	*172E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	173E	-	-	-	-	-	1	3	-	4	25.7	56.0	56.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
01N	152E	-	-	-	-	-	-	2	-	2	20.5	7.0	6.5	-	0.5	-	-	-	-
	153E	-	-	-	-	-	2	2	-	4	21.0*	25.0	23.1	-	1.9	-	-	-	-
	154E	-	-	-	-	-	-	7	-	7	17.7	28.3	13.2	-	1.0	-	14.1	-	-
	155E	-	-	-	-	-	2	1	-	3	14.3	11.5	10.0	-	1.5	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	20.0	4.5	3.5	-	1.0	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	20.0	10.0	10.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	17.0	2.1	1.4	-	0.4	-	-	-	0.3
	160E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	20.0	4.0	3.5	-	0.5	-	-	-	-
	*168E	-	1	-	-	-	-	-	-	1	20.0	1.2	-	-	1.0	-	0.1	-	0.1
	169E	-	2	-	-	-	-	-	-	2	20.0	1.5	-	-	0.9	-	0.2	-	0.4
	170E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
00N	154E	-	-	-	-	-	1	1	-	2	20.5	3.2	2.2	-	-	-	1.0	-	-
	*156E	-	-	-	-	-	2	-	-	2	24.0	9.5	9.5	-	-	-	-	-	-
	157E	-	-	-	-	-	2	1	-	3	21.0	5.0	5.0	-	-	-	-	-	-
	158E	-	-	-	-	-	2	-	-	2	19.0	15.0	15.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	17.0	7.2	5.1	-	1.7	-	-	-	0.4
	*166E	-	-	-	-	-	1	-	-	1	21.0	1.5	-	-	0.2	-	1.3	-	-
	*175E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** DEC -1-007 JUN -268 12月上旬

操業位置		毛数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
*00S	156E	-	-	-	-	-	-	2	-	2	23.0*	13.0	13.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
01S	154E	-	-	-	-	-	-	2	-	2	22.0	5.0	5.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	17.0	4.4	3.4	-	1.0	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	26.0	2.4	2.4	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	29.0	4.5	4.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	29.0	1.0	0.5	-	0.5	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
02S	177E	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*04S	165E	-	-	-	-	-	2	-	-	2	22.0	4.0	2.0	-	2.0	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
05S	154E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	166E	-	-	-	-	-	3	-	-	3	22.0	21.0	21.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	2	-	-	2	23.5	9.0	7.0	-	-	-	2.0	-	-
	*174W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
06S	166E	-	-	-	-	-	3	1	-	4	27.5	17.0	17.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	22.0	8.0	8.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	20.0	14.0	14.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
07S	154E	-	-	-	-	-	-	2	-	2	24.0	13.0	13.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	21.0	4.5	3.5	-	1.0	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	17.0	1.0	1.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
08S	155E	-	-	-	-	-	-	2	-	2	27.0*	8.0	8.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	4	-	4	19.5	47.0	47.0	-	-	-	-	-	-
09S	154E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	2	-	3	19.6	8.0	7.6	-	0.4	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
10S	157E	-	-	-	-	-	-	1	-	1	29.0	7.0	7.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	19.0	24.3	23.0	-	1.3	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	30.0	2.5	2.5	-	-	-	-	-	-
11S	157E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	2.0	1.8	-	0.2	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
12S	152E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	27.0	5.5	5.0	-	-	-	0.5	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
13S	165E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
14S	159E	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	27.0	8.0	8.0	-	-	-	-	-	-
15S	160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	4	-	5	25.0	142.6	142.5	-	0.1	-	-	-	-
16S	152E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	27.0	9.0	9.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	17.0	6.5	6.3	-	0.2	-	-	-	-
17S	155E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	35.5	18.0	18.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	38.0	7.2	7.2	-	-	-	-	-	-
	162E	-	-	-	-	-	-	5	-	5	30.2	83.2	83.2	-	-	-	-	-	-
	163E	-	-	-	-	-	-	9	-	9	29.6	91.0	91.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	38.0	1.4	1.4	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
18S	157E	-	-	-	-	-	-	1	-	1	38.0	0.9	0.9	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	27.0	0.3	0.3	-	-	-	-	-	-
	159E	-	-	-	-	-	-	10	-	10	28.2	65.4	65.4	-	-	-	-	-	-
	160E	-	-	-	-	-	-	17	-	17	28.6	187.8	187.3	-	-	-	0.5	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　DEC -1-009　　JUN -270　　12月上旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
18S	161E	-	-	-	-	-	-	1	-	1	38.0	20.9	20.9	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	17.0	6.6	6.5	-	0.1	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
19S	159E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	3	-	3	26.0	46.0	46.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	2	-	2	23.0	16.7	16.7	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
20S	168E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
21S	169E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*25S	162E	-	-	-	-	-	5	-	-	5	23.0	49.0	49.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** DEC -2-001 JUN -271 12月中旬

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
40N	164E	-	-	-	-	-	4	-	-	4	16.0	8.0	-	8.0	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	16.0	1.5	-	1.5	-	-	-	-	-
39N	164E	-	-	-	-	-	2	-	-	2	17.5	0.1	-	0.1	-	-	-	-	-
	165E	-	-	-	-	-	3	-	-	3	23.0	-	-	-	-	-	-	-	-
38N	154E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	22.5	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	2	1	-	3	22.3	3.2	-	3.2	-	-	-	-	-
	160E	-	-	-	-	-	14	-	-	14	20.5	6.3	-	6.3	-	-	-	-	-
	161E	-	-	-	-	-	18	-	-	18	21.6	18.8	-	18.8	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	20.0	3.7	-	3.7	-	-	-	-	-
	163E	-	-	-	-	-	14	-	-	14	21.6	3.6	-	3.1	-	0.5	-	-	-
	164E	-	-	-	-	-	14	-	-	14	22.3	4.2	-	4.2	-	-	-	-	-
	165E	-	-	-	-	-	3	-	-	3	24.6	-	-	-	-	-	-	-	-
37N	150E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	5	-	-	5	20.2	1.5	-	1.5	-	-	-	-	-
	161E	-	-	-	-	-	9	-	-	9	21.5	3.5	-	3.5	-	-	-	-	-
	162E	-	-	-	-	-	10	-	-	10	20.3	11.1	-	11.1	-	-	-	-	-
	163E	-	-	-	-	-	18	2	-	20	21.0	18.1	1.5	16.6	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
36N	163E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	4	-	-	4	20.5	1.4	-	1.4	-	-	-	-	-
*31N	139E	-	7	-	-	-	-	-	-	7	14.8	3.9	0.3	-	1.6	-	-	-	2.0
	*148E	-	4	-	-	-	-	-	-	4	14.8	2.6	-	1.8	-	-	0.7	-	0.1
	*151E	-	1	-	-	-	-	-	-	1	14.8	0.4	-	0.3	-	-	-	-	0.1
30N	129E	-	2	-	-	-	-	-	-	2	12.0	1.3	0.2	-	0.1	-	-	-	1.0
	*138E	-	1	-	-	-	-	-	-	1	19.0	2.8	1.0	-	1.5	-	-	-	0.3
	*140E	-	1	-	-	-	-	-	-	1	13.0	0.2	-	-	0.2	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	14.0	0.5	0.2	-	0.3	-	-	-	-
	*148E	-	1	-	-	-	-	-	-	1	14.0	0.3	-	0.3	-	-	-	-	-
	*151E	-	1	-	-	-	-	-	-	1	14.0	0.4	-	0.4	-	-	-	-	-
29N	129E	-	1	-	-	-	-	-	-	1	12.0	0.3	0.2	-	0.1	-	-	-	-
28N	139E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.3	-	-	-	0.2
27N	140E	-	28	-	-	-	-	-	-	28	14.3	13.4	-	0.1	12.2	-	-	-	1.1
	141E	-	12	-	-	-	-	-	-	12	12.3	6.0	-	-	5.6	-	-	-	0.4
26N	140E	-	11	-	-	-	-	-	-	11	14.4	4.6	0.1	-	3.9	-	-	-	0.6
*24N	140E	-	1	-	-	-	-	-	-	1	14.4	-	-	-	-	-	-	-	-
23N	141E	-	2	-	-	-	-	-	-	2	16.0	2.3	0.8	-	1.5	-	-	-	-
22N	142E	-	1	-	-	-	-	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
21N	141E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	16.0	0.3	-	-	0.3	-	-	-	-
20N	142E	-	8	-	-	-	-	-	-	8	15.5*	14.8	4.0	-	10.8	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	19.0	2.8	1.3	-	1.5	-	-	-	-
19N	134E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.5	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	16.0	4.5	4.5	-	-	-	-	-	-
	142E	-	5	-	-	-	-	-	-	5	16.6*	12.5	11.5	-	1.0	-	-	-	-
18N	133E	-	4	-	-	-	-	-	-	4	17.7	10.1	10.1	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	14.2	13.0	13.0	-	-	-	-	-	-
	*142E	-	13	-	-	-	-	-	-	13	15.0*	21.6	3.0	-	18.6	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	12.0	1.8	-	-	1.8	-	-	-	-
17N	132E	-	1	-	-	-	-	-	-	1	15.0	4.3	4.3	-	-	-	-	-	-
	133E	-	7	-	-	-	-	-	-	7	17.0	27.7	27.7	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	4	-	-	-	-	-	-	4	15.0	6.7	-	-	6.7	-	-	-	-
	143E	-	3	-	-	-	-	-	-	3	14.6	5.5	-	-	5.5	-	-	-	-
	*145E	-	1	-	-	-	-	-	-	1	16.0	0.3	0.3	-	-	-	-	-	-
16N	128E	-	1	-	-	-	-	-	-	1	15.0	4.0	4.0	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	15.0	2.5	2.5	-	-	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	15.0	8.6	8.6	-	-	-	-	-	-
	*143E	-	8	-	-	-	-	-	-	8	12.0*	12.2	-	-	12.1	-	-	-	0.1
	*145E	-	2	-	-	-	-	-	-	2	12.0	2.3	-	-	2.3	-	-	-	-
15N	128E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	15.0	3.5	3.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	15.0	6.0	6.0	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	9.0	0.8	0.8	-	-	-	-	-	-
	*133E	-	1	1	-	-	-	-	-	2	15.0	1.2	1.2	-	-	-	-	-	-
	*142E	-	2	-	-	-	-	-	-	2	15.0	2.1	-	-	2.1	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
14N	128E	-	2	-	-	-	-	-	-	2	15.0	7.0	7.0	-	-	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

JUN -BETSU *** GYOJYO-BETSU TOUKEI *** DEC -2-003 JUN -273 12月中旬

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
14N	131E	-	10	-	-	-	-	-	-	10	12.6	13.3	11.8	-	1.3	-	-	-	0.2
	132E	-	2	-	-	-	-	-	-	2	9.0	0.5	0.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
13N	131E	-	1	-	-	-	-	-	-	1	9.0	1.0	1.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	3	-	-	3	22.0	6.5	6.5	-	-	-	-	-	-
12N	131E	-	2	1	-	-	-	-	-	3	13.6	5.5	5.3	-	0.2	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	133E	-	-	-	-	-	6	-	-	6	15.0	16.0	16.0	-	-	-	-	-	-
	*135E	-	-	-	-	-	2	-	-	2	15.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
11N	128E	-	2	1	-	-	-	-	-	3	15.0	3.0	3.0	-	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	11.0	9.4	8.9	-	0.4	-	-	-	0.1
	130E	-	2	-	-	-	-	-	-	2	16.0	5.0	5.0	-	-	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	13.0	1.0	1.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	13.0	6.0	6.0	-	-	-	-	-	-
	*135E	-	-	-	-	-	2	-	-	2	15.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	19.0	7.1	7.1	-	-	-	-	-	-
10N	128E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	9.0	2.6	2.5	-	0.1	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	9.0	5.0	5.0	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	15.0	0.1	0.1	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	14.3	6.5	6.5	-	-	-	-	-	-
	*136E	-	-	-	-	-	2	-	-	2	15.0	2.0	2.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
09N	128E	-	1	-	-	-	-	-	-	1	9.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	9.0	3.6	2.5	-	1.0	-	-	-	0.1
	130E	-	3	-	-	-	-	-	-	3	9.0	5.8	5.8	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	16.0	16.5	16.5	-	-	-	-	-	-
	*136E	-	-	-	-	-	2	-	-	2	15.0	20.0	20.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
08N	130E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	14.0	1.1	1.0	-	0.1	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
07N	149E	-	-	-	-	-	-	1	-	1	21.0	2.1	2.1	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	16.0	1.5	1.5	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	21.0	2.8	2.5	-	0.3	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
06N	150E	-	-	-	-	-	4	1	-	5	17.2	17.0	17.0	-	-	-	-	-	-
	151E	-	-	-	-	-	11	2	-	13	16.7	62.8	62.5	-	0.2	-	-	-	0.1
	152E	-	-	-	-	-	4	1	-	5	17.6	13.5	12.6	-	0.8	-	-	-	0.1
	153E	-	-	-	-	-	-	2	-	2	20.5	8.0	8.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	17.0	1.5	1.3	-	0.2	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	21.0	5.5	4.5	-	1.0	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	20.0	17.0	17.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
05N	151E	-	-	-	-	-	1	-	-	1	16.0	2.0	2.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	14.0	4.8	4.6	-	0.2	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	2	-	2	17.5	5.6	4.6	-	-	-	1.0	-	-
	157E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	17.0	1.0	-	-	-	-	-	-	1.0
	*165E	-	-	-	-	-	-	3	-	3	18.0	21.0	20.0	-	-	-	-	-	1.0
	166E	-	-	-	-	-	-	4	-	4	20.0	23.0	23.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	23.0	19.0	18.5	-	0.5	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	21.0	5.0	3.0	-	-	-	-	-	2.0
	*172E	-	-	-	-	-	-	1	-	1	34.0	8.0	8.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	2	2	-	4	26.2	20.3	19.8	-	0.5	-	-	-	-
04N	152E	-	-	-	-	-	1	-	-	1	24.0	2.0	1.5	-	0.5	-	-	-	-
	153E	-	-	-	-	-	5	-	-	5	16.4	13.9	11.3	-	2.6	-	-	-	-
	154E	-	-	-	-	-	3	-	-	3	16.0	15.0	15.0	-	-	-	-	-	-
	155E	-	-	-	-	-	3	-	-	3	16.3	5.0	4.5	-	0.5	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	21.0	4.2	4.2	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	21.0	1.3	0.6	-	0.7	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	17.0	5.5	5.5	-	-	-	-	-	-
	162E	-	-	-	-	-	5	5	-	10	17.4	51.2	46.4	-	4.7	-	0.1	-	-
	163E	-	-	-	-	-	4	5	-	9	18.1	31.5	30.5	-	1.0	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.1	2.0	2.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	4	-	5	22.0*	52.0	52.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	2	-	3	19.3	5.0	4.0	-	-	-	-	-	1.0
	168E	-	-	-	-	-	-	1	-	1	27.0	18.0	18.0	-	-	-	-	-	-
	169E	-	6	-	-	-	-	-	-	6	27.0	11.7	-	-	8.9	-	1.5	-	1.3
	170E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.0	-	-	-	0.5	-	-
	171E	-	-	-	-	-	2	2	-	4	22.2	32.5	32.5	-	-	-	-	-	-
	172E	-	-	-	-	-	3	12	-	15	23.1	162.5	162.5	-	-	-	-	-	-
	173E	-	-	-	-	-	11	36	-	47	22.5	564.0	564.0	-	-	-	-	-	-
	174E	-	-	-	-	-	2	20	-	22	22.6	119.5	119.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	11	-	11	26.8	137.8	135.5	-	2.3	-	-	-	-
	176E	-	-	-	-	-	-	4	-	4	23.2	15.5	15.5	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	5	-	5	24.0	60.0	58.0	-	2.0	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	24.0	7.5	7.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
03N	150E	-	-	-	-	-	1	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	16.5	12.1	10.8	-	1.3	-	-	-	-
	156E	-	-	-	-	-	2	-	-	2	13.0	5.0	5.0	-	-	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	16.7	10.9	8.0	-	2.6	-	-	-	0.3
	*159E	-	-	-	-	-	1	1	-	2	19.5	3.0	1.6	-	0.9	-	0.5	-	-
	160E	-	-	-	-	-	2	2	-	4	15.2	3.7	3.7	-	-	-	-	-	-
	161E	-	-	-	-	-	2	6	-	8	17.6	60.3	59.5	-	0.1	-	0.3	-	0.4
	162E	-	-	-	-	-	15	5	-	20	17.0	110.7	107.2	-	3.5	-	-	-	-
	*168E	-	1	-	-	-	-	2	-	3	26.5*	9.6	7.5	-	1.0	-	0.8	-	0.3
	169E	-	3	-	-	-	1	-	-	4	21.0*	4.7	-	-	2.6	-	1.6	-	0.5
	*172E	-	-	-	-	-	-	2	-	2	18.0	11.0	11.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	8	-	9	26.4	94.0	94.0	-	-	-	-	-	-
	174E	-	-	-	-	-	1	5	-	6	20.8	38.0	38.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	28.5	3.5	3.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	-	-	1	29.0	1.5	1.5	-	-	-	-	-	-
02N	153E	-	-	-	-	-	1	-	-	1	21.0	3.5	3.1	-	0.2	-	0.2	-	-
	154E	-	-	-	-	-	2	-	-	2	24.5	4.8	4.8	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	19.0	2.3	2.3	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	21.0	3.5	2.6	-	0.9	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	18.0	2.4	2.4	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	17.0	8.7	8.5	-	0.2	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	18.0	2.9	2.9	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	22.0	5.0	0.8	-	4.2	-	-	-	-
	*163E	-	-	-	-	-	1	1	-	2	19.0	15.6	15.5	-	0.1	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	21.0	10.8	10.8	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	30.0	8.0	8.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	27.5	10.0	10.0	-	-	-	-	-	-
01N	142E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	-	-	2	17.5	9.5	7.0	-	2.5	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	21.5	7.0	7.0	-	-	-	-	-	-
	154E	-	-	-	-	-	6	4	-	10	20.2*	35.9	31.9	-	4.0	-	-	-	-
	155E	-	-	-	-	-	3	-	-	3	14.6	7.4	7.2	-	0.2	-	-	-	-
	156E	-	-	-	-	-	3	-	-	3	18.3	16.5	16.5	-	-	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	18.0	22.0	15.0	-	7.0	-	-	-	-
	158E	-	-	-	-	-	3	2	-	5	18.4	23.4	22.5	-	0.4	-	0.5	-	-
	*160E	-	-	-	-	-	4	1	-	5	18.2	45.4	44.1	-	1.3	-	-	-	-
	161E	-	-	-	-	-	4	1	-	5	17.6	57.6	55.6	-	2.0	-	-	-	-
	162E	-	-	-	-	-	4	3	-	7	17.4	117.9	117.4	-	0.5	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	15.0	35.1	35.1	-	-	-	-	-	-
	164E	-	-	-	-	-	2	3	-	5	17.0	37.6	37.1	-	0.5	-	-	-	-
00N	153E	-	-	-	-	-	2	-	-	2	17.5	8.8	6.5	-	2.3	-	-	-	-
	*155E	-	-	-	-	-	1	1	-	2	20.5	10.5	5.5	-	5.0	-	-	-	-
	156E	-	-	-	-	-	3	-	-	3	21.6	10.0	9.5	-	0.5	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*00S	156E	-	-	-	-	-	1	-	-	1	24.0	8.0	6.4	-	1.6	-	-	-	-
00S	*174E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
01S	161E	-	-	-	-	-	1	-	-	1	23.0	2.1	1.0	-	1.1	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	22.0	13.0	13.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	2	-	2	27.5	13.0	13.0	-	-	-	-	-	-
02S	155E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	10.0	10.0	-	-	-	-	-	-
*04S	167E	-	-	-	-	-	-	1	-	1	30.0	20.0	20.0	-	-	-	-	-	-
05S	154E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
06S	163E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
*08S	155E	-	-	-	-	-	-	1	-	1	23.0	6.0	5.3	-	0.7	-	-	-	-
09S	154E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
10S	155E	-	-	-	-	-	-	1	-	1	21.0	8.0	8.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
11S	154E	-	-	-	-	-	-	2	-	2	21.0	41.0	41.0	-	-	-	-	-	-
*14S	164E	-	-	-	-	-	1	-	-	1	17.0	4.1	4.0	-	0.1	-	-	-	-
15S	162E	-	-	-	-	-	1	-	-	1	17.0	0.3	-	-	0.3	-	-	-	-
16S	163E	-	-	-	-	-	-	1	-	1	33.0	20.0	20.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	17.0	4.5	4.5	-	-	-	-	-	-
17S	161E	-	-	-	-	-	-	2	-	2	38.0	9.8	9.8	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	38.0	4.2	4.2	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	38.0	4.3	4.3	-	-	-	-	-	-
18S	160E	-	-	-	-	-	-	1	-	1	38.0	3.7	3.7	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	38.0	39.4	39.4	-	-	-	-	-	-
19S	161E	-	-	-	-	-	-	1	-	1	38.0	9.7	9.7	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	38.0	4.5	4.5	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
39N	159E	-	-	-	-	-	1	-	-	1	22.0	2.0	-	2.0	-	-	-	-	-
38N	147E	-	-	-	-	-	2	-	-	2	23.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	2	-	-	2	19.5	0.3	-	0.3	-	-	-	-	-
	*154E	-	-	-	-	-	2	-	-	2	19.5	0.2	-	0.2	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	9	-	-	9	22.0	5.1	-	5.1	-	-	-	-	-
	158E	-	-	-	-	-	4	-	-	4	18.7	12.5	-	12.5	-	-	-	-	-
	159E	-	-	-	-	-	16	2	-	18	21.7	35.8	-	35.8	-	-	-	-	-
	160E	-	-	-	-	-	10	-	-	10	22.2	22.5	-	22.5	-	-	-	-	-
	*163E	-	-	-	-	-	2	-	-	2	20.5	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	16.0	1.2	0.2	1.0	-	-	-	-	-
37N	147E	-	-	-	-	-	2	1	-	3	23.6	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	20.5	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	4	1	-	5	23.2	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	22.5	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	4	-	-	4	23.0	5.0	-	5.0	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	3	1	-	4	22.5	2.0	-	2.0	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	4	-	-	4	22.0	19.5	-	19.5	-	-	-	-	-
	159E	-	-	-	-	-	26	2	-	28	21.7	104.0	-	104.0	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	15.0	0.5	-	0.5	-	-	-	-	-
	*162E	-	-	-	-	-	3	-	-	3	21.0	4.2	4.0	0.2	-	-	-	-	-
	163E	-	-	-	-	-	9	-	-	9	21.3	2.8	0.3	2.5	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
36N	147E	-	-	-	-	-	2	-	-	2	23.5	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	-	-	2	23.5	-	-	-	-	-	-	-	-
*33N	138E	-	1	-	-	-	-	-	-	1	23.5	-	-	-	-	-	-	-	-
*31N	139E	-	22	-	-	-	-	-	-	22	13.9	15.1	1.8	-	10.6	-	-	-	2.7
	140E	-	1	-	-	-	-	-	-	1	13.9	-	-	-	-	-	-	-	-
30N	139E	-	1	-	-	-	-	-	-	1	14.0	0.2	-	-	0.2	-	-	-	-
	140E	-	7	-	-	-	-	-	-	7	16.8	3.9	-	-	3.8	-	-	-	0.1
*27N	140E	-	3	-	-	-	-	-	-	3	13.6	0.8	-	-	0.8	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	15.0	1.8	-	-	1.4	-	-	-	0.4
*23N	141E	-	3	-	-	-	-	-	-	3	15.0*	3.3	-	-	1.5	-	-	-	1.8
*20N	141E	-	1	-	-	-	-	-	-	1	12.0	2.2	-	-	2.0	-	-	-	0.2
	142E	-	5	-	-	-	-	-	-	5	15.2	4.6	-	-	4.4	-	-	-	0.2
20N	*145E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
19N	145E	-	1	-	-	-	-	-	-	1	12.0	0.3	-	-	0.3	-	-	-	-
18N	142E	-	8	-	-	-	-	-	-	8	12.5	10.5	-	-	10.0	-	-	-	0.5
17N	142E	-	4	-	-	-	-	-	-	4	14.0	3.2	-	-	3.2	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	12.0	0.3	-	-	0.3	-	-	-	-
16N	128E	-	1	-	-	-	-	-	-	1	15.0	4.0	4.0	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	9.0	3.0	3.0	-	-	-	-	-	-
15N	157E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
14N	157E	-	-	-	-	-	-	1	-	1	30.0	23.0	23.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	27.0	2.6	2.6	-	-	-	-	-	-
13N	135E	-	-	-	-	-	2	-	-	2	15.0	2.0	2.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
12N	148E	-	-	-	-	-	-	1	-	1	31.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
11N	165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
10N	136E	-	-	-	-	-	2	-	-	2	15.0	21.0	21.0	-	-	-	-	-	-
	137E	-	-	-	-	-	2	-	-	2	15.0	26.0	26.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	16.0	2.5	2.5	-	-	-	-	-	-
09N	166E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
08N	138E	-	-	-	-	-	4	-	-	4	15.0	10.0	10.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	31.0	11.0	11.0	-	-	-	-	-	-
07N	156E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
06N	151E	-	-	-	-	-	1	-	-	1	14.0	1.5	1.0	-	0.5	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	27.0	0.1	0.1	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	34.0	-	-	-	-	-	-	-	-

旬別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
05N	151E	-	-	-	-	-	-	3	-	3	22.0	15.6	15.0	-	-	-	0.6	-	-
	*154E	-	-	-	-	-	-	2	-	2	21.0	8.0	8.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	20.0	0.5	-	-	-	-	0.5	-	-
	*167E	-	-	-	-	-	1	-	-	1	29.0	3.0	2.5	-	0.5	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	2	-	3	21.3	5.5	4.5	-	-	-	-	-	1.0
	*174E	-	-	-	-	-	-	3	-	3	31.6	5.0	5.0	-	-	-	-	-	-
04N	151E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	14.0	2.0	1.5	-	0.5	-	-	-	-
	*160E	-	-	-	-	-	1	1	-	2	17.0	9.8	9.8	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	18.5	1.5	1.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	5	-	5	20.0	72.0	71.0	-	-	-	1.0	-	-
	*168E	-	2	-	-	-	-	1	-	3	20.0*	6.2	3.0	-	2.2	-	0.2	-	0.8
	169E	-	2	-	-	-	-	1	-	3	27.0*	16.7	13.0	-	2.7	-	0.5	-	0.5
	*171E	-	-	-	-	-	-	2	-	2	30.5	13.0	13.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	18.0	6.0	6.0	-	-	-	-	-	-
	174E	-	-	-	-	-	1	6	-	7	27.8	26.5	26.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	10.0	10.0	-	-	-	-	-	-
03N	153E	-	-	-	-	-	-	1	-	1	18.0	1.0	0.5	-	-	-	0.5	-	-
	*160E	-	-	-	-	-	1	1	-	2	15.5	6.5	6.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	2	-	3	16.0	6.0	4.5	-	1.0	-	0.5	-	-
	162E	-	-	-	-	-	1	3	-	4	18.7	14.5	14.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	17.0	31.5	31.5	-	-	-	-	-	-
	166E	-	-	-	-	-	2	-	-	2	17.0	24.3	24.3	-	-	-	-	-	-
	*168E	-	2	-	-	-	-	-	-	2	17.0	2.3	-	-	1.8	-	0.2	-	0.3
	169E	-	1	-	-	-	-	-	-	1	17.0	1.2	-	-	0.7	-	0.2	-	0.3
02N	153E	-	-	-	-	-	-	1	-	1	17.0	2.0	0.5	-	1.5	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	31.0	9.0	9.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	14.0	1.6	1.3	-	0.3	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	14.0	1.6	1.0	-	0.3	-	0.3	-	-
	158E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	1	-	2	18.5	3.3	3.3	-	-	-	-	-	-
	161E	-	-	-	-	-	1	2	-	3	17.6	8.8	7.3	-	1.5	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	18.0	1.6	1.5	-	-	-	0.1	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*166E	-	1	-	-	-	2	1	-	4	18.0*	19.8	18.0	-	1.0	-	0.6	-	0.2
	167E	-	3	-	-	-	2	1	-	6	17.0*	13.5	9.5	-	2.4	-	0.9	-	0.7
	168E	-	-	-	-	-	-	2	-	2	17.0	5.5	3.5	-	-	-	-	-	2.0
	*171E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
01N	154E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	18.0	2.1	1.5	-	-	-	0.6	-	-
	*157E	-	-	-	-	-	1	1	-	2	16.0	4.2	3.5	-	0.2	-	0.5	-	-
	*159E	-	-	-	-	-	3	5	-	8	19.3	36.7	35.5	-	1.2	-	-	-	-
	160E	-	-	-	-	-	3	5	-	8	16.7	43.7	42.7	-	-	-	1.0	-	-
	161E	-	-	-	-	-	8	5	-	13	17.9	89.3	85.6	-	3.6	-	-	-	0.1
	162E	-	-	-	-	-	7	12	-	19	17.2	131.0	125.7	-	4.8	-	0.5	-	-
01N	163E	-	-	-	-	-	-	1	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	20.0	26.0	26.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	20.0	9.0	8.0	-	1.0	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
00N	155E	-	-	-	-	-	-	1	-	1	17.0	2.0	0.5	-	1.5	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	17.0	2.0	0.5	-	1.5	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	31.0	6.0	6.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	3	4	-	7	17.2	24.7	23.2	-	1.5	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	20.0	16.0	16.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*00S	169E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	17.0	1.0	-	-	-	-	-	-	1.0
*02S	166E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	17.0	3.0	2.0	-	-	-	-	-	1.0
*04S	167E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
05S	170E	-	-	-	-	-	-	2	-	2	23.0	3.5	3.5	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
06S	165E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
*08S	169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*10S	165E	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
11S	167E	-	-	-	-	-	-	1	-	1	23.0	7.0	7.0	-	-	-	-	-	-
*13S	164E	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
14S	164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*17S	162E	-	-	-	-	-	-	2	-	2	21.5	11.0	11.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	2	-	2	20.0	18.0	18.0	-	-	-	-	-	-
18S	156E	-	-	-	-	-	-	2	-	2	23.0	51.0	51.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	23.0	22.0	22.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	3	-	3	20.0	12.0	12.0	-	-	-	-	-	-

JA 79

月別・漁場別努力量及び漁獲量

TSUKI-BETSU *** GYOJYO-BETSU TOUKEI *** JAN - -001 TSUKI-001 1 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
34N	136E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*31N	139E	-	12	-	-	-	-	-	-	12	16.3*	9.5	-	-	6.3	-	-	-	3.2
	*141E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	13.0	0.1	-	-	-	-	-	-	0.1
30N	139E	-	1	-	-	-	-	-	-	1	16.0	4.3	-	-	-	-	-	-	4.3
	140E	-	13	-	-	-	-	-	-	13	16.8	5.3	-	-	4.0	-	-	-	1.3
	*150E	-	1	-	-	-	-	-	-	1	13.0	0.1	-	-	-	-	-	-	0.1
	*153E	-	1	-	-	-	-	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
29N	129E	-	1	-	-	-	-	-	-	1	15.0	1.0	0.5	-	0.5	-	-	-	-
	*131E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*140E	-	33	-	-	-	-	-	-	33	15.2*	15.3	0.3	-	12.2	-	-	-	2.8
	*142E	-	1	-	-	-	-	-	-	1	19.0	0.4	-	-	0.4	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	13.0	0.6	-	0.2	-	-	0.3	-	0.1
	146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*150E	-	1	-	-	-	-	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	13.0	0.3	-	0.3	-	-	-	-	-
28N	142E	-	7	-	-	-	-	-	-	7	17.4	5.6	-	-	3.8	-	-	-	1.8
27N	127E	-	1	-	-	-	-	-	-	1	15.0	2.0	1.8	-	0.2	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*140E	-	19	-	-	-	-	-	-	19	16.2	9.7	-	-	6.1	-	0.2	-	3.4
	141E	-	8	-	-	-	-	-	-	8	17.8*	5.3	4.5	-	0.3	-	-	-	0.5
	142E	-	28	-	-	-	-	-	-	28	16.3*	15.0	2.8	-	8.0	-	-	-	4.2
	*144E	-	1	-	-	-	-	-	-	1	14.0	0.3	-	-	-	-	-	-	0.3
	145E	-	69	-	-	-	-	-	-	69	14.1	58.3	0.7	-	47.4	-	-	-	10.2
26N	134E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*140E	-	47	-	-	-	-	-	-	47	15.6*	27.6	11.6	0.3	13.4	-	0.2	-	2.1
	141E	-	11	-	-	-	-	-	-	11	17.0*	5.5	3.4	-	1.8	-	-	-	0.3
	142E	-	6	-	-	-	-	-	-	6	16.7*	5.4	1.2	-	3.2	-	-	0.8	0.2
	*150E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
25N	140E	-	2	-	-	-	-	-	-	2	14.5	1.0	0.9	-	0.1	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	15.5	3.5	3.3	-	0.1	-	-	-	0.1
24N	131E	-	2	-	-	-	-	-	-	2	15.0	0.9	-	-	0.6	-	-	-	0.3
	*134E	-	4	-	-	-	-	-	-	4	17.0	1.8	-	-	1.7	-	-	-	0.1
	*154E	-	9	-	-	-	-	-	-	9	13.0	13.7	-	-	13.0	-	-	-	0.7
23N	137E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	17.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
22N	120E	-	2	-	-	-	-	-	-	2	12.0	1.3	0.3	-	1.0	-	-	-	-
	121E	-	2	-	-	-	-	-	-	2	12.0	4.6	2.5	-	2.0	-	-	-	0.1
	122E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
21N	119E	-	2	-	-	-	-	-	-	2	15.0	3.0	3.0	-	-	-	-	-	-
	120E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.0	-	0.5	-	-	-	-
	121E	-	5	-	-	-	-	-	-	5	16.0	3.0	2.0	-	1.0	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	16.0	2.0	2.0	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	16.5	1.0	1.0	-	-	-	-	-	-
	*143E	-	4	-	-	-	-	-	-	4	15.3*	2.9	1.9	-	0.4	-	-	-	0.6
	144E	-	10	-	-	-	-	-	-	10	16.7	28.9	25.2	-	2.3	-	0.3	-	1.1
	145E	-	4	-	-	-	-	-	-	4	18.0	21.2	19.3	-	0.4	-	1.2	-	0.3
20N	134E	-	4	-	-	-	-	-	-	4	13.0	9.2	9.2	-	-	-	-	-	-
	*136E	-	7	-	-	-	-	-	-	7	15.1	10.2	3.5	-	6.7	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	13.6	8.5	8.5	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	14.0	1.6	-	-	1.5	-	-	-	0.1
	140E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*142E	-	7	-	-	-	-	-	-	7	13.5	5.4	-	-	4.7	-	-	-	0.7
	*144E	-	17	-	-	-	-	-	-	17	15.3*	87.8	77.4	-	8.1	-	-	-	2.3
	145E	-	2	-	-	-	-	-	-	2	17.0	2.5	-	-	2.5	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
19N	130E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	13.0	1.5	1.0	-	0.5	-	-	-	-
	*136E	-	3	-	-	-	-	-	-	3	13.0	4.0	4.0	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	13.0	5.0	5.0	-	-	-	-	-	-
	*145E	-	7	-	-	-	-	-	-	7	15.8	9.4	-	-	9.4	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
18N	135E	-	10	-	-	-	1	-	-	11	16.2	39.7	34.7	0.3	0.4	-	-	-	4.3
	136E	-	12	-	-	-	-	-	-	12	15.9	35.8	33.0	-	0.5	-	-	-	2.3
	*142E	-	4	-	-	-	-	-	-	4	16.0	2.1	-	-	2.1	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	17.0	0.8	-	-	0.8	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	12.0	12.0	-	-	-	-	-	-
17N	129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	11.0	1.0	1.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	11.0	3.0	3.0	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	16.3	5.0	5.0	-	-	-	-	-	-
	135E	-	6	1	-	-	-	-	-	7	14.1*	18.7	18.7	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*142E	-	12	-	-	-	-	-	-	12	15.3	20.2	-	-	20.2	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
16N	129E	-	1	-	-	-	-	-	-	1	12.0	1.9	1.2	-	0.7	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	11.0	1.2	1.2	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	11.0	4.0	4.0	-	-	-	-	-	-
	135E	-	1	1	-	-	-	-	-	2	14.5	2.0	2.0	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	15.5	5.0	5.0	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	20.0	2.3	2.3	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　JAN - -003　　　　TSKI -003

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.
16N	*143E	-	3	-	-	-	-	-	-	3	13.0	1.9	-	-	1.0	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-
15N	134E	-	1	-	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-
	135E	-	10	-	-	-	-	-	-	10	14.1	19.7	19.7	-	-	-	-	-
	136E	-	5	-	-	-	-	-	-	5	14.8	24.5	24.5	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	18.0*	14.2	14.2	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	17.0	17.0	-	-	-	-	-
14N	133E	-	2	-	-	-	-	-	-	2	19.0	7.0	7.0	-	-	-	-	-
	134E	-	13	-	-	-	-	-	-	13	14.6	54.5	54.5	-	-	-	-	-
	135E	-	19	-	-	-	-	-	-	19	16.2	101.1	101.1	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	16.2	8.0	8.0	-	-	-	-	-
	137E	-	2	1	-	-	-	-	-	3	21.0	54.0	54.0	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-
13N	130E	-	1	-	-	-	-	-	-	1	12.0	0.7	0.7	-	-	-	-	-
	*132E	-	5	-	-	-	-	-	-	5	16.4	12.5	12.5	-	-	-	-	-
	133E	-	6	-	-	-	-	-	-	6	17.6	13.5	13.5	-	-	-	-	-
	134E	-	9	1	-	-	-	-	-	10	15.9	31.7	31.7	-	-	-	-	-
	135E	-	-	1	-	-	-	-	-	1	27.0	2.5	2.5	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	20.0	3.2	3.2	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	3	-	3	21.0	24.0	24.0	-	-	-	-	-
12N	133E	-	5	-	-	-	-	-	-	5	15.0	13.7	13.7	-	-	-	-	-
	134E	-	7	3	-	-	-	-	-	10	15.3	33.9	33.9	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	26.0	0.3	0.3	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	18.0	11.0	11.0	-	-	-	-	-
11N	130E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	12.0	3.7	3.3	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	20.0	2.0	2.0	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	27.0	18.0	18.0	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-
10N	131E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	18.3	7.0	7.0	-	-	-	-	-
	133E	-	1	1	-	-	-	-	-	2	17.0	2.5	2.5	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	16.5	20.3	20.3	-	-	-	-	-
	*150E	-	-	-	-	-	1	1	-	2	19.0*	2.3	2.3	-	-	-	-	-
10N	151E	-	-	-	-	-	2	1	-	3	25.6	16.1	16.1	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	18.0	4.5	4.5	-	-	-	-	-
09N	131E	-	-	1	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	20.0	3.0	3.0	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	17.0	7.0	7.0	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-
	151E	-	-	-	-	-	4	1	-	5	24.0	21.1	20.9	-	0.2	-	-	-
	152E	-	-	-	-	-	2	-	-	2	24.0	23.0	23.0	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	28.0	16.0	16.0	-	-	-	-	-
	154E	-	-	-	-	-	3	-	-	3	24.6	15.5	15.5	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	24.5	12.5	12.5	-	-	-	-	-
	156E	-	-	-	-	-	1	2	-	3	24.6	14.0	14.0	-	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	23.0	14.0	14.0	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	22.0	5.0	5.0	-	-	-	-	-
	*166E	-	-	-	-	-	1	1	-	2	25.5	6.0	6.0	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.0	7.0	7.0	-	-	-	-	-
08N	143E	-	-	-	-	-	1	-	-	1	27.0	2.6	2.6	-	-	-	-	-
	144E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	-	-	2	18.0*	22.0	22.0	-	-	-	-	-
	150E	-	-	-	-	-	5	-	-	5	19.0*	29.0	29.0	-	-	-	-	-
	151E	-	-	-	-	-	-	2	-	2	20.0*	8.4	8.4	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	21.0	11.0	10.5	-	-	-	0.5	-
	*154E	-	-	-	-	-	4	-	-	4	23.2	7.0	7.0	-	-	-	-	-
	155E	-	-	-	-	-	20	2	-	22	25.8	158.7	158.4	-	0.3	-	-	-
	156E	-	-	-	-	-	4	4	-	8	23.6	33.1	33.1	-	-	-	-	-
	157E	-	-	-	-	-	2	1	-	3	25.6	23.2	23.0	-	0.2	-	-	-
	*159E	-	-	-	-	-	2	1	-	3	26.6	6.0	6.0	-	-	-	-	-
	*162E	-	-	-	-	-	1	1	-	2	25.5	8.0	8.0	-	-	-	-	-
	163E	-	-	-	-	-	3	4	-	7	22.1	14.5	14.5	-	-	-	-	-
	164E	-	-	-	-	-	1	3	-	4	25.5	13.2	13.2	-	-	-	-	-
	165E	-	-	-	-	-	2	2	-	4	24.7	19.5	19.0	-	-	-	0.5	-
	166E	-	-	-	-	-	3	6	-	9	25.4	66.0	66.0	-	-	-	-	-
	167E	-	-	-	-	-	1	2	-	3	23.3	18.0	18.0	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.0	7.0	7.0	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	29.0	7.5	7.5	-	-	-	-	-
	*172E	-	-	-	-	-	-	2	-	2	32.0	3.8	3.8	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-
07N	137E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-
	*148E	-	-	-	-	-	-	3	-	3	21.6	15.2	14.3	-	0.1	-	-	0.8
	149E	-	-	-	-	-	6	1	-	7	21.4	31.9	31.9	-	-	-	-	-
	150E	-	-	-	-	-	4	1	-	5	20.7*	27.5	27.5	-	-	-	-	-
	151E	-	-	-	-	-	4	-	-	4	21.0*	16.4	16.4	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　JAN - -005　　TSKI -005　　1 月

操業位置		屯数階層別操業隻数									平均年数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
07N	152E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	21.0*	1.8	1.8	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	24.0	13.0	13.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	2	-	4	24.0	37.0	37.0	-	-	-	-	-	-
	157E	-	-	-	-	-	3	-	-	3	17.0	11.0	10.6	-	-	-	-	-	0.4
	158E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	3	-	3	25.3	9.0	9.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	27.5	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	3	-	3	26.0	6.0	6.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	24.5	3.8	3.8	-	-	-	-	-	-
	163E	-	-	-	-	-	1	4	-	5	25.8	14.1	14.1	-	-	-	-	-	-
	164E	-	-	-	-	-	1	2	-	3	25.6	4.1	4.0	-	0.1	-	-	-	-
	*166E	-	-	-	-	-	-	3	-	3	24.6	8.9	8.5	-	0.4	-	-	-	-
	167E	-	-	-	-	-	5	-	-	5	24.8	8.5	8.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	27.0	0.5	0.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	32.0	0.4	0.2	-	0.1	-	-	-	0.1
	*174E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
06N	145E	-	-	-	-	-	2	-	-	2	19.5	2.6	2.6	-	-	-	-	-	-
	146E	-	-	-	-	-	4	-	-	4	22.0	24.5	24.5	-	-	-	-	-	-
	147E	-	-	-	-	-	8	1	-	9	22.5	47.7	47.7	-	-	-	-	-	-
	148E	-	-	-	-	-	4	-	-	4	19.0	19.0	19.0	-	-	-	-	-	-
	149E	-	-	-	-	-	10	-	-	10	22.6	59.2	57.0	-	-	-	-	-	2.2
	150E	-	-	-	-	-	13	3	-	16	20.2*	86.6	85.7	-	0.7	-	-	-	0.2
	151E	-	-	-	-	-	3	1	-	4	22.5	38.3	38.0	-	0.3	-	-	-	-
	152E	-	-	-	-	-	10	-	-	10	18.0*	53.8	53.7	-	0.1	-	-	-	-
	153E	-	-	-	-	-	8	1	-	9	18.7*	29.4	29.1	-	0.3	-	-	-	-
	154E	-	-	-	-	-	2	1	-	3	21.5*	8.3	8.3	-	-	-	-	-	-
	155E	-	-	-	-	-	3	4	-	7	19.8*	32.2	32.2	-	-	-	-	-	-
	156E	-	-	-	-	-	5	5	-	10	18.6*	65.8	65.3	-	0.2	-	-	-	0.3
	157E	-	-	-	-	-	1	3	-	4	20.0	36.5	36.5	-	-	-	-	-	-
	158E	-	-	-	-	-	2	2	-	4	23.0	14.0	14.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	2	-	3	19.3	10.1	10.1	-	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	26.0	4.5	4.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	23.0	19.7	19.0	-	0.3	-	-	-	0.4
	163E	-	-	-	-	-	-	3	-	3	23.0	11.6	11.6	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	3	-	3	23.0	4.0	4.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	25.5	5.5	5.5	-	-	-	-	-	-
	167E	-	-	-	-	-	-	5	-	5	27.4	49.2	48.0	-	0.4	-	-	-	0.8
	168E	-	-	-	-	-	1	1	-	2	26.5	2.0	1.5	-	0.5	-	-	-	-
	169E	-	-	-	-	-	1	2	-	3	21.6	10.5	10.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	3	4	-	7	24.8	28.1	27.8	-	-	-	0.3	-	-
	172E	-	-	-	-	-	-	2	-	2	27.5	5.0	5.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	3	-	3	28.6	17.5	17.5	-	-	-	-	-	-
	174E	-	-	-	-	-	-	3	-	3	28.0	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	1	-	-	1	32.0	0.5	0.5	-	-	-	-	-	-
05N	137E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	2	-	-	2	19.5	4.0	4.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	17.0	0.8	0.8	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	20.0	5.5	5.0	-	0.5	-	-	-	-
	150E	-	-	-	-	-	12	2	-	14	18.5	76.2	75.5	-	0.7	-	-	-	-
	151E	-	-	-	-	-	3	1	-	4	18.2	20.0	20.0	-	-	-	-	-	-
05N	152E	-	-	-	-	-	6	2	-	8	19.2*	26.1	24.8	-	0.6	-	-	-	0.7
	153E	-	-	-	-	-	4	-	-	4	17.0*	12.5	12.5	-	-	-	-	-	-
	154E	-	-	-	-	-	11	8	-	19	20.8*	144.0	142.3	-	0.4	-	-	-	1.3
	155E	-	-	-	-	-	5	1	-	6	20.6	47.0	45.9	-	1.1	-	-	-	-
	156E	-	-	-	-	-	2	1	-	3	21.6	10.5	10.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	4	-	4	20.7	36.0	35.5	-	-	-	0.5	-	-
	159E	-	-	-	-	-	2	2	-	4	21.2	5.5	5.5	-	-	-	-	-	-
	160E	-	-	-	-	-	2	2	-	4	17.7	7.8	7.7	-	-	-	-	-	0.1
	161E	-	-	-	-	-	-	1	-	1	23.0	10.0	10.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	2	-	3	24.6	18.5	18.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	5	-	6	24.8	16.5	16.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	24.5	15.0	15.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	21.6	10.0	10.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	8	-	8	23.6	33.7	33.7	-	-	-	-	-	-
	167E	-	-	-	-	-	-	13	-	13	25.2	120.0	120.0	-	-	-	-	-	-
	168E	-	-	-	-	-	2	11	-	13	25.6	43.5	43.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	11	-	11	25.2	53.6	53.6	-	-	-	-	-	-
	170E	-	-	-	-	-	-	12	-	12	25.5	53.5	53.5	-	-	-	-	-	-
	171E	-	-	-	-	-	-	14	-	14	24.5	68.0	67.0	-	-	-	0.5	-	0.5
	172E	-	-	-	-	-	-	3	-	3	23.3	33.0	33.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	5	-	6	27.5	48.0	48.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	24.0	0.3	0.3	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
04N	140E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	28.0	4.5	4.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	151E	-	-	-	-	-	3	3	-	6	14.0*	63.5	63.5	-	-	-	-	-	-
	152E	-	-	-	-	-	7	2	-	9	19.0*	52.4	52.4	-	-	-	-	-	-
	153E	-	-	-	-	-	13	2	-	15	20.7*	52.2	51.7	-	0.5	-	-	-	-
	154E	-	-	-	-	-	21	6	-	27	18.6*	145.0	143.2	-	1.6	-	-	-	0.2
	155E	-	-	-	-	-	3	-	-	3	18.5*	8.4	8.4	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	21.0	3.0	2.5	-	-	-	0.5	-	-
	157E	-	-	-	-	-	3	4	-	7	22.7	17.3	17.3	-	-	-	-	-	-
	158E	-	-	-	-	-	2	-	-	2	27.0	5.7	5.5	-	0.2	-	-	-	-
	159E	-	-	-	-	-	4	-	-	4	23.7	21.7	20.0	-	1.7	-	-	-	-
	160E	-	-	-	-	-	1	2	-	3	22.6	12.7	12.5	-	0.2	-	-	-	-
	161E	-	-	-	-	-	8	-	-	8	27.1	57.0	57.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	24.6	6.5	6.5	-	-	-	-	-	-
	163E	-	-	-	-	-	3	2	-	5	25.4	6.0	6.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	3	-	4	20.5	15.0	15.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	3	-	5	24.4	19.5	19.5	-	-	-	-	-	-
	166E	-	-	-	-	-	2	2	-	4	19.2	27.3	27.3	-	-	-	-	-	-
	167E	-	-	-	-	-	2	6	-	8	25.8	23.8	23.8	-	-	-	-	-	-
	168E	-	-	-	-	-	1	8	-	9	22.3	37.2	37.2	-	-	-	-	-	-
	169E	-	-	-	-	-	-	4	-	4	23.5	34.7	34.5	-	0.2	-	-	-	-
	170E	-	-	-	-	-	-	2	-	2	21.5	10.0	10.0	-	-	-	-	-	-
	171E	-	-	-	-	-	2	5	-	7	23.1	28.3	27.8	-	0.5	-	-	-	-
	172E	-	-	-	-	-	-	8	-	8	22.2	36.5	36.5	-	-	-	-	-	-
	173E	-	-	-	-	-	1	1	-	2	19.0	6.3	6.3	-	-	-	-	-	-
	174E	-	-	-	-	-	2	1	-	3	24.6	14.0	14.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** JAN - -007 TSKI -007 1 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
04N	*178W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
03N	147E	-	-	-	-	-	1	-	-	1	22.0	0.2	0.2	-	-	-	-	-	-
	148E	-	-	-	-	-	3	-	-	3	27.0	10.7	10.7	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	2	-	-	2	18.5	20.0	20.0	-	-	-	-	-	-
	152E	-	-	-	-	-	2	3	-	5	18.2*	31.5	31.5	-	-	-	-	-	-
	153E	-	-	-	-	-	1	2	-	3	19.3	25.5	25.5	-	-	-	-	-	-
	154E	-	-	-	-	-	1	1	-	2	21.0	2.5	2.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	17.5	8.0	8.0	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	32.0	1.5	1.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	19.0	4.0	4.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	1	-	2	21.5	4.0	4.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	20.0	1.4	1.4	-	-	-	-	-	-
	166E	-	-	-	-	-	2	-	-	2	22.0	1.5	1.5	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	6	-	7	23.4	36.0	36.0	-	-	-	-	-	-
	169E	-	-	-	-	-	4	1	-	5	22.4	11.6	9.8	-	1.8	-	-	-	-
	170E	-	-	-	-	-	22	5	-	27	23.4*	236.9	236.6	-	0.3	-	-	-	-
	171E	-	-	-	-	-	3	-	-	3	16.0*	34.5	34.5	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	20.0	3.0	3.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	174E	-	-	-	-	-	-	4	-	4	26.0	15.0	15.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
02N	158E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	21.0	14.0	14.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	18.0	2.5	2.5	-	-	-	-	-	-
	167E	-	-	-	-	-	2	1	-	3	24.5*	22.5	22.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	20.0	3.5	3.5	-	-	-	-	-	-
	169E	-	-	-	-	-	2	1	-	3	24.6	11.0	11.0	-	-	-	-	-	-
	170E	-	-	-	-	-	6	-	-	6	24.1	62.0	62.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	2	-	2	28.0	18.0	18.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	25.0	1.2	1.2	-	-	-	-	-	-
	175E	-	-	-	-	-	1	1	-	2	27.5	3.5	3.5	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	29.0	4.0	4.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	2	-	2	29.0	14.5	14.5	-	-	-	-	-	-
01N	161E	-	-	-	-	-	2	-	-	2	21.0	20.0	20.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	21.0	8.5	8.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	1	-	2	28.5	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
00N	167E	-	-	-	-	-	1	-	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	20.0	0.4	0.4	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*00S	162E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	29.0	0.5	0.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	7.0	7.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
01S	151E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	21.0	1.1	1.1	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	20.0	3.2	3.2	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
02S	157E	-	-	-	-	-	3	-	-	3	17.0	24.0	24.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	4	-	-	4	17.0	26.5	26.5	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	20.0	0.7	0.7	-	-	-	-	-	-
03S	154E	-	-	-	-	-	1	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	17.0	7.5	7.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	2	-	-	2	17.0	7.0	7.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
04S	157E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.0	-	-	-	-	-	0.5
	*176W	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*06S	167E	-	-	-	-	-	-	1	-	1	29.0	6.5	6.5	-	-	-	-	-	-
*08S	163E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.3
09S	169E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-
*12S	170E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	29.0	0.5	0.5	-	-	-	-	-	-
*15S	173E	-	-	-	-	-	-	1	-	1	29.0	1.5	1.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	29.0	9.0	9.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

SKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　JAN - -009　　TSKI -009　　1 月

操業位置	竿数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
6S 177E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
7S 176E	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU   *** GYOJYO-BETSU TOUKEI ***   FEB - -001   TSKI -010   2 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
34N	141E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*31N	130E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*139E	-	30	-	-	-	-	-	-	30	16.4*	14.6	0.1	-	14.4	-	-	-	0.1
	*145E	-	1	-	-	-	-	-	-	1	13.0	1.8	-	0.5	-	-	0.2	-	1.1
30N	127E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*130E	-	30	-	-	-	-	-	-	30	13.7	27.6	17.7	-	4.0	1.5	-	-	4.4
	131E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*138E	-	75	-	-	-	-	-	-	75	15.7*	56.3	0.6	0.6	52.5	-	-	-	2.6
	*140E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*146E	-	7	-	-	-	-	-	-	7	13.0	4.6	-	1.4	0.1	-	1.2	-	1.9
29N	128E	-	2	-	-	-	-	-	-	2	17.0	1.0	-	-	-	-	-	-	1.0
	129E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	130E	-	21	-	-	-	-	-	-	21	14.8	33.7	25.0	0.4	4.5	0.4	-	-	3.4
	*140E	-	16	-	-	-	-	-	-	16	15.3*	8.4	0.1	2.0	5.2	-	-	-	1.1
	141E	-	1	-	-	-	-	-	-	1	15.3	9.9	9.5	-	0.3	-	-	-	0.1
	*146E	-	2	-	-	-	-	-	-	2	13.0	0.3	-	0.1	-	-	0.1	-	0.1
28N	130E	-	2	-	-	-	-	-	-	2	19.0	-	-	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	17.5	-	-	-	-	-	-	-	-
27N	126E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	127E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	1	-	2	21.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	16.0	0.2	-	-	0.2	-	-	-	-
26N	127E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	1	-	-	2	17.5	-	-	-	-	-	-	-	-
	*140E	-	3	-	-	-	-	-	-	3	15.0	2.3	0.1	-	2.2	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
25N	122E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*124E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	*131E	-	2	-	-	-	-	-	-	2	22.0	0.5	0.5	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	13.0	2.0	1.8	-	-	-	-	-	0.2
24N	122E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	123E	-	2	-	-	-	-	-	-	2	18.0	1.0	1.0	-	-	-	-	-	-
	124E	-	3	-	-	-	-	-	-	3	17.6	-	-	-	-	-	-	-	-
	*126E	-	1	-	-	-	-	-	-	1	12.0	1.0	-	-	-	-	-	-	1.0
24N	*129E	-	1	-	-	-	-	-	-	1	15.0	7.7	-	-	-	-	3.0	-	4.7
	130E	-	4	-	-	-	-	-	-	4	14.7	6.5	1.0	-	-	-	5.0	-	0.5
	131E	-	4	-	-	-	-	-	-	4	17.5	7.3	0.5	-	6.8	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	19.0	3.0	3.0	-	-	-	-	-	-
	*154E	-	8	-	-	-	-	-	-	8	13.0	8.8	-	-	8.2	-	-	-	0.
23N	122E	-	5	-	-	-	-	-	-	5	16.7*	2.8	2.3	-	-	-	-	-	0.
	123E	-	2	-	-	-	-	-	-	2	15.0	1.7	1.0	0.4	-	-	-	-	0.
	*125E	-	3	-	-	-	-	-	-	3	16.3	1.0	1.0	-	-	-	-	-	-
	*127E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	1	-	2	23.5	-	-	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
22N	119E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	120E	-	17	-	-	-	-	-	-	17	17.5	12.3	11.8	0.1	0.4	-	-	-	-
	121E	-	10	-	-	-	-	-	-	10	17.2	4.6	3.6	-	1.0	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	123E	-	5	-	-	-	-	-	-	5	15.0	4.6	2.8	-	0.5	-	-	-	1.
	124E	-	8	-	-	-	-	-	-	8	14.2	31.2	30.7	-	0.5	-	-	-	-
	*129E	-	2	-	-	-	-	-	-	2	16.0	3.6	3.6	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	12.0	1.2	0.7	-	0.5	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	22.0	-	-	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	22.0	1.4	1.4	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	18.0	0.1	0.1	-	-	-	-	-	-
	*143E	-	2	-	-	-	-	-	-	2	16.0	1.1	0.1	-	0.7	-	-	-	0.
	144E	-	3	-	-	-	-	-	-	3	14.0*	3.8	1.8	-	-	-	1.0	-	1.0
21N	119E	-	2	-	-	-	-	-	-	2	16.5	2.0	0.5	-	1.5	-	-	-	-
	120E	-	63	3	-	-	-	-	-	66	16.7*	86.5	79.3	-	5.7	-	-	-	1.
	121E	-	23	-	-	-	-	-	-	23	15.0	48.0	44.4	-	0.1	-	-	-	3.
	122E	-	7	-	-	-	-	-	-	7	14.5	38.9	38.9	-	-	-	-	-	-
	*124E	-	2	-	-	-	-	-	-	2	16.0	2.2	2.2	-	-	-	-	-	-
	*.29E	-	2	-	-	-	-	-	-	2	14.0	4.0	4.0	-	-	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	23.0	-	-	-	-	-	-	-	-
	133E	-	3	-	-	-	-	-	-	3	18.5*	-	-	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	23.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	12.0	1.7	1.7	-	-	-	-	-	-
	*142E	-	1	-	-	-	1	-	-	2	21.0	5.5	3.0	-	-	-	2.5	-	-
	143E	-	4	-	-	-	-	-	-	4	16.0	5.9	3.3	-	0.6	-	-	-	2.
	144E	-	24	-	-	-	-	-	-	24	15.8*	83.0	82.2	-	0.6	-	-	-	0.
	145E	-	18	-	-	-	-	-	-	18	16.6*	66.5	63.1	-	1.5	-	1.2	-	0.
	146E	-	4	-	-	-	-	-	-	4	16.7	31.0	31.0	-	-	-	-	-	-
20N	119E	-	2	-	-	-	-	-	-	2	14.5	1.0	1.0	-	-	-	-	-	-
	120E	-	2	-	-	-	-	-	-	2	17.0	-	-	-	-	-	-	-	-
	121E	-	5	-	-	-	-	-	-	5	13.0	21.7	21.7	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*128E	-	3	-	-	-	-	-	-	3	12.3	10.3	7.4	-	0.9	-	-	-	2.
	*134E	-	2	-	-	-	-	-	-	2	23.0	2.5	2.5	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　FEB - -003　　TSKI -012　　2 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
20N	136E	-	5	-	-	-	-	-	-	5	16.8	3.5	2.5	-	1.0	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	140E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	12.0	0.1	0.1	-	-	-	-	-	-
	142E	-	1	-	-	-	1	-	-	2	20.5	2.6	-	-	2.5	-	-	-	0.1
	*144E	-	39	-	-	-	2	-	-	41	15.5*	167.2	159.4	-	7.2	-	-	-	0.6
	145E	-	87	-	-	-	1	-	-	88	16.1*	484.6	458.0	-	23.1	-	0.5	-	3.0
	146E	-	11	-	-	-	1	-	-	12	16.0*	64.2	64.0	-	0.1	-	-	-	0.1
19N	121E	-	2	-	-	-	-	-	-	2	20.0	2.5	2.5	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	10.0	0.8	0.2	-	0.6	-	-	-	-
	*128E	-	3	-	-	-	-	-	-	3	16.3	20.5	20.5	-	-	-	-	-	-
	*130E	-	1	-	-	-	-	-	-	1	19.0	4.9	4.9	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	16.0	4.0	4.0	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	15.0	1.9	1.9	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	17.5	12.5	12.5	-	-	-	-	-	-
	135E	-	4	-	-	-	-	1	-	5	18.2	3.5	3.5	-	-	-	-	-	-
	136E	-	3	-	-	-	-	-	-	3	19.3	5.5	5.5	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	12.0	7.1	7.1	-	-	-	-	-	-
	145E	-	22	-	-	-	1	-	-	23	15.7*	154.0	153.1	-	0.8	-	-	-	0.1
	146E	-	7	-	-	-	2	-	-	9	17.7	20.3	20.3	-	-	-	-	-	-
18N	122E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.5	-	-	-	-
	*125E	-	2	-	-	-	-	-	-	2	18.0	3.0	3.0	-	-	-	-	-	-
	*127E	-	1	-	-	-	-	-	-	1	12.0	1.0	0.5	-	0.5	-	-	-	-
	*129E	-	3	-	-	-	-	-	-	3	13.0*	10.0	9.5	-	-	-	-	-	0.5
	130E	-	2	-	-	-	-	-	-	2	19.5	10.0	10.0	-	-	-	-	-	-
	131E	-	3	-	-	-	-	-	-	3	18.3	11.0	11.0	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	14.0	1.8	0.8	-	1.0	-	-	-	-
	133E	-	6	-	-	-	-	-	-	6	16.0	8.6	8.6	-	-	-	-	-	-
	134E	-	6	-	-	-	-	-	-	6	18.5	11.0	11.0	-	-	-	-	-	-
	135E	-	5	-	-	-	-	-	-	5	16.8	54.7	54.7	-	-	-	-	-	-
	136E	-	4	-	-	-	-	-	-	4	19.5	1.1	1.1	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	20.0	3.0	2.8	-	0.2	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	142E	-	11	-	-	-	-	-	-	11	15.4	12.5	-	-	12.5	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	18.0	1.3	1.0	-	0.3	-	-	-	-
	144E	-	-	-	-	-	2	-	-	2	25.0	2.0	2.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
17N	125E	-	2	-	-	-	-	-	-	2	13.0	4.0	1.5	-	0.5	-	-	-	2.0
	*127E	-	2	-	-	-	-	-	-	2	16.5	11.0	11.0	-	-	-	-	-	-
	128E	-	9	-	-	-	-	-	-	9	14.7	37.6	35.6	-	2.0	-	-	-	-
	129E	-	7	-	-	-	-	-	-	7	14.7	45.5	43.0	-	-	-	-	-	2.5
	130E	-	8	1	-	-	-	-	-	9	19.4	41.4	41.4	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	21.0	7.1	7.1	-	-	-	-	-	-
	*133E	-	5	-	-	-	-	-	-	5	17.5*	17.5	17.5	-	-	-	-	-	-
	134E	-	7	-	-	-	-	-	-	7	16.4	18.1	17.5	-	0.5	0.1	-	-	-
	135E	-	33	2	-	-	-	-	-	35	19.1*	152.7	152.7	-	-	-	-	-	-
	136E	-	8	-	-	-	1	1	-	10	18.7	20.1	20.1	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	18.0	5.0	5.0	-	-	-	-	-	-
17N	*142E	-	3	-	-	-	-	-	-	3	15.3	3.2	-	-	3.2	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	3	-	-	3	26.0	6.5	6.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
16N	128E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	12.0	6.2	6.2	-	-	-	-	-	-
	*132E	-	3	-	-	-	-	-	-	3	18.6	3.1	3.1	-	-	-	-	-	-
	133E	-	6	-	-	-	-	-	-	6	16.0	16.6	16.6	-	-	-	-	-	-
	134E	-	20	1	-	-	-	-	-	21	17.8*	43.6	42.0	-	0.7	-	0.4	-	0.5
	135E	-	39	-	-	-	-	-	-	39	18.1*	134.7	134.5	-	0.2	-	-	-	-
	136E	-	11	-	-	-	-	-	-	11	17.3	28.1	28.1	-	-	-	-	-	-
	137E	-	1	-	-	-	-	1	-	2	19.5	0.5	0.5	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	27.0	5.0	5.0	-	-	-	-	-	-
15N	133E	-	8	2	-	-	-	-	-	10	18.8	19.4	17.5	-	-	-	1.9	-	-
	134E	-	4	1	-	-	-	-	-	5	18.4	17.5	17.5	-	-	-	-	-	-
	135E	-	13	2	-	-	-	-	-	15	17.6	24.0	23.1	-	0.9	-	-	-	-
	136E	-	54	-	-	-	-	-	-	54	16.9*	163.8	163.8	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	17.6	8.0	8.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	3	-	4	21.0	31.0	31.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	6	-	8	27.5	36.5	36.5	-	-	-	-	-	-
	148E	-	-	-	-	-	6	3	-	9	25.4	38.0	38.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	1	-	2	28.0*	5.0	5.0	-	-	-	-	-	-
	150E	-	-	-	-	-	5	-	-	5	30.0	43.5	43.5	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	31.0	10.0	10.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	27.0	0.5	0.5	-	-	-	-	-	-
14N	129E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	*132E	-	3	-	-	-	-	-	-	3	15.0	1.3	1.3	-	-	-	-	-	-
	133E	-	3	-	-	-	-	-	-	3	18.3	10.0	10.0	-	-	-	-	-	-
	134E	-	15	-	-	-	-	-	-	15	16.5	14.9	14.4	-	-	-	-	-	0.5
	135E	-	5	1	-	-	-	1	-	7	18.2	11.3	11.3	-	-	-	-	-	-
	136E	-	6	-	-	-	-	2	-	8	19.7	31.0	30.5	-	-	-	-	-	0.5
	137E	-	1	-	-	-	-	1	-	2	20.5	2.0	2.0	-	-	-	-	-	-
	138E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	1	-	2	23.0	5.5	5.5	-	-	-	-	-	-
	146E	-	-	-	-	-	7	-	-	7	19.4	27.5	27.3	-	-	-	-	-	0.2
	147E	-	-	-	-	-	10	-	-	10	24.6	57.0	57.0	-	-	-	-	-	-
	148E	-	-	-	-	-	26	1	-	27	25.6*	107.5	106.0	-	-	-	1.5	-	-
	149E	-	-	-	-	-	10	-	-	10	25.4*	24.5	24.5	-	-	-	-	-	-
	150E	-	-	-	-	-	8	1	-	9	26.7	38.0	38.0	-	-	-	-	-	-
	151E	-	-	-	-	-	6	4	-	10	25.5*	89.5	89.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	3	-	3	22.6	15.0	15.0	-	-	-	-	-	-
13N	131E	-	7	-	-	-	-	-	-	7	16.4	21.5	21.5	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	133E	-	2	-	-	-	-	1	-	3	20.0	9.5	9.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置		竿数階層別操業隻数									平均竿数	漁獲計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
13N	134E	-	6	-	-	-	-	2	-	8	19.8	10.3	10.3	-	-	-	-	-	-
	*136E	-	3	-	-	-	-	-	-	3	17.3	1.0	1.0	-	-	-	-	-	-
	137E	-	1	-	-	-	1	-	-	2	20.0	0.4	0.4	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	3	-	4	19.2	19.5	19.5	-	-	-	-	-	-
	*145E	-	-	-	-	-	3	-	-	3	29.3	18.5	18.5	-	-	-	-	-	-
	146E	-	-	-	-	-	12	1	-	13	25.4*	73.0	73.0	-	-	-	-	-	-
	147E	-	-	-	-	-	4	-	-	4	24.7	17.0	17.0	-	-	-	-	-	-
	148E	-	-	-	-	-	5	-	-	5	25.0	17.5	17.5	-	-	-	-	-	-
	149E	-	-	-	-	-	7	1	-	8	22.5	29.5	29.5	-	-	-	-	-	-
	150E	-	-	-	-	-	6	-	-	6	25.3	26.0	26.0	-	-	-	-	-	-
	151E	-	-	-	-	-	5	7	-	12	26.0*	114.5	114.5	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	29.0	3.5	3.5	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	1	-	2	19.5	7.0	7.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	18.0	13.0	13.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	12	-	12	25.5	64.0	64.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	4	-	4	21.5	32.5	32.5	-	-	-	-	-	-
12N	131E	-	3	-	-	-	-	-	-	3	14.6	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	14.0	7.0	7.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	2	-	2	27.5	-	-	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	135E	-	3	-	-	-	-	1	-	4	21.5	2.0	2.0	-	-	-	-	-	-
	*139E	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	3	2	-	5	20.0	25.0	25.0	-	-	-	-	-	-
	146E	-	-	-	-	-	10	-	-	10	22.1	65.0	64.9	-	-	-	-	-	0.1
	147E	-	-	-	-	-	5	2	-	7	26.0*	31.5	31.5	-	-	-	-	-	-
	148E	-	-	-	-	-	6	4	-	10	24.6	30.2	30.2	-	-	-	-	-	-
	149E	-	-	-	-	-	3	1	-	4	23.5	10.0	10.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	151E	-	-	-	-	-	8	-	-	8	25.0*	21.5	21.5	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*154E	-	-	-	-	-	5	1	-	6	26.5	22.5	22.5	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	4	-	4	21.0	24.5	24.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	6	-	6	18.0	29.0	29.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
11N	129E	-	-	1	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	130E	-	3	-	-	-	-	-	-	3	17.0	9.5	9.5	-	-	-	-	-	-
	131E	-	6	-	-	-	-	-	-	6	14.0	40.5	39.5	-	-	-	-	-	1.0
	132E	-	3	-	-	-	-	-	-	3	17.0	20.6	20.6	-	-	-	-	-	-
	133E	-	4	-	-	-	-	-	-	4	18.7	52.0	52.0	-	-	-	-	-	-
	*135E	-	3	-	-	-	-	-	-	3	18.0	14.2	14.2	-	-	-	-	-	-
	136E	-	7	-	-	-	-	1	-	8	17.1	45.0	45.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	2	-	4	19.7	19.0	19.0	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	6	-	7	24.2*	43.5	43.5	-	-	-	-	-	-
11N	140E	-	-	-	-	-	-	16	-	16	24.1*	94.3	94.3	-	-	-	-	-	-
	141E	-	-	-	-	-	-	2	-	2	28.5	3.0	3.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	19	-	-	19	26.1	100.4	100.4	-	-	-	-	-	-
	146E	-	-	-	-	-	18	1	-	19	23.8	107.5	107.0	-	0.5	-	-	-	-
	147E	-	-	-	-	-	-	2	-	2	25.5	24.0	24.0	-	-	-	-	-	-
	148E	-	-	-	-	-	5	2	-	7	24.1	22.5	22.5	-	-	-	-	-	-
	149E	-	-	-	-	-	7	3	-	10	25.1	26.5	26.5	-	-	-	-	-	-
	150E	-	-	-	-	-	17	2	-	19	24.3*	86.0	86.0	-	-	-	-	-	-
	151E	-	-	-	-	-	24	4	-	28	25.1*	130.0	128.0	-	-	-	-	-	2.0
	152E	-	-	-	-	-	21	4	-	25	27.0*	182.8	180.2	-	2.6	-	-	-	-
	153E	-	-	-	-	-	6	11	-	17	26.6	106.5	106.5	-	-	-	-	-	-
	154E	-	-	-	-	-	9	4	-	13	26.6	68.0	68.0	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	22.0	2.0	1.5	-	-	-	-	-	0.5
	156E	-	-	-	-	-	3	-	-	3	24.0	14.5	14.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	28.5	9.5	9.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	23.0	3.5	3.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	3	-	3	19.6	14.0	14.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	18.0	7.0	7.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	18.0	5.0	5.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	32.0	0.3	0.3	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
10N	129E	-	-	3	-	-	-	-	-	3	17.0	9.0	9.0	-	-	-	-	-	-
	*132E	-	2	1	-	-	-	-	-	3	14.6	23.0	23.0	-	-	-	-	-	-
	133E	-	1	-	-	-	1	-	-	2	20.0	2.5	2.5	-	-	-	-	-	-
	134E	-	2	1	-	-	-	-	-	3	17.0	3.5	3.5	-	-	-	-	-	-
	135E	-	2	2	-	-	-	-	-	4	15.0	9.5	9.5	-	-	-	-	-	-
	136E	-	15	-	-	-	1	1	-	17	16.2	61.5	61.5	-	-	-	-	-	-
	137E	-	2	-	-	-	4	1	-	7	24.0	39.6	39.6	-	-	-	-	-	-
	138E	-	-	-	-	-	-	4	-	4	22.0	2.8	2.5	-	-	-	-	-	0.3
	139E	-	-	-	-	-	1	1	-	2	26.5	3.5	3.5	-	-	-	-	-	-
	140E	-	-	-	-	-	-	11	-	11	24.8	40.5	40.5	-	-	-	-	-	-
	141E	-	-	-	-	-	-	5	-	5	23.2	23.0	23.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	24	-	25	24.3*	124.0	122.7	-	0.3	-	1.0	-	-
	143E	-	-	-	-	-	2	19	-	21	23.5	68.1	68.1	-	-	-	-	-	-
	144E	-	-	-	-	-	8	23	-	31	24.9	154.5	154.5	-	-	-	-	-	-
	145E	-	-	-	-	-	3	9	-	12	22.7	67.7	66.5	0.6	0.6	-	-	-	-
	146E	-	-	-	-	-	17	9	-	26	23.7	90.1	90.1	-	-	-	-	-	-
	147E	-	-	-	-	-	5	23	-	28	24.0	171.8	170.1	-	-	-	1.0	-	0.7
	148E	-	-	-	-	-	6	18	-	24	25.3	111.1	111.1	-	-	-	-	-	-
	149E	-	-	-	-	-	7	8	-	15	24.8*	57.5	57.5	-	-	-	-	-	-
	150E	-	-	-	-	-	23	19	-	42	23.6*	178.3	177.1	-	-	-	1.2	-	-
	151E	-	-	-	-	-	7	15	-	22	25.4*	101.0	101.0	-	-	-	-	-	-
	152E	-	-	-	-	-	5	4	-	9	23.7*	32.0	32.0	-	-	-	-	-	-
	153E	-	-	-	-	-	3	9	-	12	22.0	50.8	50.8	-	-	-	-	-	-
	154E	-	-	-	-	-	16	7	-	23	24.8	81.5	81.5	-	-	-	-	-	-
	155E	-	-	-	-	-	5	5	-	10	26.6	36.5	36.5	-	-	-	-	-	-
	156E	-	-	-	-	-	4	3	-	7	25.7	23.0	23.0	-	-	-	-	-	-
	157E	-	-	-	-	-	5	1	-	6	25.6	31.5	31.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** FEB - -007 TSKI -016 2 月

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
ON 158E	-	-	-	-	-	5	1	-	6	25.5	30.0	30.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	1	-	2	20.5	7.5	7.5	-	-	-	-	-	-
*161E	-	-	-	-	-	1	1	-	2	25.0	3.0	3.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	28.0	1.3	1.0	-	0.3	-	-	-	-
*165E	-	-	-	-	-	1	1	-	2	23.0	1.0	1.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	18.5	5.5	5.5	-	-	-	-	-	-
*168E	-	-	-	-	-	-	3	-	3	27.3	10.5	10.5	-	-	-	-	-	-
9N 134E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
*137E	-	-	-	-	-	2	3	-	5	25.2	32.6	32.6	-	-	-	-	-	-
138E	-	-	-	-	-	-	2	-	2	25.0	5.0	5.0	-	-	-	-	-	-
139E	-	-	-	-	-	5	4	-	9	24.0	30.5	30.5	-	-	-	-	-	-
140E	-	-	-	-	-	-	8	-	8	24.8	70.0	70.0	-	-	-	-	-	-
141E	-	-	-	-	-	1	21	-	22	23.8	184.4	184.4	-	-	-	-	-	-
142E	-	-	-	-	-	8	19	-	27	25.3*	162.3	161.5	-	0.2	-	0.1	-	0.5
143E	-	-	-	-	-	9	35	-	44	24.5*	239.4	239.4	-	-	-	-	-	-
144E	-	-	-	-	-	8	45	-	53	23.8	373.4	372.9	-	0.5	-	-	-	-
145E	-	-	-	-	-	5	45	-	50	24.1	231.4	231.2	-	-	-	-	-	0.2
146E	-	-	-	-	-	-	16	-	16	24.1	87.1	87.0	-	0.1	-	-	-	-
147E	-	-	-	-	-	6	7	-	13	21.7	59.5	59.5	-	-	-	-	-	-
148E	-	-	-	-	-	9	17	-	26	22.8	124.4	124.4	-	-	-	-	-	-
149E	-	-	-	-	-	12	24	-	36	24.4*	156.7	156.7	-	-	-	-	-	-
150E	-	-	-	-	-	40	17	-	57	21.8	229.6	229.5	-	-	-	-	-	0.1
151E	-	-	-	-	-	30	15	-	45	21.8*	248.4	248.4	-	-	-	-	-	-
152E	-	-	-	-	-	9	2	-	11	23.0	34.7	34.7	-	-	-	-	-	-
153E	-	-	-	-	-	7	16	-	23	24.2	66.9	66.9	-	-	-	-	-	-
154E	-	-	-	-	-	9	7	-	16	26.0	85.3	83.3	-	-	-	-	-	2.0
155E	-	-	-	-	-	7	3	-	10	25.0	54.5	54.5	-	-	-	-	-	-
156E	-	-	-	-	-	2	7	-	9	24.1	56.5	55.0	-	1.5	-	-	-	-
157E	-	-	-	-	-	6	6	-	12	25.4	51.5	51.5	-	-	-	-	-	-
158E	-	-	-	-	-	2	1	-	3	24.6	15.0	15.0	-	-	-	-	-	-
159E	-	-	-	-	-	3	-	-	3	25.0	8.5	8.5	-	-	-	-	-	-
160E	-	-	-	-	-	3	1	-	4	26.2	10.5	10.5	-	-	-	-	-	-
161E	-	-	-	-	-	3	1	-	4	26.2	25.5	24.5	-	-	-	0.5	-	0.5
162E	-	-	-	-	-	4	1	-	5	26.0	21.7	21.7	-	-	-	-	-	-
163E	-	-	-	-	-	1	2	-	3	18.6	4.0	3.5	-	0.5	-	-	-	-
164E	-	-	-	-	-	2	3	-	5	22.8	12.1	12.0	-	-	-	0.1	-	-
165E	-	-	-	-	-	2	3	-	5	25.8	15.5	15.5	-	-	-	-	-	-
166E	-	-	-	-	-	2	1	-	3	26.0	6.0	6.0	-	-	-	-	-	-
167E	-	-	-	-	-	-	2	-	2	19.0	6.0	6.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	2	-	2	18.0	16.0	16.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	2	-	2	28.5	12.0	12.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
172E	-	-	-	-	-	-	1	-	1	18.0	13.0	13.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	5	-	5	23.8	26.0	26.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	4	-	4	28.5	22.0	22.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	3	-	3	30.0	17.0	17.0	-	-	-	-	-	-
BN 133E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
134E	-	1	-	-	-	-	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
*138E	-	-	-	-	-	-	2	-	2	26.0	11.0	11.0	-	-	-	-	-	-
139E	-	-	-	-	-	3	1	-	4	24.5	9.0	8.7	-	-	-	-	0.3	-
140E	-	-	-	-	-	2	16	-	18	24.4	134.3	134.0	-	-	-	0.3	-	-
141E	-	-	-	-	-	4	29	-	33	23.8*	205.8	202.6	-	1.0	-	-	-	2.2
BN 142E	-	-	-	-	-	7	21	-	28	25.1*	138.0	134.2	-	2.8	-	0.5	-	0.5
143E	-	-	-	-	-	5	15	-	20	23.3*	64.3	64.0	-	-	-	-	-	0.3
144E	-	-	-	-	-	3	9	-	12	25.9*	24.9	24.0	-	0.3	-	0.5	-	0.1
145E	-	-	-	-	-	6	7	-	13	23.4	42.3	42.3	-	-	-	-	-	-
146E	-	-	-	-	-	-	7	-	7	26.1	60.5	60.5	-	-	-	-	-	-
*148E	-	-	-	-	-	-	5	-	5	24.6	7.2	7.2	-	-	-	-	-	-
149E	-	-	-	-	-	4	9	-	13	22.3	56.9	56.9	-	-	-	-	-	-
150E	-	-	-	-	-	11	7	-	18	20.3	557.6	556.8	-	0.8	-	-	-	-
151E	-	-	-	-	-	12	5	-	17	22.8	70.0	70.0	-	-	-	-	-	-
152E	-	-	-	-	-	16	13	-	29	21.0	149.2	148.9	-	0.2	-	-	-	0.1
153E	-	-	-	-	-	12	44	-	56	22.6	254.2	252.9	-	0.4	-	0.5	-	0.4
154E	-	-	-	-	-	13	11	-	24	23.1*	78.6	78.4	-	-	-	0.2	-	-
155E	-	-	-	-	-	11	25	-	36	23.8	173.0	173.0	-	-	-	-	-	-
156E	-	-	-	-	-	23	31	-	54	24.6*	252.2	251.2	-	1.0	-	-	-	-
157E	-	-	-	-	-	16	23	-	39	25.2	212.4	212.1	-	0.3	-	-	-	-
158E	-	-	-	-	-	13	13	-	26	24.7	155.9	155.3	-	0.1	-	-	-	0.5
159E	-	-	-	-	-	5	5	-	10	25.3	41.0	41.0	-	-	-	-	-	-
160E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
161E	-	-	-	-	-	1	2	-	3	23.3	5.5	5.5	-	-	-	-	-	-
162E	-	-	-	-	-	1	1	-	2	18.5	8.0	8.0	-	-	-	-	-	-
163E	-	-	-	-	-	2	1	-	3	26.3	10.4	9.0	-	1.4	-	-	-	-
164E	-	-	-	-	-	2	6	-	8	24.1	32.0	32.0	-	-	-	-	-	-
165E	-	-	-	-	-	6	6	-	12	25.5	44.3	43.5	-	0.8	-	-	-	-
166E	-	-	-	-	-	4	9	-	13	24.6	52.0	52.0	-	-	-	-	-	-
167E	-	-	-	-	-	2	5	-	7	21.7	32.8	32.5	-	-	-	-	-	0.3
168E	-	-	-	-	-	2	3	-	5	23.2	20.0	20.0	-	-	-	-	-	-
169E	-	-	-	-	-	4	1	-	5	27.0	15.0	15.0	-	-	-	-	-	-
170E	-	-	-	-	-	4	1	-	5	26.8	29.0	28.0	-	1.0	-	-	-	-
171E	-	-	-	-	-	1	1	-	2	29.0	6.5	6.5	-	-	-	-	-	-
*173E	-	-	-	-	-	-	3	-	3	25.3	0.8	0.8	-	-	-	-	-	-
174E	-	-	-	-	-	-	2	-	2	20.5	3.0	3.0	-	-	-	-	-	-
175E	-	-	-	-	-	1	3	-	4	25.2	9.3	9.0	-	0.3	-	-	-	-
176E	-	-	-	-	-	1	5	-	6	24.8	26.0	26.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	11	-	11	23.5	46.7	46.5	-	0.2	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
N 137E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
*139E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
140E	-	-	-	-	-	5	16	-	21	25.3	106.6	106.1	-	0.5	-	-	-	-
141E	-	-	-	-	-	2	29	-	31	23.5	207.0	207.0	-	-	-	-	-	-
142E	-	-	-	-	-	5	22	-	27	24.6	172.9	171.3	-	1.5	-	-	-	0.1
143E	-	-	-	-	-	3	24	-	27	23.0	124.0	123.0	-	-	-	0.5	-	0.5
144E	-	-	-	-	-	-	12	-	12	24.8	63.0	63.0	-	-	-	-	-	-
145E	-	-	-	-	-	-	3	-	3	23.3	13.5	13.5	-	-	-	-	-	-
146E	-	-	-	-	-	1	5	-	6	22.6	17.0	17.0	-	-	-	-	-	-
147E	-	-	-	-	-	4	3	-	7	19.8	23.0	23.0	-	-	-	-	-	-
148E	-	-	-	-	-	6	3	-	9	18.8	27.7	27.7	-	-	-	-	-	-
149E	-	-	-	-	-	3	4	-	7	20.0	15.5	15.5	-	-	-	-	-	-
150E	-	-	-	-	-	17	24	-	41	20.7*	149.3	148.8	-	0.2	-	-	-	0.3
151E	-	-	-	-	-	12	19	-	31	22.0*	253.5	251.4	-	0.8	-	-	-	1.3
152E	-	-	-	-	-	11	10	-	21	22.0*	93.8	92.6	-	1.0	-	-	-	0.2
153E	-	-	-	-	-	13	15	-	28	23.6	143.0	143.0	-	-	-	-	-	-
154E	-	-	-	-	-	13	9	-	22	21.4	87.5	87.2	-	0.3	-	-	-	-
155E	-	-	-	-	-	25	12	-	37	21.5	104.8	104.0	-	0.6	-	-	-	0.2
156E	-	-	-	-	-	22	15	-	37	22.2*	122.4	121.9	-	-	-	-	-	0.5
157E	-	-	-	-	-	10	18	-	28	22.8*	136.0	134.9	-	0.8	-	-	-	0.3

月別・漁場別努力量及び漁獲量

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
07N	158E	-	-	-	-	-	13	18	-	31	24.4*	116.0	115.0	-	0.8	-	-	-	0.2
	159E	-	-	-	-	-	8	6	-	14	24.2*	51.9	51.9	-	-	-	-	-	-
	160E	-	-	-	-	-	6	6	-	12	25.8	36.5	36.5	-	-	-	-	-	-
	161E	-	-	-	-	-	3	6	-	9	24.7	35.0	35.0	-	-	-	-	-	-
	162E	-	-	-	-	-	6	3	-	9	27.1	46.0	46.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	2	-	4	25.5	2.8	2.8	-	-	-	-	-	-
	164E	-	-	-	-	-	3	2	-	5	22.6	3.0	3.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	1	-	2	26.5	3.0	3.0	-	-	-	-	-	-
	166E	-	-	-	-	-	6	2	-	8	23.6	14.5	14.5	-	-	-	-	-	-
	167E	-	-	-	-	-	2	4	-	6	23.6	20.0	20.0	-	-	-	-	-	-
	168E	-	-	-	-	-	5	3	-	8	23.8	25.0	25.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	4	-	5	26.6	10.5	10.0	-	0.5	-	-	-	-
	170E	-	-	-	-	-	2	6	-	8	23.5	33.7	33.7	-	-	-	-	-	-
	171E	-	-	-	-	-	2	-	-	2	26.0	11.0	11.0	-	-	-	-	-	-
	172E	-	-	-	-	-	1	-	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	30.0	2.5	2.4	-	0.1	-	-	-	-
	176E	-	-	-	-	-	1	2	-	3	27.6	11.5	11.5	-	-	-	-	-	-
	177E	-	-	-	-	-	1	6	-	7	25.7	52.1	51.5	-	-	-	-	-	0.6
	178E	-	-	-	-	-	1	4	-	5	26.2	13.5	13.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	27.0	9.0	8.0	-	1.0	-	-	-	-
06N	139E	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	3	-	3	25.3	10.0	10.0	-	-	-	-	-	-
	141E	-	-	-	-	-	3	22	-	25	23.8	115.5	115.5	-	-	-	-	-	-
	142E	-	-	-	-	-	6	12	-	18	24.7	84.0	84.0	-	-	-	-	-	-
	143E	-	-	-	-	-	1	8	-	9	26.4	60.2	59.0	-	0.2	-	-	-	1.0
	144E	-	-	-	-	-	3	9	-	12	22.3*	93.9	92.9	-	0.5	-	-	-	0.5
	145E	-	-	-	-	-	-	1	-	1	22.3	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	6	6	-	12	22.9	44.0	44.0	-	-	-	-	-	-
	147E	-	-	-	-	-	3	4	-	7	24.1	35.5	35.5	-	-	-	-	-	-
	148E	-	-	-	-	-	26	9	-	35	19.8	170.6	170.3	-	0.3	-	-	-	-
	149E	-	-	-	-	-	5	12	-	17	20.0*	72.9	72.9	-	-	-	-	-	-
	150E	-	-	-	-	-	2	14	-	16	22.4*	81.1	80.5	-	0.3	-	-	-	0.3
	151E	-	-	-	-	-	6	22	-	28	24.1*	117.3	117.3	-	-	-	-	-	-
	152E	-	-	-	-	-	8	8	-	16	21.4*	70.3	69.1	-	1.2	-	-	-	-
	153E	-	-	-	-	-	2	7	-	9	21.8	23.8	23.8	-	-	-	-	-	-
	154E	-	-	-	-	-	1	11	-	12	25.4	28.0	28.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	7	-	8	24.5	30.7	30.0	-	0.2	-	-	-	0.5
	156E	-	-	-	-	-	8	12	-	20	25.0	73.8	73.2	-	-	-	-	-	0.6
	157E	-	-	-	-	-	14	15	-	29	26.2	119.9	119.9	-	-	-	-	-	-
	158E	-	-	-	-	-	16	6	-	22	24.5*	47.1	47.0	-	0.1	-	-	-	-
	159E	-	-	-	-	-	7	9	-	16	24.5	40.2	40.2	-	-	-	-	-	-
	160E	-	-	-	-	-	1	11	-	12	25.0	62.0	61.7	-	0.3	-	-	-	-
	161E	-	-	-	-	-	7	1	-	8	20.0*	20.4	20.4	-	-	-	-	-	-
	162E	-	-	-	-	-	6	2	-	8	25.7	13.0	13.0	-	-	-	-	-	-
	163E	-	-	-	-	-	5	-	-	5	25.5*	7.7	7.7	-	-	-	-	-	-
	164E	-	-	-	-	-	5	1	-	6	22.8*	2.5	2.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	4	-	4	25.2	15.3	15.3	-	-	-	-	-	-
	166E	-	-	-	-	-	3	1	-	4	26.6*	16.1	16.1	-	-	-	-	-	-
	167E	-	-	-	-	-	11	5	-	16	22.2	88.1	88.1	-	-	-	-	-	-
	168E	-	-	-	-	-	5	5	-	10	21.8	43.9	43.8	-	-	-	0.1	-	-
	169E	-	-	-	-	-	-	2	-	2	27.5	3.2	2.7	-	-	-	0.5	-	-
	170E	-	-	-	-	-	-	3	-	3	22.6	6.0	6.0	-	-	-	-	-	-
	171E	-	-	-	-	-	1	3	-	4	24.5	8.7	8.7	-	-	-	-	-	-
	172E	-	-	-	-	-	1	3	-	4	22.5	10.5	10.5	-	-	-	-	-	-
	173E	-	-	-	-	-	1	3	-	4	25.0	7.3	7.3	-	-	-	-	-	-
06N	174E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	4	-	4	30.0	17.0	15.0	-	2.0	-	-	-	-
	178E	-	-	-	-	-	-	3	-	3	26.6	25.0	25.0	-	-	-	-	-	-
	T79E	-	-	-	-	-	-	2	-	2	24.5	6.0	6.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	2	4	·	6	25.5	20.7	20.5	-	0.2	-	-	-	-
05N	141E	-	-	-	-	-	-	2	-	2	26.5	8.0	8.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	28.0	4.5	3.5	-	1.0	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	27.0	4.2	4.0	-	-	-	-	-	0.2
	146E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	4	-	4	21.0*	26.0	26.0	-	-	-	-	-	-
	148E	-	-	-	-	-	6	2	-	8	20.0*	24.0	24.0	-	-	-	-	-	-
	149E	-	-	-	-	-	12	5	-	17	19.3*	45.3	44.8	-	-	-	-	-	0.5
	150E	-	-	-	-	-	10	5	-	15	20.6	57.9	57.3	-	-	-	-	-	0.6
	151E	-	-	-	-	-	4	6	-	10	19.4	28.7	28.7	-	-	-	-	-	-
	152E	-	-	-	-	-	3	9	-	12	21.5*	32.5	32.5	-	-	-	-	-	-
	153E	-	-	-	-	-	5	11	-	16	21.1	73.9	73.9	-	-	-	-	-	-
	154E	-	-	-	-	-	7	6	-	13	22.9	35.1	35.1	-	-	-	-	-	-
	155E	-	-	-	-	-	6	1	-	7	22.0	18.5	18.5	-	-	-	-	-	-
	156E	-	-	-	-	-	3	3	-	6	24.6	11.1	11.1	-	-	-	-	-	-
	157E	-	-	-	-	-	3	1	-	4	19.0	11.7	11.4	-	0.3	-	-	-	-
	158E	-	-	-	-	-	1	4	-	5	22.0	9.2	9.2	-	-	-	-	-	-
	159E	-	-	-	-	-	2	2	-	4	21.0	12.2	11.9	-	-	-	0.3	-	-
	160E	-	-	-	-	-	4	1	-	5	23.4	4.5	4.5	-	-	-	-	-	-
	161E	-	-	-	-	-	5	-	-	5	22.2	9.3	9.3	-	-	-	-	-	-
	162E	-	-	-	-	-	6	-	-	6	23.0	15.0	14.5	-	-	-	-	-	0.5
	163E	-	-	-	-	-	11	3	-	14	25.6	30.0	30.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	2	-	3	20.6	2.9	2.9	-	-	-	-	-	-
	165E	-	-	-	-	-	1	1	-	2	25.0	1.0	1.0	-	-	-	-	-	-
	166E	-	-	-	-	-	3	1	-	4	25.0	6.5	6.5	-	-	-	-	-	-
	167E	-	-	-	-	-	9	3	-	12	22.6	27.9	27.9	-	-	-	-	-	-
	168E	-	-	-	-	-	1	3	-	4	23.5	4.5	4.5	-	-	-	-	-	-
	169E	-	-	-	-	-	4	4	-	8	23.7	20.5	20.5	-	-	-	-	-	-
	170E	-	-	-	-	-	-	5	-	5	23.0	15.4	14.4	-	-	-	0.5	-	0.5
	171E	-	-	-	-	-	3	3	-	6	26.0	11.3	11.3	-	-	-	-	-	-
	172E	-	-	-	-	-	1	7	-	8	23.1	17.0	17.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	8	-	9	26.2	21.0	21.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	4	-	4	27.0	7.4	7.4	-	-	-	-	-	-
	175E	-	-	-	-	-	-	6	-	6	26.0	5.2	5.2	-	-	-	-	-	-
	176E	-	-	-	-	-	-	3	-	3	27.3	7.3	7.3	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	21.0	0.1	0.1	-	-	-	-	-	-
	179E	-	-	-	-	-	1	5	-	6	26.8	15.9	15.9	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	3	-	3	23.0	-	-	-	-	-	-	-	-
04N	143E	-	-	-	-	-	2	8	-	10	25.5	78.5	77.0	-	0.5	-	-	-	1.0
	144E	-	-	-	-	-	3	1	-	4	21.7	22.0	22.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	22.0	7.0	7.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	1	-	2	21.5	6.5	6.5	-	-	-	-	-	-
	149E	-	-	-	-	-	3	2	-	5	21.0	16.0	16.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** FEB - -011 TSKI -020 2 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
04N	150E	-	-	-	-	-	5	2	-	7	21.7	23.0	23.0	-	-	-	-	-	-
	151E	-	-	-	-	-	8	3	-	11	21.8*	32.2	32.2	-	-	-	-	-	-
	152E	-	-	-	-	-	3	1	-	4	16.0*	17.2	17.2	-	-	-	-	-	-
	153E	-	-	-	-	-	2	11	-	13	21.4	50.1	50.1	-	-	-	-	-	-
	154E	-	-	-	-	-	3	10	-	13	25.5	31.5	31.5	-	-	-	-	-	-
	155E	-	-	-	-	-	3	-	-	3	16.0	6.8	6.0	-	0.7	-	-	-	0.1
	156E	-	-	-	-	-	-	1	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	26.0	0.3	0.3	-	-	-	-	-	-
	158E	-	-	-	-	-	5	-	-	5	19.0	8.3	6.8	-	0.1	-	1.0	-	0.4
	159E	-	-	-	-	-	3	1	-	4	24.5	6.7	6.0	-	0.5	-	-	-	0.2
	160E	-	-	-	-	-	5	-	-	5	22.6	13.7	13.7	-	-	-	-	-	-
	161E	-	-	-	-	-	4	-	-	4	23.0	8.9	8.8	-	0.1	-	-	-	-
	162E	-	-	-	-	-	4	2	-	6	25.3	5.4	5.4	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	22.5	5.0	5.0	-	-	-	-	-	-
	164E	-	-	-	-	-	3	1	-	4	26.6*	2.1	2.1	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	25.5	5.0	5.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	167E	-	-	-	-	-	5	1	-	6	26.1	12.7	12.0	-	0.7	-	-	-	-
	168E	-	-	-	-	-	2	1	-	3	27.3	7.2	7.0	-	0.2	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	171E	-	-	-	-	-	2	3	-	5	24.6	4.0	4.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	3	-	3	21.6	5.0	5.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	9	-	9	23.3	24.5	24.5	-	-	-	-	-	-
	174E	-	-	-	-	-	-	7	-	7	23.2	22.1	21.0	-	0.7	-	-	-	0.4
	175E	-	-	-	-	-	-	9	-	9	24.1	30.0	30.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	5	-	5	26.0	5.0	5.0	-	-	-	-	-	-
	177E	-	-	-	-	-	1	1	-	2	30.0	11.0	11.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	2	-	2	21.0	6.5	6.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	5	-	5	25.4	42.0	42.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	9	-	9	27.0	87.5	87.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
03N	141E	-	-	-	-	-	-	2	-	2	26.5	5.5	5.5	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	2	-	-	2	17.5	3.0	3.0	-	-	-	-	-	-
	151E	-	-	-	-	-	3	1	-	4	20.2	33.0	33.0	-	-	-	-	-	-
	152E	-	-	-	-	-	5	5	-	10	19.7*	42.8	42.4	-	-	-	-	-	0.4
	*154E	-	-	-	-	-	2	-	-	2	19.0	5.5	5.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	3	-	-	3	18.0	8.3	8.3	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	32.0	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	23.0	6.0	6.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	2	-	4	24.5	4.5	4.5	-	-	-	-	-	-
	164E	-	-	-	-	-	2	1	-	3	27.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	25.5	1.5	1.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	2	2	-	4	25.7	4.5	4.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	4	-	4	20.0	19.5	19.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	7	-	7	22.7	16.1	16.1	-	-	-	-	-	-
	176E	-	-	-	-	-	-	3	-	3	25.6	13.0	13.0	-	-	-	-	-	-
	177E	-	-	-	-	-	1	1	-	2	27.5	3.0	3.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	25.5	6.0	6.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	2	-	2	21.0	3.5	3.5	-	-	-	-	-	-
03N	177W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
02N	001E	-	-	-	-	-	-	1	-	1	23.0	3.5	3.4	-	-	-	0.1	-	-
	002E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	003E	-	-	-	-	-	-	1	-	1	23.0	0.9	0.9	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	25.0	1.5	1.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	170E	-	-	-	-	-	2	-	-	2	21.0	1.5	1.5	-	-	-	-	-	-
	171E	-	-	-	-	-	1	1	-	2	22.0	2.0	2.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	32.0	2.0	2.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
01N	000E	-	-	-	-	-	-	1	-	1	23.0	8.5	8.3	-	0.1	-	0.1	-	-
	001E	-	-	-	-	-	-	1	-	1	23.0	1.3	1.3	-	-	-	-	-	-
	002E	-	-	-	-	-	-	2	-	2	23.0	10.7	10.7	-	-	-	-	-	-
	003E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	004E	-	-	-	-	-	-	1	-	1	23.0	5.8	5.7	-	0.1	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	24.5	2.5	2.0	-	0.5	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	26.0	0.2	0.2	-	-	-	-	-	-
00N	002E	-	-	-	-	-	-	1	-	1	23.0	4.2	3.9	-	0.1	-	0.2	-	-
	003E	-	-	-	-	-	-	1	-	1	23.0	3.7	3.7	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	23.0	0.7	0.7	-	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	171E	-	-	-	-	-	-	2	-	2	23.5	5.8	5.8	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
00S	144E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	30.0	0.4	0.4	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	20.0	0.2	0.2	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　FEB - -013　　　　TSKI -022　2 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量 計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 EL
00S	*175E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	20.0	0.4	0.4	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
01S	(004E	-	-	-	-	-	-	1	-	1	23.0	9.5	9.5	-	-	-	-	-	-
	(005E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	27.0	6.0	6.0	-	-	-	-	-	-
02S	170E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	171E	-	-	-	-	-	2	-	-	2	21.0	3.0	3.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	27.0	7.5	7.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	19.5	10.9	10.5	-	-	-	-	-	0.4
	178W	-	-	-	-	-	-	2	-	2	21.0	13.3	13.0	-	-	-	-	-	0.[illegible]
	*176W	-	-	-	-	-	-	2	-	2	25.0	2.1	2.1	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
03S	163E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	3	-	3	24.0	29.8	29.5	-	-	-	-	-	0.[illegible]
	*179W	-	-	-	-	-	-	2	-	2	18.0	1.0	1.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	4	-	4	22.7	14.5	14.0	-	0.5	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	23.6	11.0	11.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	4	-	4	24.0	32.0	32.0	-	-	-	-	-	-
04S	179W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	28.0	2.2	2.0	-	0.2	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
05S	165E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.[illegible]
	*179W	-	-	-	-	-	-	1	-	1	28.0	3.8	3.5	-	0.3	-	-	-	-
06S	158E	-	-	-	-	-	-	1	-	1	21.0	2.0	1.5	-	0.5	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	21.0	11.0	11.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	24.0	5.8	5.0	-	-	-	-	-	0.8
	*172E	-	-	-	-	-	-	1	-	1	24.0	6.0	5.0	-	-	-	-	-	1.0
	*175E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.[illegible]
	*177E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
07S	159E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
07S	*165E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.0	-	-	-	-	-	0.5
	*177E	-	-	-	-	-	-	3	-	3	24.0	19.0	19.0	-	-	-	-	-	-
*09S	162E	-	-	-	-	-	-	2	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
10S	162E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	30.0	20.0	20.0	-	-	-	-	-	-
11S	159E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	3	-	3	21.0	26.5	24.0	-	1.5	-	-	-	1.0
12S	173E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
13S	163E	-	-	-	-	-	-	1	-	1	21.0	8.0	8.0	-	-	-	-	-	-
14S	172E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
15S	165E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
16S	166E	-	-	-	-	-	-	2	-	2	21.0	12.0	11.0	-	1.0	-	-	-	-
17S	169E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
18S	168E	-	-	-	-	-	-	2	-	2	21.0	13.0	13.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAR - -001　　TSKI -024　　3 月

操業位消 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
34N	136E	-	5	-	-	-	-	-	-	5	17.0	0.6	0.6	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	17.5	4.5	4.5	-	-	-	-	-	-
	138E	-	43	1	-	-	-	-	-	44	17.2*	129.8	105.3	22.6	1.0	-	-	-	0.9
	139E	-	20	-	-	-	-	-	-	20	16.5*	57.3	42.5	14.7	-	-	-	-	0.1
	140E	-	13	-	-	-	-	-	-	13	18.4*	44.8	42.6	2.0	-	-	-	-	0.2
	141E	-	2	-	-	-	-	-	-	2	13.0*	7.1	7.1	-	-	-	-	-	-
33N	132E	-	1	-	-	-	-	-	-	1	16.0	2.4	0.9	-	-	-	-	-	1.5
	133E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	*136E	-	7	-	-	-	-	-	-	7	18.8*	25.5	25.5	-	-	-	-	-	-
	137E	2	120	2	-	-	2	-	-	126	16.8*	228.3	208.8	15.0	-	-	-	-	4.5
	138E	-	533	8	-	-	1	-	-	542	16.5*	1286.7	976.8	279.2	6.8	0.8	-	-	23.1
	139E	-	64	3	-	-	-	-	-	67	17.0*	203.1	127.4	72.6	2.5	-	-	-	0.6
	140E	-	28	-	-	-	-	-	-	28	16.1*	58.4	52.9	4.7	0.1	-	-	-	0.7
32N	133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*136E	-	12	-	-	-	-	-	-	12	17.3*	16.1	16.1	-	-	-	-	-	-
	137E	1	60	-	-	-	-	-	-	61	17.8	135.7	119.6	8.4	-	0.7	-	-	7.0
	138E	-	43	-	-	-	-	-	-	43	19.1*	93.1	92.5	0.6	-	-	-	-	-
	139E	-	9	-	-	-	-	-	-	9	18.8*	18.7	18.7	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	12.0	0.2	0.2	-	-	-	-	-	-
31N	128E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.5	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	15.5	1.2	-	-	1.2	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	21.5	-	-	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	19.0*	-	-	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	13.0	-	-	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	21.2	-	-	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	17.6	0.3	-	-	-	-	-	-	0.3
	136E	-	8	-	-	-	-	-	-	8	18.7*	8.9	8.9	-	-	-	-	-	-
	137E	-	5	-	-	-	-	-	-	5	19.2	5.5	2.5	-	-	-	-	-	3.0
	138E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	139E	-	6	-	-	-	-	1	-	7	17.4*	6.1	3.1	-	2.9	-	-	-	0.1
30N	128E	-	1	-	-	-	-	-	-	1	12.0	2.8	2.5	-	0.3	-	-	-	-
	129E	1	1	-	-	-	-	-	-	2	12.5	3.4	1.0	0.1	2.0	-	-	-	0.3
	130E	2	58	-	-	-	-	-	-	60	14.4	80.8	25.0	3.4	22.7	19.8	-	-	9.9
	131E	1	-	-	-	-	-	-	-	1	10.0	0.2	0.2	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	133E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	134E	-	7	-	-	-	-	-	-	7	18.5	20.3	20.0	-	0.3	-	-	-	-
	135E	-	7	-	-	-	-	-	-	7	18.1*	21.3	17.3	3.9	-	-	-	-	0.1
	136E	-	3	-	-	-	-	-	-	3	16.0	-	-	-	-	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	16.3	0.8	0.8	-	-	-	-	-	-
	138E	-	13	-	-	-	-	-	-	13	14.1	9.1	1.0	0.5	7.3	-	-	-	0.3
	139E	-	2	-	-	-	-	-	-	2	12.5	0.2	-	0.2	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
29N	127E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
	128E	-	14	-	-	-	-	-	-	14	14.0	22.1	8.0	-	1.3	-	-	-	12.8
	129E	4	39	-	-	-	-	-	-	43	13.3	32.7	6.0	1.5	20.1	-	-	-	5.1
29N	130E	7	112	-	-	-	-	-	-	119	14.2	150.1	35.0	0.6	59.1	24.7	1.5	-	29.2
	131E	-	4	-	-	-	2	-	-	6	17.8	1.9	1.0	-	0.5	-	-	-	0.4
	132E	-	1	-	-	-	-	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*135E	-	3	-	-	-	-	-	-	3	16.6	-	-	-	-	-	-	-	-
	136E	-	1	-	-	-	1	1	-	3	25.3	-	-	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	138E	-	2	-	-	-	-	-	-	2	17.0	-	-	-	-	-	-	-	-
	*140E	-	10	-	-	-	-	-	-	10	14.5	4.4	-	-	4.1	-	-	-	0.3
28N	126E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.0	-	0.5	-	-	-	0.5
	127E	-	37	-	-	-	-	-	-	37	13.9	87.5	62.6	-	12.1	-	-	-	12.8
	128E	-	23	-	-	-	-	-	-	23	13.8	56.0	40.3	0.5	4.7	-	-	-	10.5
	129E	-	3	-	-	-	-	-	-	3	13.6	1.3	0.3	0.5	-	-	-	-	0.5
	130E	-	2	-	-	-	-	-	-	2	22.5	-	-	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	18.5	-	-	-	-	-	-	-	-
	*133E	-	2	-	-	-	-	-	-	2	21.5	4.0	4.0	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	18.5	-	-	-	-	-	-	-	-
	137E	-	6	-	-	-	-	-	-	6	20.0*	7.9	7.9	-	-	-	-	-	-
	*140E	-	2	-	-	-	1	-	-	3	21.0	0.2	0.2	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
27N	126E	-	6	-	-	-	-	-	-	6	13.5	3.6	3.6	-	-	-	-	-	-
	127E	-	31	-	-	-	-	-	-	31	13.7	67.2	48.9	-	16.2	-	-	-	2.1
	128E	-	11	-	-	-	-	-	-	11	13.4	19.4	8.5	0.1	9.3	-	-	-	1.5
	*130E	-	1	-	-	-	-	-	-	1	14.0	0.5	0.5	-	-	-	-	-	-
	131E	-	3	-	-	-	-	-	-	3	16.0*	-	-	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	19.0*	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	20.0	2.1	2.1	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	18.5	0.1	-	0.1	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	18.5	1.8	1.2	0.6	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	18.0	2.3	0.1	-	-	-	-	-	2.2
	140E	-	12	-	-	-	-	-	-	12	14.2	14.4	6.3	6.5	-	-	-	-	1.6
	141E	-	4	-	-	-	2	-	-	6	21.5*	2.6	0.5	-	0.1	-	-	-	2.0
26N	125E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	126E	-	6	-	-	-	-	-	-	6	16.3	4.3	4.3	-	-	-	-	-	-
	*128E	-	3	-	-	-	-	-	-	3	16.3	10.5	8.5	-	-	-	2.0	-	-
	129E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	20.0	-	-	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	22.0	2.4	2.4	-	-	-	-	-	-
	134E	-	1	-	-	-	1	-	-	2	19.5	-	-	-	-	-	-	-	-
	135E	-	7	-	-	-	2	-	-	9	20.5	5.5	5.5	-	-	-	-	-	-
	136E	-	7	-	-	-	-	-	-	7	17.2*	4.6	2.5	2.1	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	16.0	1.9	1.9	-	-	-	-	-	-
	*139E	-	-	-	-	-	2	-	-	2	25.0	0.5	0.5	-	-	-	-	-	-
	140E	-	12	-	-	-	-	-	-	12	15.2	17.3	7.3	5.7	4.1	-	-	-	0.2
	141E	-	1	-	-	-	1	-	-	2	21.0*	0.1	0.1	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
25N	126E	-	3	-	-	-	-	-	-	3	14.0	1.8	1.8	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** MAR - -003 TSKI -026 3 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
25N	127E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	128E	-	3	-	-	-	-	-	-	3	16.0	2.6	2.0	-	0.6	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	16.0	10.0	10.0	-	-	-	-	-	-
	130E	-	3	-	-	-	-	-	-	3	18.0	4.3	4.0	-	0.3	-	-	-	-
	131E	-	3	-	-	-	-	-	-	3	15.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	20.0	1.5	1.5	-	-	-	-	-	-
	133E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	1	-	-	1	30.0	-	-	-	-	-	-	-	-
	136E	-	6	-	-	-	-	-	-	6	18.0*	9.0	9.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	18.5	0.5	0.5	-	-	-	-	-	-
	138E	-	2	-	-	-	1	-	-	3	19.0	2.2	2.2	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	17.4	5.1	4.6	-	0.5	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
24N	122E	-	3	-	-	-	-	-	-	3	19.0	1.5	1.5	-	-	-	-	-	-
	123E	-	2	-	-	-	-	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
	*125E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	126E	-	2	-	-	-	-	-	-	2	13.0	3.8	3.0	-	0.8	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	130E	-	4	1	-	-	-	-	-	5	19.7*	-	-	-	-	-	-	-	-
	131E	-	9	-	-	-	-	-	-	9	17.2	10.1	10.1	-	-	-	-	-	-
	132E	-	7	-	-	-	-	-	-	7	18.7	9.5	9.0	-	-	-	-	-	0.
	133E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	20.0	0.2	0.2	-	-	-	-	-	-
	*136E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-
	141E	-	9	-	-	-	-	-	-	9	16.6*	10.2	10.0	-	0.2	-	-	-	-
	142E	-	5	-	-	-	-	-	-	5	16.6	5.0	5.0	-	-	-	-	-	-
23N	123E	-	2	-	-	-	-	-	-	2	17.0	1.0	1.0	-	-	-	-	-	-
	124E	-	4	-	-	-	-	-	-	4	15.0	4.4	4.4	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	126E	-	2	-	-	-	-	-	-	2	15.5	2.0	2.0	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	20.0	0.8	0.8	-	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	20.0	0.3	0.3	-	-	-	-	-	-
	129E	-	4	-	-	-	-	-	-	4	16.2	2.0	2.0	-	-	-	-	-	-
	130E	-	12	-	-	-	-	-	-	12	16.1	27.5	24.7	0.3	2.2	-	-	-	0.
	131E	-	14	2	-	-	-	-	-	16	19.5*	32.6	30.8	-	1.5	-	-	-	0.
	132E	-	9	-	-	-	-	-	-	9	20.3	12.2	12.2	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	15.0-	0.6	0.6	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	16.0	0.4	0.4	-	-	-	-	-	-
	142E	-	4	-	-	-	-	-	-	4	16.0*	1.5	1.5	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	15.5	0.8	0.8	-	-	-	-	-	-
22N	120E	-	5	-	-	-	-	-	-	5	16.6	0.5	0.5	-	-	-	-	-	-
	121E	-	3	-	-	-	-	-	-	3	16.3	2.5	2.5	-	-	-	-	-	-
	122E	-	2	-	-	-	-	-	-	2	15.5	1.0	1.0	-	-	-	-	-	-
	*125E	-	3	-	-	-	-	-	-	3	18.0	13.0	13.0	-	-	-	-	-	-
22N	126E	-	3	-	-	-	-	-	-	3	13.0	1.5	1.5	-	-	-	-	-	-
	127E	-	2	-	-	-	-	-	-	2	18.5	4.5	3.5	-	1.0	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	21.5	11.0	11.0	-	-	-	-	-	-
	129E	-	33	-	-	-	-	-	-	33	16.8*	108.4	105.3	-	-	-	-	-	3.
	130E	-	36	-	-	-	-	-	-	36	17.9	155.0	151.4	-	0.6	-	-	-	3.
	131E	-	9	1	-	-	-	-	-	10	18.0	29.7	28.5	-	1.2	-	-	-	-
	132E	-	9	-	-	-	-	-	-	9	18.8	45.0	43.0	-	2.0	-	-	-	-
	133E	-	2	-	-	-	1	-	-	3	19.3	5.7	5.7	-	-	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	16.2	3.2	3.2	-	-	-	-	-	-
	135E	-	2	-	-	-	1	-	-	3	19.3	1.8	1.8	-	-	-	-	-	-
	136E	-	1	1	-	-	-	-	-	2	16.0	3.0	2.7	-	0.3	-	-	-	-
	137E	-	1	-	-	-	4	-	-	5	25.0	6.5	6.5	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.3	-	-	-	-	-	0.
	*142E	-	2	-	-	-	-	-	-	2	18.0	0.5	0.5	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	13.0*	-	-	-	-	-	-	-	-
21N	120E	-	17	-	-	-	-	-	-	17	16.5	15.4	13.4	-	2.0	-	-	-	-
	121E	-	2	-	-	-	-	-	-	2	13.5	-	-	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	12.0	1.5	1.5	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	21.0	1.7	1.7	-	-	-	-	-	-
	126E	-	-	-	-	-	1	-	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	127E	-	7	-	-	-	-	-	-	7	13.8	13.8	12.8	-	0.7	-	-	-	0.
	128E	-	9	-	-	-	-	-	-	9	16.3	28.1	28.1	-	-	-	-	-	-
	129E	-	36	-	-	-	-	1	-	37	16.5*	142.0	138.3	0.1	2.9	-	-	-	0.
	130E	-	17	-	-	-	-	-	-	17	16.8*	72.9	72.4	-	0.5	-	-	-	-
	131E	-	33	1	-	-	-	1	-	35	18.0	147.6	144.9	-	2.4	-	-	-	0.
	132E	-	18	-	-	-	-	-	-	18	18.1	90.3	90.3	-	-	-	-	-	-
	133E	-	6	-	-	-	2	1	-	9	22.0	29.5	29.0	-	0.5	-	-	-	-
	134E	-	4	-	-	-	-	-	-	4	20.0	8.5	8.5	-	-	-	-	-	-
	135E	-	4	-	-	-	1	1	-	6	20.6	20.0	20.0	-	-	-	-	-	-
	136E	-	24	1	-	-	2	-	-	27	17.6	136.1	136.1	-	-	-	-	-	-
	137E	-	-	-	-	-	2	-	-	2	29.0	-	-	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	16.0	5.5	5.5	-	-	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	16.3	1.0	0.7	-	0.2	-	-	-	0.
	142E	-	6	-	-	-	-	-	-	6	13.0	5.1	4.3	0.8	-	-	-	-	-
	143E	-	20	-	-	-	-	-	-	20	16.0	22.6	19.1	-	2.9	-	-	-	0.
	144E	-	19	-	-	-	-	-	-	19	15.8	34.5	30.7	-	1.5	-	-	-	2.
	145E	-	5	-	-	-	-	-	-	5	16.6	4.9	3.0	-	1.0	-	0.4	-	0.
20N	126E	-	3	-	-	-	-	-	-	3	16.3	3.0	3.0	-	-	-	-	-	-
	127E	-	12	-	-	-	-	-	-	12	16.8*	47.9	45.8	-	0.4	-	-	-	1.
	128E	-	11	-	-	-	-	-	-	11	17.1	39.2	39.1	-	-	-	-	-	0.
	129E	-	6	-	-	-	1	-	-	7	17.2	24.8	24.8	-	-	-	-	-	-
	130E	-	21	1	-	-	-	-	-	22	16.9*	71.7	69.8	0.7	0.4	-	-	-	0.
	131E	-	55	1	-	-	1	-	-	57	19.1*	310.3	308.9	-	1.4	-	-	-	-
	132E	-	40	-	-	-	1	-	-	41	18.6	166.5	166.0	-	0.3	-	-	-	0.
	133E	-	8	-	-	-	1	1	-	10	20.8	33.2	30.0	-	0.7	-	-	-	2.
	134E	-	2	-	-	-	-	-	-	2	19.0	5.5	4.5	-	1.0	-	-	-	-
	135E	-	1	-	-	-	2	3	-	6	23.5	4.0	4.0	-	-	-	-	-	-
	136E	-	25	3	-	-	1	-	-	29	17.5	192.1	189.5	-	0.9	-	0.4	-	1.
	137E	-	1	-	-	-	2	-	-	3	20.3	4.5	4.5	-	-	-	-	-	-
	138E	-	1	-	-	-	-	-	-	1	15.0	0.2	-	-	0.2	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	31.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAR - -005　　　　TSKI -028　　　　3

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
20N *142E	-	11	-	-	-	-	-	-	11	15.3	15.8	13.5	-	0.5	-	-	-	1.8
143E	-	9	-	-	-	-	-	-	9	15.3	22.9	16.0	-	5.8	-	-	-	1.1
144E	-	33	-	-	-	-	-	-	33	16.4*	71.4	63.5	-	6.1	-	-	-	1.8
145E	-	6	-	-	-	1	-	-	7	16.2	10.7	2.4	-	7.9	-	-	-	0.4
146E	-	3	-	-	-	-	-	-	3	14.6	3.2	3.0	-	0.1	-	-	-	0.1
*148E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
19N 126E	-	2	-	-	-	-	-	-	2	17.0	12.3	12.3	-	-	-	-	-	-
127E	-	39	2	-	-	1	-	-	42	17.0	299.5	292.3	0.3	2.5	-	-	-	4.4
128E	-	34	-	-	-	-	-	-	34	15.8*	142.7	138.8	-	1.8	-	0.2	-	1.9
129E	-	5	1	-	-	-	1	-	7	19.0*	25.7	25.7	-	-	-	-	-	-
130E	-	2	-	-	-	2	-	-	4	16.0	10.7	5.8	-	0.6	-	-	-	4.3
131E	-	8	-	-	-	1	-	-	9	19.8	35.6	32.5	-	3.1	-	-	-	-
132E	-	5	-	-	-	-	-	-	5	17.2	15.5	14.0	-	1.5	-	-	-	-
133E	-	4	-	-	-	3	-	-	7	20.5	13.5	13.5	-	-	-	-	-	-
134E	-	5	-	-	-	1	1	-	7	21.7	21.8	21.8	-	-	-	-	-	-
135E	-	7	-	-	-	2	3	-	12	20.0	37.3	37.3	-	-	-	-	-	-
136E	-	-	-	-	-	5	5	-	10	24.5	32.5	32.5	-	-	-	-	-	-
137E	-	-	-	-	-	42	6	-	48	25.0	228.3	228.1	-	-	-	0.2	-	-
138E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
139E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
*143E	-	2	-	-	-	1	-	-	3	19.0	3.0	3.0	-	-	-	-	-	-
144E	-	10	-	-	-	-	-	-	10	19.9	15.4	12.2	-	2.0	-	0.3	-	0.9
145E	-	5	-	-	-	-	-	-	5	19.6	8.4	8.0	-	0.3	-	-	-	0.1
146E	-	2	-	-	-	-	-	-	2	18.5	1.0	1.0	-	-	-	-	-	-
18N 126E	-	2	-	-	-	-	-	-	2	14.5	5.0	5.0	-	-	-	-	-	-
127E	-	11	-	-	-	-	-	-	11	14.3	44.6	44.1	-	-	-	-	-	0.5
128E	-	9	-	-	-	-	-	-	9	16.7	46.1	43.7	-	2.1	-	-	-	0.3
129E	-	8	-	-	-	-	3	-	11	21.6	76.7	76.7	-	-	-	-	-	-
130E	-	11	1	-	-	-	5	-	17	21.4*	105.4	105.4	-	-	-	-	-	-
131E	-	6	1	-	-	4	2	-	13	21.6	32.3	32.3	-	-	-	-	-	-
132E	-	5	-	-	-	11	3	-	19	22.8	53.5	52.5	-	1.0	-	-	-	-
133E	-	2	-	-	-	16	23	-	41	24.9	213.5	213.4	-	-	-	0.1	-	-
134E	-	7	-	-	-	6	9	-	22	22.4	120.7	120.7	-	-	-	-	-	-
135E	-	1	-	-	-	4	9	-	14	25.3*	81.5	81.5	-	-	-	-	-	-
136E	-	-	4	-	-	16	32	-	52	23.3*	401.5	401.2	-	0.2	-	0.1	-	-
137E	-	-	-	-	-	33	12	-	45	26.1*	319.5	318.7	-	0.4	-	-	-	0.4
138E	-	-	-	-	-	5	1	-	6	23.0	36.8	36.8	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	30.0	1.0	1 0	-	-	-	-	-	-
140E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
141E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	19.0	3.2	3.2	-	-	-	-	-	-
17N 125E	-	1	-	-	-	-	-	-	1	15.0	5.4	5.0	-	0.4	-	-	-	-
126E	-	2	-	-	-	-	-	-	2	14.0	10.4	10.4	-	-	-	-	-	-
127E	-	9	-	-	-	-	-	-	9	15.2*	36.8	36.8	-	-	-	-	-	-
128E	-	6	-	-	-	-	1	-	7	20.8*	30.0	29.3	-	-	-	-	-	0.7
129E	-	5	-	-	-	-	5	-	10	23.6*	45.0	45.0	-	-	-	-	-	-
130E	-	4	-	-	-	1	13	-	18	23.8*	58.0	58.0	-	-	-	-	-	-
131E	-	9	-	-	-	7	13	-	29	23.3	153.3	153.3	-	-	-	-	-	-
132E	-	2	-	-	-	-	6	-	8	21.7	22.5	22.5	-	-	-	-	-	-
133E	-	-	-	-	-	20	11	-	31	24.3*	162.5	162.5	-	-	-	-	-	-
17N 134E	-	2	-	-	-	14	59	-	75	24.0*	505.5	505.5	-	-	-	-	-	-
135E	-	2	-	-	-	6	38	-	46	23.8*	307.5	307.5	-	-	-	-	-	-
136E	-	-	-	-	-	9	23	-	32	23.0*	183.7	183.7	-	-	-	-	-	-
137E	-	-	-	-	-	9	7	-	16	24.0*	57.8	57.0	-	-	-	0.4	-	0.4
138E	-	-	-	-	-	4	2	-	6	26.5	2.0	2.0	-	-	-	-	-	-
139E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
140E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
141E	-	-	-	-	-	1	1	-	2	31.0*	0.1	0.1	-	-	-	-	-	-
142E	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
*145E	-	1	-	-	-	-	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
*151E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
16N 126E	-	3	-	-	-	1	-	-	4	21.5	20.9	20.8	-	-	-	-	-	0.1
127E	-	5	-	-	-	1	-	-	6	20.0	31.1	29.0	-	2.0	-	-	-	0.1
128E	-	3	3	-	-	-	1	-	7	20.5	66.5	66.0	0.5	-	-	-	-	-
129E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
130E	-	4	-	-	-	2	13	-	19	22.1	60.0	60.0	-	-	-	-	-	-
131E	-	8	1	-	-	-	16	-	25	22.0*	153.5	153.5	-	-	-	-	-	-
132E	-	4	-	-	-	7	23	-	34	22.9*	171.9	170.9	-	1.0	-	-	-	-
133E	-	1	-	-	-	5	23	-	29	24.0*	221.8	221.7	-	0.1	-	-	-	-
134E	-	2	1	-	-	1	14	-	18	23.5	96.5	96.5	-	-	-	-	-	-
135E	-	9	-	-	-	4	17	-	30	21.3*	238.9	238.9	-	-	-	-	-	-
136E	-	-	-	-	-	-	6	-	6	27.0*	22.0	22.0	-	-	-	-	-	-
137E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
138E	-	-	-	-	-	2	-	-	2	20.5	1.3	1.0	-	-	-	-	-	0.3
139E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
140E	-	-	-	-	-	2	-	-	2	25.5	2.0	2.0	-	-	-	-	-	-
141E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
142E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
144E	-	-	-	-	-	2	-	-	2	27.5	-	-	-	-	-	-	-	-
145E	-	1	-	-	-	-	1	-	2	23.5	0.5	0.5	-	-	-	-	-	-
146E	-	-	-	-	-	1	1	-	2	29.5	-	-	-	-	-	-	-	-
*149E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
15N 127E	-	1	-	-	-	-	-	-	1	18.0	5.2	5.0	-	0.2	-	-	-	-
128E	-	-	2	-	-	2	-	-	4	21.0	21.0	21.0	-	-	-	-	-	-
129E	-	-	1	-	-	-	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
130E	-	-	-	-	-	1	1	-	2	26.0	15.0	15.0	-	-	-	-	-	-
131E	-	11	-	-	-	2	28	-	41	22.4*	175.4	172.4	-	3.0	-	-	-	-
132E	-	10	-	-	-	-	10	-	20	20.8*	156.0	151.6	-	4.0	-	-	-	0.4
133E	-	3	-	-	-	6	37	-	46	24.0*	297.5	297.5	-	-	-	-	-	-
134E	-	3	-	-	-	4	11	-	18	24.0*	83.3	83.0	-	-	-	0.3	-	-
135E	-	-	-	-	-	3	6	-	9	23.0	31.6	31.6	-	-	-	-	-	-
136E	-	-	-	-	-	-	2	-	2	21.0	17.3	17.3	-	-	-	-	-	-
137E	-	-	-	-	-	2	2	-	4	23.0	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	-	2	-	2	22.0	0.7	0.7	-	-	-	-	-	-
139E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
140E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
143E	-	-	-	-	-	1	1	-	2	24.5	0.5	0.5	-	-	-	-	-	-
144E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
145E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
146E	-	-	-	-	-	3	2	-	5	21.6	14.5	14.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

7

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その E
15N 147E	-	-	-	-	-	8	1	-	9	23.2	31.8	31.8	-	-	-	-	-	-
148E	-	-	-	-	-	2	-	-	2	27.0	10.5	10.5	-	-	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	31.0	2.0	2.0	-	-	-	-	-	-
14N 127E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*131E	-	2	-	-	-	1	3	-	6	24.0	14.8	14.8	-	-	-	-	-	-
132E	-	7	1	-	-	1	8	-	17	21.6*	112.4	111.9	0.5	-	-	-	-	-
133E	-	6	-	-	-	5	10	-	21	22.5*	114.5	114.5	-	-	-	-	-	-
134E	-	-	-	-	-	1	3	-	4	26.0	30.5	30.5	-	-	-	-	-	-
135E	-	-	-	-	-	2	5	-	7	24.0	26.0	26.0	-	-	-	-	-	-
136E	-	-	-	-	-	-	2	-	2	21.5	7.0	7.0	-	-	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
143E	-	-	-	-	-	3	1	-	4	24.7	10.0	10.0	-	-	-	-	-	-
144E	-	-	-	-	-	6	1	-	7	24.5*	14.4	14.4	-	-	-	-	-	-
145E	-	-	-	-	-	8	6	-	14	22.4*	30.0	30.0	-	-	-	-	-	-
146E	-	-	-	-	-	59	9	-	68	21.2*	256.7	255.7	-	-	-	-	-	1.[illegible]
147E	-	-	-	-	-	44	10	-	54	22.5*	169.7	169.7	-	-	-	-	-	-
148E	-	-	-	-	-	10	7	-	17	23.1	46.6	45.6	-	-	-	-	-	1.[illegible]
149E	-	-	-	-	-	8	2	-	10	27.0	29.5	29.5	-	-	-	-	-	-
150E	-	-	-	-	-	15	2	-	17	27.0	40.5	40.5	-	-	-	-	-	-
151E	-	-	-	-	-	6	1	-	7	27.0*	31.0	31.0	-	-	-	-	-	-
13N 127E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
*131E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
132E	-	1	-	-	-	-	1	-	2	21.0	6.0	6.0	-	-	-	-	-	-
133E	-	2	-	-	-	-	1	-	3	18.0	8.0	8.0	-	-	-	-	-	-
134E	-	-	-	-	-	3	1	-	4	23.0	13.5	13.5	-	-	-	-	-	-
135E	-	-	-	-	-	4	10	-	14	25.0	99.0	99.0	-	-	-	-	-	-
136E	-	-	-	-	-	-	3	-	3	26.0	3.0	3.0	-	-	-	-	-	-
137E	-	-	-	-	-	-	4	-	4	22.7	2.3	2.3	-	-	-	-	-	-
*139E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	1	-	-	1	14.0	1.3	1.3	-	-	-	-	-	-
142E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
143E	-	-	-	-	-	2	-	-	2	22.0	-	-	-	-	-	-	-	-
144E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
145E	-	-	-	-	-	25	22	-	47	23.5*	160.9	160.9	-	-	-	-	-	-
146E	-	-	-	-	-	22	19	-	41	24.7*	275.5	275.5	-	-	-	-	-	-
147E	-	-	-	-	-	47	24	-	71	22.8*	285.6	285.3	-	0.3	-	-	-	-
148E	-	-	-	-	-	36	14	-	50	24.3*	174.2	161.7	-	-	-	-	-	12.[illegible]
149E	-	-	-	-	-	9	8	-	17	24.8*	74.0	74.0	-	-	-	-	-	-
150E	-	-	-	-	-	6	1	-	7	24.0	12.0	12.0	-	-	-	-	-	-
151E	-	-	-	-	-	12	3	-	15	25.7*	57.0	57.0	-	-	-	-	-	-
152E	-	-	-	-	-	7	6	-	13	26.4	70.7	70.5	-	0.2	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
12N 131E	-	3	-	-	-	-	-	-	3	20.6	27.5	27.5	-	-	-	-	-	-
132E	-	4	2	-	-	-	-	-	6	23.0	73.6	73.6	-	-	-	-	-	-
133E	-	1	-	-	-	-	2	-	3	24.3	15.0	15.0	-	-	-	-	-	-
134E	-	-	-	-	-	6	3	-	9	23.1	28.9	28.7	-	-	-	0.2	-	-
135E	-	-	-	-	-	1	1	-	2	26.0	-	-	-	-	-	-	-	-
136E	-	-	-	-	-	-	1	-	1	22.0	0.2	0.2	-	-	-	-	-	-
137E	-	-	-	-	-	-	2	-	2	25.0	6.0	6.0	-	-	-	-	-	-
138E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
12N *142E	-	-	-	-	-	-	2	-	2	23.5	0.2	0.2	-	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
144E	-	-	-	-	-	-	3	-	3	23.0	1.0	1.0	-	-	-	-	-	-
145E	-	-	-	-	-	11	1	-	12	21.0	46.4	46.4	-	-	-	-	-	-
146E	-	-	-	-	-	24	19	-	43	23.5	151.5	151.5	-	-	-	-	-	-
147E	-	-	-	-	-	27	30	-	57	23.9*	228.0	225.5	-	2.0	-	-	-	0.[illegible]
148E	-	-	-	-	-	23	12	-	35	23.8*	103.5	103.5	-	-	-	-	-	-
149E	-	-	-	-	-	29	10	-	39	22.7*	106.8	106.8	-	-	-	-	-	-
150E	-	-	-	-	-	29	12	-	41	23.9	138.2	138.0	-	0.2	-	-	-	-
151E	-	-	-	-	-	16	12	-	28	24.5	91.3	91.3	-	-	-	-	-	-
152E	-	-	-	-	-	2	-	-	2	22.0	3.2	3.2	-	-	-	-	-	-
153E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
154E	-	1	-	-	-	1	1	-	3	27.0*	10.0	9.0	-	0.8	-	-	-	0.[illegible]
155E	-	-	-	-	-	1	2	-	3	28.6	12.0	12.0	-	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	29.0	4.5	4.5	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
11N 127E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
128E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
129E	-	-	-	-	-	1	-	-	1	26.0	4.4	4.4	-	-	-	-	-	-
130E	-	-	-	-	-	2	-	-	2	26.0	13.0	13.0	-	-	-	-	-	-
131E	-	-	2	-	-	-	-	-	2	16.0	21.0	21.0	-	-	-	-	-	-
132E	-	3	2	-	-	-	-	-	5	18.6	45.0	45.0	-	-	-	-	-	-
133E	-	1	-	-	-	2	-	-	3	22.0	18.3	18.3	-	-	-	-	-	-
134E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
*136E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
137E	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
139E	-	-	-	-	-	1	3	-	4	23.7	4.5	4.5	-	-	-	-	-	-
140E	-	-	-	-	-	-	1	-	1	24.0	6.0	6.0	-	-	-	-	-	-
*142E	-	-	-	-	-	2	1	-	3	23.6	0.9	0.9	-	-	-	-	-	-
*144E	-	-	-	-	-	-	2	-	2	22.5	0.5	0.5	-	-	-	-	-	-
145E	-	-	-	-	-	16	20	-	36	21.6*	141.4	141.2	-	-	-	-	-	0.[illegible]
146E	-	-	-	-	-	7	27	-	34	23.1*	132.6	132.6	-	-	-	-	-	-
147E	-	-	-	-	-	5	5	-	10	26.1	35.5	35.5	-	-	-	-	-	-
148E	-	-	-	-	-	6	5	-	11	24.7	45.5	45.5	-	-	-	-	-	-
149E	-	-	-	-	-	10	4	-	14	24.0*	67.5	67.5	-	-	-	-	-	-
150E	-	-	-	-	-	12	4	-	16	23.2*	39.7	39.7	-	-	-	-	-	-
151E	-	-	-	-	-	4	1	-	5	20.2	21.3	21.3	-	-	-	-	-	-
152E	-	-	-	-	-	-	1	-	1	25.0	9.0	9.0	-	-	-	-	-	-
153E	-	-	-	-	-	2	-	-	2	29.0	6.0	6.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	23.0	4.5	4.5	-	-	-	-	-	-
155E	-	1	-	-	-	-	1	-	2	28.0*	1.8	1.0	-	0.6	-	-	-	0.[illegible]
156E	-	-	-	-	-	4	3	-	7	26.2	36.4	35.0	-	1.3	-	0.1	-	-
157E	-	-	-	-	-	3	1	-	4	26.2	21.5	21.5	-	-	-	-	-	-
158E	-	-	-	-	-	-	2	-	2	27.5	34.0	34.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	29.0	4.0	4.0	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	25.0	11.5	11.0	-	-	-	-	-	0.[illegible]
*168E	-	-	-	-	-	-	1	-	1	36.0	3.0	3.0	-	-	-	-	-	-
10N 129E	-	-	-	-	-	1	-	-	1	26.0	2.7	2.0	-	0.7	-	-	-	-
130E	-	-	-	-	-	2	-	-	2	26.0	10.5	10.5	-	-	-	-	-	-
*133E	-	-	-	-	-	2	-	-	2	26.0	5.5	5.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** MAR - -009 TSKI -032 3 月

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	M.E.	F.M.	ELS
10N 134E	-	-	-	-	-	8	-	-	8	26.3	71.5	71.5	-	-	-	-	-	-
*136E	-	-	-	-	-	3	-	-	3	24.0	11.7	9.7	-	-	-	1.0	-	1.0
137E	-	-	-	-	-	2	1	-	3	20.6	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	3	11	-	14	23.7	60.1	60.1	-	-	-	-	-	-
139E	-	-	-	-	-	2	5	-	7	25.0	15.5	15.5	-	-	-	-	-	-
140E	-	-	-	-	-	1	1	-	2	21.5	3.5	1.5	-	2.0	-	-	-	-
141E	-	-	-	-	-	2	1	-	3	22.0*	9.6	9.0	-	0.2	-	-	-	0.4
142E	-	-	-	-	-	1	1	-	2	18.0*	2.0	2.0	-	-	-	-	-	-
143E	-	-	-	-	-	10	11	-	21	20.4*	57.2	57.2	-	-	-	-	-	-
144F	-	-	-	-	-	4	18	-	22	22.8	79.1	78.4	-	-	-	0.7	-	-
145E	-	-	-	-	-	6	17	-	23	25.4*	64.3	64.3	-	-	-	-	-	-
146E	-	-	-	-	-	6	43	-	49	23.7	228.0	228.0	-	-	-	-	-	-
147E	-	-	-	-	-	8	23	-	31	23.9*	122.2	122.2	-	-	-	-	-	-
148E	-	-	-	-	-	7	4	-	11	23.6*	31.1	30.8	-	0.3	-	-	-	-
149E	-	-	-	-	-	15	9	-	24	24.9	62.6	62.5	-	0.1	-	-	-	-
150E	-	-	-	-	-	12	5	-	17	21.8*	45.4	42.9	-	1.2	-	-	-	1.3
151E	-	-	-	-	-	3	-	-	3	22.0	5.9	5.9	-	-	-	-	-	-
152E	-	-	-	-	-	3	4	-	7	21.4	15.3	14.8	-	0.5	-	-	-	-
153E	-	-	-	-	-	2	4	-	6	18.8	19.5	19.5	-	-	-	-	-	-
*155E	-	-	-	-	-	1	2	-	3	21.6	17.5	16.5	-	0.5	-	0.5	-	-
156E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
157E	-	-	-	-	-	4	-	-	4	25.2	28.0	28.0	-	-	-	-	-	-
158E	-	-	-	-	-	2	3	-	5	23.6	32.0	31.5	-	0.5	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	29.0	5.0	5.0	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	25.0	12.0	12.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
09N 127E	-	-	-	-	-	1	-	-	1	26.0	2.5	2.5	-	-	-	-	-	-
128E	-	-	-	-	-	1	-	-	1	26.0	6.5	6.5	-	-	-	-	-	-
*132E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*134E	-	-	-	-	-	5	-	-	5	27.0	30.9	30.9	-	-	-	-	-	-
135E	-	-	-	-	-	1	-	-	1	28.0	2.0	2.0	-	-	-	-	-	-
136E	-	-	-	-	-	6	1	-	7	26.0	21.0	20.7	-	0.3	-	-	-	-
137E	-	-	-	-	-	5	4	-	9	22.5	43.2	42.1	-	0.5	-	0.6	-	-
138E	-	-	-	-	-	3	2	-	5	19.4	5.4	5.4	-	-	-	-	-	-
139E	-	-	-	-	-	4	7	-	11	23.3	40.8	40.8	-	-	-	-	-	-
140E	-	-	-	-	-	2	5	-	7	21.7	37.4	37.4	-	-	-	-	-	-
141E	-	-	-	-	-	1	5	-	6	22.8*	13.7	13.7	-	-	-	-	-	-
142E	-	-	-	-	-	4	3	-	7	20.7	14.2	14.2	-	-	-	-	-	-
143E	-	-	-	-	-	2	15	-	17	22.3*	65.9	65.9	-	-	-	-	-	-
144E	-	-	-	-	-	9	23	-	32	23.7*	98.0	98.0	-	-	-	-	-	-
145E	-	-	-	-	-	4	10	-	14	24.7	75.2	74.7	-	0.5	-	-	-	-
146E	-	-	-	-	-	1	5	-	6	25.6	16.4	16.4	-	-	-	-	-	-
147E	-	-	-	-	-	1	2	-	3	23.0	4.0	4.0	-	-	-	-	-	-
148E	-	-	-	-	-	1	1	-	2	25.5	2.0	2.0	-	-	-	-	-	-
149E	-	-	-	-	-	4	6	-	10	22.4	22.0	22.0	-	-	-	-	-	-
150E	-	-	-	-	-	9	7	-	16	22.0*	63.5	63.5	-	-	-	-	-	-
151E	-	-	-	-	-	7	3	-	10	25.4*	26.2	26.2	-	-	-	-	-	-
152E	-	-	-	-	-	1	1	-	2	22.0	1.8	1.8	-	-	-	-	-	-
153E	-	-	-	-	-	1	2	-	3	22.0	5.0	5.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
09N 159E	-	-	-	-	-	-	3	-	3	25.0	38.0	58.0	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	19.0	5.0	5.0	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	19.0	0.7	0.7	-	-	-	-	-	-
163E	-	-	-	-	-	3	-	-	3	26.3	36.0	36.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	36.0	13.0	13.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	19.0	21.5	21.5	-	-	-	-	-	-
08N 133E	-	-	-	-	-	1	-	-	1	25.0	1.6	1.6	-	-	-	-	-	-
134E	-	-	-	-	-	2	-	-	2	25.0	22.2	22.2	-	-	-	-	-	-
*137E	-	-	-	-	-	2	1	-	3	26.0	4.0	4.0	-	-	-	-	-	-
138E	-	-	-	-	-	6	-	-	6	22.1	11.5	11.5	-	-	-	-	-	-
139E	-	-	-	-	-	2	4	-	6	24.6	15.5	15.5	-	-	-	-	-	-
140E	-	-	-	-	-	7	11	-	18	22.4	82.7	82.7	-	-	-	-	-	-
141E	-	-	-	-	-	-	6	-	6	24.0	27.3	27.3	-	-	-	-	-	-
142E	-	-	-	-	-	-	4	-	4	24.0	20.5	20.5	-	-	-	-	-	-
143E	-	-	-	-	-	5	7	-	12	22.7*	26.8	26.4	-	0.2	-	-	-	0.2
144E	-	-	-	-	-	6	11	-	17	21.7	76.3	75.9	-	0.3	-	-	-	0.1
145E	-	-	-	-	-	12	9	-	21	18.9*	67.9	67.9	-	-	-	-	-	-
146E	-	-	-	-	-	3	17	-	20	24.2	88.0	88.0	-	-	-	-	-	-
147E	-	-	-	-	-	2	5	-	7	26.1*	23.9	23.9	-	-	-	-	-	-
148E	-	-	-	-	-	3	2	-	5	22.4	3.4	3.4	-	-	-	-	-	-
149E	-	-	-	-	-	1	1	-	2	20.0	14.5	14.5	-	-	-	-	-	-
150E	-	-	-	-	-	23	12	-	35	19.9*	168.3	167.3	-	0.8	-	-	-	0.2
151E	-	-	-	-	-	17	9	-	26	22.6*	100.6	98.4	-	-	-	-	-	2.2
152E	-	-	-	-	-	7	3	-	10	22.8	25.7	25.5	-	-	-	-	-	0.2
153E	-	-	-	-	-	1	4	-	5	25.2	10.5	10.5	-	-	-	-	-	-
154E	-	-	-	-	-	5	3	-	8	19.3	28.5	26.7	-	1.2	-	-	-	0.6
155E	-	-	-	-	-	-	4	-	4	22.2	3.0	3.0	-	-	-	-	-	-
156E	-	-	-	-	-	1	1	-	2	18.5	4.8	4.8	-	-	-	-	-	-
157E	-	-	-	-	-	1	3	-	4	18.7	9.9	9.6	-	-	-	-	-	0.3
158E	-	-	-	-	-	3	-	-	3	29.0	12.0	12.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*161E	-	-	-	-	-	3	1	-	4	26.7	15.5	15.5	-	-	-	-	-	-
*163E	-	-	-	-	-	7	-	-	7	26.7	24.0	24.0	-	-	-	-	-	-
164E	-	-	-	-	-	1	3	-	4	26.0	6.0	6.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	2	-	2	21.5	13.1	13.0	-	0.1	-	-	-	-
166E	-	-	-	-	-	1	1	-	2	26.5	11.0	11.0	-	-	-	-	-	-
167E	-	-	-	-	-	-	2	-	2	18.0	12.6	12.0	-	-	-	0.3	-	0.3
*169E	-	-	-	-	-	1	-	-	1	25.0	6.0	6.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	3	-	3	19.0	14.2	14.0	-	0.2	-	-	-	-
*174E	-	-	-	-	-	-	2	-	2	19.0	24.1	24.0	-	0.1	-	-	-	-
7N 137E	-	-	-	-	-	-	2	-	2	25.0	0.5	0.5	-	-	-	-	-	-
138E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
140E	-	-	-	-	-	5	4	-	9	26.0	24.0	24.0	-	-	-	-	-	-
141E	-	-	-	-	-	4	4	-	8	25.0	30.0	30.0	-	-	-	-	-	-
142E	-	-	-	-	-	2	20	-	22	25.9	115.2	113.5	-	1.0	-	-	-	0.7
143E	-	-	-	-	-	3	14	-	17	26.2	71.9	69.5	-	1.0	-	1.3	-	0.1
144E	-	-	-	-	-	1	7	-	8	25.3	16.0	16.0	-	-	-	-	-	-
145E	-	-	-	-	-	9	6	-	15	20.0*	94.2	94.2	-	-	-	-	-	-
146E	-	-	-	-	-	3	3	-	6	22.3	28.6	27.8	-	-	-	-	-	0.8
147E	-	-	-	-	-	7	5	-	12	22.2*	27.2	27.2	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量 計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
05N 141E	-	-	-	-	-	2	9	-	11	26.5	44.5	43.5	-	-	-	1.0	-	-
142E	-	-	-	-	-	2	5	-	7	26.7	47.0	47.0	-	-	-	-	-	-
143E	-	-	-	-	-	1	2	-	3	25.6	2.0	2.0	-	-	-	-	-	-
144E	-	-	-	-	-	6	4	-	10	25.1	39.0	39.0	-	-	-	-	-	-
145E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
146E	-	-	-	-	-	2	2	-	4	27.5	20.5	20.5	-	-	-	-	-	-
147E	-	-	-	-	-	1	2	-	3	23.0	4.0	3.9	-	0.1	-	-	-	-
148E	-	-	-	-	-	6	4	-	10	19.2*	36.0	36.0	-	-	-	-	-	-
149E	-	-	-	-	-	11	2	-	13	20.0*	54.2	54.0	-	0.2	-	-	-	-
150E	-	-	-	-	-	6	1	-	7	24.1	19.6	19.4	-	0.2	-	-	-	-
151E	-	-	-	-	-	3	-	-	3	19.3	8.6	8.6	-	-	-	-	-	-
*153E	-	-	-	-	-	1	-	-	1	27.0	1.4	1.0	-	0.4	-	-	-	-
154E	-	-	-	-	-	1	1	-	2	24.5	0.1	-	-	0.1	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	21.0	0.3	0.3	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
170E	-	-	-	-	-	2	-	-	2	18.0	5.5	5.5	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
04N 002E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*138E	-	-	-	-	-	-	3	-	3	26.3	22.0	22.0	-	-	-	-	-	-
139E	-	-	-	-	-	8	40	-	48	24.9	422.5	422.5	-	-	-	-	-	-
140E	-	-	-	-	-	1	11	-	12	25.6	46.9	46.9	-	-	-	-	-	-
141E	-	-	-	-	-	-	2	-	2	22.0	7.0	7.0	-	-	-	-	-	-
142E	-	-	-	-	-	-	6	-	6	24.3	32.2	32.2	-	-	-	-	-	-
143E	-	-	-	-	-	-	10	-	10	25.2	62.0	62.0	-	-	-	-	-	-
144E	-	-	-	-	-	-	9	-	9	23.2	28.0	28.0	-	-	-	-	-	-
145E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	21.0	0.2	0.2	-	-	-	-	-	-
*151E	-	-	-	-	-	-	2	-	2	28.0	11.5	11.5	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*165E	-	-	-	-	-	1	1	-	2	18.0	2.5	2.5	-	-	-	-	-	-
166E	-	-	-	-	-	1	1	-	2	23.0	3.5	3.5	-	-	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	18.0	4.0	4.0	-	-	-	-	-	-
*169E	-	-	-	-	-	2	1	-	3	18.3	11.5	11.0	-	0.5	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	19.0	0.3	0.3	-	-	-	-	-	-
*003W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
002W	-	-	-	-	-	-	5	-	5	23.0	-	-	-	-	-	-	-	-
*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
03N 000E	-	-	-	-	-	-	2	-	2	23.0	14.9	14.0	-	0.1	-	-	-	0.8
001E	-	-	-	-	-	-	1	-	1	23.0	5.3	5.1	-	-	-	-	-	0.2
*138E	-	-	-	-	-	-	2	-	2	21.0	2.5	2.5	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
140E	-	-	-	-	-	-	2	-	2	25.0	8.0	8.0	-	-	-	-	-	-
*142E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.5	-	-	-	-	-	-
*147E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*165E	-	-	-	-	-	2	1	-	3	19.6	7.5	7.5	-	-	-	-	-	-
*001W	-	-	-	-	-	-	1	-	1	23.0	2.1	1.9	-	0.1	-	0.1	-	-
02N 000E	-	-	-	-	-	-	1	-	1	23.0	11.7	11.1	-	0.2	-	0.4	-	-
*140E	-	-	-	-	-	-	2	-	2	24.0	1.0	0.9	-	-	-	0.1	-	-
*150E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
07N 148E	-	-	-	-	-	2	6	-	8	22.7	31.9	31.9	-	-	-	-	-	-
149E	-	-	-	-	-	7	2	-	9	18.8	17.8	17.8	-	-	-	-	-	-
150E	-	-	-	-	-	23	12	-	35	19.1*	121.6	120.5	-	0.8	-	-	-	0.3
151E	-	-	-	-	-	19	11	-	30	22.1*	104.3	104.2	-	0.1	-	-	-	-
152E	-	-	-	-	-	5	1	-	6	21.6	11.2	11.2	-	-	-	-	-	-
153E	-	-	-	-	-	-	2	-	2	22.0	3.5	3.5	-	-	-	-	-	-
154E	-	-	-	-	-	1	3	-	4	21.7	10.8	10.6	-	-	-	-	-	0.2
155E	-	-	-	-	-	6	1	-	7	22.5	13.6	13.4	-	0.2	-	-	-	-
156E	-	-	-	-	-	8	1	-	9	23.3	39.6	39.6	-	-	-	-	-	-
157E	-	-	-	-	-	2	1	-	3	20.6	15.8	15.8	-	-	-	-	-	-
158E	-	-	-	-	-	-	4	-	4	25.0*	-	-	-	-	-	-	-	-
159E	-	-	-	-	-	1	3	-	4	20.2	7.5	7.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
165E	-	-	-	-	-	-	3	-	3	18.6	17.2	17.0	-	0.2	-	-	-	-
166E	-	-	-	-	-	5	2	-	7	23.8	29.0	29.0	-	-	-	-	-	-
167E	-	-	-	-	-	2	3	-	5	22.8	37.3	37.0	-	-	-	-	-	0.3
168E	-	-	-	-	-	4	-	-	4	18.0	20.5	20.0	-	0.5	-	-	-	-
06N 133E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*137E	-	-	-	-	-	2	-	-	2	23.5	1.5	1.5	-	-	-	-	-	-
138E	-	-	-	-	-	1	1	-	2	19.5	4.0	4.0	-	-	-	-	-	-
139E	-	-	-	-	-	7	2	-	9	21.1	27.6	27.6	-	-	-	-	-	-
140E	-	-	-	-	-	7	7	-	14	21.5	58.0	55.9	-	1.1	-	-	-	1.0
141E	-	-	-	-	-	6	5	-	11	21.7	35.8	35.8	-	-	-	-	-	-
142E	-	-	-	-	-	2	11	-	13	25.5	50.7	47.6	-	3.1	-	-	-	-
143E	-	-	-	-	-	1	5	-	6	24.3	18.0	18.0	-	-	-	-	-	-
144E	-	-	-	-	-	-	4	-	4	24.7	8.4	8.4	-	-	-	-	-	-
145E	-	-	-	-	-	1	-	-	1	29.0	3.0	3.0	-	-	-	-	-	-
146E	-	-	-	-	-	4	1	-	5	24.0	10.8	10.8	-	-	-	-	-	-
147E	-	-	-	-	-	10	6	-	16	18.2*	68.4	68.4	-	-	-	-	-	-
148E	-	-	-	-	-	13	9	-	22	20.0*	67.4	67.4	-	-	-	-	-	-
149E	-	-	-	-	-	9	7	-	16	21.1*	66.9	66.9	-	-	-	-	-	-
150E	-	-	-	-	-	10	5	-	15	20.0*	38.8	37.3	-	-	-	-	-	1.5
151E	-	-	-	-	-	2	1	-	3	20.5*	7.5	7.5	-	-	-	-	-	-
152E	-	-	-	-	-	2	1	-	3	20.0	1.8	1.8	-	-	-	-	-	-
153E	-	-	-	-	-	1	1	-	2	28.0	1.5	1.5	-	-	-	-	-	-
154E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
155E	-	-	-	-	-	7	3	-	10	22.7	32.5	32.5	-	-	-	-	-	-
156E	-	-	-	-	-	1	1	-	2	23.0	2.2	2.2	-	-	-	-	-	-
157E	-	-	-	-	-	3	1	-	4	23.5	7.1	7.1	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
159E	-	-	-	-	-	1	1	-	2	20.5	3.5	3.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	3	-	3	23.6	4.5	4.5	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	25.0	9.0	9.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
05N 137E	-	-	-	-	-	-	1	-	1	24.0	1.9	1.0	-	0.5	-	-	-	0.4
138E	-	-	-	-	-	1	-	-	1	15.0	6.0	6.0	-	-	-	-	-	-
139E	-	-	-	-	-	3	11	-	14	23.1	57.7	57.7	-	-	-	-	-	-
140E	-	-	-	-	-	2	6	-	8	25.5	54.4	54.4	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** MAR - -013 TSKI -036 3 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量 計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
02N	151E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	18.0	1.5	1.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	4	-	4	23.0	50.0	49.5	-	[illegible].2	-	0.3	-	-
01N	136E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
00N	154E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	4	1	-	5	27.8	33.0	31.0	-	-	-	-	-	2.0
	*165E	-	-	-	-	-	1	1	-	2	21.5	4.6	4.6	-	-	-	-	-	-
*00S	002E	-	-	-	-	-	-	1	-	1	23.0	5.3	5.3	-	-	-	-	-	-
	*154E	-	-	-	-	-	2	-	-	2	27.0	21.0	21.0	-	-	-	-	-	-
	155E	-	-	-	-	-	5	-	-	5	27.8	29.0	29.0	-	-	-	-	-	-
	156E	-	-	-	-	-	2	2	-	4	27.5	24.5	24.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	25.0	3.3	2.5	-	0.8	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
01S	005E	-	-	-	-	-	-	3	-	3	23.0	23.9	23.4	-	0.5	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	28.0	2.5	2.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
02S	162E	-	-	-	-	-	-	1	-	1	30.0	48.0	48.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	27.5	9.5	9.5	-	-	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	25.0	10.5	10.0	-	0.5	-	-	-	-
03S	162E	-	-	-	-	-	-	1	-	1	30.0	28.0	28.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	27.5	5.5	5.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*05S	162E	-	-	-	-	-	-	1	-	1	30.0	6.0	6.0	-	-	-	-	-	-
06S	164E	-	-	-	-	-	-	2	-	2	30.0	8.5	8.5	-	-	-	-	-	-
07S	165E	-	-	-	-	-	-	1	-	1	30.0	10.0	10.0	-	-	-	-	-	-
08S	166E	-	-	-	-	-	-	1	-	1	30.0	9.0	9.0	-	-	-	-	-	-
*10S	168E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
*13S	171E	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** APR - -001 TSKI -038 4 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
36N	147E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
35N	139E	-	-	-	-	-	2	-	-	2	23.0	7.0	-	7.0	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	9	-	-	9	20.6	21.6	8.5	13.1	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	4	-	-	4	20.0	11.5	1.5	10.0	-	-	-	-	-
34N	136E	-	6	-	-	-	-	-	-	6	16.0	-	-	-	-	-	-	-	-
	137E	-	1	-	-	-	2	-	-	3	21.6	6.6	0.1	5.0	-	-	-	-	1.5
	138E	1	6	-	-	-	3	1	-	11	18.3	14.4	6.4	7.9	-	-	-	-	0.1
	139E	1	9	-	-	-	8	4	-	22	19.8	80.5	7.1	72.7	-	-	-	-	0.7
	140E	-	10	-	-	-	5	-	-	15	20.2	22.1	19.0	1.3	0.6	-	-	-	1.2
	*143E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
33N	131E	-	1	-	-	-	-	-	-	1	16.0	3.5	-	3.5	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*134E	-	10	-	-	-	1	-	-	11	15.6	14.1	13.6	0.5	-	-	-	-	-
	135E	2	29	-	-	-	-	-	-	31	16.7*	56.9	42.1	14.7	-	-	-	-	0.1
	136E	11	182	1	-	-	13	2	-	209	17.2*	324.3	126.8	172.7	1.7	-	1.3	-	21.8
	137E	11	136	-	-	-	37	8	-	192	18.5*	276.2	130.8	131.7	0.5	-	5.3	-	7.9
	138E	2	233	10	-	-	86	36	-	367	19.4*	923.2	422.0	483.8	2.2	-	0.8	-	14.4
	139E	1	275	3	-	-	141	51	-	471	19.4*	1428.8	469.8	912.9	3.1	-	9.0	-	34.0
	140E	-	159	5	-	-	-	1	-	165	16.1*	253.5	218.9	8.6	14.0	-	-	-	12.0
	141E	-	-	3	-	-	-	-	-	3	23.0	13.0	5.0	8.0	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
32N	129E	-	1	-	-	-	-	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*133E	1	14	-	-	-	-	-	-	15	16.5	50.9	50.9	-	-	-	-	-	-
	134E	5	117	2	-	-	-	-	-	124	17.0*	365.3	363.6	0.7	0.3	-	-	0.1	0.6
	135E	6	127	3	-	-	1	-	-	137	17.3*	488.1	469.2	9.1	0.4	-	0.9	-	8.5
	136E	4	279	3	-	-	7	4	-	297	18.4*	809.8	660.0	136.9	1.0	-	2.3	-	9.6
	137E	1	110	1	-	-	25	14	-	151	18.6*	278.2	143.8	125.9	1.3	-	1.4	-	5.8
	138E	-	364	12	-	-	22	7	-	405	18.7*	838.1	720.0	94.9	3.5	-	0.2	-	19.5
	139E	-	362	13	-	-	5	5	-	385	18.0*	824.3	768.8	29.2	3.4	-	-	-	22.9
	140E	-	63	2	-	-	-	1	-	66	16.8*	103.5	102.2	0.9	0.3	-	-	-	0.1
	141E	-	2	2	-	-	-	-	-	4	22.7	3.0	-	3.0	-	-	-	-	-
	142E	-	-	1	-	-	-	1	-	2	23.0	-	-	-	-	-	-	-	-
31N	132E	-	3	-	-	-	-	-	-	3	18.6	15.5	15.5	-	-	-	-	-	-
	133E	-	3	-	-	-	1	-	-	4	20.2	2.5	2.5	-	-	-	-	-	-
	134E	-	21	-	-	-	-	-	-	21	18.1	62.5	62.5	-	-	-	-	-	-
	135E	-	145	3	-	-	-	-	-	148	18.2*	610.9	601.9	8.6	-	-	-	-	0.4
	136E	2	190	9	-	-	-	-	-	201	17.9*	868.8	855.0	12.3	-	-	-	-	1.5
	137E	-	36	-	-	-	1	1	-	38	16.8*	126.7	98.6	17.8	2.2	-	-	-	8.1
	138E	-	84	1	-	-	18	3	-	106	17.6*	265.7	125.7	119.9	5.0	-	1.2	-	13.9
	139E	-	51	-	-	-	13	2	-	66	17.3*	154.7	102.9	42.8	5.9	-	0.2	-	2.9
	140E	-	1	2	-	-	-	1	-	4	22.2	0.4	0.4	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	15.0	5.1	4.6	-	-	-	-	-	0.5
30N	129E	12	11	-	-	-	-	-	-	23	12.9	33.9	9.2	12.3	8.2	-	0.4	-	3.8
	130E	2	2	-	-	-	-	-	-	4	11.2	2.6	1.5	0.1	1.0	-	-	-	-
	131E	-	9	-	-	-	1	1	-	11	18.6	4.7	4.7	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
	133E	-	6	-	-	-	1	-	-	7	15.8	3.3	1.0	-	0.3	-	-	-	2.0
	134E	-	6	-	-	-	1	1	-	8	21.7	5.5	5.5	-	-	-	-	-	-
	135E	-	41	-	-	-	-	1	-	42	18.6	90.7	90.1	0.5	-	-	-	-	0.1
	136E	-	25	-	-	-	1	-	-	26	17.6	56.7	56.7	-	-	-	-	-	-
	137E	-	14	-	-	-	4	1	-	19	18.8	33.0	28.8	4.2	-	-	-	-	-
	138E	2	157	-	-	-	23	9	-	191	17.4*	496.1	301.2	162.7	9.8	-	8.7	-	13.7
	139E	-	18	-	-	-	11	-	-	29	19.3*	51.8	38.3	11.0	1.0	-	0.5	-	1.0
	140E	-	13	-	-	-	3	-	-	16	17.8*	24.5	21.5	-	3.0	-	-	-	-
	*146E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
29N	127E	-	7	-	-	-	-	-	-	7	13.1	16.5	15.5	-	-	-	-	-	1.0
	128E	1	34	-	-	-	-	-	-	35	14.1	106.6	70.9	0.5	25.6	-	-	-	9.6
	129E	8	36	-	-	-	-	-	-	44	13.2	62.8	32.6	1.4	19.4	-	0.3	-	9.1
	130E	1	6	-	-	-	-	-	-	7	15.2	9.8	9.5	-	-	-	-	-	0.3
	131E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*133E	-	7	-	-	-	-	-	-	7	18.4	7.1	6.8	0.3	-	-	-	-	-
	134E	-	2	-	-	-	16	1	-	19	24.4	30.1	3.0	19.6	-	-	0.5	-	7.0
	135E	-	12	1	-	-	16	5	-	34	22.5	53.2	25.1	27.1	-	-	0.5	-	0.5
	136E	-	4	-	-	-	5	1	-	10	22.2	14.5	14.1	0.1	-	-	-	-	0.3
	137E	-	5	-	-	-	4	1	-	10	21.7	8.1	5.4	1.7	-	-	-	-	1.0
	138E	-	15	-	-	-	84	22	-	121	21.6*	265.4	4.0	256.0	-	-	-	-	5.4
	139E	-	12	-	-	-	44	10	-	66	21.8*	188.7	48.9	129.0	0.8	-	0.4	-	9.6
	140E	-	3	-	-	-	4	1	-	8	20.5	19.2	0.3	18.7	-	-	-	-	0.2
	*142E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
28N	126E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	127E	1	49	-	-	-	-	-	-	50	14.6	142.4	104.9	1.5	22.6	-	-	-	13.4
	128E	2	56	-	-	-	-	-	-	58	14.1	153.4	116.9	3.9	22.0	-	1.4	0.1	9.1
	129E	-	2	-	-	-	-	-	-	2	16.0	1.2	0.7	-	-	-	-	-	0.5
	130E	-	6	-	-	-	-	-	-	6	15.1	5.8	4.5	-	1.0	-	-	-	0.3
	131E	-	1	-	-	-	-	2	-	3	20.6	0.2	-	-	-	-	-	-	0.2
	132E	-	-	-	-	-	1	-	-	1	20.6	-	-	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	19.0	2.2	2.2	-	-	-	-	-	-
	134E	-	1	-	-	-	1	-	-	2	22.0	7.0	7.0	-	-	-	-	-	-
	135E	-	-	-	-	-	9	6	-	15	25.2	46.5	-	46.5	-	-	-	-	-
	136E	-	2	-	-	-	15	3	-	20	26.0	43.8	5.5	37.8	-	-	0.5	-	-
	137E	-	1	-	-	-	24	3	-	28	25.6*	40.2	4.5	34.7	-	-	-	1.0	-
	138E	-	3	-	-	-	24	8	-	35	22.2*	75.8	11.4	63.4	-	-	-	-	1.0
	139E	-	7	-	-	-	51	5	-	63	21.3*	207.7	33.5	168.9	1.2	-	0.6	-	3.5
	*141E	-	-	-	-	-	5	-	-	5	21.2	23.4	0.5	0.4	-	-	21.0	-	1.5
	142E	-	-	-	-	-	2	-	-	2	21.0	5.7	2.4	-	-	-	2.0	-	1.3
27N	126E	-	14	-	-	-	-	-	-	14	14.5	37.5	28.9	0.4	4.9	-	2.5	-	0.8
	127E	9	56	-	-	-	-	-	-	65	14.1	162.8	128.1	1.1	22.0	-	-	-	11.6
	128E	-	7	-	-	-	-	-	-	7	13.4	19.2	14.4	-	3.0	-	-	-	1.8
	129E	-	2	-	-	-	-	-	-	2	14.0	9.3	9.3	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	18.0	6.6	1.6	-	1.6	-	-	-	3.4
	131E	-	1	-	-	-	-	1	-	2	18.0	0.6	0.6	-	-	-	-	-	-
	*135E	-	2	-	-	-	1	1	-	4	21.5	0.5	0.3	0.2	-	-	-	-	-
	136E	-	3	-	-	-	2	-	-	5	18.0*	6.0	6.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR - -003　　　　TSKI -040　　　　4　月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
27N	137E	-	-	-	-	-	3	3	-	6	23.2*	11.9	0.6	11.3	-	-	-	-	-
	138E	-	1	-	-	-	2	-	-	3	21.3	2.5	-	-	-	-	0.5	-	2.0
	139E	-	1	-	-	-	8	-	-	9	18.7*	11.0	1.0	10.0	-	-	-	-	-
	140E	-	-	-	-	-	6	1	-	7	19.8	0.6	0.1	0.5	-	-	-	-	-
	141E	-	-	-	-	-	8	2	-	10	26.2*	2.8	-	2.8	-	-	-	-	-
	142E	-	-	-	-	-	5	2	-	7	25.5	1.0	-	-	-	-	-	-	1.0
	143E	-	-	-	-	-	1	-	-	1	20.0	1.0	-	1.0	-	-	-	-	-
26N	125E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	126E	4	22	-	-	-	-	-	-	26	15.6	72.5	50.1	1.5	16.7	-	-	-	4.2
	127E	23	9	-	-	-	-	-	-	32	16.3	55.1	48.6	-	6.5	-	-	-	-
	128E	-	4	-	-	-	-	-	-	4	15.5	10.1	9.5	-	0.1	-	0.5	-	-
	129E	-	1	-	-	-	-	1	-	2	22.5	-	-	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	16.5	1.6	-	-	-	-	-	-	1.6
	*135E	-	3	-	-	-	-	-	-	3	19.3	12.5	12.5	-	-	-	-	-	-
	*139E	-	-	-	-	-	2	-	-	2	27.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	22.0	3.0	-	-	-	-	2.0	-	1.0
	141E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	21.0	1.0	-	-	0.5	-	0.3	-	0.2
	143E	-	-	-	-	-	2	-	-	2	26.5	-	-	-	-	-	-	-	-
25N	124E	-	1	-	-	-	1	1	-	3	21.6	4.8	3.3	-	0.8	-	-	-	0.7
	125E	-	10	-	-	-	-	-	-	10	14.8	39.1	31.2	-	5.9	-	-	-	2.0
	126E	-	7	-	-	-	-	-	-	7	14.8	16.7	4.5	-	8.1	-	-	-	4.1
	127E	-	5	-	-	-	-	-	-	5	13.2	15.1	14.4	-	0.7	-	-	-	-
	128E	-	7	-	-	-	-	-	-	7	16.7	17.1	9.5	1.0	3.1	-	3.5	-	-
	129E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	24.0	2.0	1.0	1.0	-	-	-	-	-
	*132E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	1	-	-	1	31.0	0.5	-	-	-	-	-	-	0.5
	*143E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
24N	123E	-	3	-	-	-	-	-	-	3	16.3	13.0	13.0	-	-	-	-	-	-
	124E	-	8	-	-	-	-	-	-	8	13.7	32.4	30.6	-	1.2	-	-	-	0.6
	125E	-	4	-	-	-	-	-	-	4	16.2	22.8	22.1	0.6	-	-	-	-	0.1
	126E	-	6	-	-	-	-	-	-	6	13.3	8.9	7.2	-	1.2	-	-	-	0.5
	127E	-	2	-	-	-	-	-	-	2	17.0	6.0	-	-	2.5	-	-	-	3.5
	*129E	-	3	-	-	-	-	-	-	3	15.6	4.5	3.5	-	-	-	-	-	1.0
	*131E	-	2	-	-	-	1	-	-	3	20.3	0.2	-	-	-	-	-	-	0.2
	*134E	-	1	1	-	-	-	-	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
23N	122E	-	1	-	-	-	-	-	-	1	13.0	18.2	18.2	-	-	-	-	-	-
	123E	-	3	-	-	-	1	-	-	4	17.5	25.0	24.5	-	-	-	-	-	0.5
	124E	-	20	-	-	-	-	-	-	20	15.9	128.2	123.4	2.5	1.2	-	-	-	1.1
	125E	-	32	-	-	-	-	-	-	32	14.6	297.4	272.1	16.4	5.1	-	-	-	3.8
	126E	-	6	-	-	-	1	-	-	7	18.1	15.6	15.1	-	0.5	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	20.0	1.1	1.1	-	-	-	-	-	-
	*130E	-	3	-	-	-	-	-	-	3	15.6	17.2	17.2	-	-	-	-	-	-
	*133E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	134E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	135E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*137E	-	-	-	-	-	2	-	-	2	28.5	-	-	-	-	-	-	-	-
23N	*139E	-	-	-	-	-	1	1	-	2	20.5	-	-	-	-	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	14.3	16.4	15.3	-	1.0	-	-	-	0.1
	*143E	-	-	-	-	-	1	-	-	1	18.0	5.8	-	-	-	-	3.7	-	2.1
	144E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
22N	121E	-	1	-	-	-	-	-	-	1	16.0	1.0	-	-	1.0	-	-	-	-
	122E	-	-	-	-	-	2	-	-	2	27.5	6.0	6.0	-	-	-	-	-	-
	123E	-	1	-	-	-	1	-	-	2	19.0	19.8	19.8	-	-	-	-	-	-
	124E	-	4	-	-	-	-	-	-	4	16.5	14.3	14.3	-	-	-	-	-	-
	125E	-	13	-	-	-	-	1	-	14	16.0	108.6	107.6	-	-	-	-	-	1.0
	126E	-	16	-	-	-	2	-	-	18	17.0	80.4	79.4	-	1.0	-	-	-	-
	127E	-	4	-	-	-	1	1	-	6	19.1	15.2	15.2	-	-	-	-	-	-
	128E	-	5	-	-	-	-	-	-	5	14.8	17.7	17.0	-	0.7	-	-	-	-
	129E	-	8	-	-	-	-	-	-	8	13.6	27.8	27.0	-	0.5	-	-	-	0.3
	130E	-	19	-	-	-	1	-	-	20	15.0	70.9	68.4	-	0.8	-	-	-	1.7
	131E	-	1	1	-	-	-	-	-	2	21.5	7.5	6.8	-	0.3	-	-	-	0.4
	132E	-	-	3	-	-	-	-	-	3	23.0	6.0	6.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	1	-	2	29.0	3.0	3.0	-	-	-	-	-	-
21N	120E	-	4	-	-	-	-	-	-	4	15.5	36.1	34.8	-	-	-	-	1.3	-
	121E	-	8	-	-	-	-	-	-	8	17.1	26.3	25.9	-	0.3	-	-	-	0.1
	*124E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	125E	-	4	-	-	-	-	-	-	4	14.5	13.4	13.4	-	-	-	-	-	-
	126E	-	29	2	-	-	1	5	-	37	16.6*	247.7	246.0	-	1.3	-	-	-	0.4
	127E	-	5	-	-	-	-	-	-	5	17.0	21.0	21.0	-	-	-	-	-	-
	128E	-	21	-	-	-	5	2	-	28	18.4	131.9	123.3	-	8.2	-	-	-	0.4
	129E	-	19	-	-	-	-	-	-	19	17.0	66.0	65.6	-	0.4	-	-	-	-
	130E	-	4	1	-	-	1	-	-	6	18.0	14.5	14.5	-	-	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	21.0	17.0	17.0	-	-	-	-	-	-
	132E	-	1	4	-	-	1	1	-	7	21.1	20.3	20.3	-	-	-	-	-	-
	133E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*135E	-	-	-	-	-	1	-	-	1	22.0	7.0	7.0	-	-	-	-	-	-
	136E	-	-	-	-	-	5	2	-	7	20.7	22.5	22.5	-	-	-	-	-	-
	137E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	22 0	-	-	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	1	-	1	34.0	2.0	2.0	-	-	-	-	-	-
	141E	-	-	-	-	-	-	3	-	3	22.3	14.0	14.0	-	-	-	-	-	-
	142E	-	-	-	-	-	3	-	-	3	18.3	2.3	2.3	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	14.0	10.0	10.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
20N	122E	-	-	-	-	-	2	-	-	2	25.0	22.0	22.0	-	-	-	-	-	-
	*124E	-	-	-	-	-	15	-	-	15	21.6	159.6	159.6	-	-	-	-	-	-
	125E	-	3	-	-	-	4	-	-	7	21.5*	45.4	45.4	-	-	-	-	-	-
	126E	-	9	-	-	-	1	-	-	10	18.5*	58.6	58.3	-	0.3	-	-	-	-
	127E	-	10	1	-	-	-	2	-	13	18.8	48.7	48.7	-	-	-	-	-	-
	128E	-	18	-	-	-	-	5	-	23	17.1	100.4	98.9	-	0.8	-	-	-	0.7
	129E	-	14	4	-	-	-	1	-	19	16.4	96.9	96.9	-	-	-	-	-	-
	130E	-	9	-	-	-	1	-	-	10	18.2	53.2	53.2	-	-	-	-	-	-
	131E	-	-	-	-	-	8	1	-	9	25.7	7.5	7.5	-	-	-	-	-	-
	132E	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	*134E	-	-	-	-	-	7	2	-	9	22.8	18.7	18.7	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR - -005　　　　TSKI -042　　　　4 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
20N	135E	-	-	-	-	-	18	1	-	19	21.1	52.3	51.2	-	0.1	-	-	-	1.0
	136E	-	-	-	-	-	11	5	-	16	21.8	84.6	83.9	-	0.7	-	-	-	-
	137E	-	-	-	-	-	12	1	-	13	20.7	25.4	24.7	-	0.4	-	0.3	-	-
	138E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	139E	-	-	-	-	-	1	1	-	2	20.5	2.0	1.0	-	-	-	-	-	1.0
	*144E	-	-	-	-	-	1	1	-	2	20.0	6.6	6.6	-	-	-	-	-	-
	145E	-	-	-	-	-	4	-	-	4	17.2	8.8	8.8	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	1	-	2	24.0	3.0	3.0	-	-	-	-	-	-
19N	122E	-	-	-	-	-	2	-	-	2	25.0	4.0	4.0	-	-	-	-	-	-
	*125E	-	-	-	-	-	2	3	-	5	25.0	38.0	38.0	-	-	-	-	-	-
	126E	-	1	-	-	-	3	1	-	5	23.6	13.0	13.0	-	-	-	-	-	-
	127E	-	4	-	-	-	2	3	-	9	19.4	57.5	53.3	-	2.0	-	-	-	2.2
	128E	-	13	1	-	-	5	5	-	24	18.5	90.2	89.1	-	1.0	-	-	-	0.1
	129E	-	6	1	-	-	1	5	-	13	19.0	59.0	58.8	-	0.2	-	-	-	-
	130E	-	1	-	-	-	5	1	-	7	24.4	9.5	9.5	-	-	-	-	-	-
	131E	-	1	1	-	-	9	1	-	12	24.0	21.3	20.3	-	-	-	-	-	1.0
	132E	-	-	-	-	-	4	-	-	4	22.2	8.5	7.0	-	-	-	1.5	-	-
	133E	-	-	-	-	-	2	-	-	2	22.0	9.5	9.5	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	135E	-	-	-	-	-	2	5	-	7	23.1	20.5	19.5	-	0.5	-	-	-	0.5
	136E	-	-	-	-	-	10	8	-	18	21.8	46.8	46.3	-	-	-	-	-	0.5
	137E	-	-	-	-	-	17	9	-	26	22.1	64.5	61.1	-	2.6	-	-	-	0.8
	138E	-	-	-	-	-	2	-	-	2	17.0	1.4	1.4	-	-	-	-	-	-
	139E	-	-	-	-	-	1	1	-	2	18.0	1.0	1.0	-	-	-	-	-	-
	140E	-	-	-	-	-	1	-	-	1	20.0	2.6	2.6	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	26.0	4.5	4.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	1	-	2	22.5	5.0	5.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
18N	126E	-	1	-	-	-	2	-	-	3	22.0	14.0	14.0	-	-	-	-	-	-
	127E	-	1	-	-	-	1	-	-	2	20.0	7.5	7.5	-	-	-	-	-	-
	128E	-	1	-	-	-	1	11	-	13	25.6	44.6	44.1	-	0.5	-	-	-	-
	129E	-	3	1	-	-	3	17	-	24	23.7	85.8	85.5	-	-	-	0.1	-	0.2
	130E	-	1	1	-	-	4	10	-	16	23.8	45.6	45.4	-	-	-	-	-	0.2
	131E	-	-	-	-	-	4	-	-	4	25.5	9.5	9.5	-	-	-	-	-	-
	132E	-	-	-	-	-	4	4	-	8	24.0	8.1	8.1	-	-	-	-	-	-
	133E	-	-	-	-	-	5	3	-	8	24.6	16.7	14.1	-	1.1	-	-	-	1.5
	134E	-	-	-	-	-	4	1	-	5	22.2	4.5	4.5	-	-	-	-	-	-
	135E	-	-	-	-	-	6	3	-	9	24.5	17.5	17.5	-	-	-	-	-	-
	136E	-	-	1	-	-	27	23	-	51	21.2	208.2	206.8	-	0.5	-	-	-	0.9
	137E	-	-	-	-	-	17	4	-	21	23.2	65.2	65.2	-	-	-	-	-	-
	138E	-	-	-	-	-	2	1	-	3	24.0	2.8	2.8	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	2	-	3	23.3	7.4	7.4	-	-	-	-	-	-
	142E	-	-	-	-	-	2	1	-	3	23.0	3.9	3.9	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	2	-	2	20.0	1.0	1.0	-	-	-	-	-	-
17N	126E	-	-	-	-	-	5	-	-	5	22.0	14.0	14.0	-	-	-	-	-	-
	127E	-	-	-	-	-	2	-	-	2	22.0	10.0	10.0	-	-	-	-	-	-
17N	128E	-	-	-	-	-	2	5	-	7	24.0	25.5	25.5	-	-	-	-	-	-
	129E	-	-	-	-	-	2	6	-	8	24.7	23.5	23.5	-	-	-	-	-	-
	130E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	131E	-	-	-	-	-	3	8	-	11	23.7*	25.2	25.1	-	-	-	-	-	0.1
	132E	-	-	-	-	-	3	5	-	8	23.7*	18.2	18.2	-	-	-	-	-	-
	133E	-	-	-	-	-	4	6	-	10	24.8	17.5	17.5	-	-	-	-	-	-
	134E	-	-	-	-	-	16	18	-	34	25.0*	91.0	91.0	-	-	-	-	-	-
	135E	-	-	-	-	-	8	12	-	20	22.7	73.2	73.2	-	-	-	-	-	-
	136E	-	-	-	-	-	4	1	-	5	21.4	14.0	14.0	-	-	-	-	-	-
	137E	-	-	-	-	-	5	2	-	7	20.5	11.9	11.9	-	-	-	-	-	-
	138E	-	-	-	-	-	2	1	-	3	24.3	4.9	4.9	-	-	-	-	-	-
	139E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	-	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
16N	126E	-	-	-	-	-	1	-	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	127E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	128E	-	-	-	-	-	4	1	-	5	23.4	18.5	18.5	-	-	-	-	-	-
	129E	-	-	-	-	-	1	3	-	4	23.5	11.0	11.0	-	-	-	-	-	-
	130E	-	-	-	-	-	1	2	-	3	22.3	5.0	5.0	-	-	-	-	-	-
	131E	-	-	-	-	-	1	2	-	3	25.0	2.8	2.8	-	-	-	-	-	-
	132E	-	-	-	-	-	6	4	-	10	24.3	30.0	30.0	-	-	-	-	-	-
	133E	-	-	-	-	-	1	11	-	12	25.0*	44.0	44.0	-	-	-	-	-	-
	134E	-	-	-	-	-	3	10	-	13	24.3	42.0	42.0	-	-	-	-	-	-
	135E	-	-	-	-	-	5	11	-	16	23.7*	32.3	32.3	-	-	-	-	-	-
	136E	-	-	-	-	-	2	5	-	7	21.8	15.5	15.5	-	-	-	-	-	-
	137E	-	-	-	-	-	-	8	-	8	24.4*	16.2	16.2	-	-	-	-	-	-
	138E	-	-	-	-	-	-	7	-	7	22.1	6.5	6.5	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*142E	-	-	-	-	-	2	2	-	4	26.0	4.5	4.5	-	-	-	-	-	-
	143E	-	-	-	-	-	2	-	-	2	24.0	1.0	1.0	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	-	-	1	24.0	0.1	0.1	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	30.0	7.0	7.0	-	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	27.5	1.4	1.4	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
15N	128E	-	-	-	-	-	1	-	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	129E	-	-	-	-	-	1	4	-	5	23.8	25.0	25.0	-	-	-	-	-	-
	130E	-	-	-	-	-	1	4	-	5	25.4	11.6	11.6	-	-	-	-	-	-
	131E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	132E	-	-	-	-	-	7	6	-	13	21.5*	51.5	51.5	-	-	-	-	-	-
	133E	-	-	-	-	-	3	7	-	10	24.7	26.2	26.2	-	-	-	-	-	-
	134E	-	-	-	-	-	1	2	-	3	25.3	1.0	1.0	-	-	-	-	-	-
	135E	-	-	-	-	-	1	3	-	4	23.5	4.1	3.6	-	0.5	-	-	-	-
	136E	-	-	-	-	-	-	2	-	2	23.5	2.0	2.0	-	-	-	-	-	-
	137E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	138E	-	-	-	-	-	2	1	-	3	28.3	0.2	-	-	-	-	-	-	0.2
	139E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR - -007　　TSKI -044　　4 月

操業位置		竿数[illegible]別操[illegible]数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
15N	140E	-	-	-	-	-	1	-	-	1	20.0	3.0	2.0	-	1.0	-	-	-	-
	141E	-	-	-	-	-	2	-	-	2	28.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	-	4	-	4	24.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	3	-	3	26.3	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	1	2	-	3	22.6	1.0	1.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	3	-	3	23.3	4.0	4.0	-	-	-	-	-	-
14N	128E	-	-	-	-	-	1	1	-	2	25.5	9.0	9.0	-	-	-	-	-	-
	129E	-	-	-	-	-	1	4	-	5	24.8	37.0	37.0	-	-	-	-	-	-
	130E	-	-	-	-	-	-	4	-	4	25.5	26.0	26.0	-	-	-	-	-	-
	131E	-	-	-	-	-	2	2	-	4	26.0	14.0	14.0	-	-	-	-	-	-
	132E	-	-	-	-	-	1	3	-	4	23.0	7.3	7.3	-	-	-	-	-	-
	133E	-	-	-	-	-	-	4	-	4	25.7	10.0	10.0	-	-	-	-	-	-
	134E	-	-	-	-	-	3	6	-	9	25.7*	30.5	30.5	-	-	-	-	-	-
	135E	-	-	-	-	-	-	2	-	2	25.0	17.0	17.0	-	-	-	-	-	-
	136E	-	-	-	-	-	-	3	-	3	24.6	0.3	0.1	-	0.1	-	-	-	0.1
	137E	-	-	-	-	-	-	2	-	2	23.5	1.2	1.2	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	140E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	141E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	20.0	0.7	0.7	-	-	-	-	-	-
	145E	-	-	-	-	-	2	-	-	2	28.0	0.2	-	-	-	-	-	-	0.2
	146E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	1	1	-	2	26.5	3.0	3.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	1	-	3	19.0	4.5	4.5	-	-	-	-	-	-
	150E	-	-	-	-	-	-	3	-	3	27.0	16.0	16.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	1	1	-	2	27.5	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	24.0	10.8	10.8	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	2	-	3	27.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	-	16	-	16	23.8	74.4	74.4	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	24.0	3.2	3.2	-	-	-	-	-	-
13N	130E	-	-	-	-	-	-	2	-	2	29.0*	1.7	1.7	-	-	-	-	-	-
	*132E	-	-	-	-	-	2	-	-	2	26.5	5.5	5.5	-	-	-	-	-	-
	133E	-	-	-	-	-	1	3	-	4	27.7	13.0	13.0	-	-	-	-	-	-
	134E	-	-	-	-	-	7	6	-	13	25.1	46.7	46.7	-	-	-	-	-	-
	135E	-	-	-	-	-	2	1	-	3	24.6	10.0	10.0	-	-	-	-	-	-
	136E	-	-	-	-	-	1	-	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	137E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	-	2	-	2	22.5	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	2	-	2	24.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	19.0	4.0	4.0	-	-	-	-	-	-
13N	149E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	26.5	4.0	4.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	30.0	0.4	0.4	-	-	-	-	-	-
	155E	-	-	-	-	-	3	7	-	10	25.2	34.1	34.1	-	-	-	-	-	-
	156E	-	-	-	-	-	4	6	-	10	24.7	23.0	23.0	-	-	-	-	-	-
	157E	-	-	-	-	-	5	16	-	21	23.8	86.8	86.8	-	-	-	-	-	-
	158E	-	-	-	-	-	6	25	-	31	25.0	143.4	143.4	-	-	-	-	-	-
	159E	-	-	-	-	-	4	15	-	19	24.5	81.8	81.5	-	-	-	0.3	-	-
12N	130E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*132E	-	-	-	-	-	-	2	-	2	25.5	10.0	10.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	1	2	-	3	23.3	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	1	1	-	2	25.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	1	3	-	4	23.2	6.0	6.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	1	-	3	28.3	4.5	4.5	-	-	-	-	-	-
	150E	-	-	-	-	-	1	1	-	2	21.0	2.0	2.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	1	-	2	22.0	3.0	3.0	-	-	-	-	-	-
	152E	-	-	-	-	-	-	4	-	4	25.7	1.3	1.3	-	-	-	-	-	-
	153E	-	-	-	-	-	2	2	-	4	22.7	8.5	8.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	6	-	6	21.8	14.0	14.0	-	-	-	-	-	-
	155E	-	-	-	-	-	7	30	-	37	24.4	203.8	201.8	-	2.0	-	-	-	-
	156E	-	-	-	-	-	2	14	-	16	21.6	77.8	77.8	-	-	-	-	-	-
	157E	-	-	-	-	-	4	21	-	25	25.6*	104.5	104.5	-	-	-	-	-	-
	158E	-	-	-	-	-	6	30	-	36	25.4*	243.0	242.7	-	0.3	-	-	-	-
	159E	-	-	-	-	-	6	10	-	16	25.8	64.7	64.0	-	-	-	-	-	0.7
	160E	-	-	-	-	-	7	6	-	13	26.0	69.7	69.7	-	-	-	-	-	-
	161E	-	-	-	-	-	2	2	-	4	23.0	7.7	7.7	-	-	-	-	-	-
	162E	-	-	-	-	-	-	2	-	2	25.0	11.0	11.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
11N	131E	-	-	-	-	-	1	-	-	1	30.0	2.0	2.0	-	-	-	-	-	-
	132E	-	-	-	-	-	3	7	-	10	26.9	52.8	51.5	-	1.0	-	-	-	0.3
	133E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	*135E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*138E	-	-	-	-	-	1	1	-	2	25.0	3.5	3.5	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	142E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	1	1	-	2	20.5	0.5	0.5	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	22.0	2.3	2.3	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	1	1	-	2	26.5	6.7	6.5	-	-	-	-	-	0.2
	150E	-	-	-	-	-	-	4	-	4	24.2	12.0	12.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　APR - -009　　TSKI -046　　4 月

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
11N 151E	-	-	-	-	-	1	8	-	9	23.4	25.5	25.5	-	-	-	-	-	-
152E	-	-	-	-	-	2	-	-	2	26.0	5.5	5.5	-	-	-	-	-	-
153E	-	-	-	-	-	-	8	-	8	21.5	26.0	26.0	-	-	-	-	-	-
154E	-	-	-	-	-	4	19	-	23	24.1*	78.5	78.5	-	-	-	-	-	-
155E	-	3	-	-	-	22	20	-	45	25.2*	215.7	213.5	-	1.6	-	-	-	0.6
156E	-	-	-	-	-	11	24	-	35	24.0*	149.8	149.8	-	-	-	-	-	-
157E	-	-	-	-	-	11	22	-	33	24.3*	194.4	194.4	-	-	-	-	-	-
158E	-	-	-	-	-	6	15	-	21	25.7	106.5	106.0	-	0.5	-	-	-	-
159E	-	-	-	-	-	1	2	-	3	23.3	6.5	6.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	5	-	6	26.5	14.9	14.9	-	-	-	-	-	-
161E	-	-	-	-	-	8	4	-	12	24.8	38.4	36.9	1.5	-	-	-	-	-
162E	-	-	-	-	-	-	6	-	6	25.5	20.0	20.0	-	-	-	-	-	-
163E	-	-	-	-	-	2	7	-	9	24.7	62.5	62.5	-	-	-	-	-	-
164E	-	-	-	-	-	1	3	-	4	25.0	4.5	4.5	-	-	-	-	-	-
165E	-	-	-	-	-	-	3	-	3	24.6	11.0	11.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	27.5	4.0	4.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	4	-	4	27.2	13.5	13.5	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	27.0	15.0	14.5	-	-	-	0.5	-	-
173E	-	-	-	-	-	-	3	-	3	33.0	23.0	23.0	-	-	-	-	-	-
10N 130E	-	-	-	-	-	1	-	-	1	30.0	1.0	1.0	-	-	-	-	-	-
131E	-	-	-	-	-	1	-	-	1	30.0	2.0	2.0	-	-	-	-	-	-
132E	-	-	-	-	-	2	-	-	2	30.0	7.0	7.0	-	-	-	-	-	-
133E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
134E	-	-	-	-	-	-	4	-	4	29.2	28.2	28.0	-	-	-	0.1	-	0.1
*136E	-	-	-	-	-	1	1	-	2	28.5	3.1	3.0	-	-	-	-	-	0.1
*139E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
140E	-	-	-	-	-	-	2	-	2	23.0	2.5	2.5	-	-	-	-	-	-
141E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
143E	-	-	-	-	-	1	2	-	3	20.3	6.0	6.0	-	-	-	-	-	-
*147E	-	-	-	-	-	2	1	-	3	21.0*	4.0	4.0	-	-	-	-	-	-
148E	-	-	-	-	-	1	2	-	3	19.3*	4.0	4.0	-	-	-	-	-	-
149E	-	-	-	-	-	1	2	-	3	22.3	7.0	7.0	-	-	-	-	-	-
150E	-	-	-	-	-	1	6	-	7	23.2	15.7	15.7	-	-	-	-	-	-
151E	-	-	-	-	-	1	5	-	6	22.5	10.0	10.0	-	-	-	-	-	-
*153E	-	-	-	-	-	-	2	-	2	25.5	2.0	2.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	3	-	4	19.5	14.5	14.5	-	-	-	-	-	-
155E	-	3	-	-	-	1	3	-	7	27.2*	17.9	15.7	-	1.4	-	0.3	-	0.5
156E	-	-	-	-	-	4	6	-	10	20.4	44.7	44.7	-	-	-	-	-	-
157E	-	-	-	-	-	-	5	-	5	23.8	34.3	34.3	-	-	-	-	-	-
158E	-	-	-	-	-	-	6	-	6	25.1	32.5	32.5	-	-	-	-	-	-
159E	-	-	-	-	-	1	4	-	5	25.0	10.5	10.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	4	-	5	26.0*	7.5	7.5	-	-	-	-	-	-
161E	-	-	-	-	-	4	-	-	4	25.7	29.3	29.0	-	0.3	-	-	-	-
162E	-	-	-	-	-	1	2	-	3	26.0*	4.5	4.5	-	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	28.5	9.0	9.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	29.0	15.0	15.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	2	-	2	28.5	7.0	7.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
168E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	2	-	2	30.0	12.0	12.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	27.0	7.0	7.0	-	-	-	-	-	-
10N 172E	-	-	-	-	-	-	1	-	1	27.0	13.0	13.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	19.0	7.5	7.5	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	36.0	7.0	7.0	-	-	-	-	-	-
09N 130E	-	-	-	-	-	-	1	-	1	36.0	4.0	4.0	-	-	-	-	-	-
*134E	-	-	-	-	-	1	-	-	1	28.0	3.0	3.0	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	28.0	0.5	-	-	-	-	-	-	0.5
*138E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
139E	-	-	-	-	-	1	-	-	1	20.0	9.0	9.0	-	-	-	-	-	-
140E	-	-	-	-	-	1	-	-	1	20.0	2.5	2.5	-	-	-	-	-	-
141E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
*143E	-	-	-	-	-	1	7	-	8	21.5	17.0	17.0	-	-	-	-	-	-
144E	-	-	-	-	-	8	9	-	17	20.1	27.6	25.8	-	1.8	-	-	-	-
145E	-	-	-	-	-	5	3	-	8	22.4*	20.8	20.8	-	-	-	-	-	-
146E	-	-	-	-	-	1	3	-	4	21.5	16.0	16.0	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	22.0	7.0	7.0	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	21.0	0.1	0.1	-	-	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
151E	-	-	-	-	-	1	3	-	4	22.2	5.0	5.0	-	-	-	-	-	-
152E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
153E	-	-	-	-	-	1	2	-	3	21.3	3.5	3.5	-	-	-	-	-	-
154E	-	-	-	-	-	1	2	-	3	23.6	0.7	0.7	-	-	-	-	-	-
155E	-	2	-	-	-	1	1	-	4	23.0*	1.2	0.2	-	0.6	-	0.2	-	0.2
156E	-	3	-	-	-	-	-	-	3	23.0	3.9	-	-	3.0	-	0.6	-	0.3
157E	-	-	-	-	-	1	2	-	3	23.3	4.1	4.1	-	-	-	-	-	-
158E	-	-	-	-	-	2	1	-	3	29.0*	13.5	13.5	-	-	-	-	-	-
159E	-	-	-	-	-	6	3	-	9	26.0*	36.8	36.8	-	-	-	-	-	-
160E	-	-	-	-	-	1	1	-	2	27.5	12.0	12.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	2	-	3	26.3	15.5	15.5	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	25.0	4.0	4.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	-	3	-	3	28.0*	13.0	13.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	28.0	12.0	12.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
172E	-	-	-	-	-	-	3	-	3	36.0	22.0	22.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	2	-	2	19.0	13.5	13.5	-	-	-	-	-	-
174E	-	-	-	-	-	-	2	-	2	19.0	25.1	25.0	-	0.1	-	-	-	-
08N 133E	-	-	-	-	-	1	7	-	8	28.8*	36.0	36.0	-	-	-	-	-	-
134E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*137E	-	-	-	-	-	-	2	-	2	24.0	2.5	2.5	-	-	-	-	-	-
138E	-	-	-	-	-	-	2	-	2	21.0	1.0	1.0	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	21.0	0.5	-	-	-	-	-	-	-
*143E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	0.5
144E	-	-	-	-	-	7	4	-	11	18.9	40.4	40.4	-	-	-	-	-	-
145E	-	-	-	-	-	17	8	-	25	18.0	106.0	103.6	-	0.7	-	-	0.4	1.3
146E	-	-	-	-	-	-	3	-	3	24.6	2.2	2.2	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	20.0	2.5	2.5	-	-	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
150E	-	-	-	-	-	2	1	-	3	20.3	4.9	4.9	-	-	-	-	-	-
*153E	-	-	-	-	-	2	-	-	2	25.0	2.0	2.0	-	-	-	-	-	-
154E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

SKI -■ETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　APR - -011　　　　TSKI -048　　　　4 月

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ ■.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
8N 155E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-
156E	-	-	-	-	-	-	3	-	3	22.0	4.5	4.5	-	-	-	-	-	-
157E	-	-	-	-	-	1	1	-	2	27.0	2.0	2.0	-	-	-	-	-	-
158E	-	-	-	-	-	2	2	-	4	23.7	5.5	5.5	-	-	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
*161E	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
162E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	25.0	11.5	11.5	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	-	3	-	3	36.0	25.0	25.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	3	-	3	24.6	41.0	41.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	19.0	12.6	12.5	-	0.1	-	-	-	-
7N 131E	-	-	-	-	-	-	1	-	1	21.0	7.0	6.0	-	1.0	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	21.0	2.7	2.5	-	-	-	-	-	0.2
133E	-	-	-	-	-	1	2	-	3	27.3	11.5	11.5	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
137E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
142E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*144E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
145E	-	-	-	-	-	1	1	-	2	20.5	-	-	-	-	-	-	-	-
146E	-	-	-	-	-	1	1	-	2	20.5	1.0	1.0	-	-	-	-	-	-
147E	-	-	-	-	-	-	2	-	2	21.5	1.5	1.5	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
*150E	-	-	-	-	-	1	2	-	3	21.6	3.0	3.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	2	-	3	25.0	7.8	7.5	-	-	-	-	-	0.3
*153E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
154E	-	-	-	-	-	2	-	-	2	25.0	3.0	3.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	23.0	1.5	1.5	-	-	-	-	-	-
156E	-	-	-	-	-	-	5	-	5	24.2	13.9	13.9	-	-	-	-	-	-
157E	-	-	-	-	-	1	2	-	3	26.3	3.5	3.0	-	0.2	-	-	0.3	-
*159E	-	-	-	-	-	2	-	-	2	24.0	3.5	3.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	1	-	2	24.0	3.0	3.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	2	-	3	24.3	0.5	0.5	-	-	-	-	-	-
*165E	-	-	-	-	-	-	2	-	2	25.5	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	1	1	-	2	18.0*	4.0	4.0	-	-	-	-	-	-
*168E	-	-	-	-	-	-	2	-	2	26.5	-	-	-	-	-	-	-	-
6N 131E	-	-	-	-	-	-	3	-	3	26.5	27.5	27.5	-	-	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
133E	-	-	-	-	-	1	-	-	1	30.0	1.0	1.0	-	-	-	-	-	-
134E	-	-	-	-	-	-	1	-	1	31.0	2.0	2.0	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	30.0	0.2	0.1	-	0.1	-	-	-	-
137E	-	-	-	-	-	1	-	-	1	30.0	0.5	0.5	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
141E	-	-	-	-	-	3	1	-	4	17.7	8.6	8.6	-	-	-	-	-	-
142E	-	-	-	-	-	-	2	-	2	24.0	3.1	3.0	-	0.1	-	-	-	-
143E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
144E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
145E	-	-	-	-	-	-	1	-	1	19.0	1.5	1.5	-	-	-	-	-	-
*147E	-	-	-	-	-	1	2	-	3	20.3	5.4	5.4	-	-	-	-	-	-
148E	-	-	-	-	-	1	1	-	2	21.0	7.0	7.0	-	-	-	-	-	-
*150E	-	-	-	-	-	2	-	-	2	20.0	2.1	2.1	-	-	-	-	-	-
151E	-	-	-	-	-	1	1	-	2	24.5	2.0	2.0	-	-	-	-	-	-
6N *153E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
*156E	-	-	-	-	-	1	1	-	2	19.5	3.0	3.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*159E	-	-	-	-	-	1	1	-	2	25.5	2.5	2.5	-	-	-	-	-	-
*161E	-	-	-	-	-	-	6	-	6	25.6	1.0	1.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	25.0*	7.0	7.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
5N 000E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
*131E	-	-	-	-	-	-	1	-	1	23.0	8.0	8.0	-	-	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
133E	-	-	-	-	-	-	2	-	2	20.0*	13.0	13.0	-	-	-	-	-	-
134E	-	-	-	-	-	-	4	-	4	25.6*	11.5	11.5	-	-	-	-	-	-
135E	-	-	-	-	-	-	3	-	3	25.0	25.0	25.0	-	-	-	-	-	-
136E	-	-	-	-	-	1	1	-	2	25.5	5.5	5.5	-	-	-	-	-	-
137E	-	-	-	-	-	2	1	-	3	26.6	7.5	7.5	-	-	-	-	-	-
138E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
139E	-	-	-	-	-	-	2	-	2	22.0	3.0	3.0	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
148E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
*150E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*153E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	1	-	2	27.0	3.0	3.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	21.0	0.2	0.2	-	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	28.0	1.0	1.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	3	-	3	25.0	3.0	3.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	3	-	3	24.3	9.5	9.5	-	-	-	-	-	-
159E	-	-	-	-	-	2	7	-	9	25.3	21.3	21.3	-	-	-	-	-	-
160E	-	-	-	-	-	1	3	-	4	24.5	2.0	2.0	-	-	-	-	-	-
*162E	-	-	-	-	-	-	3	-	3	29.0*	11.5	11.5	-	-	-	-	-	-
163E	-	-	-	-	-	-	4	-	4	24.5	4.6	4.6	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
4N 000E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
001E	-	-	-	-	-	-	1	-	1	23.0	4.3	4.3	-	-	-	-	-	-
002E	-	-	-	-	-	-	1	-	1	23.0	4.2	4.2	-	-	-	-	-	-
*133E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
134E	-	-	-	-	-	-	2	-	2	29.5	6.0	6.0	-	-	-	-	-	-
135E	-	-	-	-	-	-	4	-	4	26.0	13.0	10.0	-	3.0	-	-	-	-
136E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
137E	-	-	-	-	-	2	4	-	6	26.6	23.0	23.0	-	-	-	-	-	-
138E	-	-	-	-	-	-	9	-	9	27.5	30.1	30.0	-	0.1	-	-	-	-
139E	-	-	-	-	-	-	3	-	3	27.3	12.1	12.0	-	0.1	-	-	-	-
140E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*146E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
*149E	-	-	-	-	-	2	1	-	3	25.3	2.6	2.6	-	-	-	-	-	-
*153E	-	-	-	-	-	-	3	-	3	26.6	3.8	3.8	-	-	-	-	-	-
*155E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
156E	-	-	-	-	-	1	3	-	4	24.2	4.2	4.2	-	-	-	-	-	-
157E	-	-	-	-	-	3	2	-	5	27.7*	4.0	4.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　APR - -013　　　TSKI -050

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 E.
04N *159E	-	-	-	-	-	2	2	-	4	24.7	4.5	4.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	1	-	2	21.0	2.5	2.5	-	-	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
162E	-	-	-	-	-	-	3	-	3	20.3	7.0	7.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	2	-	2	26.0	2.5	2.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.5	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*000W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
03N 001E	-	-	-	-	-	-	2	-	2	23.0	13.6	12.5	-	0.1	-	-	-	1
002E	-	-	-	-	-	-	1	-	1	23.0	3.8	3.4	-	-	-	0.3	-	0
003E	-	-	-	-	-	-	1	-	1	23.0	4.4	4.1	-	0.1	-	-	-	0
*138E	-	-	-	-	-	-	5	-	5	25.0	9.5	9.5	-	-	-	-	-	-
*140E	-	-	-	-	-	-	1	-	1	28.0	2.5	2.5	-	-	-	-	-	-
*151E	-	-	-	-	-	2	1	-	3	20.5*	5.0	5.0	-	-	-	-	-	-
*155E	-	-	-	-	-	-	2	-	2	20.5	9.0	9.0	-	-	-	-	-	-
156E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
157E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	3	-	3	23.0	7.6	7.5	-	0.1	-	-	-	-
159E	-	-	-	-	-	2	3	-	5	23.8	11.5	11.0	-	0.5	-	-	-	-
160E	-	-	-	-	-	1	5	-	6	25.5	16.0	16.0	-	-	-	-	-	-
161E	-	-	-	-	-	1	4	-	5	22.8	12.0	12.0	-	-	-	-	-	-
162E	-	-	-	-	-	2	4	-	6	24.5	19.5	18.5	-	-	-	1.0	-	-
*164E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	4	-	4	25.2	28.5	28.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	36.0	3.0	3.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	36.0	3.0	3.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	36.0	0.5	0.5	-	-	-	-	-	-
02N 000E	-	-	-	-	-	-	1	-	1	23.0	13.4	10.9	-	-	-	0.2	-	2.
*002E	-	-	-	-	-	-	1	-	1	23.0	8.7	8.5	-	0.1	-	0.1	-	-
003E	-	-	-	-	-	-	2	-	2	23.0	18.9	7.2	-	1.1	-	9.9	-	0.
*131E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
*149E	-	-	-	-	-	-	2	-	2	23.0	3.0	3.0	-	-	-	-	-	-
*151E	-	-	-	-	-	3	1	-	4	27.0	8.5	8.5	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
156E	-	-	-	-	-	1	3	-	4	25.0	6.5	6.5	-	-	-	-	-	-
*158E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
159E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	6	-	7	26.1*	23.0	23.0	-	-	-	-	-	-
161E	-	-	-	-	-	-	10	-	10	25.4	37.0	37.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	6	-	6	23.6	26.0	26.0	-	-	-	-	-	-
163E	-	-	-	-	-	1	6	-	7	25.0	72.0	72.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	24	-	24	25.0	213.1	212.7	-	0.4	-	-	-	-
165E	-	-	-	-	-	-	8	-	8	24.1	42.1	42.1	-	-	-	-	-	-
166E	-	-	-	-	-	-	6	-	6	29.1	27.5	27.5	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
*000W	-	-	-	-	-	-	2	-	2	23.0	3.8	2.5	-	0.3	-	0.3	-	0.
01N 153E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
*155E	-	-	-	-	-	19	1	-	20	24.6*	178.0	178.0	-	-	-	-	-	-
01[illegible] 156E	-	-	-	-	-	1	-	-	1	22.0	3.5	3.5	-	-	-	-	-	-
157E	-	-	-	-	-	1	1	-	2	17.5	2.0	2.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	5	-	5	23.0	11.0	10.0	-	1.0	-	-	-	-
160E	-	-	-	-	-	2	11	-	13	21.9*	48.3	48.3	-	-	-	-	-	-
161E	-	-	-	-	-	5	43	-	48	24.4	417.2	416.7	0.5	-	-	-	-	-
162E	-	-	-	-	-	16	106	-	122	24.0*	1085.9	1081.8	-	2.0	-	1.1	-	1.0
163E	-	-	-	-	-	8	47	-	55	24.3*	401.3	400.9	-	0.2	-	-	-	0.2
164E	-	-	-	-	-	3	55	-	58	24.2*	477.3	475.2	-	2.1	-	-	-	-
165E	-	-	-	-	-	-	33	-	33	23.5*	259.3	259.0	-	-	-	0.3	-	-
166E	-	-	-	-	-	-	7	-	7	25.6*	36.5	36.5	-	-	-	-	-	-
167E	-	-	-	-	-	-	2	-	2	27.0*	8.5	8.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	27.0	8.0	8.0	-	-	-	-	-	-
*162W	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
00N 000E	-	-	-	-	-	-	1	-	1	23.0	2.6	2.6	-	-	-	-	-	-
*152E	-	-	-	-	-	1	-	-	1	27.0	5.0	5.0	-	-	-	-	-	-
*154E	-	-	-	-	-	3	-	-	3	27.0*	13.0	13.0	-	-	-	-	-	-
155E	-	-	-	-	-	5	-	-	5	25.4	17.5	17.5	-	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	19.0	2.8	2.8	-	-	-	-	-	-
*159E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
160E	-	-	-	-	-	1	1	-	2	25.0	5.0	5.0	-	-	-	-	-	-
161E	-	-	-	-	-	4	28	-	32	24.5*	355.0	[illegible]3.0	-	1.0	-	1.0	-	-
162E	-	-	-	-	-	4	30	-	34	24.5*	192.9	1[illegible]2.9	-	-	-	-	-	-
163E	-	-	-	-	-	1	10	-	11	26.0*	48.0	47.0	-	1.0	-	-	-	-
164E	-	-	-	-	-	-	33	-	33	25.9	321.9	321.1	-	0.5	-	-	-	0.
165E	-	-	-	-	-	-	12	-	12	24.7*	141.0	141.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	4	-	4	23.5	10.0	10.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	27.0	6.0	6.0	-	-	-	-	-	-
*00S 154E	-	-	-	-	-	3	-	-	3	28.3	11.0	10.0	-	-	-	-	-	1.0
*162E	-	-	-	-	-	1	-	-	1	28.0	5.0	5.0	-	-	-	-	-	-
163E	-	-	-	-	-	5	2	-	7	25.2	31.4	31.0	-	0.4	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	21.0	15.0	15.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
01S 003E	-	-	-	-	-	-	2	-	2	23.0	13.6	13.1	-	0.1	-	0.1	-	0.
*005E	-	-	-	-	-	-	2	-	2	23.0	2.8	2.2	-	0.4	-	-	-	0.
*161E	-	-	-	-	-	3	1	-	4	25.0	14.7	14.0	-	0.7	-	-	-	-
162E	-	-	-	-	-	5	2	-	7	23.0	47.9	47.9	-	-	-	-	-	-
02S 161E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	28.0	12.0	12.0	-	-	-	-	-	-
03S 000E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	27.0	3.0	2.0	-	-	-	-	-	1.0
*164E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
04S 158E	-	-	-	-	-	1	-	-	1	27.0	4.0	4.0	-	-	-	-	-	-
05S 158E	-	-	-	-	-	1	-	-	1	27.0	51.0	1.0	-	-	-	-	-	50.

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI ***

MAY 9

MAY - -001 TSKI -053 5 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
38N	144E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	23.0	0.5	-	0.5	-	-	-	-	-
37N	143E	1	20	-	-	-	1	1	-	23	18.5*	130.9	130.9	-	-	-	-	-	-
	144E	-	1	-	-	-	-	-	-	1	16.0	5.5	5.5	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	2	-	2	25.0	5.0	-	5.0	-	-	-	-	-
36N	142E	1	29	1	-	-	-	1	-	32	17.6	194.9	194.9	-	-	-	-	-	-
	143E	-	51	2	-	-	-	-	-	53	18.1*	283.5	282.5	0.5	-	-	-	-	0.5
	144E	-	8	1	-	-	1	-	-	10	19.4	62.5	62.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	146E	-	2	-	-	-	-	-	-	2	18.0	18.0	18.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	2	-	4	28.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	5	-	7	26.1	2.4	0.8	0.2	-	-	1.4	-	-
	149E	-	-	-	-	-	4	9	-	13	22.0	3.4	2.0	0.7	-	-	-	-	0.7
	150E	-	-	-	-	-	4	4	-	8	23.1	0.1	-	0.1	-	-	-	-	-
	151E	-	-	-	-	-	4	3	-	7	23.0	13.2	9.0	4.2	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	24.0	0.5	-	0.5	-	-	-	-	-
	154E	-	-	-	-	-	-	11	-	11	23.6	4.0	-	4.0	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	28.0	7.0	-	7.0	-	-	-	-	-
35N	140E	-	2	1	-	-	-	-	-	3	19.5*	16.3	15.3	1.0	-	-	-	-	-
	141E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	142E	-	57	1	-	-	2	-	-	60	18.9*	377.9	377.9	-	-	-	-	-	-
	143E	-	66	1	-	-	3	-	-	70	18.5	947.8	947.8	-	-	-	-	-	-
	144E	-	50	3	-	-	-	1	-	54	19.3*	1049.2	1049.2	-	-	-	-	-	-
	145E	-	1	-	-	-	1	-	-	2	19.0	6.5	6.5	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	2	2	-	4	24.7	1.9	1.5	-	-	-	-	-	0.4
	148E	-	-	-	-	-	4	5	-	9	24.0	3.7	3.0	0.7	-	-	-	-	-
	149E	-	1	1	-	-	2	5	-	9	23.0	81.9	81.9	-	-	-	-	-	-
	150E	-	-	-	-	-	4	1	-	5	21.8	8.5	3.0	5.5	-	-	-	-	-
	*152E	-	-	-	-	-	1	3	-	4	29.2	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	1	5	-	6	23.1	8.1	-	8.1	-	-	-	-	-
	154E	-	-	-	-	-	2	12	-	14	25.6	18.2	-	18.2	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	15.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	15.0	0.1	-	0.1	-	-	-	-	-
	*164E	-	-	-	-	-	1	5	-	6	23.5	11.3	-	11.3	-	-	-	-	-
	165E	-	-	-	-	-	-	9	-	9	23.7	18.8	-	18.8	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	20.0	2.0	-	2.0	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	65	77	-	142	24.1*	655.4	20.7	633.0	-	-	1.7	-	-
	170E	-	-	-	-	-	96	90	-	186	23.5*	691.2	17.3	673.3	0.6	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
34N	135E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	136E	-	6	-	-	-	-	-	-	6	17.3	5.9	4.3	-	1.6	-	-	-	-
	137E	-	3	-	-	-	-	-	-	3	14.3	2.7	1.1	-	0.9	-	0.7	-	-
	138E	-	15	-	-	-	3	5	-	23	19.1*	33.2	24.7	7.2	0.1	-	-	-	1.2
34N	139E	-	27	-	-	-	8	8	-	43	18.7*	83.4	49.4	28.4	0.3	0.5	0.5	-	4.3
	140E	-	6	-	-	-	3	3	-	12	19.0	33.7	32.5	-	0.2	-	-	-	1.0
	141E	-	6	-	-	-	4	2	-	12	20.8	7.3	5.3	2.0	-	-	-	-	-
	142E	2	93	2	-	-	1	-	-	98	18.5*	815.9	815.8	-	0.1	-	-	-	-
	143E	-	41	3	-	-	2	2	-	48	18.4	728.7	725.7	3.0	-	-	-	-	-
	144E	-	2	-	-	-	2	-	-	4	22.7	6.0	6.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	3	-	4	22.2	18.0	18.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	1	-	2	22.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	2	-	4	22.7	6.5	-	6.5	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	2	-	3	23.6	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	1	-	2	28.0	2.0	-	2.0	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	25.5	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	24.5	6.2	3.0	1.0	-	-	-	-	2.2
	159E	-	-	-	-	-	-	5	-	5	19.4	3.0	-	3.0	-	-	-	-	-
	160E	-	-	-	-	-	2	1	-	3	24.0	3.0	1.5	1.5	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	23.0	2.3	-	2.0	-	-	-	-	0.3
	162E	-	-	-	-	-	1	-	-	1	23.0	0.5	-	0.5	-	-	-	-	-
	163E	-	-	-	-	-	3	14	-	17	24.5	13.6	-	13.6	-	-	-	-	-
	164E	-	-	-	-	-	6	13	-	19	23.8*	28.1	-	28.1	-	-	-	-	-
	165E	-	-	-	-	-	6	38	-	44	24.2*	111.4	1.0	110.4	-	-	-	-	-
	166E	-	-	-	-	-	1	4	-	5	26.2*	5.5	-	5.5	-	-	-	-	-
	167E	-	-	-	-	-	-	3	-	3	28.0	1.5	-	1.5	-	-	-	-	-
	168E	-	-	-	-	-	53	65	-	118	24.1*	310.7	37.2	260.6	2.0	-	10.9	-	-
	169E	-	-	-	-	-	147	158	-	305	22.8*	1040.3	40.2	983.8	-	-	15.5	-	0.8
	170E	-	-	-	-	-	11	25	-	36	22.4	171.9	2.2	162.9	-	-	6.8	-	-
33N	132E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
	133E	-	5	-	-	-	-	-	-	5	18.4	25.0	20.4	-	1.2	-	2.7	-	0.7
	134E	6	45	-	-	-	-	-	-	51	16.0	143.1	142.4	-	-	-	0.7	-	-
	135E	6	76	2	-	-	-	-	-	84	16.7	279.0	274.2	4.3	0.2	-	-	-	0.3
	136E	5	115	4	-	-	-	-	-	124	17.6*	339.3	319.1	2.9	7.2	-	4.4	-	5.7
	137E	-	40	1	-	-	1	2	-	44	19.0*	112.7	95.2	12.0	3.0	-	1.5	-	1.0
	138E	1	216	2	-	-	66	39	-	324	19.0*	927.7	444.3	431.2	9.9	6.3	3.4	4.8	27.8
	139E	4	355	1	-	-	148	72	-	580	0.4*	1335.9	722.4	507.5	47.6	-	7.1	0.3	51.0
	140E	9	120	4	-	-	9	8	-	150	17.2*	415.8	351.8	47.4	8.4	-	3.2	-	5.0
	141E	1	61	1	-	-	-	1	-	64	17.7*	225.0	209.8	14.8	-	-	-	-	0.4
	142E	-	130	2	-	-	-	2	-	134	17.9*	894.7	894.7	-	-	-	-	-	-
	143E	-	4	-	-	-	1	-	-	5	21.2	41.4	38.0	0.1	-	-	-	-	3.3
	144E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	-	3	-	3	24.3	0.2	0.2	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	1	-	2	26.0	0.2	0.2	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	1	1	-	2	25.0	0.2	0.2	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	18.0	1.0	-	1.0	-	-	-	-	-
	151E	-	-	-	-	-	1	1	-	2	23.0	1.5	1.0	0.5	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	2	1	-	3	27.3	0.5	-	0.5	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	4	-	6	25.8	1.5	-	1.5	-	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.0*	3.5	-	3.5	-	-	-	-	-
	162E	-	-	-	-	-	3	9	-	12	25.4	5.5	-	5.5	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAY - -003　　　　TSKI -055　　　　5 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
33N	163E	-	-	-	-	-	3	37	-	40	24.3*	60.9	-	60.9	-	-	-	-	-
	164E	-	-	-	-	-	-	3	-	3	26.6	1.0	1.0	-	-	-	-	-	-
	165E	-	-	-	-	-	3	2	-	5	24.0	0.5	-	0.5	-	-	-	-	-
	166E	-	-	-	-	-	8	22	-	30	23.9	178.2	-	178.2	-	-	-	-	-
	167E	-	-	-	-	-	7	25	-	32	24.2*	49.8	-	48.0	-	-	1.7	-	0.1
	168E	-	-	-	-	-	57	42	-	99	22.8*	459.2	32.7	417.0	0.5	-	7.8	-	1.2
	169E	-	-	-	-	-	23	20	-	43	23.5*	129.3	13.5	109.7	1.2	-	3.5	-	1.4
	170E	-	-	-	-	-	1	-	-	1	20.0	3.0	-	3.0	-	-	-	-	-
	*172E	-	-	-	-	-	-	2	-	2	23.5	0.5	0.5	-	-	-	-	-	-
32N	132E	-	26	1	-	-	1	-	-	28	17.6	158.9	152.8	-	5.1	-	-	-	1.0
	133E	4	60	1	-	-	-	-	-	65	17.8	317.6	305.5	3.7	4.4	-	0.6	-	3.4
	134E	4	132	3	-	-	-	1	-	140	17.5*	463.4	445.5	11.1	5.6	-	-	-	1.2
	135E	12	198	6	-	-	-	-	-	216	17.0*	687.9	660.2	16.0	2.0	-	0.3	6.0	3.4
	136E	1	231	6	-	-	2	-	-	240	17.3*	824.6	802.1	8.9	3.1	-	3.6	1.1	5.8
	137E	1	64	2	-	-	-	-	-	67	17.2*	248.1	183.6	17.6	17.2	-	22.5	-	7.2
	138E	-	24	-	-	-	27	2	-	53	21.4	145.9	36.8	96.8	3.6	-	5.5	-	3.2
	139E	4	74	1	-	-	47	18	-	144	18.0*	265.6	124.2	124.1	9.6	-	0.6	-	7.1
	140E	-	206	3	-	-	2	-	-	211	16.1*	939.2	869.4	61.3	2.9	-	-	-	5.6
	141E	-	169	4	-	-	6	1	-	180	16.6*	984.0	932.0	49.6	0.5	1.0	0.3	-	0.6
	142E	-	108	2	-	-	2	-	-	112	17.2*	683.2	668.5	2.9	0.1	-	11.5	-	0.2
	143E	-	4	-	-	-	1	1	-	6	17.8*	28.5	27.8	-	-	-	0.7	-	-
	144E	-	2	-	-	-	-	-	-	2	15.5	10.0	10.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	146E	-	2	-	-	-	2	-	-	4	19.7	20.7	20.7	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	2	-	3	23.6	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	151E	-	-	-	-	-	2	2	-	4	21.7	8.0	0.5	5.5	-	-	1.0	-	1.0
	152E	-	-	-	-	-	2	-	-	2	20.5	6.0	-	6.0	-	-	-	-	-
	*155E	-	-	-	-	-	1	2	-	3	26.3	5.0	5.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	2	-	3	25.3	8.0	8.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	5	-	6	27.8	3.2	-	3.2	-	-	-	-	-
	158E	-	-	-	-	-	1	3	-	4	25.7	7.5	3.0	0.5	-	-	-	-	4.0
	159E	-	-	-	-	-	1	1	-	2	25.5	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	-	4	-	4	25.2	1.0	-	1.0	-	-	-	-	-
	161E	-	-	-	-	-	4	5	-	9	24.7	3.4	-	3.4	-	-	-	-	-
	162E	-	-	-	-	-	3	15	-	18	24.2*	13.6	-	13.6	-	-	-	-	-
	163E	-	-	-	-	-	4	24	-	28	23.4*	76.6	-	76.2	-	-	-	-	0.4
	164E	-	-	-	-	-	4	4	-	8	24.1	13.1	-	13.1	-	-	-	-	-
	165E	-	-	-	-	-	25	41	-	66	24.3*	191.7	6.5	184.8	0.4	-	-	-	-
	166E	-	-	-	-	-	43	75	-	118	24.5*	713.4	3.0	707.9	-	-	1.6	-	0.9
	167E	-	-	-	-	-	2	33	-	35	24.4*	142.5	-	142.5	-	-	-	-	-
	168E	-	-	-	-	-	1	3	-	4	23.2	11.8	-	11.8	-	-	-	-	-
	169E	-	-	-	-	-	2	3	-	5	25.2	13.0	0.5	12.0	-	-	0.5	-	-
	170E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	2	-	2	21.5	3.0	-	3.0	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	21.0	4.0	-	-	-	-	4.0	-	-
	174E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
31N	131E	-	7	-	-	-	-	-	-	7	14.1	37.0	37.0	-	-	-	-	-	-
	132E	7	169	11	-	-	-	-	-	187	17.4*	932.1	865.2	7.3	52.7	-	0.9	-	6.0
	133E	5	99	3	-	-	1	-	-	108	18.6*	507.5	493.3	6.0	3.9	-	1.6	-	2.7
	134E	2	60	1	-	-	-	-	-	63	17.6*	187.7	177.0	0.3	6.1	-	1.2	-	3.1
	135E	3	97	1	-	-	-	-	-	101	17.2*	403.0	391.6	2.4	2.5	-	3.4	-	3.1
31N	136E	4	210	6	-	-	1	2	-	223	17.8*	901.1	885.3	3.2	5.0	-	-	-	7.6
	137E	4	46	-	-	-	-	-	-	50	16.4*	185.6	175.4	0.7	4.4	-	3.7	-	1.4
	138E	-	17	-	-	-	3	4	-	24	18.0*	48.4	29.6	11.6	2.1	-	3.0	-	2.1
	139E	-	70	-	-	-	10	1	-	81	15.3*	232.6	192.8	10.9	21.0	-	0.5	1.1	6.3
	140E	-	51	1	-	-	3	1	-	56	16.0	208.1	179.7	23.0	2.7	-	0.4	-	2.3
	141E	-	47	3	-	-	8	-	-	58	19.1*	319.2	266.2	53.0	-	-	-	-	-
	142E	-	74	1	-	-	5	3	-	83	19.1*	726.9	706.4	18.5	-	-	-	-	2.0
	143E	-	-	3	-	-	1	1	-	5	19.8	52.0	52.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	19.0	12.0	12.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	2	1	-	3	24.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	26.6	7.0	-	7.0	-	-	-	-	-
	151E	-	-	-	-	-	5	3	-	8	25.6	7.6	-	2.6	-	-	3.0	-	2.0
	152E	-	-	-	-	-	6	1	-	7	23.2	7.7	-	7.7	-	-	-	-	-
	153E	-	-	-	-	-	13	9	-	22	25.5	76.0	0.5	75.5	-	-	-	-	-
	154E	-	-	-	-	-	9	9	-	18	24.7	39.3	1.0	38.3	-	-	-	-	-
	155E	-	-	-	-	-	2	3	-	5	22.6	4.0	-	4.0	-	-	-	-	-
	156E	-	-	-	-	-	7	-	-	7	25.7	7.5	3.0	4.5	-	-	-	-	-
	157E	-	-	-	-	-	11	8	-	19	25.5	23.6	0.5	23.1	-	-	-	-	-
	158E	-	-	-	-	-	2	6	-	8	23.5*	5.7	0.5	4.2	-	-	-	-	1.0
	159E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	27.0	2.0	0.4	-	-	-	-	-	1.6
	161E	-	-	-	-	-	6	3	-	9	23.2	8.8	3.7	2.9	1.0	-	0.6	-	0.6
	162E	-	-	-	-	-	11	4	-	15	25.7	15.0	4.0	8.0	-	-	3.0	-	-
	163E	-	-	-	-	-	4	6	-	10	23.3	30.5	16.3	3.0	-	-	11.2	-	-
	164E	-	-	-	-	-	5	2	-	7	22.5	35.5	5.0	0.5	-	-	30.0	-	-
	165E	-	-	-	-	-	2	1	-	3	26.0	5.5	-	5.5	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	27.0	3.5	-	3.5	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	1	3	-	4	29.2	6.0	6.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	24.0	3.0	-	3.0	-	-	-	-	-
	170E	-	-	-	-	-	-	10	-	10	25.4	54.6	41.0	13.6	-	-	-	-	-
	*173E	-	-	-	-	-	-	3	-	3	26.6	1.0	1.0	-	-	-	-	-	-
30N	128E	-	2	-	-	-	-	-	-	2	14.0	3.7	2.0	-	1.0	-	-	-	0.7
	129E	5	13	-	-	-	1	-	-	19	13.5	51.9	41.8	1.8	6.4	-	-	-	1.9
	130E	-	6	-	-	-	-	-	-	.6	16.1	17.4	16.0	-	1.4	-	-	-	-
	*132E	-	7	-	-	-	-	-	-	7	18.0*	10.0	8.2	-	1.5	-	-	-	0.3
	133E	-	20	-	-	-	-	-	-	20	16.1	26.8	23.0	-	2.2	-	0.6	-	1.0
	134E	-	21	-	-	-	-	-	-	21	17.1*	51.1	36.1	-	9.8	-	1.9	-	3.3
	135E	-	22	-	-	-	-	-	-	22	15.9	49.7	36.2	-	5.1	-	6.6	-	1.8
	136E	-	33	4	-	-	1	-	-	38	19.3*	104.7	103.0	-	0.7	-	0.6	-	0.4
	137E	-	11	-	-	-	2	-	-	13	20.4*	43.8	42.3	-	0.3	-	0.7	-	0.5
	138E	-	39	-	-	-	-	3	-	42	15.7*	115.7	101.0	-	9.2	-	-	0.2	5.3
	139E	-	6	-	-	-	4	1	-	11	17.3*	14.6	11.1	3.4	-	-	-	0.1	-
	140E	-	33	-	-	-	4	-	-	37	15.5*	91.8	80.1	7.3	3.6	0.3	-	0.3	0.2
	141E	-	1	1	-	-	4	2	-	8	25.6	8.9	3.3	4.5	0.6	-	-	-	0.5
	142E	-	-	-	-	-	3	1	-	4	25.6*	27.0	18.0	-	-	-	5.0	-	4.0
	143E	-	-	-	-	-	3	-	-	3	25.0	-	-	-	-	-	-	-	-
	*145E	-	-	-	-	-	8	2	-	10	24.2	53.1	21.7	12.3	0.6	-	16.0	-	2.5
	146E	-	-	-	-	-	3	1	-	4	22.2	3.0	-	3.0	-	-	-	-	-
	147E	-	-	-	-	-	16	5	-	21	19.0	25.4	1.0	23.8	-	-	0.1	-	0.5
	148E	-	-	-	-	-	6	1	-	7	23.5	14.2	2.3	4.4	5.9	-	-	-	1.6
	149E	-	-	-	-	-	2	1	-	3	20.0	16.5	-	16.5	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU   *** GYOJYO-BETSU TOUKEI ***   MAY - -005   TSKI -057   5 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N	150E	-	-	-	-	-	7	2	-	9	20.6	19.8	-	17.4	-	-	2.4	-	-
	151E	-	-	-	-	-	17	2	-	19	23.1	26.6	6.3	18.7	0.5	-	0.4	-	0.7
	152E	-	-	-	-	-	23	2	-	25	20.8	77.2	0.2	76.8	-	-	0.2	-	-
	153E	-	-	-	-	-	75	26	-	101	22.0*	296.1	18.9	272.2	-	-	4.7	-	0.3
	154E	-	-	-	-	-	9	5	-	14	23.6*	17.2	0.5	16.7	-	-	-	-	-
	155E	-	-	-	-	-	4	4	-	8	22.0	1.0	1.0	-	-	-	-	-	-
	156E	-	-	-	-	-	3	6	-	9	23.3	1.5	0.5	-	-	-	1.0	-	-
	157E	-	-	-	-	-	10	4	-	14	22.6	7.0	0.2	5.0	-	-	1.8	-	-
	158E	-	-	-	-	-	2	2	-	4	21.7	4.5	0.5	4.0	-	-	-	-	-
	159E	-	-	-	-	-	-	3	-	3	24.6	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	-	5	-	5	24.0	4.0	0.5	2.0	-	-	0.5	-	1.0
	161E	-	-	-	-	-	4	12	-	16	25.6	21.2	3.5	14.7	-	-	3.0	-	-
	162E	-	-	-	-	-	4	18	-	22	23.3	62.6	21.5	34.1	-	-	6.5	-	0.5
	163E	-	-	-	-	-	-	6	-	6	25.3	5.0	3.0	1.0	-	-	1.0	-	-
	164E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	2	1	-	3	28.6	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	1	4	-	5	24.2	1.5	-	1.5	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	28.5	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	19.0	1.0	-	1.0	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	1.5	-	1.5	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	26.0	10.0	7.0	-	-	-	-	-	3.0
	174E	-	-	-	-	-	-	1	-	1	27.0	7.5	7.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	21.0	6.8	5.2	-	1.6	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	26.0	2.0	1.0	-	-	-	-	-	1.0
29N	127E	1	2	-	-	-	-	-	-	3	11.6	5.2	4.0	0.5	0.5	-	-	-	0.2
	128E	3	41	-	-	-	-	-	-	44	13.3	89.6	62.6	0.7	17.7	-	1.0	-	7.6
	129E	1	64	-	-	-	-	-	-	65	14.3*	128.8	103.7	-	21.2	-	-	-	3.9
	130E	3	14	-	-	-	-	-	-	17	14.5	39.7	26.4	0.6	8.0	-	-	2.5	2.2
	131E	-	2	-	-	-	-	-	-	2	15.0	7.4	5.0	-	2.0	-	-	-	0.4
	132E	-	19	-	-	-	-	-	-	19	16.1	91.4	72.4	-	7.0	-	5.9	-	6.1
	133E	1	15	-	-	-	-	-	-	16	17.3	37.6	23.5	-	6.4	-	5.3	-	2.4
	134E	-	15	-	-	-	-	-	-	15	15.7*	34.1	29.0	-	3.7	-	0.9	-	0.5
	135E	-	12	-	-	-	-	-	-	12	16.5	46.4	31.6	0.9	3.4	-	10.2	-	0.3
	136E	-	4	-	-	-	1	-	-	5	16.0	6.2	6.2	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	16.5	2.5	2.5	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	20.0	1.5	-	1.5	-	-	-	-	-
	139E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	140E	-	25	-	-	-	3	-	-	28	16.4*	92.1	79.7	-	11.3	-	-	-	1.1
	141E	-	-	-	-	-	2	1	-	3	25.5*	2.0	-	2.0	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	24.0	0.7	-	0.7	-	-	-	-	-
	*145E	-	-	-	-	-	8	3	-	11	23.6*	45.5	20.8	8.8	-	-	15.3	-	0.6
	146E	-	-	-	-	-	34	3	-	37	20.0*	148.4	13.9	123.0	0.4	-	10.6	-	0.5
	147E	-	-	-	-	-	35	6	-	41	19.6*	74.8	6.9	63.1	-	-	4.0	-	0.8
	148E	-	-	-	-	-	11	7	-	18	22.2*	26.1	1.5	24.6	-	-	-	-	-
	149E	-	-	-	-	-	34	10	-	44	22.7*	81.2	18.3	60.1	0.4	-	1.4	-	1.0
	150E	-	-	-	-	-	14	2	-	16	21.5·	8.1	1.9	5.2	-	-	1.0	-	-
	151E	-	-	-	-	-	3	2	-	5	26.4	10.7	4.0	0.5	0.1	-	5.0	-	1.1
	152E	-	-	-	-	-	13	2	-	15	26.2*	80.3	6.5	73.8	-	-	-	-	-
	153E	-	-	-	-	-	34	11	-	45	24.5*	146.3	20.0	105.8	2.8	-	17.3	-	0.4
	154E	-	-	-	-	-	3	1	-	4	27.6*	4.0	-	4.0	-	-	-	-	-
	155E	-	-	-	-	-	1	1	-	2	19.5	13.0	2.8	-	-	-	10.2	-	-
	156E	-	-	-	-	-	3	1	-	4	27.2	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	26.0	6.0	3.0	-	-	-	3.0	-	-
	158E	-	-	-	-	-	1	1	-	2	30.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
29N	160E	-	-	-	-	-	1	2	-	3	21.0	0.8	-	0.7	0.1	-	-	-	-
	161E	-	-	-	-	-	2	5	-	7	22.2	6.3	1.1	5.0	-	-	0.2	-	-
	162E	-	-	-	-	-	3	6	-	9	26.2	11.0	2.0	3.0	-	-	6.0	-	-
	163E	-	-	-	-	-	-	5	-	5	23.8	17.0	-	2.0	-	-	15.0	-	-
	164E	-	-	-	-	-	1	3	-	4	24.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	3	-	[illegible]	22.6	0.5	0.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	2	-	[illegible]	27.0	18.5	11.5	-	-	-	7.0	-	-
	179E	-	-	-	-	-	-	12	-	12	25.0	116.8	72.0	-	9.8	-	35.0	-	-
	*179W	-	-	-	-	-	-	7	-	7	25.4	49.0	30.5	-	6.0	-	4.5	-	8.0
	178W	-	-	-	-	-	-	1	-	1	22.0	3.0	1.0	-	-	-	2.0	-	-
	177W	-	-	-	-	-	-	1	-	1	26.0	3.0	2.5	-	-	-	0.5	-	-
	*171W	-	-	-	-	-	-	1	-	1	26.0	12.0	6.0	-	3.0	-	3.0	-	-
28N	126E	-	1	-	-	-	-	-	-	1	16.0	7.0	1.0	-	3.0	-	-	-	3.0
	127E	1	54	-	-	-	-	-	-	55	13.9*	131.6	105.1	0.3	22.8	-	-	-	3.4
	128E	2	22	-	-	-	1	-	-	25	14.2	49.8	34.2	0.4	10.9	-	1.6	-	2.7
	129E	-	2	-	-	-	-	-	-	2	14.0	3.0	2.5	-	-	-	-	-	0.5
	130E	2	17	-	-	-	-	-	-	19	14.3	59.5	34.1	0.2	17.1	-	-	-	8.1
	131E	-	5	-	-	-	-	-	-	5	14.0	13.3	8.0	-	5.0	-	-	-	0.3
	132E	1	12	-	-	-	-	-	-	13	16.9*	57.8	39.6	-	10.9	-	6.2	-	1.1
	133E	-	5	-	-	-	-	-	-	5	15.0	10.2	6.3	-	1.5	-	1.1	-	1.3
	134E	-	2	-	-	-	-	-	-	2	14.5	7.2	7.2	-	-	-	-	-	-
	135E	-	3	-	-	-	-	-	-	3	18.3	20.0	10.3	-	0.7	-	9.0	-	-
	*138E	-	1	-	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	139E	-	1	-	-	-	-	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	30.0	2.0	-	-	-	-	2.0	-	-
	*145E	-	-	-	-	-	-	2	-	2	30.0	3.5	-	3.5	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	24.0	4.0	-	3.5	-	-	-	-	0.5
	148E	-	-	-	-	-	4	3	-	7	20.2	17.8	-	17.8	-	-	-	-	-
	149E	-	-	-	-	-	17	10	-	27	20.5	83.1	7.7	75.4	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	15.0	0.1	-	-	-	-	0.1	-	-
	*176E	-	-	-	-	-	-	2	-	2	25.0	8.5	7.0	-	1.0	-	0.5	-	-
	*178E	-	-	-	-	-	-	1	-	1	19.0	0.3	0.3	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	9	-	9	24.3	87.5	54.0	-	22.5	-	11.0	-	-
	178W	-	-	-	-	-	-	5	-	5	23.8	37.0	23.0	-	13.0	-	1.0	-	-
	177W	-	-	-	-	-	-	2	-	2	23.0	5.5	2.1	-	2.0	-	1.0	-	0.4
	176W	-	-	-	-	-	-	5	-	5	24.4	86.5	46.5	-	22.0	-	18.0	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
27N	125E	-	1	-	-	-	-	-	-	1	13.0	1.3	1.3	-	-	-	-	-	-
	126E	-	20	-	-	-	-	-	-	20	13.8	51.2	27.0	-	18.5	-	-	0.1	5.6
	127E	-	26	-	-	-	-	-	-	26	15.3*	59.6	39.8	-	14.7	-	0.2	-	4.9
	128E	-	4	-	-	-	-	-	-	4	12.0	10.7	9.5	-	1.0	-	-	-	0.2
	129E	-	9	-	-	-	-	-	-	9	13.8	20.0	10.0	-	6.5	-	-	-	3.5

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　MAY - -007　　TSKI -059　　5 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELSE
27N	130E	-	9	-	-	-	-	-	-	9	14.1	21.1	11.2	-	7.3	-	0.5	-	2.1
	131E	-	2	-	-	-	-	-	-	2	12.5	4.2	3.8	-	0.2	-	-	-	0.2
	*135E	-	1	-	-	-	1	-	-	2	18.0	0.8	0.5	-	0.3	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	15.0	16.0	16.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	15.0	8.9	7.8	-	1.1	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	6	-	6	26.6	36.0	18.5	-	8.0	-	9.5	-	-
	176W	-	-	-	-	-	-	8	-	8	23.7	91.6	64.0	-	18.0	-	8.6	-	1.0
26N	125E	-	8	-	-	-	-	-	-	8	13.2	21.1	17.1	-	2.9	-	-	-	1.1
	126E	-	14	-	-	-	-	-	-	14	14.4	31.6	23.0	-	6.5	-	-	-	2.1
	127E	-	4	-	-	-	-	-	-	4	14.0	11.0	9.7	-	1.3	-	-	-	-
	128E	-	13	-	-	-	-	-	-	13	15.0	27.1	18.0	-	5.5	-	-	-	3.6
	129E	-	1	-	-	-	-	-	-	1	10.0	0.5	0.5	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	15.5	2.0	1.8	-	0.2	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	132E	-	3	-	-	-	-	-	-	3	15.3	24.5	13.2	-	9.3	-	2.0	-	-
	*140E	-	3	-	-	-	1	-	-	4	17.5	13.8	11.3	-	1.2	-	-	-	1.3
	141E	-	1	-	-	-	-	-	-	1	19.0	1.0	0.5	-	0.5	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	3	-	3	19.0	4.5	4.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	19.0	3.0	3.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	19.0	7.0	6.5	-	-	-	0.5	-	-
	*177W	-	-	-	-	-	-	1	-	1	26.0	7.5	3.5	-	2.0	-	2.0	-	-
	*175W	-	-	-	-	-	1	2	-	3	24.3	12.0	7.0	-	-	-	1.0	-	4.0
	174W	-	-	-	-	-	-	3	-	3	22.6	11.5	9.5	-	2.0	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	24.0	7.8	7.0	-	-	-	0.8	-	-
	172W	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
25N	124E	-	1	-	-	-	-	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	125E	-	16	-	-	-	-	-	-	16	14.9	64.0	47.6	-	10.9	-	-	-	5.[illegible]
	126E	-	38	1	-	-	-	-	-	39	14.6	116.1	82.4	-	24.3	-	1.2	-	8.[illegible]
	127E	-	35	1	-	-	-	-	-	36	15.3	99.7	77.7	-	13.7	-	0.8	-	7.[illegible]
	128E	-	3	-	-	-	-	-	-	3	18.0	6.5	4.0	-	-	-	-	-	2.[illegible]
	129E	-	2	-	-	-	-	-	-	2	17.0	5.5	5.5	-	-	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	18.5	2.0	1.0	-	-	-	1.0	-	-
	*142E	-	-	-	-	-	-	1	-	1	21.0	1.7	1.7	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	20.0	42.7	42.7	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	19.0	6.5	2.5	-	1.0	-	-	-	3.0
	*172E	-	-	-	-	-	-	3	-	3	19.0	20.0	19.0	-	1.0	-	-	-	-
	173E	-	-	-	-	-	-	2	-	2	19.0	30.0	30.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	1	-	-	1	25.0	4.5	3.0	-	-	-	-	-	1.[illegible]
	172W	-	-	-	-	-	1	4	-	5	24.2	30.5	22.0	-	4.0	-	3.0	-	1.[illegible]
	171W	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	4	-	4	24.0	32.8	31.0	-	1.5	-	0.3	-	-
	169W	-	-	-	-	-	-	1	-	1	24.0	10.0	10.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
24N	124E	-	2	-	-	-	-	-	-	2	16.0	7.0	7.0	-	-	-	-	-	-
	125E	-	6	-	-	-	-	-	-	6	14.3	34.0	34.0	-	-	-	-	-	-
	126E	-	26	-	-	-	-	-	-	26	14.0	105.0	81.8	-	20.8	-	-	-	2.4
	127E	-	10	1	-	-	-	-	-	11	16.7	43.7	35.8	-	6.2	-	-	-	1.7
24N	128E	-	5	-	-	-	-	-	-	5	17.2	23.9	23.2	-	0.5	-	-	-	0.2
	*130E	-	1	-	-	-	-	-	-	1	18.0	4.4	3.0	-	0.5	-	-	-	0.9
	*133E	-	1	-	-	-	-	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	134E	-	2	-	-	-	-	-	-	2	16.0	11.3	8.9	-	2.4	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	21.0	14.5	13.8	-	0.5	-	-	-	0.2
	*152E	-	-	-	-	-	-	3	-	3	29.0	23.0	23.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	24.0	27.0	24.0	-	3.0	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	24.0	8.0	7.0	-	1.0	-	-	-	-
	165W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	164W	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
23N	123E	-	4	-	-	-	-	-	-	4	13.0	13.5	8.0	-	3.5	-	-	-	2.0
	124E	-	13	-	-	-	5	-	-	18	17.9	88.2	84.1	-	2.0	-	2.1	-	-
	125E	-	18	-	-	-	-	-	-	18	16.4	92.1	91.4	-	0.5	-	-	-	0.2
	126E	-	12	-	-	-	-	-	-	12	15.1	28.0	23.4	-	4.1	-	-	-	0.5
	127E	-	4	1	-	-	-	-	-	5	17.0	40.7	35.5	-	1.3	-	3.0	-	0.9
	*132E	-	1	-	-	-	-	-	-	1	20.0	23.0	23.0	-	-	-	-	-	-
	*139E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*141E	-	5	-	-	-	-	-	-	5	13.2	52.7	48.5	-	4.2	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	3	-	3	23.3	33.0	33.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	2	-	2	24.5	4.0	4.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	25.0	4.5	1.3	-	-	-	3.2	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	19.0	10.0	9.5	-	0.5	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	1	-	1	24.0	10.0	3.0	-	7.0	-	-	-	-
	164W	-	-	-	-	-	-	5	-	5	24.8	38.0	36.0	-	1.0	-	1.0	-	-
	163W	-	-	-	-	-	-	9	-	9	25.1	94.0	85.0	-	8.0	-	1.0	-	-
	162W	-	-	-	-	-	-	1	-	1	24.0	10.0	10.0	-	-	-	-	-	-
22N	121E	-	1	-	-	-	-	-	-	1	17.0	4.5	4.5	-	-	-	-	-	-
	122E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	123E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
	124E	-	2	-	-	-	2	-	-	4	21.5	20.5	19.0	-	1.5	-	-	-	-
	125E	-	24	1	-	-	-	-	-	25	14.9	88.7	87.6	-	1.0	-	-	-	0.1
	126E	-	49	3	-	-	-	-	-	52	17.0	334.2	326.9	-	3.8	-	1.0	-	2.5
	127E	-	5	3	-	-	-	-	-	8	16.8	59.6	59.6	-	-	-	-	-	-
	*142E	-	-	-	-	-	1	-	-	1	18.0	5.0	5.0	-	-	-	-	-	-
	143E	-	-	-	-	-	2	-	-	2	19.5	6.7	6.0	-	0.7	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	21.0	5.3	5.3	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	23.0	1.7	1.7	-	-	-	-	-	-
	146E	-	-	-	-	-	-	3	-	3	21.0	16.7	16.7	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-		-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
21N	123E	-	2	-	-	-	-	-	-	2	16.0	5.5	4.5	-	1.0	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	13.0	2.9	2.5	-	0.2	-	-	-	0.2
	125E	-	11	1	-	-	1	-	-	13	15.9	92.3	91.5	-	0.5	-	-	-	0.3

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　MAY - -009　　　　TSKI -061　　　　5 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
21N	126E	-	4	2	-	-	-	-	-	6	16.1	35.1	35.0	-	-	-	-	-	0.1
	127E	-	-	-	-	-	1	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*129E	-	-	1	-	-	-	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	*131E	-	-	-	-	-	1	-	-	1	22.0	14.0	14.0	-	-	-	-	-	-
	132E	-	1	1	-	-	3	-	-	5	22.4	15.5	15.5	-	-	-	-	-	-
	133E	-	-	-	-	-	1	-	-	1	27.0	6.0	6.0	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*143E	-	1	-	-	-	-	1	-	2	22.5	15.2	14.4	-	0.4	-	-	-	0.4
	144E	-	-	-	-	-	1	3	-	4	21.7	27.9	26.5	-	1.0	-	-	-	0.4
	145E	-	-	-	-	-	-	1	-	1	21.0	2.0	1.7	-	0.1	-	-	-	0.2
	146E	-	-	-	-	-	-	3	-	3	21.0	19.3	17.6	-	1.7	-	-	-	-
	*148E	-	-	-	-	-	-	2	-	2	24.0	1.5	1.5	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	25.0	2.3	2.3	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
20N	120E	-	1	-	-	-	-	-	-	1	16.0	1.5	1.5	-	-	-	-	-	-
	*124E	-	3	-	-	-	2	-	-	5	19.0	34.0	34.0	-	-	-	-	-	-
	125E	-	5	-	-	-	1	-	-	6	19.3	41.5	41.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	16.0	6.0	6.0	-	-	-	-	-	-
	*130E	-	-	1	-	-	-	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*132E	-	-	-	-	-	-	1	-	1	27.0	6.5	6.5	-	-	-	-	-	-
	133E	-	-	-	-	-	1	-	-	1	27.0	6.0	6.0	-	-	-	-	-	-
	134E	-	-	-	-	-	5	-	-	5	22.0	12.5	12.5	-	-	-	-	-	-
	135E	-	-	-	-	-	2	-	-	2	26.5	4.0	4.0	-	-	-	-	-	-
	136E	-	-	-	-	-	9	1	-	10	25.0	42.2	42.0	-	0.2	-	-	-	-
	137E	-	-	-	-	-	1	2	-	3	26.6	40.7	39.4	-	1.3	-	-	-	-
	*140E	-	-	-	-	-	1	1	-	2	25.0	6.4	6.4	-	-	-	-	-	-
	141E	-	-	-	-	-	1	-	-	1	27.0	7.0	7.0	-	-	-	-	-	-
	*143E	-	-	-	-	-	1	-	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	144E	-	-	-	-	-	-	5	-	5	25.0	18.0	18.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	1	-	2	22.0	8.0	8.0	-	-	-	-	-	-
	146E	-	-	-	-	-	-	2	-	2	21.0	20.3	18.1	-	2.0	-	-	-	0.2
	147E	-	-	-	-	-	-	3	-	3	21.6	30.0	30.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	2	-	2	24.5	2.0	2.0	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*160W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
19N	134E	-	-	-	-	-	1	-	-	1	27.0	2.5	2.5	-	-	-	-	-	-
	135E	-	-	-	-	-	7	2	-	9	24.6	38.0	38.0	-	-	-	-	-	-
	136E	-	-	-	-	-	3	2	-	5	22.8	28.2	28.2	-	-	-	-	-	-
	137E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	138E	-	-	-	-	-	2	-	-	2	24.5	4.5	4.5	-	-	-	-	-	-
	*144E	-	-	-	-	-	1	2	-	3	22.6	13.0	13.0	-	-	-	-	-	-
	145E	-	-	-	-	-	2	3	-	5	24.4	29.5	29.5	-	-	-	-	-	-
	146E	-	-	-	-	-	-	6	-	6	25.5	48.7	48.2	-	0.5	-	-	-	-
	147E	-	-	-	-	-	-	10	-	10	24.6	78.8	77.1	-	0.5	-	-	-	1.2
	148E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	-	4	-	4	26.2	16.5	16.5	-	-	-	-	-	-
	150E	-	-	-	-	-	-	2	-	2	26.0	7.0	7.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	152E	-	-	-	-	-	-	3	-	3	23.3	4.0	4.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
19N	*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*158W	-	-	-	-	-	-	1	-	1	26.0	12.0	5.0	-	-	-	7.0	-	-
	157W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
18N	137E	-	-	-	-	-	1	-	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	*142E	-	-	-	-	-	2	-	-	2	24.5	1.5	1.5	-	-	-	-	-	-
	143E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	144E	-	-	-	-	-	-	2	-	2	25.0	9.0	9.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	2	-	3	24.6	31.0	31.0	-	-	-	-	-	-
	147E	-	-	-	-	-	3	4	-	7	23.0	44.0	44.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	1	-	2	23.5	3.0	0.5	2.5	-	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	26.0	2.3	2.3	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	31.0	7.0	7.0	-	-	-	-	-	-
17N	143E	-	-	-	-	-	2	-	-	2	23.5	6.5	6.5	-	-	-	-	-	-
	144E	-	-	-	-	-	1	1	-	2	24.0	1.0	1.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	23.0	2.0	-	2.0	-	-	-	-	-
	*147E	-	-	-	-	-	-	2	-	2	23.0	20.0	20.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	23.0	0.5	-	0.5	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	31.0	8.0	8.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
16N	146E	-	-	-	-	-	1	-	-	1	23.0	2.0	-	2.0	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
15N	139E	-	-	-	-	-	-	1	-	1	21.0	0.7	0.7	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
14N	145E	-	-	-	-	-	1	-	-	1	23.0	4.5	-	4.5	-	-	-	-	-
	146E	-	-	-	-	-	2	-	-	2	23.0	5.5	-	5.5	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	23.0	2.9	-	2.5	-	-	-	-	0.4
	*159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	36.0	6.0	6.0	-	-	-	-	-	-
13N	145E	-	-	-	-	-	1	-	-	1	23.0	1.5	-	1.5	-	-	-	-	-
	146E	-	-	-	-	-	2	-	-	2	23.0	1.4	-	1.0	-	-	-	-	0.4
	*153E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　MAY - -011　　　TSKI -063　　　5 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
13N	*162E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
12N	145E	-	-	-	-	-	1	-	-	1	23.0	3.8	0.3	3.5	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	23.0	3.3	-	3.0	-	-	-	-	0.3
	*148E	-	-	-	-	-	2	-	-	2	23.0	2.5	-	2.5	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	25.0	0.4	0.4	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
11N	146E	-	-	-	-	-	3	-	-	3	23.0	7.3	-	7.0	-	-	-	-	0.3
	147E	-	-	-	-	-	2	-	-	2	23.0	6.0	-	6.0	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
10N	143E	-	1	-	-	-	-	-	-	1	23.0	0.9	-	-	0.4	-	0.4	-	0.1
	144E	-	3	-	-	-	-	-	-	3	23.0	1.8	-	-	0.8	-	0.5	-	0.5
	*146E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*148E	-	1	-	-	-	-	-	-	1	21.0	0.6	-	-	0.2	-	0.3	-	0.1
	*153E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	24.0	1.9	1.8	-	-	-	0.1	-	-
09N	145E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	3	-	3	26.0	1.3	1.3	-	-	-	-	-	-
08N	149E	-	-	-	-	-	-	1	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	28.0	0.1	0.1	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	36.0	14.0	14.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
07N	157E	-	-	-	-	-	1	-	-	1	16.0	4.0	4.0	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	2	-	2	30.0	16.2	16.2	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	36.0	2.0	2.0	-	-	-	-	-	-
06N	147E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	2	-	2	29.0	0.9	0.7	-	0.2	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	2	-	2	24.0	20.3	20.3	-	-	-	-	-	-
06N	*177E	-	-	-	-	-	-	2	-	2	28.0	20.0	20.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	36.0	10.0	10.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	2	-	-	2	25.0	16.0	16.0	-	-	-	-	-	-
05N	000E	-	-	-	-	-	-	3	-	3	23.0	5.0	5.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	22.0	1.5	1.0	-	-	-	0.5	-	-
	*152E	-	-	-	-	-	-	1	-	1	29.0	0.6	0.6	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	28.0	0.5	0.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	2	-	3	29.0	6.5	6.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	3	-	3	28.3	4.5	4.5	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	24.0	10.5	10.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	11	-	11	31.0	125.2	123.6	-	-	-	1.6	-	-
	*177E	-	-	-	-	-	-	2	-	2	36.0	40.0	40.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	3	-	3	36.0	33.0	33.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	-	3	-	3	23.0	-	-	-	-	-	-	-	-
04N	001E	-	-	-	-	-	-	1	-	1	23.0	10.7	10.6	-	0.1	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	18.0	7.0	7.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*166E	-	1	-	-	-	-	-	-	1	21.0	0.5	-	-	0.1	-	0.1	-	0.
	167E	-	2	-	-	-	-	-	-	2	21.0	1.4	-	-	0.7	-	0.7	-	-
03N	001E	-	-	-	-	-	-	1	-	1	23.0	1.1	1.0	-	-	-	-	-	0.
	002E	-	-	-	-	-	-	3	-	3	23.0	24.8	24.1	-	0.1	-	-	-	0.
	*151E	-	-	-	-	-	1	-	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	29.0	0.3	0.3	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	23.0	4.0	4.0	-	-	-	-	-	-
	*161E	-	2	-	-	-	-	-	-	2	23.0	1.7	-	-	1.0	-	0.6	-	0.
	162E	-	-	-	-	-	1	1	-	2	28.0	6.7	6.7	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	37.0	0.7	0.7	-	-	-	-	-	-
02N	002E	-	-	-	-	-	-	3	-	3	23.0	29.2	27.7	-	-	-	-	-	1.
	003E	-	-	-	-	-	-	1	-	1	23.0	4.1	3.8	-	0.1	-	0.1	-	0.
	*159E	-	-	-	-	-	1	1	-	2	32.5	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	161E	-	1	-	-	-	2	2	-	5	22.5*	23.8	23.0	-	0.3	-	0.3	-	0.
	162E	-	3	-	-	-	-	2	-	5	24.5*	6.5	3.5	-	1.8	-	0.6	-	0.
	*166E	-	-	-	-	-	-	1	-	1	37.0	4.0	4.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	37.0	3.0	3.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	37.0	7.0	7.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	32.0	9.6	9.6	-	-	-	-	-	-
	171E	-	-	-	-	-	-	4	-	4	34.5	13.0	13.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	37.0	0.9	0.9	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** MAY - -013 TSWI -065 5 月

操業位置 POSITION		竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
01N	002E	-	-	-	-	-	-	1	-	1	23.0	4.2	4.0	-	-	-	-	-	0.2
	*160E	-	-	-	-	-	3	-	-	3	20.0	6.3	6.3	-	-	-	-	-	-
	161E	-	-	-	-	-	4	3	-	7	21.8	37.0	37.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	3	-	3	30.3	10.0	10.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	6	-	6	25.0	32.0	32.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	37.0	3.0	3.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	6	-	6	37.0	25.7	25.7	-	-	-	-	-	-
00N	160E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	27.0	23.0	23.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	2	-	3	23.3	10.5	10.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	7	-	7	33.1	55.0	55.0	-	-	-	-	-	-
00S	160E	-	-	-	-	-	1	-	-	1	23.0	4.1	3.5	-	0.6	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	25.5	3.6	3.0	-	0.6	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	25.0	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	34.0	4.0	4.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	34.0	3.0	3.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
39N	146E	-	-	-	-	-	1	-	-	1	34.0	2.0	0.5	1.5	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	22.0	3.5	-	3.5	-	-	-	-	-
	152E	-	-	-	-	-	5	1	-	6	22.5	7.3	5.9	1.4	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	22.0	0.3	0.3	-	-	-	-	-	-
	*155E	-	-	-	-	-	1	-	-	1	22.0	0.4	-	0.4	-	-	-	-	-
38N	142E	-	1	-	-	-	1	-	-	2	18.0	0.5	0.5	-	-	-	-	-	-
	143E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*147E	-	2	-	-	-	-	-	-	2	19.0	4.0	4.0	-	-	-	-	-	-
	148E	-	3	-	-	-	1	-	-	4	19.2	15.5	13.0	-	2.5	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	27.0	2.5	-	2.5	-	-	-	-	-
	151E	-	-	-	-	-	2	2	-	4	23.0	0.6	-	0.6	-	-	-	-	-
	152E	-	-	-	-	-	7	-	-	7	25.0*	13.2	2.0	11.2	-	-	-	-	-
	153E	-	-	-	-	-	9	-	-	9	22.7	35.8	0.3	35.5	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	20.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	1	-	2	21.0	0.5	-	0.5	-	-	-	-	-
	156E	-	-	-	-	-	2	4	-	6	20.0	43.0	43.0	-	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	27.5	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
37N	142E	-	2	-	-	-	-	-	-	2	14.0	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	1	-	-	3	18.6	4.1	3.1	-	-	-	-	-	1.0
	144E	-	8	-	-	-	-	-	-	8	14.3	31.5	31.5	-	-	-	-	-	-
	145E	-	2	-	-	-	1	-	-	3	21.3	0.5	0.5	-	-	-	-	-	-
	146E	-	4	-	-	-	-	-	-	4	16.0	24.5	24.5	-	-	-	-	-	-
	147E	-	2	-	-	-	2	-	-	4	22.0	18.4	4.4	14.0	-	-	-	-	-
	148E	-	5	-	-	-	5	-	-	10	21.7	45.1	33.0	12.1	-	-	-	-	-
	*150E	-	1	-	-	-	1	-	-	2	24.5	21.0	21.0	-	-	-	-	-	-
	151E	-	1	-	-	-	3	1	-	5	24.8	4.0	4.0	-	-	-	-	-	-
	152E	-	-	-	-	-	3	1	-	4	26.7	3.3	2.0	1.0	-	-	-	-	0.3
	153E	-	-	-	-	-	4	1	-	5	24.4	3.0	2.0	1.0	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	4	1	-	5	25.8	1.4	1.4	-	-	-	-	-	-
	157E	-	-	-	-	-	5	1	-	6	23.8	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	12	3	-	15	21.4	49.3	7.4	41.9	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	3	-	-	3	27.3	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	27.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	26.0	1.0	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	2	-	3	23.5*	4.0	-	4.0	-	-	-	-	-
	172E	-	-	-	-	-	-	3	-	3	26.0	19.5	18.5	1.0	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	30.0	0.5	-	-	-	-	-	-	0.5
36N	142E	-	1	-	-	-	-	-	-	1	18.0	0.2	0.2	-	-	-	-	-	-
	143E	-	23	-	-	-	-	-	-	23	19.3	124.7	124.7	-	-	-	-	-	-
	144E	-	17	1	-	-	1	1	-	20	18.9*	106.7	87.7	19.0	-	-	-	-	-
	145E	-	5	-	-	-	-	-	-	5	18.0	18.8	13.5	5.3	-	-	-	-	-
	146E	-	17	-	-	-	21	7	-	45	22.4*	196.8	41.4	151.8	-	-	3.6	-	-
	147E	-	14	-	-	-	65	14	-	93	23.4	419.7	77.0	342.6	-	-	-	-	0.1
	148E	-	60	5	-	-	26	4	-	95	20.4	478.2	426.0	51.2	1.0	-	-	-	-
	149E	-	14	-	-	-	7	5	-	26	19.6*	120.3	71.7	48.6	-	-	-	-	-
	150E	-	11	1	-	-	10	10	-	32	21.0*	164.0	55.5	103.1	0.3	-	3.1	-	2.0
36N	151E	-	5	-	-	-	11	8	-	24	22.2	31.0	8.6	22.1	0.3	-	-	-	-
	152E	-	3	2	-	-	9	5	-	19	20.4*	43.8	31.2	12.6	-	-	-	-	-
	153E	-	-	-	-	-	27	13	-	40	21.3*	264.0	169.9	8[illegible].2	0.4	-	2.1	-	3.4
	154E	-	-	-	-	-	6	4	-	10	22.6	62.6	61.4	-	-	-	0.5	-	0.7
	155E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.2	0.3	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	21.0	8.0	6.0	2.0	-	-	-	-	-
	157E	-	-	-	-	-	6	2	-	8	21.1	9.3	9.3	-	-	-	-	-	-
	158E	-	-	-	-	-	5	2	-	7	25.8	6.8	6.8	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	24.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	3	-	-	3	28.0	3.0	3.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	3	-	4	21.7	2.0	2.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	3.0	-	-	-	-	-
	167E	-	-	-	-	-	6	-	-	6	26.5	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	2	2	-	4	29.2	8.0	-	8.0	-	-	-	-	-
	169E	-	-	-	-	-	1	7	-	8	25.3	37.0	0.5	36.5	-	-	-	-	-
	170E	-	-	-	-	-	10	16	-	26	23.3	93.8	2.8	91.0	-	-	-	-	-
	171E	-	-	-	-	-	3	30	-	33	24.4	153.0	3.5	146.8	1.1	-	1.6	-	-
	172E	-	-	-	-	-	6	15	-	21	24.7*	42.6	9.0	32.4	-	-	1.2	-	-
	173E	-	-	-	-	-	1	-	-	1	32.0	5.5	5.5	-	-	-	-	-	-
	174E	-	-	-	-	-	2	-	-	2	26.0	0.2	-	0.2	-	-	-	-	-
	175E	-	-	-	-	-	3	-	-	3	27.6	19.5	-	18.5	-	-	-	-	1.0
35N	140E	-	2	-	-	-	-	-	-	2	18.5	2.5	2.5	-	-	-	-	-	-
	141E	-	9	1	-	-	-	-	-	10	19.1*	67.0	30.0	37.0	-	-	-	-	-
	142E	-	95	-	-	-	1	-	-	96	18.3	485.3	398.0	82.8	2.4	-	2.0	-	0.1
	143E	3	261	4	-	-	2	1	-	271	17.8*	1442.0	1428.3	13.3	0.4	-	-	-	-
	144E	1	150	6	-	-	1	-	-	158	17.4*	899.7	886.7	13.0	-	-	-	-	-
	145E	-	129	7	-	-	12	2	-	150	18.7*	704.0	326.1	370.9	7.0	-	-	-	-
	146E	-	31	2	-	-	37	10	-	80	21.4*	302.5	73.0	224.0	4.2	-	0.2	-	1.1
	147E	-	5	-	-	-	6	1	-	12	21.0	30.6	25.2	5.0	0.1	-	-	-	0.3
	148E	-	1	2	-	-	2	3	-	8	18.3	33.5	17.0	15.0	-	-	1.5	-	-
	149E	-	1	-	-	-	6	4	-	11	23.0*	14.0	13.0	1.0	-	-	-	-	-
	150E	-	1	-	-	-	7	-	-	8	22.8	40.1	31.3	2.2	-	-	6.5	-	0.1
	151E	-	-	-	-	-	2	5	-	7	23.1	39.0	37.0	2.0	-	-	-	-	-
	152E	-	-	-	-	-	-	5	-	5	23.0	24.5	16.5	8.0	-	-	-	-	-
	153E	-	-	-	-	-	32	27	-	59	23.5*	257.9	160.6	84.3	1.2	-	11.8	-	-
	154E	-	-	-	-	-	19	6	-	25	20.6	187.0	180.0	6.6	-	-	-	-	0.4
	155E	-	-	-	-	-	5	1	-	6	17.0	18.3	14.5	3.8	-	-	-	-	-
	156E	-	-	-	-	-	54	14	-	68	19.1*	283.1	187.5	89.1	0.9	-	5.5	-	0.1
	157E	-	-	-	-	-	5	2	-	7	21.7	14.7	14.7	-	-	-	-	-	-
	158E	-	-	-	-	-	2	2	-	4	20.7	22.1	17.5	-	4.6	-	-	-	-
	159E	-	-	-	-	-	5	1	-	6	23.1	10.6	10.5	-	-	-	-	-	0.1
	160E	-	-	-	-	-	3	-	-	3	21.6	4.0	3.0	1.0	-	-	-	-	-
	161E	-	-	-	-	-	2	1	-	3	25.6	0.5	0.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	31.0	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	27.0	5.5	5.5	-	-	-	-	-	-
	164E	-	-	-	-	-	6	1	-	7	23.8	3.1	1.5	1.6	-	-	-	-	-
	165E	-	-	-	-	-	3	1	-	4	24.5	0.5	-	0.5	-	-	-	-	-
	166E	-	-	-	-	-	6	2	-	8	27.6	6.5	6.0	0.5	-	-	-	-	-
	167E	-	-	-	-	-	1	1	-	2	27.0	11.0	-	11.0	-	-	-	-	-
	168E	-	-	-	-	-	22	82	-	104	23.6*	561.6	6.7	544.1	-	-	10.6	-	0.2
	169E	-	-	-	-	-	156	183	-	339	24.1*	1682.4	10.0	1660.5	-	-	10.9	-	1.0
	170E	-	-	-	-	-	155	312	-	467	2.3*	1904.3	21.8	1878.5	-	-	3.4	-	0.6
	171E	-	-	-	-	-	12	28	-	40	24.4*	153.0	17.0	134.4	-	-	1.6	-	-
	*173E	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** JUN - -003 TSKI -068 6 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
35N	174E	-	-	-	-	-	9	-	-	9	26.1	24.8	0.1	24.7	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*144W	-	2	-	-	-	-	-	-	2	20.0	15.0	15.0	-	-	-	-	-	-
34N	136E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	12.0	0.8	0.8	-	-	-	-	-	-
	138E	-	2	-	-	-	-	-	-	2	15.0*	-	-	-	-	-	-	-	-
	139E	-	5	-	-	-	-	-	-	5	18.2	2.0	2.0	-	-	-	-	-	-
	140E	-	8	-	-	-	-	-	-	8	17.8	9.4	6.2	0.2	2.5	-	-	-	0.5
	141E	2	66	1	-	-	1	1	-	71	17.4*	272.2	185.2	79.9	6.2	-	0.9	-	-
	142E	5	330	6	-	-	-	2	-	343	17.2*	1773.7	1666.7	89.1	12.4	-	5.0	-	0.5
	143E	5	363	10	-	-	1	2	-	381	18.0*	2253.8	2100.5	138.7	3.9	-	1.8	8.0	0.9
	144E	6	251	6	-	-	7	5	-	275	17.6*	1352.8	1062.2	284.2	3.5	-	2.7	-	0.2
	145E	-	113	11	-	-	2	4	-	130	18.4*	508.8	272.5	235.7	-	-	0.6	-	-
	146E	-	3	1	-	-	5	4	-	13	23.0	14.7	6.2	8.5	-	-	-	-	-
	147E	-	3	1	-	-	1	2	-	7	22.2	35.9	15.4	20.5	-	-	-	-	-
	148E	-	1	1	-	-	4	7	-	13	24.9	67.0	42.5	24.0	-	-	0.5	-	-
	149E	-	-	-	-	-	3	3	-	6	22.0	14.3	9.8	4.5	-	-	-	-	-
	150E	-	-	-	-	-	4	3	-	7	23.1	16.1	11.0	4.3	0.8	-	-	-	-
	151E	-	-	-	-	-	9	6	-	15	23.4	37.0	29.8	7.2	-	-	-	-	-
	152E	-	-	-	-	-	1	5	-	6	23.0	19.3	19.3	-	-	-	-	-	-
	153E	-	-	-	-	-	10	12	-	22	23.0	149.8	72.0	63.6	5.9	-	7.3	-	1.0
	154E	-	-	-	-	-	38	26	-	64	23.8*	406.4	184.3	200.1	0.2	-	19.8	-	2.0
	155E	-	-	-	-	-	40	27	-	67	22.5*	375.3	218.9	155.2	0.2	-	1.0	-	-
	156E	-	-	-	-	-	21	12	-	33	22.6*	177.2	147.0	29.2	-	-	0.5	-	0.5
	157E	-	-	-	-	-	1	5	-	6	27.0	23.0	18.0	-	-	-	2.0	-	3.0
	158E	-	-	-	-	-	3	2	-	5	26.0	5.5	2.0	-	-	-	3.5	-	-
	159E	-	-	-	-	-	4	2	-	6	23.6*	1.5	1.5	-	-	-	-	-	-
	160E	-	-	-	-	-	4	7	-	11	22.7	39.7	39.5	-	-	-	-	-	0.2
	161E	-	-	-	-	-	4	2	-	6	23.5	6.1	6.0	0.1	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	25.6	15.5	15.5	-	-	-	-	-	-
	163E	-	-	-	-	-	2	3	-	5	25.4	3.0	-	2.0	-	-	-	-	1.0
	164E	-	-	-	-	-	1	3	-	4	20.2	9.0	6.0	3.0	-	-	-	-	-
	165E	-	-	-	-	-	-	7	-	7	24.1*	27.3	26.0	1.0	0.1	-	-	-	0.2
	166E	-	-	-	-	-	2	4	-	6	23.0	54.5	54.0	0.5	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	23.5	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	7	14	-	21	22.5*	80.8	23.3	57.0	-	-	-	-	0.5
	169E	-	-	-	-	-	18	31	-	49	23.0*	212.1	56.9	154.0	0.1	-	0.6	-	0.5
	170E	-	-	-	-	-	7	13	-	20	20.1	104.3	0.8	102.4	-	-	1.1	-	-
	171E	-	-	-	-	-	1	-	-	1	20.1	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	23.0	1.8	-	1.5	-	-	-	-	0.3
	*178E	-	-	-	-	-	-	1	-	1	23.0	4.0	1.0	-	-	-	-	-	3.0
33N	135E	2	1	-	-	-	-	-	-	3	13.6	10.4	5.4	1.3	0.5	-	2.7	-	0.5
	136E	2	11	-	-	-	-	-	-	13	14.8	5.5	0.8	-	4.7	-	-	-	-
	137E	-	7	-	-	-	-	-	-	7	16.8	11.8	1.5	8.0	0.5	-	1.2	-	0.6
	138E	3	15	-	-	-	1	-	-	19	14.7*	29.8	7.3	20.7	1.2	-	-	-	0.6
	139E	1	43	-	-	-	-	-	-	44	16.1	68.7	46.7	7.4	12.6	-	-	0.2	1.8
	140E	4	52	-	-	-	-	-	-	56	16.6*	127.4	88.4	18.1	19.8	-	-	-	1.1
	141E	-	97	-	-	-	4	2	-	103	16.3*	271.8	91.9	156.1	8.0	-	14.0	-	1.8
	142E	1	263	6	-	-	2	1	-	273	17.7*	1246.4	1079.1	155.9	9.0	-	0.5	-	1.9
	143E	1	220	3	-	-	1	-	-	225	18.7*	1204.8	1146.6	56.5	1.2	-	0.5	-	-
	144E	-	80	1	-	-	3	1	-	85	17.2*	255.8	75.2	178.0	2.5	-	0.1	-	-
	145E	-	72	5	-	-	4	2	-	83	17.3	291.6	50.3	240.9	0.2	-	-	-	0.2
	146E	-	16	2	-	-	4	-	-	22	18.7	73.1	31.0	39.5	-	-	2.0	-	0.6
33N	147E	-	2	-	-	-	3	2	-	7	22.1	20.0	20.0	-	-	-	-	-	-
	148E	-	1	-	-	-	3	4	-	8	25.0	29.7	13.5	16.2	-	-	-	-	-
	149E	-	4	-	-	-	4	3	-	11	20.6	35.9	20.0	7.5	-	-	8.4	-	-
	150E	-	5	-	-	-	-	6	-	11	19.6	94.7	82.8	-	7.1	-	4.0	-	0.8
	151E	-	7	-	-	-	2	5	-	14	19.7	149.2	135.8	7.0	0.9	-	5.0	-	0.5
	152E	-	-	-	-	-	4	8	-	12	25.4	55.2	48.8	5.3	-	-	1.1	-	-
	153E	-	-	-	-	-	8	15	-	23	23.6	129.7	66.5	59.7	-	-	-	-	3.5
	154E	-	-	-	-	-	73	55	-	128	24.0*	719.8	88.1	580.7	5.2	-	45.1	-	0.7
	155E	-	-	-	-	-	18	27	-	45	22.4*	263.4	65.5	175.4	-	-	1.5	-	1.0
	156E	-	-	-	-	-	5	11	-	16	22.4	72.5	53.1	18.4	-	-	-	-	1.0
	157E	-	-	-	-	-	-	11	-	11	23.2	27.5	22.0	5.5	-	-	-	-	-
	158E	-	-	-	-	-	1	3	-	4	22.5	1.5	1.5	-	-	-	-	-	-
	159E	-	-	-	-	-	3	4	-	7	25.1*	5.1	3.3	1.5	0.3	-	-	-	-
	160E	-	-	-	-	-	-	4	-	4	24.0	1.5	1.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	6	-	7	24.1	63.5	63.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	5	-	7	22.1	82.6	82.0	-	-	-	-	-	0.6
	163E	-	-	-	-	-	1	10	-	11	24.0*	59.0	52.5	6.5	-	-	-	-	-
	164E	-	-	-	-	-	-	4	-	4	23.5	14.5	11.5	-	-	-	3.0	-	-
	165E	-	-	-	-	-	-	4	-	4	22.5	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	5	7	-	12	23.9*	71.0	56.0	15.0	-	-	-	-	-
	167E	-	-	-	-	-	2	10	-	12	22.4*	92.5	84.5	1.0	-	-	6.0	-	1.0
	168E	-	-	-	-	-	6	14	-	20	23.6	197.3	186.5	4.8	-	-	4.0	-	2.0
	169E	-	-	-	-	-	20	25	-	45	20.5*	239.1	73.5	151.0	-	-	12.6	-	2.0
	170E	-	-	-	-	-	-	3	-	3	24.3	15.0	13.5	-	-	-	1.0	-	0.5
	*172E	-	-	-	-	-	-	2	-	2	26.5	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
32N	129E	-	1	-	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
	*132E	8	10	-	-	-	-	-	-	18	10.1	29.9	27.7	-	1.5	-	0.7	-	-
	133E	1	4	-	-	-	-	-	-	5	9.8	11.6	6.5	3.6	1.5	-	-	-	-
	134E	2	3	-	-	-	-	-	-	5	14.2	28.4	11.2	15.4	1.1	-	-	-	0.7
	135E	-	11	-	-	-	-	-	-	11	17.3	40.4	33.8	-	0.8	-	5.4	-	0.4
	136E	-	8	-	-	-	-	-	-	8	14.4*	23.5	12.2	9.1	2.2	-	-	-	-
	137E	-	24	-	-	-	-	-	-	24	15.5*	54.5	34.6	1.6	10.9	-	4.0	-	3.4
	138E	-	65	-	-	-	-	-	-	65	15.4*	161.2	55.3	77.1	15.2	-	3.6	-	10.0
	139E	-	48	1	-	-	-	1	-	50	15.9*	108.1	56.3	17.3	16.4	-	3.2	-	14.9
	140E	1	37	1	-	-	-	-	-	39	14.6*	75.1	34.9	31.2	6.6	-	0.1	-	2.3
	141E	-	46	1	-	-	1	-	-	48	16.2*	160.1	65.0	93.4	0.3	-	-	-	1.4
	142E	-	89	-	-	-	1	-	-	90	16.7*	358.8	260.1	91.9	6.1	-	-	-	0.7
	143E	-	60	1	-	-	1	-	-	62	17.1*	324.1	317.4	4.7	1.1	-	-	-	0.9
	144E	-	44	1	-	-	-	1	-	46	17.5*	204.8	150.6	49.7	3.3	-	1.0	-	0.2
	145E	-	51	-	-	-	-	2	-	53	16.4*	213.0	165.4	47.3	-	-	0.3	-	-
	146E	-	14	-	-	-	5	-	-	19	17.8	61.4	48.9	12.5	-	-	-	-	-
	147E	-	10	-	-	-	2	-	-	12	16.4	87.8	86.3	1.0	0.5	-	-	-	-
	148E	-	7	-	-	-	6	2	-	15	20.7	97.3	62.7	34.6	-	-	-	-	-
	149E	-	1	-	-	-	6	2	-	9	24.2	47.2	28.2	8.5	0.5	-	10.0	-	-
	150E	-	-	-	-	-	3	3	-	6	20.5	40.3	20.6	3.0	1.0	-	15.2	-	0.5
	151E	-	-	-	-	-	2	-	-	2	20.5	10.0	7.0	3.0	-	-	-	-	-
	152E	-	-	-	-	-	4	3	-	7	22.6*	42.0	35.0	1.5	-	-	5.5	-	-
	153E	-	-	-	-	-	3	5	-	8	22.7	30.7	18.0	11.7	-	-	1.0	-	-
	154E	-	-	-	-	-	4	2	-	6	22.0	16.0	3.8	10.5	0.8	-	-	-	0.9
	155E	-	-	-	-	-	1	5	-	6	21.5	14.2	8.0	6.2	-	-	-	-	-
	156E	-	-	-	-	-	2	5	-	7	23.1*	39.5	35.5	2.2	1.0	-	-	-	0.8
	157E	-	-	-	-	-	-	8	-	8	24.2	29.9	12.0	15.0	-	-	2.9	-	-
	158E	-	-	-	-	-	3	2	-	5	24.2*	15.0	7.0	1.0	-	-	7.0	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JUN - -005　　　TSKI -070　　　6 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
32N	159E	-	-	-	-	-	22	19	-	41	24.0*	151.7	6.8	142.4	-	-	-	-	2.5
	160E	-	-	-	-	-	19	10	-	29	23.3	153.7	32.5	109.7	1.0	-	10.5	-	-
	161E	-	-	-	-	-	1	4	-	5	23.2	62.0	38.5	2.0	-	-	21.5	-	-
	162E	-	-	-	-	-	2	8	-	10	20.8	45.0	31.0	14.0	-	-	-	-	-
	163E	-	-	-	-	-	4	7	-	11	24.4*	75.5	52.5	23.0	-	-	-	-	-
	164E	-	-	-	-	-	5	12	-	17	24.1	49.1	7.0	36.5	0.1	-	5.5	-	-
	165E	-	-	-	-	-	13	24	-	37	21.5	163.2	18.7	126.9	0.4	-	17.0	-	0.2
	166E	-	-	-	-	-	36	16	-	52	20.3*	183.7	28.2	153.6	1.1	-	-	-	0.8
	167E	-	-	-	-	-	3	2	-	5	21.0*	19.5	18.0	1.0	-	-	-	-	0.5
	168E	-	-	-	-	-	-	5	-	5	25.2	15.5	-	15.5	-	-	-	-	-
	169E	-	-	-	-	-	2	34	-	36	24.5*	145.7	12.0	124.1	-	-	8.6	-	1.0
	170E	-	-	-	-	-	-	1	-	1	22.0	2.5	-	2.5	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
31N	132E	-	1	-	-	-	-	-	-	1	9.0	0.5	0.5	-	-	-	-	-	-
	133E	1	8	-	-	-	-	-	-	9	15.7	43.3	3.0	38.8	1.5	-	-	-	-
	134E	2	15	-	-	-	-	-	-	17	15.4*	38.6	14.0	19.7	3.7	-	0.5	-	0.7
	135E	1	13	-	-	-	-	-	-	14	14.9*	27.3	23.2	-	2.1	-	0.7	-	1.3
	136E	1	15	-	-	-	-	-	-	16	15.9	80.8	61.3	-	12.2	-	5.1	-	2.2
	137E	1	18	-	-	-	-	-	-	19	16.0*	69.7	51.4	-	10.6	-	5.4	-	2.3
	138E	-	41	-	-	-	-	-	-	41	15.4	94.7	60.8	2.4	19.2	-	0.2	-	12.1
	139E	-	82	-	-	-	-	-	-	82	15.1*	244.2	169.6	8.1	50.8	-	2.7	0.2	12.8
	140E	-	32	1	-	-	-	-	-	33	15.7*	111.1	67.5	6.5	17.7	-	7.8	-	11.6
	141E	-	14	1	-	-	-	-	-	15	15.7*	42.9	28.1	2.2	11.7	-	-	-	0.9
	142E	-	29	1	-	-	-	-	-	30	16.8*	188.0	155.1	29.9	-	-	-	-	3.0
	143E	-	51	3	-	-	-	-	-	54	16.5*	378.2	353.6	19.5	3.5	-	0.1	-	1.5
	144E	-	24	-	-	-	-	-	-	24	16.9*	98.2	91.1	-	3.8	-	0.7	-	2.6
	145E	-	38	1	-	-	1	-	-	40	16.8	192.3	157.0	26.8	6.9	-	1.3	-	0.3
	146E	-	18	1	-	-	7	2	-	28	17.2	180.4	96.3	58.2	7.8	-	17.9	-	0.2
	147E	-	-	-	-	-	3	-	-	3	16.6	5.9	-	5.9	-	-	-	-	-
	148E	-	-	-	-	-	5	6	-	11	20.1	38.6	-	38.4	-	-	-	-	0.2
	149E	-	-	-	-	-	8	9	-	17	21.5*	52.8	0.5	51.8	-	-	-	-	0.5
	150E	-	-	-	-	-	17	5	-	22	23.6*	91.3	7.0	81.3	-	-	3.0	-	-
	151E	-	-	-	-	-	11	9	-	20	22.1	63.1	9.0	54.1	-	-	-	-	-
	152E	-	-	-	-	-	4	9	-	13	22.1*	37.3	3.1	31.9	-	-	1.0	-	1.3
	153E	-	-	-	-	-	8	7	-	15	22.2	82.3	22.7	53.1	2.0	-	3.0	-	1.5
	154E	-	-	-	-	-	27	20	-	47	21.3*	271.2	12.3	246.9	1.5	-	9.7	-	0.8
	155E	-	-	-	-	-	13	8	-	21	20.2*	102.1	7.5	90.1	-	-	4.5	-	-
	156E	-	-	-	-	-	4	5	-	9	21.1*	42.2	13.0	22.2	1.0	-	6.0	-	-
	157E	-	-	-	-	-	1	5	-	6	23.6	2.7	1.0	1.5	-	-	-	-	0.2
	158E	-	-	-	-	-	-	1	-	1	20.0	5.5	-	5.5	-	-	-	-	-
	159E	-	-	-	-	-	25	17	-	42	23.7*	138.0	6.2	126.5	-	-	5.3	-	-
	160E	-	-	-	-	-	17	23	-	40	23.8	194.7	9.7	174.6	-	-	10.3	-	0.1
	161E	-	-	-	-	-	6	19	-	25	23.9*	124.6	2.5	122.0	0.1	-	-	-	-
	162E	-	-	-	-	-	2	24	-	26	24.0*	245.0	44.0	172.7	4.0	-	24.3	-	-
	163E	-	-	-	-	-	2	9	-	11	24.1	41.6	2.5	38.9	-	-	0.2	-	-
	164E	-	-	-	-	-	1	9	-	10	23.5*	24.5	1.0	23.5	-	-	-	-	-
	165E	-	-	-	-	-	-	5	-	5	25.0	13.7	-	13.7	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	12	-	12	24.9	66.5	-	66.5	-	-	-	-	-
	169E	-	-	-	-	-	-	8	-	8	24.3	54.5	2.0	52.5	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
30N	129E	7	10	-	-	-	-	-	-	17	12.1	46.0	34.8	1.3	4.8	-	0.1	0.2	4.8
30N	130E	3	5	-	-	-	-	-	-	8	13.7	20.9	19.6	-	0.5	-	-	-	0.8
	*132E	-	5	-	-	-	-	-	-	5	17.0*	21.9	13.5	-	6.8	-	1.6	-	-
	133E	-	6	-	-	-	-	-	-	6	17.3	6.2	4.3	-	1.4	-	0.5	-	-
	134E	1	9	-	-	-	-	-	-	10	16.0*	54.0	26.3	4.1	9.5	-	12.7	-	1.4
	135E	2	13	-	-	-	-	-	-	15	15.4*	44.8	34.5	-	9.0	0.2	0.7	-	0.4
	136E	1	22	-	-	-	-	-	-	23	15.6*	115.6	83.2	-	24.6	-	4.1	-	3.7
	137E	1	48	-	-	-	-	-	-	49	15.0*	208.5	128.9	-	60.5	-	1.1	-	18.0
	138E	-	84	-	-	-	-	-	-	84	15.5*	301.5	198.4	-	67.4	-	17.6	-	18.1
	139E	-	49	-	-	-	-	-	-	49	14.7*	171.3	104.0	0.1	40.4	-	1.6	-	25.2
	140E	-	33	-	-	-	-	-	-	33	16.3	117.2	78.4	-	27.7	-	3.9	-	7.2
	141E	-	17	-	-	-	-	-	-	17	15.4*	49.3	9.9	7.9	21.2	-	1.6	-	8.7
	142E	-	24	-	-	-	-	-	-	24	15.5*	132.9	103.7	18.5	0.5	-	0.6	-	9.6
	143E	-	21	-	-	-	-	-	-	21	14.9*	110.5	97.0	2.6	8.6	0.4	-	-	1.9
	144E	-	4	-	-	-	-	-	-	4	13.6*	26.8	25.5	-	0.7	-	0.3	-	0.3
	145E	-	1	-	-	-	-	-	-	1	15.0	5.0	5.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	16	5	-	21	22.2*	108.0	-	108.0	-	-	-	-	-
	149E	-	-	-	-	-	22	-	-	22	18.6*	135.3	6.7	128.0	-	-	0.5	-	0.1
	150E	-	-	-	-	-	13	1	-	14	20.3*	96.4	5.0	85.2	0.5	-	4.5	-	1.2
	151E	-	-	-	-	-	25	6	-	31	24.1*	159.5	5.2	154.0	-	-	0.3	-	-
	152E	-	-	-	-	-	11	2	-	13	22.2*	91.7	8.2	82.0	-	-	1.5	-	-
	153E	-	-	-	-	-	17	9	-	26	21.8*	149.3	7.1	140.8	0.6	-	0.8	-	-
	154E	-	-	-	-	-	4	3	-	7	20.2	46.4	9.0	33.5	3.9	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	22.0	5.0	-	5.0	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	22.0	2.0	-	2.0	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	22.0	3.0	0.5	-	-	-	-	-	2.5
	179E	-	-	-	-	-	-	3	-	3	25.3	3.8	1.5	-	-	-	2.0	-	0.3
29N	128E	-	19	-	-	-	-	-	-	19	12.4	54.8	39.2	-	11.0	-	-	-	4.6
	129E	17	88	-	-	-	-	-	-	105	13.0	267.0	223.9	4.0	19.5	-	1.5	3.9	14.2
	130E	1	8	-	-	-	-	-	-	9	14.4	20.0	17.1	-	0.9	-	-	-	2.0
	*132E	-	2	-	-	-	-	-	-	2	18.0	2.8	1.2	-	1.1	-	0.5	-	-
	133E	-	1	-	-	-	-	-	-	1	15.0	4.6	4.6	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	18.0	11.8	11.8	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
	136E	-	2	-	-	-	-	-	-	2	18.0*	0.8	0.5	-	0.3	-	-	-	-
	137E	-	20	-	-	-	-	-	-	20	16.2*	100.6	49.8	-	32.7	-	12.9	-	5.2
	138E	-	28	-	-	-	-	-	-	28	15.6*	123.2	60.1	0.2	25.1	-	26.1	-	11.7
	139E	-	20	-	-	-	-	-	-	20	15.1*	57.2	28.5	-	17.2	-	7.6	-	3.9
	140E	-	48	-	-	-	-	-	-	48	15.5*	213.4	154.6	-	36.2	-	12.8	-	9.8
	141E	-	28	-	-	-	-	-	-	28	15.0*	107.2	60.1	0.8	36.9	-	2.1	-	7.3
	142E	-	5	-	-	-	-	-	-	5	13.8	8.7	4.6	2.1	-	-	-	-	2.0
	143E	-	1	-	-	-	-	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	144E	-	2	-	-	-	-	-	-	2	17.5	1.7	1.7	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	28.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	27.0	3.4	-	-	-	-	3.4	-	-
	179E	-	-	-	-	-	-	5	-	5	23.2	55.0	28.0	-	1.0	-	26.0	-	-
	*179W	-	-	-	-	-	-	6	-	6	25.8	65.0	56.0	-	3.0	-	2.0	-	4.0
28N	127E	-	6	-	-	-	-	-	-	6	12.5	10.0	6.3	-	3.3	-	-	-	0.4
	128E	-	3	-	-	-	-	-	-	3	14.0	2.4	2.2	-	0.2	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	14.0	3.3	2.7	-	0.6	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	12.5	3.3	2.5	-	0.3	-	-	-	0.5
	*132E	1	1	-	-	-	-	-	-	2	14.5	3.3	2.6	-	0.7	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-■ETSU TOUKE■ ***　　　　JUN - -■07　　　　TSKI -072　　6 月

操業位置		屯数階層別操業隻数									平均屯数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	■.F.	B.E.	F.M.	ELS
28N	133E	-	1	-	-	-	-	-	-	1	15.0	7.1	6.6	-	0.4	-	0.1	-	-
	*137E	-	1	-	-	-	-	-	-	1	15.0	3.3	2.7	-	-	-	-	-	0.6
	138E	-	4	-	-	-	-	-	-	4	15.3*	8.6	4.1	-	1.5	-	2.0	-	1.0
	139E	-	10	-	-	-	-	-	-	10	15.3*	53.4	35.9	-	5.5	-	-	-	12.0
	140E	-	6	-	-	-	-	-	-	6	14.8*	7.4	7.4	-	-	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	13.3	1.1	1.1	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	17.0	1.9	0.5	-	0.8	-	-	-	0.6
	144E	-	2	-	-	-	-	-	-	2	17.0	7.4	4.2	-	2.1	-	-	-	1.1
	*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	26.0	2.8	2.8	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	27.0	1.2	-	-	1.2	-	-	-	-
	*179W	-	-	-	-	-	-	5	-	5	26.2	95.0	75.0	-	0.5	-	18.5	-	1.0
	178W	-	-	-	-	-	-	2	-	2	24.0	17.0	15.0	-	0.5	-	1.5	-	-
27N	126E	-	1	-	-	-	-	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
	127E	25	3	-	-	-	-	-	-	28	16.2	22.8	21.[illegible]	-	1.0	-	-	-	-
	128E	5	3	-	-	-	-	-	-	8	14.7	11.2	8.7	-	2.4	-	-	-	0.1
	129E	-	3	-	-	-	-	-	-	3	14.6	6.7	5.0	-	0.8	-	-	-	0.9
	130E	-	2	-	-	-	-	-	-	2	13.0	4.6	4.0	-	0.3	-	-	-	0.3
	*132E	2	2	-	-	-	-	-	-	4	14.7	17.9	12.7	-	1.5	-	2.1	-	1.6
	*137E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*139E	-	1	-	-	-	1	-	-	2	17.5	2.2	1.9	-	0.3	-	-	-	-
	140E	-	8	-	-	-	-	1	-	9	16.8	22.5	16.8	-	3.6	-	-	-	2.1
	141E	-	2	-	-	-	-	-	-	2	12.0	12.4	10.4	-	2.0	-	-	-	-
	*145E	-	15	-	-	-	-	-	-	15	15.5*	75.7	62.5	-	12.9	-	-	-	0.3
	*169E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	19.0	5.0	-	-	5.0	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	23.0	2.5	2.0	-	-	-	0.5	-	-
	*176W	-	-	-	-	-	-	5	-	5	26.0	26.0	21.3	-	2.0	-	2.7	-	-
	175W	-	-	-	-	-	-	2	-	2	29.0	7.0	4.0	-	1.0	-	2.0	-	-
26N	125E	-	1	-	-	-	-	-	-	1	12.0	2.7	1.6	-	0.4	-	-	-	0.7
	126E	17	3	-	-	-	-	-	-	20	16.0	17.3	17.1	-	0.2	-	-	-	-
	127E	9	1	-	-	-	-	-	-	10	16.3	11.9	11.4	-	0.5	-	-	-	-
	128E	-	21	-	-	-	-	-	-	21	13.9	50.8	43.0	-	7.0	-	-	-	0.8
	*135E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*140E	-	10	-	-	-	-	-	-	10	15.0*	24.1	16.5	-	5.0	-	-	-	2.6
	141E	-	3	-	-	-	-	-	-	3	15.6	7.2	5.3	-	-	-	-	-	1.9
	*145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	2	-	2	28.0	4.5	1.5	-	3.0	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	26.0	24.0	23.5	-	-	-	0.5	-	-
25N	125E	-	1	-	-	-	-	-	-	1	12.0	3.5	2.5	-	1.0	-	-	-	-
	126E	1	2	-	-	-	-	-	-	3	13.3	6.6	4.4	-	2.0	-	-	-	0.2
	127E	-	10	-	-	-	-	-	-	10	13.4	42.0	34.7	2.0	4.5	-	-	-	0.8
	128E	-	4	-	-	-	-	-	-	4	12.0	13.1	7.0	2.6	2.5	-	-	-	1.0
	*141E	-	3	-	-	-	-	-	-	3	16.3	6.7	6.5	-	0.2	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	4	-	4	29.0	56.0	47.0	-	7.0	-	2.0	-	-
	171W	-	-	-	-	-	-	1	-	1	32.0	26.5	26.0	-	0.5	-	-	-	-
	170W		-	-	-	-	-	1	-	1	32.0	6.0	5.0	-	1.0	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	26.0	12.0	12.0	-	-	-	-	-	-
24N	124E	-	3	-	-	-	-	-	-	3	13.3	17.2	16.5	-	0.2	-	-	-	0.5
	125E	-	3	-	-	-	-	-	-	3	13.6	10.2	8.0	-	2.2	-	-	-	-
	126E	-	6	-	-	-	-	-	-	6	12.6	34.2	24.0	-	9.3	-	-	-	0.9
	127E	-	2	-	-	-	-	-	-	2	13.5	4.4	2.4	2.0	-	-	-	-	-
	*141E	-	8	-	-	-	-	1	-	9	16.5	53.3	39.1	-	7.3	-	-	-	6.9
	*153E	-	-	-	-	-	1	-	-	1	19.0	11.0	11.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
23N	124E	-	7	-	-	-	-	-	-	7	13.0	26.7	23.0	-	3.5	-	-	-	0.2
	125E	-	2	-	-	-	-	-	-	2	15.0	9.0	8.0	-	1.0	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	14.0	7.0	7.0	-	-	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	15.0	5.0	5.0	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	15.0	12.0	12.0	-	-	-	-	-	-
	141E	-	8	-	-	-	-	-	-	8	14.8	69.4	60.4	-	7.8	-	-	-	1.2
	*146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	26.0	13.0	13.0	-	-	-	-	-	-
	*164W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
22N	126E	-	6	-	-	-	-	-	-	6	15.0	17.8	17.0	-	0.8	-	-	-	-
	*142E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	17.0	4.9	2.0	-	2.9	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
21N	142E	-	1	-	-	-	-	-	-	1	17.0	10.0	10.0	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.4	-	0.1	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	30.5	3.0	3.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	2	-	2	26.0	6.0	6.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
20N	142E	-	2	-	-	-	1	1	-	4	21.2	25.7	22.8	-	2.2	-	-	-	0.7
	143E	-	-	-	-	-	-	1	-	1	29.0	7.0	6.5	-	0.5	-	-	-	-
	144E	-	-	-	-	-	1	1	-	2	26.5	3.5	3.5	-	-	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	29.0	0.3	0.3	-	-	-	-	-	-
	146E	-	-	-	-	-	-	1	-	1	28.0	9.7	9.7	-	-	-	-	-	-
	147E	-	-	-	-	-	-	2	-	2	24.0	8.0	8.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	27.0	14.0	14.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	2	-	2	25.0	20.0	20.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	29.0	11.0	11.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	23.5	9.0	9.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	3	-	3	27.3	34.0	34.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	29.0	7.0	7.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	23.5	3.0	3.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	29.0	5.0	5.0	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	26.0	6.0	4.0	-	-	-	2.0	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** J'N - -010 TSKI -075 6 月

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
14N *156E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	2	-	2	26.5	4.0	4.0	-	-	-	-	-	-
13N 150E	-	-	-	-	-	1	-	-	1	21.0	5.6	0.5	2.5	-	-	2.5	-	0.1
151E	-	-	-	-	-	1	-	-	1	21.0	1.5	-	1.5	-	-	-	-	-
12N 143E	-	-	-	-	-	1	-	-	1	21.0	1.5	-	0.5	-	-	1.0	-	-
*146E	-	-	-	-	-	2	-	-	2	21.0	7.0	0.5	5.0	-	-	1.5	-	-
*148E	-	-	-	-	-	1	-	-	1	21.0	3.5	0.5	3.0	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	21.0	3.3	-	3.0	-	-	-	-	0.3
*172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
11N 144E	-	1	-	-	-	-	-	-	1	28.0	0.9	-	-	0.4	-	0.4	-	0.1
145E	-	3	-	-	-	-	-	-	3	28.0	2.9	-	-	1.4	-	1.0	-	0.5
*147E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	1.5	-	-	1.5	-	-
148E	-	-	-	-	-	1	-	-	1	21.0	10.5	1.5	6.0	-	-	3.0	-	-
149E	-	-	-	-	-	1	-	-	1	21.0	5.6	2.0	3.5	-	-	-	-	0.1
150E	-	-	-	-	-	1	-	-	1	21.0	6.5	1.5	5.0	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
10N 145E	-	1	-	-	-	-	-	-	1	29.0	1.0	-	-	0.2	-	0.4	-	0.4
146E	-	1	-	-	-	-	-	-	1	29.0	0.6	-	-	0.2	-	0.2	-	0.2
147E	-	3	-	-	-	-	-	-	3	29.0	0.8	-	-	0.5	-	-	-	0.3
148E	-	1	-	-	-	-	-	-	1	29.0	0.2	-	-	0.1	-	-	-	0.1
*159E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	31.0	1.5	1.5	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*08N 172E	-	-	-	-	-	-	1	-	1	32.0	3.5	3.5	-	-	-	-	-	-
07N 166E	-	-	-	-	-	-	2	-	2	36.0	27.0	27.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	31.0	3.7	3.0	-	-	-	0.5	-	0.2
173E	-	-	-	-	-	-	4	-	4	28.7	12.0	12.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	2	-	2	28.0	7.0	7.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
06N 161E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	31.0	4.0	3.0	-	-	-	0.5	-	0.5
174E	-	-	-	-	-	-	5	-	5	31.8	26.0	24.5	-	1.0	-	-	-	0.5
175E	-	-	-	-	-	-	9	-	9	29.3	82.5	82.5	-	-	-	-	-	-
176E	-	-	-	-	-	-	4	-	4	30.7	21.7	21.7	-	-	-	-	-	-
177E	-	-	-	-	-	-	3	-	3	27.3	26.0	26.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	24.0	3.5	3.5	-	-	-	-	-	-
179E	-	-	-	-	-	-	2	-	2	28.5	6.1	6.1	-	-	-	-	-	-
19N 143E	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
144E	-	-	-	-	-	2	3	-	5	26.0	20.5	20.5	-	-	-	-	-	-
145E	-	-	-	-	-	1	3	-	4	26.5	24.0	24.0	-	-	-	-	-	-
146E	-	-	-	-	-	6	3	-	9	22.4	114.0	114.0	-	-	-	-	-	-
147E	-	-	-	-	-	3	8	-	11	23.4	91.7	91.7	-	-	-	-	-	-
148E	-	-	-	-	-	1	3	-	4	25.0	22.5	22.5	-	-	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	28.0	28.0	28.0	-	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	28.0	13.0	13.0	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*156E	-	-	-	-	-	-	2	-	2	27.5	13.0	13.0	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
158E	-	-	-	-	-	-	2	-	2	26.0	8.0	8.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	24.0	3.5	3.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	29.5	7.0	7.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	6	-	6	31.1	45.2	45.2	-	-	-	-	-	-
164E	-	-	-	-	-	-	12	-	12	26.4	127.0	127.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	18	-	18	28.0	201.8	201.8	-	-	-	-	-	-
166E	-	-	-	-	-	-	11	-	11	27.5	150.5	150.5	-	-	-	-	-	-
*158W	-	-	-	-	-	-	1	-	1	26.0	19.0	2.0	-	-	-	17.0	-	-
18N 143E	-	-	-	-	-	1	1	-	2	26.5	6.0	6.0	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	29.0	1.2	1.2	-	-	-	-	-	-
146E	-	-	-	-	-	3	1	-	4	24.2	32.9	32.9	-	-	-	-	-	-
147E	-	-	-	-	-	3	4	-	7	23.0	62.5	62.5	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	23.0	15.0	15.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	28.0	10.0	10.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	5	-	5	24.6	22.0	22.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	2	-	2	25.0	18.0	18.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	13	-	13	25.6	126.5	125.0	-	-	-	1.5	-	-
167E	-	-	-	-	-	-	1	-	1	37.0	5.6	5.6	-	-	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	32.0	11.0	11.0	-	-	-	-	-	-
17N 146E	-	-	-	-	-	-	1	-	1	29.0	4.0	4.0	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*153E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
*167E	-	-	-	-	-	-	3	-	3	27.0	72.0	72.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
16N 146E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.5	-	-	-	-	-	-
*173E	-	-	-	-	-	-	2	-	2	28.0	7.0	7.0	-	-	-	-	-	-
15N 169E	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
14N 150E	-	-	-	-	-	1	-	-	1	21.0	13.0	-	13.0	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU

*** GYOJYO-BETSU TOUKEI ***　　JUN - -011　　TSKI -076　　6 月

操業位置		屯数階層別操業隻数									平均年数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
05N	169E	-	-	-	-	-	-	1	-	1	36.0	4.0	4.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	32.0	16.0	16.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	5	-	5	26.4	30.8	28.5	-	-	-	2.3	-	-
	174E	-	-	-	-	-	-	12	-	12	30.2	85.3	79.7	-	0.1	-	5.5	-	-
	175E	-	-	-	-	-	-	8	-	8	30.6	63.8	61.8	-	-	-	2.0	-	-
	176E	-	-	-	-	-	-	1	-	1	27.0	10.0	10.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	6	-	6	29.6	34.8	34.8	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	23.5	27.5	27.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	20.0	11.5	11.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
04N	161E	-	1	-	-	-	-	-	-	1	31.0	0.6	-	-	0.2	-	0.1	-	0.3
	*170E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	2	-	2	37.0	21.9	21.9	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	27.0	11.0	11.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	3	-	3	22.6	10.5	10.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	8	-	8	26.1	120.0	120.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	20.0	7.0	7.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	24.3	7.0	7.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	28.0	26.0	26.0	-	-	-	-	-	-
	*165W	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
03N	154E	-	4	-	-	-	-	-	-	4	25.0	4.7	-	-	3.4	-	1.1	-	0.2
	155E	-	2	-	-	-	-	-	-	2	25.0	1.5	-	-	1.3	-	0.2	-	-
	156E	-	1	-	-	-	-	-	-	1	25.0	1.1	-	-	0.8	-	0.3	-	-
	*160E	-	2	-	-	-	-	-	-	2	25.0	3.3	-	-	2.0	-	0.8	-	0.5
	*174E	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	3	-	3	28.0	33.0	31.0	-	-	-	2.0	-	-
	*179W	-	-	-	-	-	-	9	-	9	28.6	93.7	90.7	-	-	-	3.0	-	-
	*176W	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	*168W	-	-	-	-	-	2	1	-	3	26.0	72.0	72.0	-	-	-	-	-	-
	167W	-	-	-	-	-	4	2	-	6	25.5	103.0	103.0	-	-	-	-	-	-
02N	155E	-	1	-	-	-	-	-	-	1	25.5	1.1	-	-	0.6	-	0.4	-	0.1
	156E	-	1	-	-	-	-	-	-	1	25.5	1.0	-	-	0.6	-	0.3	-	0.1
	157E	-	1	-	-	-	-	-	-	1	25.5	1.1	-	-	0.7	-	0.3	-	0.1
	158E	-	1	-	-	-	-	-	-	1	25.5	0.8	-	-	0.7	-	0.1	-	-
	159E	-	2	-	-	-	-	-	-	2	25.5	1.4	-	-	0.8	-	0.3	-	0.3
	*174E	-	-	-	-	-	-	1	-	1	25.0	7.0	4.0	-	-	-	3.0	-	-
	*175W	-	-	-	-	-	-	1	-	1	29.0	8.4	8.4	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	30.0	26.0	26.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
01N	156E	-	1	-	-	-	-	-	-	1	25.0	0.9	-	-	0.5	-	0.2	-	0.2
	157E	-	1	-	-	-	-	-	-	1	25.0	0.5	-	-	0.2	-	0.2	-	0.1
	158E	-	1	-	-	-	-	-	-	1	25.0	0.5	-	-	0.4	-	-	-	0.1
	*173E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	170W	-	-	-	-	-	-	2	-	2	29.0	26.9	26.0	-	0.9	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	27.0	13.0	13.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	25.0	11.0	11.0	-	-	-	-	-	-
00N	157E	-	3	-	-	-	-	-	-	3	25.0	3.1	-	-	1.8	-	1.0	-	0.3
	158E	-	1	-	-	-	-	-	-	1	25.0	0.6	-	-	0.3	-	0.1	-	0.2
00S	157E	-	1	-	-	-	-	-	-	1	25.0	1.8	-	-	1.1	-	0.4	-	0.3
01S	157E	-	2	-	-	-	-	-	-	2	25.0	1.8	-	-	1.3	-	0.4	-	0.1
	*179W	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	30.0	22.0	22.0	-	-	-	-	-	-
03S	169W	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JUL - -001　　　TSKI -078　　　7 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
46N	174E	-	-	-	-	-	-	1	-	1	26.0	7.5	-	7.5	-	-	-	-	-
*42N	178E	-	-	-	-	-	-	1	-	1	23.0	2.5	-	2.5	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	22.0	2.0	-	1.7	-	-	-	-	0.3
	*179W	-	-	-	-	-	-	2	-	2	24.0	1.0	-	1.0	-	-	-	-	-
41N	154E	-	-	-	-	-	-	1	-	1	20.0	6.5	-	6.5	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	2	-	-	2	30.5	13.0	-	13.0	-	-	-	-	-
	175E	-	-	-	-	-	13	40	-	53	22.8	276.6	42.6	233.0	-	-	1.0	-	-
	176E	-	-	-	-	-	-	2	-	2	22.5	16.5	12.0	4.5	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	2	-	2	22.5	4.0	-	3.0	-	-	-	-	1.0
	179E	-	-	-	-	-	5	3	-	8	18.6	23.1	1.0	22.1	-	-	-	-	-
40N	149E	-	-	-	-	-	-	1	-	1	20.0	5.2	2.0	3.0	-	-	-	-	0.2
	*154E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	1	-	2	27.5	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	2	-	3	27.6	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	3	-	-	3	25.0	1.0	-	-	-	-	-	-	1.0
	171E	-	-	-	-	-	3	2	-	5	28.2	6.5	-	6.5	-	-	-	-	-
	172E	-	-	-	-	-	5	2	-	7	24.5	14.8	2.1	12.7	-	-	-	-	-
	173E	-	-	-	-	-	5	-	-	5	27.2	3.0	-	3.0	-	-	-	-	-
	174E	-	-	-	-	-	41	14	-	55	22.5	392.6	150.0	240.5	-	-	-	-	2.1
	175E	-	-	-	-	-	57	64	-	121	22.8	650.3	301.8	342.2	-	-	0.7	-	5.6
	176E	-	-	-	-	-	39	15	-	54	23.9	279.4	4.0	272.1	-	-	-	-	3.3
	177E	-	-	-	-	-	5	3	-	8	23.5	6.1	-	6.0	-	-	-	-	0.1
	178E	-	-	-	-	-	1	1	-	2	24.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	2	7	-	9	23.7	6.5	-	6.5	-	-	-	-	-
	*179W	-	-	-	-	-	4	26	-	30	22.4	116.0	0.5	115.5	-	-	-	-	-
	178W	-	-	-	-	-	1	1	-	2	23.0	6.0	-	6.0	-	-	-	-	-
	177W	-	-	-	-	-	1	1	-	2	26.0	0.1	-	0.1	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	2	-	-	2	24.5	1.3	-	1.3	-	-	-	-	-
39N	143E	-	2	-	-	-	-	-	-	2	15.0	0.7	0.7	-	-	-	-	-	-
	144E	-	10	-	-	-	-	-	-	10	14.6	36.4	36.4	-	-	-	-	-	-
	145E	-	2	-	-	-	1	1	-	4	22.0	0.5	0.5	-	-	-	-	-	-
	146E	-	2	1	-	-	1	-	-	4	19.0	23.5	3.0	20.5	-	-	-	-	-
	147E	-	19	4	-	-	1	-	-	24	17.7	159.4	98.1	57.8	-	3.5	-	-	-
	148E	-	20	1	-	-	6	7	-	34	20.5*	159.0	105.0	52.6	1.0	0.4	-	-	-
	149E	-	5	-	-	-	3	21	-	29	22.6	127.9	51.8	76.1	-	-	-	-	-
	150E	-	2	1	-	-	3	2	-	8	21.3	19.6	6.8	12.4	-	-	-	-	0.4
	151E	-	2	1	-	-	5	5	-	13	22.6	94.1	77.0	17.0	-	-	-	-	0.1
	152E	-	-	-	-	-	2	15	-	17	23.0	115.8	109.5	4.5	1.2	-	0.2	-	0.4
	153E	-	-	-	-	-	1	3	-	4	25.0	21.0	20.0	-	-	-	-	-	1.0
	154E	-	-	-	-	-	4	2	-	6	24.6	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	2	4	-	6	23.5	39.0	36.0	3.0	-	-	-	-	-
	156E	-	-	-	-	-	3	2	-	5	21.8	21.7	21.7	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	29.0	2.5	2.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	-	-	2	20.5	10.0	10.0	-	-	-	-	-	-
39N	161E	-	-	-	-	-	1	1	-	2	26.5	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	24.6	0.5	0.5	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	24.5	20.5	20.5	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	3	-	-	3	24.0	3.5	3.5	-	-	-	-	-	-
	166E	-	-	-	-	-	3	-	-	3	24.6	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	4	-	-	4	22.7	5.3	-	5.2	-	-	-	-	0.1
	*169E	-	-	-	-	-	2	-	-	2	24.5	2.0	-	1.5	-	-	-	-	0.5
	170E	-	-	-	-	-	1	-	-	1	19.0	2.5	-	2.5	-	-	-	-	-
	171E	-	-	-	-	-	4	1	-	5	26.2	17.0	-	17.0	-	-	-	-	-
	172E	-	-	-	-	-	4	2	-	6	26.0	9.1	0.1	9.0	-	-	-	-	-
	173E	-	-	-	-	-	5	1	-	6	25.0	0.5	-	0.5	-	-	-	-	-
	174E	-	-	-	-	-	6	2	-	8	26.0	37.1	20.0	17.1	-	-	-	-	-
	175E	-	-	-	-	-	5	4	-	9	22.3	31.1	25.6	5.5	-	-	-	-	-
	176E	-	-	-	-	-	12	13	-	25	23.5	43.0	3.0	40.0	-	-	-	-	-
	177E	-	-	-	-	-	9	2	-	11	26.3	11.3	8.5	0.5	-	-	-	-	2.3
	178E	-	-	-	-	-	7	2	-	9	26.8	25.0	-	24.5	-	-	-	-	0.5
	179E	-	-	-	-	-	51	12	-	63	23.6	304.4	-	299.5	4.8	-	-	-	0.1
	*179W	-	-	-	-	-	40	29	-	69	24.1	471.3	14.3	451.2	-	-	-	-	5.8
	178W	-	-	-	-	-	7	6	-	13	27.3	49.5	0.5	49.0	-	-	-	-	-
	177W	-	-	-	-	-	1	1	-	2	25.5	0.6	-	0.1	-	-	-	-	0.5
	176W	-	-	-	-	-	-	1	-	1	30.0	1.0	-	-	-	-	-	-	1.0
	175W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	*149W	-	-	-	-	-	2	-	-	2	23.0	13.7	12.8	0.9	-	-	-	-	-
38N	141E	-	16	-	-	-	-	-	-	16	17.6	44.1	44.1	-	-	-	-	-	-
	142E	-	9	-	-	-	-	-	-	9	16.1	31.4	31.4	-	-	-	-	-	-
	143E	-	5	-	-	-	-	-	-	5	13.8	4.9	3.0	-	-	-	-	-	1.9
	144E	-	6	-	-	-	-	-	-	6	15.5	23.0	23.0	-	-	-	-	-	-
	145E	-	16	-	-	-	-	-	-	16	17.1	105.6	94.5	11.1	-	-	-	-	-
	146E	-	42	1	-	-	-	-	-	43	16.4*	180.6	157.3	22.9	0.2	-	-	-	0.2
	147E	-	30	8	-	-	2	-	-	40	18.5*	165.5	121.3	43.9	-	0.3	-	-	-
	148E	-	63	3	-	-	10	6	-	82	20.2*	495.1	463.0	30.9	-	-	-	-	1.2
	149E	-	33	1	-	-	16	15	-	65	20.8*	830.6	761.8	68.8	-	-	-	-	-
	150E	-	40	2	-	-	6	6	-	54	20.6*	278.5	259.0	19.5	-	-	-	-	-
	151E	-	4	1	-	-	12	31	-	48	23.7	334.4	307.6	24.7	0.2	-	0.1	-	1.8
	152E	-	4	-	-	-	17	47	-	68	23.0	629.6	623.8	5.5	-	-	-	-	0.3
	153E	-	-	-	-	-	7	9	-	16	25.1	161.3	160.8	0.5	-	-	-	-	-
	154E	-	-	-	-	-	7	3	-	10	24.0	68.0	66.0	1.0	-	-	-	-	1.0
	155E	-	-	-	-	-	2	5	-	7	23.2	4.0	4.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	20.5	6.0	6.0	-	-	-	-	-	-
	157E	-	-	-	-	-	7	9	-	16	24.8	71.5	71.5	-	-	-	-	-	-
	158E	-	-	-	-	-	3	1	-	4	26.7	3.5	3.0	-	-	-	-	-	0.5
	159E	-	-	-	-	-	7	-	-	7	26.7	59.5	58.5	-	-	-	-	-	1.0
	160E	-	-	-	-	-	1	1	-	2	27.0	3.0	3.0	-	-	-	-	-	-
	161E	-	-	-	-	-	2	1	-	3	24.0	6.0	6.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	25.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	1	2	-	3	24.6	7.0	6.0	-	-	-	-	-	1.0
	167E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	171E	-	-	-	-	-	5	-	-	5	22.4	12.0	6.0	6.0	-	-	-	-	-
	172E	-	-	-	-	-	4	1	-	5	27.6	41.5	-	41.5	-	-	-	-	-
	173E	-	-	-	-	-	2	-	-	2	28.0	9.0	-	9.0	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** JUL - -003 TSKI -080 7 月

業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
3N	174E	-	-	-	-	-	4	-	-	4	26.2	1.0	-	1.0	-	-	-	-	-
	175E	-	-	-	-	-	2	1	-	3	22.3	42.0	42.0	-	-	-	-	-	-
	176E	-	-	-	-	-	4	-	-	4	25.7	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	8	2	-	10	26.1	4.0	-	4.0	-	-	-	-	-
	178E	-	-	-	-	-	35	8	-	43	24.9	198.9	5.0	192.9	-	-	-	-	1.0
	179E	-	-	-	-	-	81	7	-	88	25.7	745.7	34.1	711.4	-	-	-	-	0.2
	*179W	-	-	-	-	-	68	19	-	87	25.5	704.6	3.0	701.2	0.4	-	-	-	-
	178W	-	-	-	-	-	27	17	-	44	24.3	198.5	-	198.5	-	-	-	-	-
	177W	-	-	-	-	-	4	-	-	4	24.7	6.0	-	6.0	-	-	-	-	-
	*16'W	-	-	-	-	-	1	-	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	160W	-	-	-	-	-	1	-	-	1	23.0	7.5	7.5	-	-	-	-	-	-
7N	141E	1	13	-	-	-	-	-	-	14	17.7	65.1	65.1	-	-	-	-	-	-
	142E	1	14	-	-	-	-	-	-	15	17.5	54.1	54.1	-	-	-	-	-	-
	143E	-	3	-	-	-	-	-	-	3	14.6	1.5	1.5	-	-	-	-	-	-
	144E	-	6	-	-	-	-	-	-	6	18.8	10.0	10.0	-	-	-	-	-	-
	145E	-	42	-	-	-	-	-	-	42	17.6*	103.0	96.3	5.3	0.1	-	-	-	1.3
	146E	-	30	-	-	-	-	-	-	30	17.4*	71.4	69.0	2.3	-	-	-	-	0.1
	147E	-	58	2	-	-	3	4	-	67	17.8*	363.1	357.8	2.5	0.6	-	2.0	-	0.2
	148E	-	47	-	-	-	4	1	-	52	19.1*	197.5	188.4	7.3	0.5	-	-	-	1.3
	149E	-	23	1	-	-	-	3	-	27	18.3*	128.3	125.2	3.1	-	-	-	-	-
	150E	-	15	-	-	-	3	9	-	27	19.8	111.5	109.4	2.0	-	-	0.1	-	-
	151E	-	10	-	-	-	2	17	-	29	22.5	206.9	204.3	-	0.5	-	-	-	2.1
	152E	-	10	-	-	-	7	38	-	55	22.1*	418.6	408.3	10.0	-	-	-	-	0.3
	153E	-	-	-	-	-	-	9	-	9	22.2	75.2	74.0	1.0	-	-	0.2	-	-
	154E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	2	3	-	5	23.6	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	8	31	-	39	22.6	378.2	377.0	-	-	-	-	-	1.2
	157E	-	-	-	-	-	-	4	-	4	23.2	61.0	61.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	2	-	2	24.0	3.5	0.5	-	-	-	2.0	-	1.0
	159E	-	-	-	-	-	2	-	-	2	24.5	10.5	10.5	-	-	-	-	-	-
	160E	-	-	-	-	-	3	3	-	6	24.5	23.0	23.0	-	-	-	-	-	-
	161E	-	-	-	-	-	2	2	-	4	23.2	19.0	19.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	2	-	3	25.6	0.8	0.5	-	-	-	-	-	0.3
	163E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	18.0	4.0	-	-	-	-	-	-	4.0
	166E	-	-	-	-	-	-	2	-	2	23.5	10.5	9.5	-	-	-	-	-	1.0
	167E	-	-	-	-	-	2	1	-	3	27.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	23.0	4.0	4.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	171E	-	-	-	-	-	1	-	-	1	27.0	1.5	-	1.5	-	-	-	-	-
	172E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	1	3	-	4	25.7	7.0	3.0	3.0	-	-	-	-	1.0
	174E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	26.0	3.0	-	3.0	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	29.0	2.0	-	2.0	-	-	-	-	-
	177E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	2	-	-	2	30.0	6.0	-	5.0	-	-	-	-	1.0
	179E	-	-	-	-	-	4	1	-	5	26.2	1.0	-	1.0	-	-	-	-	-
	*179W	-	-	-	-	-	1	1	-	2	30.0	-	-	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	177W	-	-	-	-	-	2	1	-	3	30.3	2.0	-	2.0	-	-	-	-	-
6N	140E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
36N	141E	-	5	-	-	-	-	-	-	5	19.6	19.8	19.8	-	-	-	-	-	-
	142E	-	5	-	-	-	1	-	-	6	19.1	2.0	2.0	-	-	-	-	-	-
	143E	-	7	1	-	-	-	-	-	8	16.1	8.0	8.0	-	-	-	-	-	-
	144E	-	32	-	-	-	-	-	-	32	16.9	99.0	97.6	-	-	-	-	-	1.4
	145E	-	14	-	-	-	1	-	-	15	17.4	17.2	15.3	-	-	-	-	-	1.9
	146E	-	5	-	-	-	-	-	-	5	16.2	1.2	0.8	-	-	-	-	-	0.4
	147E	-	16	1	-	-	1	-	-	18	17.2*	13.0	13.0	-	-	-	-	-	-
	148E	-	10	-	-	-	3	6	-	19	17.0	61.3	28.7	32.6	-	-	-	-	-
	149E	-	11	-	-	-	-	8	-	19	18.3	65.1	29.7	32.4	-	-	3.0	-	-
	150E	-	10	-	-	-	1	4	-	15	18.2	50.4	17.9	31.6	0.4	-	-	-	0.5
	151E	-	4	-	-	-	5	-	-	9	20.0	27.3	11.6	15.7	-	-	-	-	-
	152E	-	6	-	-	-	5	25	-	36	22.9*	385.7	367.3	16.7	0.6	-	-	-	1.1
	153E	-	-	-	-	-	3	20	-	23	22.3*	265.5	262.7	2.8	-	-	-	-	-
	154E	-	-	-	-	-	3	6	-	9	21.3	135.3	132.8	-	-	-	-	-	2.5
	155E	-	-	-	-	-	-	2	-	2	18.0	9.0	1.0	8.0	-	-	-	-	-
	156E	-	-	-	-	-	9	13	-	22	22.5	141.1	139.9	1.2	-	-	-	-	-
	157E	-	-	-	-	-	-	4	-	4	21.5	3.5	3.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	21.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	17.0	0.2	-	-	-	-	-	-	0.2
	164E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	19.0	1.7	-	-	-	-	-	-	1.7
	*172E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	2	-	-	2	25.5	3.5	3.0	0.5	-	-	-	-	-
	175E	-	-	-	-	-	10	-	-	10	25.6	39.0	15.5	16.0	-	-	6.9	-	0.6
	176E	-	-	-	-	-	6	-	-	6	26.6	10.5	0.5	9.3	-	-	-	0.3	0.4
	177E	-	-	-	-	-	1	1	-	2	31.0	4.0	-	4.0	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	25.2	8.0	1.5	6.5	-	-	-	-	-
	179E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
35N	141E	-	2	-	-	-	-	-	-	2	16.5	3.0	3.0	-	-	-	-	-	-
	142E	-	8	-	-	-	-	-	-	8	16.2	27.1	21.2	3.5	0.2	-	0.4	-	1.8
	143E	-	26	-	-	-	-	-	-	26	18.7	55.2	43.9	10.4	0.5	-	-	-	0.4
	144E	-	28	-	-	-	-	1	-	29	17.7*	60.3	58.3	-	-	-	1.0	-	1.0
	145E	-	22	1	-	-	-	2	-	25	17.2*	72.5	69.5	2.5	-	-	-	-	0.5
	146E	-	32	-	-	-	-	1	-	33	16.8*	146.4	122.3	23.7	0.1	-	0.3	-	-
	147E	-	55	1	-	-	1	15	-	72	18.7	391.0	228.1	160.7	0.2	-	1.3	-	0.7
	148E	-	14	1	-	-	8	25	-	48	20.9	272.4	125.6	145.0	0.8	-	1.0	-	-
	149E	-	40	-	-	-	-	3	-	43	17.5	81.3	36.4	35.7	9.2	-	-	-	-
	150E	-	32	-	-	-	2	9	-	43	17.6	153.2	96.2	51.2	0.9	-	4.7	-	0.2
	151E	-	13	-	-	-	11	27	-	51	19.9	146.1	27.5	113.6	0.2	-	2.5	-	2.3
	152E	-	3	-	-	-	24	27	-	54	20.6	223.6	31.5	191.6	0.1	-	0.4	-	-
	153E	-	-	-	-	-	31	29	-	60	20.9*	372.9	314.4	55.9	1.0	-	1.0	-	0.6
	154E	-	-	-	-	-	9	17	-	26	21.3*	104.3	48.8	55.4	-	-	-	-	0.1
	155E	-	-	-	-	-	2	11	-	13	22.6	61.7	47.2	14.5	-	-	-	-	-
	156E	-	-	-	-	-	7	29	-	36	22.0	233.3	222.4	10.9	-	-	-	-	-
	157E	-	-	-	-	-	-	3	-	3	21.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	2	3	-	5	24.4	16.2	13.5	2.7	-	-	-	-	-
	159E	-	-	-	-	-	6	-	-	6	23.6	38.8	38.8	-	-	-	-	-	-
	160E	-	-	-	-	-	9	1	-	10	23.1	151.4	151.4	-	-	-	-	-	-
	161E	-	-	-	-	-	7	-	-	7	24.4	119.2	116.5	2.7	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	EL
35N *169E	-	-	-	-	-	1	-	-	1	28.0	0.2	-	0.2	-	-	-	-	-
*171E	-	-	-	-	-	-	3	-	3	29.3	10.0	10.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	1	-	1	24.0	2.0	-	-	-	-	-	-	2.
173E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	2	-	2	24.0	1.5	-	1.5	-	-	-	-	-
*178E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
34N 135E	-	-	-	-	-	-	1	-	1	26.0	0.5	-	0.5	-	-	-	-	-
*137E	-	2	-	-	-	-	-	-	2	16.0	9.0	9.0	-	-	-	-	-	-
138E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
139E	-	5	-	-	-	-	-	-	5	17.6	1.2	1.2	-	-	-	-	-	-
140E	-	8	-	-	-	-	1	-	9	18.0	13.8	6.5	5.0	2.2	-	-	-	0.
141E	2	54	1	-	-	-	-	-	57	16.5	245.0	215.8	25.9	1.4	-	0.4	-	1.
142E	-	74	2	-	-	-	1	-	77	17.1	220.0	115.8	103.0	0.2	-	0.2	-	0.
143E	-	69	1	-	-	-	-	-	70	16.9*	177.8	108.5	65.0	1.2	0.1	3.0	-	-
144E	-	45	1	-	-	-	1	-	47	16.7	68.3	50.3	18.0	-	-	-	-	-
145E	-	73	2	-	-	2	1	-	78	16.9*	314.9	279.5	23.0	10.5	-	-	-	1.
146E	-	99	3	-	-	-	1	-	103	17.8*	707.0	671.4	32.2	-	-	3.0	-	0.
147E	-	71	2	-	-	2	5	-	80	19.1	452.0	343.8	107.0	0.3	-	0.9	-	-
148E	1	67	2	-	-	3	9	-	82	17.9*	441.9	322.2	118.3	-	-	-	-	1.
149E	-	32	-	-	-	3	1	-	36	16.7	100.9	34.4	54.6	5.8	-	4.5	-	1.
150E	-	20	-	-	-	-	2	-	22	16.9	42.2	16.9	24.9	0.2	-	0.2	-	-
151E	1	47	-	-	-	6	8	-	62	17.1	226.1	69.8	154.4	0.3	-	1.6	-	-
152E	1	39	2	-	-	13	60	-	115	20.0*	323.8	24.9	290.6		-	7.0	-	1.
153E	-	-	4	-	-	32	50	-	86	20.4*	323.4	40.3	278.6	-	-	2.0	-	2.
154E	-	-	-	-	-	36	55	-	91	20.8*	301.1	23.9	275.9	0.1	-	0.5	-	0.
155E	-	-	-	-	-	11	31	-	42	20.9	177.1	13.8	163.0	0.2	-	0.1	-	-
156E	-	-	-	-	-	8	8	-	16	18.8	61.9	20.7	40.7	-	-	0.5	-	-
157E	-	-	-	-	-	2	-	-	2	20.0	0.1	-	0.1	-	-	-	-	-
*160E	-	-	-	-	-	2	-	-	2	23.0	13.5	13.5	-	-	-	-	-	-
*164E	-	-	-	-	-	1	3	-	4	26.0	7.0	7.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	2	-	2	28.0	2.7	2.5	-	-	-	-	-	0.
*168E	-	-	-	-	-	-	2	-	2	22.5	1.5	1.5	-	-	-	-	-	-
*175E	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	22.0	1.5	-	1.5	-	-	-	-	-
33N 136E	-	1	-	-	-	-	-	-	1	16.0	4.0	1.0	-	1.6	-	1.4	-	-
137E	-	5	-	-	-	-	-	-	5	18.0*	15.3	15.3	-	-	-	-	-	-
138E	-	11	-	-	-	-	-	-	11	17.5	18.3	12.3	-	6.0	-	-	-	-
139E	-	42	-	-	-	-	-	-	42	16.0*	98.1	80.2	-	10.1	-	0.7	0.3	6.
140E	4	33	-	-	-	-	-	-	37	16.3*	85.6	71.1	1.5	9.1	-	-	-	3.
141E	-	32	-	-	-	1	-	-	33	16.7	130.1	98.1	27.2	0.2	-	0.1	-	4.
142E	4	116	1	-	-	-	-	-	121	16.9*	380.7	193.6	181.0	2.6	-	2.5	-	1.
143E	-	96	4	-	-	-	-	-	100	16.7	293.8	175.4	112.8	1.2	-	4.4	-	-
144E	1	37	-	-	-	-	-	-	38	17.1	80.8	41.1	37.7	1.5	-	-	-	0.
145E	-	49	2	-	-	-	1	-	52	18.3*	145.9	106.5	37.7	-	-	0.5	-	1.
146E	1	57	1	-	-	2	1	-	62	17.6*	217.2	168.9	34.1	11.3	-	1.0	-	1.
147E	1	67	-	-	-	2	-	-	70	18.2*	355.3	295.0	50.1	-	-	10.0	-	0.
148E	3	135	1	-	-	4	-	-	143	16.4*	723.1	480.3	242.5	0.2	-	-	-	0.
149E	-	54	3	-	-	2	1	-	60	17.3	398.0	321.5	69.8	5.1	-	1.5	-	0.
150E	-	50	1	-	-	11	3	-	65	17.5	278.8	79.2	192.7	6.6	-	-	-	0.
151E	1	51	5	-	-	16	8	-	81	18.1*	394.7	84.2	297.5	11.2	-	1.0	-	0.
152E	-	17	5	-	-	18	33	-	73	19.9	301.2	25.7	271.9	0.3	-	2.9	-	0.
153E	-	1	-	-	-	31	43	-	75	20.3	293.1	15.0	278.0	-	-	-	-	0.
154E	-	-	1	-	-	96	152	-	249	21.4*	918.7	34.1	877.6	3.3	-	-	-	3.
33N 155E	-	-	1	-	-	71	135	-	207	21.9*	759.9	40.2	705.3	7.3	-	5.6	-	1.
156E	-	-	-	-	-	6	13	-	19	19.6*	66.8	9.5	57.0	0.3	-	-	-	-
157E	-	-	-	-	-	1	2	-	3	23.3	9.0	9.0	-	-	-	-	-	-
*159E	-	-	-	-	-	6	1	-	7	24.5	22.4	-	22.4	-	-	-	-	-
*164E	-	-	-	-	-	-	2	-	2	27.0	2.0	2.0	-	-	-	-	-	-
*168E	-	-	-	-	-	-	2	-	2	25.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
*179W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
32N 128E	-	9	-	-	-	-	-	-	9	11.4	61.0	55.4	-	4.5	-	-	0.4	0.
129E	-	15	-	-	-	-	-	-	15	11.2	86.7	86.2	-	-	-	-	-	0.
*134E	-	1	-	-	-	-	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
135E	-	3	-	-	-	-	-	-	3	16.0	12.5	12.5	-	-	-	-	-	-
136E	-	3	-	-	-	-	-	-	3	16.0	2.2	2.2	-	-	-	-	-	-
137E	-	4	-	-	-	-	-	-	4	17.0*	2.8	2.6	-	0.2	-	-	-	-
138E	-	16	-	-	-	-	-	-	16	15.2*	25.7	17.8	-	5.2	-	-	-	2.
139E	-	47	-	-	-	-	-	-	47	15.8*	86.9	69.5	-	11.9	-	3.4	-	2.
140E	-	41	-	-	-	-	-	-	41	16.1*	60.0	48.9	-	9.7	-	1.0	-	0.
141E	-	17	-	-	-	-	-	-	17	15.8*	46.2	31.9	0.1	13.5	-	0.5	-	0.
142E	-	26	-	-	-	-	-	-	26	17.8*	77.0	66.8	5.7	4.5	-	-	-	-
143E	-	22	-	-	-	-	-	-	22	16.7	106.2	101.7	0.7	2.9	-	-	-	0.
144E	-	20	-	-	-	-	-	-	20	16.5*	60.5	36.0	9.5	6.8	-	8.2	-	-
145E	1	28	1	-	-	-	-	-	30	16.5*	105.2	67.7	6.9	10.6	-	2.0	-	18.
146E	-	11	-	-	-	-	-	-	11	17.2	25.9	18.5	4.0	3.4	-	-	-	-
147E	-	14	1	-	-	-	1	-	16	18.5*	85.3	85.3	-	-	-	-	-	-
148E	-	19	-	-	-	10	5	-	34	17.8	221.6	212.5	9.1	-	-	-	-	-
149E	-	24	-	-	-	2	1	-	27	17.5	233.0	171.7	57.7	1.1	-	1.0	-	1.
150E	-	6	-	-	-	-	-	-	6	16.5	20.6	13.0	6.6	1.0	-	-	-	-
151E	-	4	-	-	-	2	2	-	8	18.3	20.1	4.6	14.3	1.2	-	-	-	-
152E	-	-	-	-	-	4	2	-	6	19.0	51.7	29.5	14.5	1.4	-	6.3	-	-
153E	-	-	1	-	-	3	3	-	7	20.7	48.5	1.0	47.5	-	-	-	-	-
154E	-	-	-	-	-	1	3	-	4	20.2	22.5	9.0	11.5	1.0	-	1.0	-	-
155E	-	-	-	-	-	3	3	-	6	23.1	12.3	9.8	2.5	-	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*161E	-	-	-	-	-	1	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
31N 129E	1	1	-	-	-	-	-	-	2	10.0	4.1	4.1	-	-	-	-	-	-
*134E	-	5	-	-	-	-	-	-	5	15.2	5.7	5.7	-	-	-	-	-	-
135E	-	8	-	-	-	-	-	-	8	15.5	8.1	4.2	-	2.7	-	1.2	-	-
136E	-	4	-	-	-	-	-	-	4	14.7	1.0	1.0	-	-	-	-	-	-
137E	-	4	-	-	-	-	-	-	4	14.2	3.5	3.5	-	-	-	-	-	-
138E	1	18	-	-	-	-	-	-	19	14.6*	51.1	42.3	-	4.8	-	2.8	-	1.
139E	-	72	-	-	-	-	-	-	72	15.3*	175.2	125.5	-	44.2	-	2.4	0.6	2.
140E	-	38	-	-	-	-	-	-	38	16.0*	71.9	44.8	-	16.0	-	2.9	-	8.
141E	-	25	-	-	-	-	-	-	25	15.4*	48.2	35.2	-	11.4	-	1.3	-	0.
142E	-	5	-	-	-	-	-	-	5	15.4	27.5	26.4	0.6	0.5	-	-	-	-
143E	-	7	-	-	-	-	-	-	7	15.1*	25.8	16.9	0.5	5.4	-	3.0	-	-
144E	-	4	-	-	-	-	-	-	4	14.7	9.0	6.0	-	2.0	-	1.0	-	-
145E	-	9	-	-	-	-	-	-	9	15.2	58.0	57.7	-	0.2	-	-	-	0.
*147E	-	1	-	-	-	1	-	-	2	16.5	9.5	9.0	-	0.5	-	-	-	-
148E	-	2	-	-	-	2	1	-	5	20.0	43.9	43.5	-	-	-	0.3	-	0.

月別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
1N 149E	-	-	-	-	-	1	3	-	4	22.5	32.8	19.8	13.0	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
*139W	-	1	-	-	-	-	-	-	1	15.0	1.5	1.0	-	0.5	-	-	-	-
0N 128E	1	9	-	-	-	-	-	-	10	11.6	40.3	31.7	0.1	7.6	-	-	0.5	0.4
129E	4	6	-	-	-	-	-	-	10	10.0	79.2	74.0	2.6	1.5	-	-	-	1.1
130E	-	4	-	-	-	-	-	-	4	12.2	2.1	1.5	-	0.4	-	-	-	0.2
*133E	-	3	-	-	-	-	-	-	3	15.0	8.6	4.6	-	2.6	-	1.4	-	-
134E	-	11	-	-	-	-	-	-	11	15.4	23.7	15.0	-	5.9	-	2.5	-	0.3
135E	-	16	-	-	-	-	-	-	16	14.7	20.2	13.5	-	5.4	-	0.5	-	0.8
136E	1	7	-	-	-	-	-	-	8	15.6	16.2	15.1	-	0.9	-	-	-	0.2
137E	1	11	-	-	-	-	-	-	12	15.8*	34.5	26.4	-	4.4	-	1.6	-	2.1
138E	-	52	-	-	-	-	-	-	52	15.8*	124.7	81.5	0.4	36.1	-	4.5	-	2.2
139E	-	53	-	-	-	-	-	-	53	15.3*	150.2	93.8	-	47.7	-	5.4	-	3.3
140E	-	83	-	-	-	-	-	-	83	14.5*	176.5	119.5	0.1	43.4	-	8.1	-	5.4
141E	-	18	-	-	-	-	-	-	18	16.3	61.1	38.8	-	12.2	-	9.1	-	1.0
142E	-	5	-	-	-	-	-	-	5	16.0	14.0	11.0	0.5	1.5	-	1.0	-	-
143E	-	10	-	-	-	-	-	-	10	17.2*	30.0	24.9	-	3.9	-	0.1	-	1.1
144E	-	1	-	-	-	-	-	-	1	17.0	0.7	-	-	0.2	-	-	-	0.5
145E	-	1	-	-	-	-	-	-	1	16.0	1.3	1.3	-	-	-	-	-	-
*154E	-	-	-	-	-	1	-	-	1	26.0	2.5	-	2.5	-	-	-	-	-
9N 127E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.5	-	0.2	-	-	-	0.3
128E	-	20	-	-	-	-	-	-	20	13.4	86.7	77.6	-	4.7	-	-	2.6	1.8
129E	11	74	-	-	-	-	-	-	85	12.9	226.3	197.8	1.7	14.6	-	0.9	4.1	7.2
*132E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
133E	-	3	-	-	-	-	-	-	3	16.3	18.8	15.1	-	3.2	-	0.4	-	0.1
134E	-	10	-	-	-	-	-	-	10	15.2*	16.7	12.5	-	3.0	-	1.0	-	0.2
135E	3	11	-	-	-	-	-	-	14	15.0	43.1	30.5	-	9.0	-	3.5	-	0.1
136E	1	3	-	-	-	-	-	-	4	16.0	10.1	9.5	-	0.2	-	0.4	-	-
137E	-	3	-	-	-	-	-	-	3	16.3	7.5	5.9	-	1.5	-	-	-	0.1
138E	-	38	-	-	-	-	-	-	38	15.2*	55.6	13.5	0.3	35.9	-	4.4	-	1.5
139E	-	73	-	-	-	-	-	-	73	15.2*	131.1	41.1	0.2	73.6	-	9.6	-	6.6
140E	-	88	-	-	-	-	-	-	88	14.6*	151.2	49.2	0.8	84.4	-	9.9	-	6.9
141E	-	29	-	-	-	-	-	-	29	15.8*	76.1	39.5	0.1	24.4	-	3.1	-	9.0
142E	-	6	-	-	-	-	-	-	6	16.5	10.8	6.7	-	1.8	-	0.3	-	2.0
143E	-	14	-	-	-	-	-	-	14	15.8*	49.7	39.1	0.1	7.6	-	-	-	2.9
144E	-	6	-	-	-	-	-	-	6	17.4*	11.4	10.0	-	0.7	-	0.5	-	0.2
*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	5	-	5	28.0	25.7	14.2	-	0.5	-	11.0	-	-
*179W	-	-	-	-	-	-	1	-	1	22.0	0.5	0.1	-	0.4	-	-	-	-
*177W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
8N 133E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
134E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
135E	-	7	-	-	-	-	-	-	7	16.4	19.5	9.2	-	8.3	-	1.9	-	0.1
136E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
8N 137E	-	14	-	-	-	-	-	-	14	17.5	55.9	27.5	0.1	26.4	-	0.2	-	1.7
138E	-	15	-	-	-	-	-	-	15	15.7*	33.2	18.0	-	8.0	-	-	-	7.2
139E	-	42	-	-	-	-	-	-	42	15.4*	115.9	80.5	-	30.6	-	2.6	-	2.2
140E	-	58	-	-	-	-	-	-	58	15.3*	179.3	118.3	0.4	46.0	-	8.4	-	6.2
141E	-	23	-	-	-	-	-	-	23	14.7	56.4	37.3	-	13.5	-	1.3	-	4.3
142E	-	8	-	-	-	-	-	-	8	14.7	17.7	13.4	-	2.6	-	1.7	-	-
143E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
144E	-	2	-	-	-	-	-	-	2	18.0	4.8	4.0	-	0.8	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	2	-	2	18.0	19.0	13.0	-	6.0	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	18.0	2.0	2.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	2	-	2	28.0	8.0	6.0	-	2.0	-	-	-	-
178W	-	-	-	-	-	-	5	-	5	26.4	58.5	43.0	-	6.5	-	9.0	-	-
177W	-	-	-	-	-	1	1	-	2	27.5	4.0	4.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	22.0	5.2	4.0	-	1.0	-	-	-	0.2
27N 126E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.0	-	0.5	-	-	-	0.5
127E	18	-	-	-	-	-	-	-	18	16.5	21.2	21.2	-	-	-	-	-	-
128E	10	-	-	-	-	-	-	-	10	16.7	8.9	8.9	-	-	-	-	-	-
*138E	-	1	-	-	-	-	-	-	1	14.0	0.3	0.3	-	-	-	-	-	-
139E	-	11	-	-	-	-	-	-	11	15.7*	27.5	19.7	-	7.7	-	-	-	0.1
140E	-	24	-	-	-	-	-	-	24	15.7*	122.2	103.8	-	14.1	-	0.1	-	4.2
141E	-	7	-	-	-	-	-	-	7	17.5	12.8	9.5	-	3.3	-	-	-	-
142E	-	2	-	-	-	-	-	-	2	10.0	0.8	0.8	-	-	-	-	-	-
143E	-	1	-	-	-	-	-	-	1	19.0	1.5	1.0	-	0.3	-	-	-	0.2
144E	-	3	-	-	-	-	-	-	3	19.0	11.8	4.8	-	6.1	-	0.9	-	-
145E	-	20	-	-	-	-	-	-	20	14.9*	119.4	104.9	-	13.1	-	-	-	1.4
*175E	-	-	-	-	-	-	2	-	2	18.0	15.0	10.0	-	3.0	-	2.0	-	-
176E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	4	-	4	24.5	28.6	13.6	-	8.5	-	6.5	-	-
26N 126E	18	-	-	-	-	-	-	-	18	16.6	13.6	13.6	-	-	-	-	-	-
127E	10	-	-	-	-	-	-	-	10	16.8	5.4	5.4	-	-	-	-	-	-
*135E	-	1	-	-	-	-	-	-	1	19.0	15.0	6.0	-	8.5	-	-	-	0.5
*140E	-	36	-	-	-	-	-	-	36	15.3*	151.2	122.9	0.5	24.4	-	-	-	3.4
141E	-	3	-	-	-	-	-	-	3	16.5*	12.2	11.2	-	1.0	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	15.0	1.3	1.3	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	28.0	29.0	29.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	28.0	16.2	14.0	-	2.2	-	-	-	-
*174W	-	-	-	-	-	-	9	-	9	23.4	110.4	96.0	-	13.0	-	1.0	-	0.4
173W	-	-	-	-	-	-	2	-	2	24.0	10.0	10.0	-	-	-	-	-	-
25N 126E	1	-	-	-	-	-	-	-	1	17.0	0.8	0.8	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	19.0	7.6	4.8	-	2.8	-	-	-	-
*140E	-	1	-	-	-	-	-	-	1	17.0	9.7	8.7	-	1.0	-	-	-	-
141E	-	3	-	-	-	-	-	-	3	16.3	16.5	16.0	-	0.5	-	-	-	-
142E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
*173W	-	-	-	-	-	-	4	-	4	24.2	40.0	37.0	-	2.0	-	1.0	-	-
172W	-	-	-	-	-	-	9	-	9	22.4	64.4	63.5	-	0.6	-	-	-	0.3
171W	-	-	-	-	-	-	2	-	2	23.0	18.1	17.0	-	0.7	-	-	-	0.4

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　JUL - -009　　　TSKI -086　　　7 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
25N	170W	-	-	-	-	-	-	3	-	3	23.3	26.8	25.0	-	1.6	-	-	-	0.2
	169W	-	-	-	-	-	-	3	-	3	22.0	33.8	30.0	-	3.4	-	-	-	0.4
	168W	-	-	-	-	-	-	1	-	1	22.0	16.0	14.0	-	2.0	-	-	-	-
24N	141E	-	9	-	-	-	-	1	-	10	17.1	82.1	75.6	3.0	2.4	-	-	-	1.1
	*144E	-	-	-	-	-	-	1	-	1	22.0	6.1	5.0	-	0.9	-	-	-	0.2
	*154E	-	-	-	-	-	1	-	-	1	19.0	8.5	7.9	-	0.6	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	20.0	4.9	4.0	-	0.4	-	0.5	-	-
	173W	-	-	-	-	-	-	1	-	1	20.0	8.2	4.0	-	2.0	-	2.2	-	-
	172W	-	-	-	-	-	-	1	-	1	20.0	19.5	15.0	-	2.0	-	2.0	-	0.5
	*169W	-	-	-	-	-	-	1	-	1	25.0	20.0	20.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	2	-	2	23.5	23.0	22.0	-	-	-	-	-	1.0
	167W	-	-	-	-	-	-	5	-	5	22.2	43.2	43.2	-	-	-	-	-	-
	166W	-	-	-	-	-	-	3	-	3	25.0	51.0	48.0	-	2.0	-	-	-	1.0
	165W	-	-	-	-	-	-	1	-	1	26.0	16.0	15.0	-	1.0	-	-	-	-
	*162W	-	-	-	-	-	-	2	-	2	26.0	10.0	10.0	-	-	-	-	-	-
23N	141E	-	12	-	-	-	-	-	-	12	15.2	109.8	102.8	-	4.3	-	-	-	2.7
	*145E	-	-	-	-	-	1	-	-	1	13.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	1	-	2	26.5	2.5	2.5	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	28.0	16.0	16.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	2	-	2	23.0	36.0	36.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	20.5	20.0	-	-	-	-	-	0.5
	161W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
22N	142E	-	-	-	-	-	4	-	-	4	14.7	25.6	25.6	-	-	-	-	-	-
	143E	-	1	-	-	-	6	2	-	9	17.7	61.7	61.7	-	-	-	-	-	-
	144E	-	-	-	-	-	4	-	-	4	15.5	34.0	34.0	-	-	-	-	-	-
	145E	-	-	-	-	-	4	1	-	5	17.4	38.5	38.5	-	-	-	-	-	-
	146E	-	-	-	-	-	1	5	-	6	24.1	58.0	58.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	2	-	3	23.6	7.5	7.5	-	-	-	-	-	-
	148E	-	-	-	-	-	-	3	-	3	25.0	20.0	20.0	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	27.0	5.6	5.6	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	29.0	21.0	21.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	26.0	4.5	4.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	33.0	9.0	9.0	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	2	-	2	27.0	11.0	10.0	-	-	-	-	-	1.0
	*166W	-	-	-	-	-	-	1	-	1	26.0	7.0	6.0	-	1.0	-	-	-	-
	165W	-	-	-	-	-	-	2	-	2	27.0	4.0	4.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	1	-	1	26.0	9.0	9.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	161W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
21N	141E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
21N	142E	-	-	-	-	-	5	-	-	5	17.8	19.5	19.5	-	-	-	-	-	-
	143E	-	-	-	-	-	3	-	-	3	16.0	8.5	8.5	-	-	-	-	-	-
	144E	-	-	-	-	-	4	1	-	5	16.6	19.0	19.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	18.0	0.3	0.3	-	-	-	-	-	-
	146E	-	-	-	-	-	1	1	-	2	20.5	8.6	8.6	-	-	-	-	-	-
	147E	-	-	-	-	-	1	1	-	2	20.0	12.2	12.0	-	-	-	-	-	0.2
	148E	-	-	-	-	-	3	8	-	11	24.7	76.3	76.3	-	-	-	-	-	-
	149E	-	-	-	-	-	6	8	-	14	20.2	60.5	60.5	-	-	-	-	-	-
	150E	-	-	-	-	-	-	3	-	3	26.0	15.6	15.6	-	-	-	-	-	-
	151E	-	-	-	-	-	2	4	-	6	25.6	51.0	51.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	3	-	3	26.0	43.0	40.0	-	-	-	3.0	-	-
	154E	-	-	-	-	-	-	3	-	3	30.0	31.0	31.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	22.0	8.5	7.5	-	0.5	-	0.5	-	-
	166E	-	-	-	-	-	-	1	-	1	26.0	10.5	10.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	37.0	0.4	0.4	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	27.0	0.2	0.2	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*163W	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	*158W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
20N	141E	-	-	-	-	-	1	1	-	2	23.5	18.5	18.5	-	-	-	-	-	-
	142E	-	1	-	-	-	3	-	-	4	17.5	25.7	25.5	-	0.2	-	-	-	-
	143E	-	-	-	-	-	4	-	-	4	21.7	15.0	15.0	-	-	-	-	-	-
	144E	-	-	-	-	-	3	4	-	7	21.4	43.8	42.0	-	1.1	-	-	-	0.7
	145E	-	-	-	-	-	9	1	-	10	21.0	60.0	60.0	-	-	-	-	-	-
	146E	-	-	-	-	-	14	4	-	18	21.6	115.6	111.8	-	3.5	-	-	-	0.3
	147E	-	-	-	-	-	9	2	-	11	23.5	61.0	61.0	-	-	-	-	-	-
	148E	-	-	-	-	-	32	12	-	44	22.7	257.7	257.4	-	-	-	0.3	-	-
	149E	-	-	-	-	-	6	-	-	6	23.6	42.0	42.0	-	-	-	-	-	-
	150E	-	-	-	-	-	4	2	-	6	23.6	30.3	30.3	-	-	-	-	-	-
	151E	-	-	-	-	-	6	5	-	11	23.5	39.5	39.5	-	-	-	-	-	-
	152E	-	-	-	-	-	1	3	-	4	25.0	12.0	12.0	-	-	-	-	-	-
	153E	-	-	-	-	-	5	9	-	14	24.2	160.5	160.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	4	-	4	27.2	38.0	38.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	1	-	2	25.5	8.4	7.5	-	0.9	-	-	-	-
	156E	-	-	-	-	-	-	2	-	2	27.0	12.0	12.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	29.0	12.0	12.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	25.0	10.0	10.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	24.3	26.0	26.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	22.0	10.0	10.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	37.0	2.4	2.4	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	37.0	1.2	-	-	-	-	1.2	-	-
	175E	-	-	-	-	-	-	3	-	3	37.0	19.3	17.7	-	-	-	1.6	-	-
	176E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	26.0	3.2	2.0	-	-	-	1.2	-	-
	*162W	-	-	-	-	-	-	3	-	3	26.0	35.0	35.0	-	-	-	-	-	-
	161W	-	-	-	-	-	-	1	-	1	26.0	12.0	12.0	-	-	-	-	-	-
19N	141E	-	-	-	-	-	1	-	-	1	22.0	1.2	1.2	-	-	-	-	-	-
	142E	-	-	-	-	-	2	-	-	2	17.0	12.0	12.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** JUL - -011 TSKI -088 7 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
19N	143E	-	-	-	-	-	2	-	-	2	18.0	7.7	7.5	-	0.2	-	-	-	-
	144E	-	-	-	-	-	2	-	-	2	22.0	6.7	6.5	-	0.2	-	-	-	-
	145E	-	-	-	-	-	8	-	-	8	19.6	36.5	35.5	-	1.0	-	-	-	-
	146E	-	-	-	-	-	15	2	-	17	19.7	116.4	115.4	-	1.0	-	-	-	-
	147E	-	-	-	-	-	7	1	-	8	22.5	43.0	43.0	-	-	-	-	-	-
	148E	-	-	-	-	-	3	1	-	4	22.2	7.0	7.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	3	-	4	26.0	23.5	23.5	-	-	-	-	-	-
	150E	-	-	-	-	-	2	1	-	3	25.0	16.0	16.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	2	1	-	3	19.6	8.5	8.5	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	4	-	4	28.5	58.5	58.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	3	-	4	25.7	53.0	53.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	4	-	4	26.5	16.5	16.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	27.0	5.5	5.5	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	2	-	2	30.0	5.0	5.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	25.5	8.0	8.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	4	-	4	33.5	19.8	19.8	-	-	-	-	-	-
	176E	-	-	-	-	-	-	4	-	4	36.0	31.4	31.4	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	2.0	1.0	-	-	-	1.0	-	-
	*162W	-	-	-	-	-	-	1	-	1	26.0	13.0	13.0	-	-	-	-	-	-
18N	142E	-	-	-	-	-	1	-	-	1	17.0	8.0	8.0	-	-	-	-	-	-
	143E	-	-	-	-	-	2	-	-	2	22.0	17.0	15.5	-	1.5	-	-	-	-
	144E	-	-	-	-	-	2	-	-	2	21.0	11.3	11.3	-	-	-	-	-	-
	145E	-	-	-	-	-	2	1	-	3	23.0	22.0	22.0	-	-	-	-	-	-
	146E	-	-	-	-	-	17	-	-	17	21.1	113.6	113.6	-	-	-	-	-	-
	147E	-	-	-	-	-	4	-	-	4	25.2	28.5	28.5	-	-	-	-	-	-
	148E	-	-	-	-	-	4	1	-	5	23.0	25.5	25.5	-	-	-	-	-	-
	149E	-	-	-	-	-	3	2	-	5	26.0	32.0	32.0	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	22.0	3.0	3.0	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	2	-	-	2	16.5	8.5	8.5	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	23.0	6.0	6.0	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	20.0	3.5	3.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
	159E	-	-	-	-	-	1	5	-	6	27.0	59.7	59.7	-	-	-	-	-	-
	160E	-	-	-	-	-	1	1	-	2	22.0	10.5	10.5	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	25.5	9.5	9.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	26.5	38.0	38.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	25.0	10.0	10.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	25.0	19.0	19.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	37.0	0.8	0.3	-	-	-	0.5	-	-
	*174W	-	-	-	-	-	-	1	-	1	37.0	2.0	2.0	-	-	-	-	-	-
17N	145E	-	-	-	-	-	2	-	-	2	23.0	8.0	8.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	1	-	2	21.5	7.0	7.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	3	-	-	3	17.6	18.5	18.5	-	-	-	-	-	-
	*154E	-	-	-	-	-	3	-	-	3	23.0	16.8	16.8	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	33.0	13.0	13.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	8	-	8	27.6	96.8	96.8	-	-	-	-	-	-
	167E	-	-	-	-	-	-	7	-	7	26.4	55.0	55.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	33.0	3.0	3.0	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
16N	155E	-	-	-	-	-	2	-	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	28.0	17.5	17.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	28.0	34.0	34.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	26.0	10.0	10.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	2	-	2	37.0	14.9	14.9	-	-	-	-	-	-
15N	153E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
14N	153E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	27.0	7.0	7.0	-	-	-	-	-	-
13N	167E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
12N	136E	-	5	-	-	-	-	-	-	5	30.0	3.2	-	-	2.9	-	0.2	-	0.1
	*138E	-	1	-	-	-	-	-	-	1	30.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
11N	137E	-	2	-	-	-	-	-	-	2	28.0	0.5	-	-	0.4	-	0.1	-	-
	*166E	-	-	-	-	-	-	1	-	1	33.0	12.0	12.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　JUL - -013　　TSKI -090　　7 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELSE
10N	137E	-	4	-	-	-	-	-	-	4	24.0	0.6	-	-	0.4	-	0.2	-	-
	*156E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
09N	172E	-	-	-	-	-	-	1	-	1	2[illegible].0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	2[illegible].0	-	-	-	-	-	-	-	-
08N	172E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
07N	158E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	27.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	28.0	21.0	21.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	30.5	30.0	30.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	33.0	8.0	6.0	-	2.0	-	-	-	-
06N	163E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	2	-	2	26.5	4.0	4.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	7	-	7	28.2	70.1	67.7	-	1.5	-	0.9	-	-
	*179W	-	-	-	-	-	-	4	-	4	33.0	22.0	12.0	-	-	-	10.0	-	-
	178W	-	-	-	-	-	-	2	-	2	25.5	14.0	14.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	2.5	2.5	-	-	-	-	-	-
05N	166E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	33.0	19.0	19.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	28.6	25.5	24.6	-	-	-	0.9	-	-
	178W	-	-	-	-	-	-	7	-	7	29.7	86.9	79.9	-	2.5	-	4.5	-	-
	177W	-	-	-	-	-	-	4	-	4	27.7	13.5	13.5	-	-	-	-	-	-
04N	172E	-	-	-	-	-	-	1	-	1	30.0	6.0	6.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	30.0	4.0	3.0	-	1.0	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	33.0	4.0	4.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	3	-	3	31.3	0.2	0.2	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	27.5	4.0	4.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	28.0	7.0	6.0	-	-	-	1.0	-	-
03N	168E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	27.0	16.0	16.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	26.0	26.0	-	-	-	-	-	-
02N	168E	-	1	-	-	-	-	-	-	1	28.0	0.6	-	-	0.3	-	0.1	-	0.[illegible]
	*172E	-	-	-	-	-	3	-	-	3	21.0	19.5	19.5	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	25.0	8.0	8.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	5	-	5	26.8	54.0	54.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	3	-	3	28.0	43.0	43.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	28.0	28.0	28.0	-	-	-	-	-	-
01N	169E	-	1	-	-	-	-	-	-	1	28.0	1.2	-	-	0.7	-	0.3	-	0.[illegible]
	170E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	2	3	-	5	22.2	60.5	60.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	2	-	2	30.0	23.0	23.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	22.0	3.5	3.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	24.5	56.0	56.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	28.0	19.0	19.0	-	-	-	-	-	-
00N	172E	-	-	-	-	-	1	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	173E	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	5	-	5	25.2	37.0	36.5	-	0.5	-	-	-	-
*01S	179W	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
*04S	179E	-	-	-	-	-	-	2	-	2	22.0	34.0	34.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	8	-	8	22.5	86.5	85.0	-	1.0	-	0.5	-	-
05S	179W	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　AUG - -001　　TSKI -▯92　　8 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
4N	151E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	13	7	-	20	20.2	118.1	-	118.0	-	-	-	-	0.1
	175E	-	-	-	-	-	1	-	-	1	14.0	1.3	-	1.3	-	-	-	-	-
3N	172E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	0.2	-	-	-	-	-
	*174E	-	-	-	-	-	55	36	-	91	18.4*	583.3	1.7	581.6	-	-	-	-	-
	175E	-	-	-	-	-	2	-	-	2	14.0	7.4	-	7.4	-	-	-	-	-
	*177E	-	-	-	-	-	1	2	-	3	18.5*	3.5	-	3.5	-	-	-	-	-
	178E	-	-	-	-	-	19	13	-	32	18.8*	118.7	1.0	116.6	-	-	-	-	1.1
	179E	-	-	-	-	-	7	1	-	8	17.5	23.4	0.9	22.5	-	-	-	-	-
2N	152E	-	-	-	-	-	3	-	-	3	24.3	3.0	3.0	-	-	-	-	-	-
	153E	-	-	-	-	-	3	-	-	3	24.3	1.5	1.5	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	4	1	-	5	26.8	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	0.2	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	27.0	1.0	-	1.0	-	-	-	-	-
	*177E	-	-	-	-	-	45	10	-	55	22.4	215.8	19.0	194.8	-	-	-	-	2.0
	178E	-	-	-	-	-	55	23	-	78	20.0*	283.8	5.6	273.9	-	-	-	-	4.3
	179E	-	-	-	-	-	26	8	-	34	19.6*	78.3	2.2	75.6	-	-	-	-	0.5
	*178W	-	-	-	-	-	1	-	-	1	18.0	2.0	-	2.0	-	-	-	-	-
1N	141E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	16.5	-	-	-	-	-	-	-	-
	146E	-	19	-	-	-	-	-	-	19	15.4	27.4	24.6	-	0.6	-	-	-	2.2
	147E	-	9	-	-	-	-	-	-	9	16.6*	31.2	31.2	-	-	-	-	-	-
	*149E	-	1	-	-	-	1	-	-	2	17.0	4.2	4.2	-	-	-	-	-	-
	150E	-	56	-	-	-	3	1	-	60	18.8	450.4	309.0	139.9	-	-	-	-	1.5
	151E	-	30	3	-	-	10*	4	-	47	20.8*	326.5	326.5	-	-	-	-	-	-
	152E	-	2	-	-	-	42	9	-	53	23.8	254.2	253.7	-	-	-	-	-	0.5
	153E	-	-	-	-	-	1	2	-	3	25.6	9.0	9.0	-	-	-	-	-	-
	154E	-	-	-	-	-	11	1	-	12	23.9	6.5	6.5	-	-	-	-	-	-
	155E	-	-	-	-	-	11	1	-	12	24.8	9.0	8.0	-	-	-	-	-	1.0
	156E	-	-	-	-	-	9	1	-	10	23.5	1.5	1.5	-	-	-	-	-	-
	157E	-	-	-	-	-	4	1	-	5	24.2	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	2	-	-	2	25.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	3	1	-	4	23.5	54.5	54.5	-	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	22.5	4.5	4.5	-	-	-	-	-	-
	*163E	-	-	-	-	-	4	-	-	4	22.7	155.0	152.0	-	-	-	-	-	3.0
	164E	-	-	-	-	-	2	-	-	2	26.0	30.0	30.0	-	-	-	-	-	-
	165E	-	-	-	-	-	8	-	-	8	22.1	11.0	9.5	-	-	-	-	-	1.5
	166E	-	-	-	-	-	7	2	-	9	23.5	39.0	39.0	-	-	-	-	-	-
	167E	-	-	-	-	-	2	-	-	2	25.5	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	2	-	-	2	27.5	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	20.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	2	1	-	3	20.6	0.5	-	-	-	-	-	-	0.5
	174E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	36	18	-	54	22.6	217.8	121.0	92.4	-	-	1.0	-	3.4
	176E	-	-	-	-	-	37	38	-	75	22.2	204.0	54.8	141.9	0.1	-	0.1	-	7.1
	177E	-	-	-	-	-	16	6	-	22	20.6	64.1	-	60.5	-	-	-	-	3.6
	178E	-	-	-	-	-	6	7	-	13	20.5	18.4	-	18.4	-	-	-	-	-
.1N	179E	-	-	-	-	-	1	1	-	2	21.5	1.3	-	1.1	-	-	-	-	0.2
	*178W	-	-	-	-	-	1	-	-	1	20.0	2.0	-	2.0	-	-	-	-	-
	177W	-	-	-	-	-	2	-	-	2	20.0	3.0	-	3.0	-	-	-	-	-
.ON	143E	-	4	-	-	-	-	-	-	4	16.7	5.0	5.0	-	-	-	-	-	-
	144E	-	4	-	-	-	-	-	-	4	18.5	0.5	0.5	-	-	-	-	-	-
	145E	-	15	-	-	-	2	1	-	18	17.5	4.5	3.6	-	-	0.5	-	-	0.4
	146E	-	48	-	-	-	-	1	-	49	16.5*	148.1	145.1	3.0	-	-	-	-	-
	147E	-	18	1	-	-	-	-	-	19	17.2	27.9	27.9	-	-	-	-	-	-
	148E	-	47	2	-	-	3	-	-	52	18.8	146.2	145.9	0.2	-	-	-	-	0.1
	149E	-	113	4	-	-	5	1	-	123	18.8*	837.1	792.2	44.5	-	-	-	-	0.4
	150E	-	62	4	-	-	11	2	-	79	18.8*	441.6	349.2	92.0	-	-	-	-	0.4
	151E	-	20	-	-	-	12	5	-	37	20.1	189.5	182.7	5.3	-	-	-	-	1.5
	152E	-	3	-	-	-	4	1	-	8	23.3	43.5	43.0	0.5	-	-	-	-	-
	153E	-	-	-	-	-	5	-	-	5	24.8	0.5	0.5	-	-	-	-	-	-
	154E	-	-	-	-	-	7	3	-	10	24.5	8.6	8.5	-	-	-	-	-	0.1
	155E	-	-	-	-	-	9	1	-	10	23.8	17.6	16.0	-	-	-	-	-	1.6
	156E	-	-	-	-	-	4	2	-	6	21.8	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	20	4	-	24	24.7	107.0	107.0	-	-	-	-	-	-
	158E	-	-	-	-	-	16	26	-	42	22.3	318.0	317.5	-	-	-	-	-	0.5
	159E	-	-	-	-	-	47	70	-	117	22.9	793.7	790.8	-	-	-	-	-	2.9
	160E	-	-	-	-	-	62	16	-	78	23.8	534.4	533.5	-	-	-	-	-	0.9
	161E	-	-	-	-	-	3	8	-	11	20.2	33.5	31.5	-	-	-	-	-	2.0
	162E	-	-	-	-	-	3	2	-	5	23.2	13.0	13.0	-	-	-	-	-	-
	163E	-	-	-	-	-	3	2	-	5	23.4	104.0	104.0	-	-	-	-	-	-
	164E	-	-	-	-	-	18	3	-	21	23.6	119.5	117.5	-	-	-	-	-	2.0
	165E	-	-	-	-	-	16	4	-	20	23.7	88.5	88.5	-	-	-	-	-	-
	166E	-	-	-	-	-	4	1	-	5	24.6	1.0	1.0	-	-	-	-	-	-
	167E	-	-	-	-	-	10	1	-	11	24.3	8.0	5.0	-	-	-	-	-	3.0
	168E	-	-	-	-	-	2	1	-	3	22.0	1.5	1.5	-	-	-	-	-	-
	169E	-	-	-	-	-	4	2	-	6	25.5	2.1	1.0	1.0	-	-	-	-	0.1
	170E	-	-	-	-	-	-	1	-	1	26.0	0.5	-	-	-	-	-	-	0.5
	171E	-	-	-	-	-	6	4	-	10	24.1	65.1	60.5	0.5	-	-	3.0	-	1.1
	172E	-	-	-	-	-	-	2	-	2	22.5	4.3	-	2.8	-	-	-	-	1.5
	173E	-	-	-	-	-	5	5	-	10	24.0	73.4	71.5	-	-	-	-	-	1.9
	174E	-	-	-	-	-	27	3	-	30	23.9	131.1	122.9	1.1	-	-	-	-	7.1
	175E	-	-	-	-	-	19	2	-	21	22.0	97.5	84.9	10.9	-	-	-	-	1.7
	176E	-	-	-	-	-	8	2	-	10	21.5	40.3	36.3	2.0	-	-	-	-	2.0
	*178E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
39N	142E	-	3	-	-	-	-	-	-	3	18.0	10.0	8.0	-	0.9	-	-	-	1.1
	143E	-	7	-	-	-	-	-	-	7	17.0	6.7	6.7	-	-	-	-	-	-
	144E	-	11	-	-	-	-	1	-	12	17.7	36.9	33.7	-	1.9	-	0.6	-	0.7
	145E	-	31	-	-	-	-	-	-	31	18.3	72.0	71.8	-	0.2	-	-	-	-
	146E	-	67	3	-	-	-	1	-	71	18.5*	294.1	293.6	-	-	-	-	-	0.5
	147E	2	90	5	-	-	3	-	-	100	17.7*	395.1	395.1	-	-	-	-	-	-
	148E	-	102	2	-	-	1	1	-	106	17.4*	528.8	524.0	3.7	-	-	-	-	1.1
	149E	-	50	2	-	-	3	1	-	56	18.9*	340.1	335.6	2.5	-	-	-	-	2.0
	150E	-	47	5	-	-	1	3	-	56	20.2*	373.5	373.5	-	-	-	-	-	-
	151E	-	4	1	-	-	4	1	-	10	21.5	39.0	39.0	-	-	-	-	-	-
	152E	-	-	-	-	-	3	-	-	3	25.3	17.0	16.5	-	-	-	-	-	0.5
	153E	-	-	-	-	-	-	4	-	4	24.2	4.5	4.5	-	-	-	-	-	-
	154E	-	-	-	-	-	1	2	-	3	24.3	2.0	2.0	-	-	-	-	-	-
	155E	-	-	-	-	-	4	3	-	7	23.2	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	5	10	-	15	23.0	12.0	11.5	-	-	-	-	-	0.5

月別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
39N	157E	-	-	-	-	-	11	11	-	22	23.5	223.5	223.5	-	-	-	-	-	-
	158E	-	-	-	-	-	29	32	-	61	22.2	850.6	849.6	-	-	-	-	-	1.0
	159E	-	-	-	-	-	6	18	-	24	22.5	309.1	309.1	-	-	-	-	-	-
	160E	-	-	-	-	-	1	5	-	6	21.6	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	3	1	-	4	23.7	5.0	5.0	-	-	-	-	-	-
	162E	-	-	-	-	-	11	2	-	13	24.7	27.5	27.5	-	-	-	-	-	-
	163E	-	-	-	-	-	5	3	-	8	23.1	13.5	13.5	-	-	-	-	-	-
	164E	-	-	-	-	-	2	1	-	3	24.3	26.0	26.0	-	-	-	-	-	-
	165E	-	-	-	-	-	3	1	-	4	23.2	8.0	8.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	2	-	3	22.3	15.5	15.5	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	19.5	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	3	1	-	4	22.0	3.0	3.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	1	-	2	22.5	3.1	-	0.1	-	-	-	-	3.0
	173E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	24.0	0.2	-	0.2	-	-	-	-	-
	175E	-	-	-	-	-	1	3	-	4	23.7	37.0	36.5	0.5	-	-	-	-	-
	*178W	-	-	-	-	-	1	-	-	1	20.0	1.0	-	1.0	-	-	-	-	-
38N	141E	-	13	-	-	-	-	-	-	13	15.3	17.6	17.5	-	-	-	-	-	0.1
	142E	-	6	-	-	-	-	-	-	6	14.0	14.3	14.3	-	-	-	-	-	-
	143E	-	6	-	-	-	-	-	-	6	15.3	7.2	2.7	4.0	-	-	-	-	0.5
	144E	-	14	-	-	-	-	1	-	15	17.5	12.4	12.1	-	-	-	-	-	0.3
	145E	1	35	-	-	-	4	1	-	41	17.9	77.8	75.3	-	1.0	-	1.2	-	0.3
	146E	-	55	2	-	-	-	-	-	57	17.2	162.0	161.5	-	-	-	-	-	0.5
	147E	-	64	-	-	-	1	-	-	65	15.1*	280.8	277.0	-	1.1	-	1.8	-	0.9
	148E	-	95	3	-	-	-	2	-	100	16.6	509.0	505.7	2.7	-	-	-	-	0.6
	149E	2	88	5	-	-	5	3	-	103	16.8*	698.4	689.6	8.3	0.2	-	-	-	0.3
	150E	-	41	5	-	-	6	9	-	61	18.7*	420.8	420.8	-	-	-	-	-	-
	151E	-	3	-	-	-	1	6	-	10	20.5	54.5	54.0	0.5	-	-	-	-	-
	152E	-	1	-	-	-	8	19	-	28	22.7	126.5	126.5	-	-	-	-	-	-
	153E	-	-	-	-	-	4	18	-	22	21.9	152.9	151.3	-	-	-	-	-	1.6
	154E	-	-	-	-	-	3	4	-	7	23.8	24.0	24.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	3	-	3	23.0	12.0	12.0	-	-	-	-	-	-
	156E	-	-	-	-	-	-	6	-	6	22.6	15.5	15.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	25.0	4.5	4.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	1	-	2	24.0	5.5	5.5	-	-	-	-	-	-
	159E	-	-	-	-	-	2	3	-	5	21.8	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	-	3	-	3	23.6	24.3	24.3	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	1	1	-	2	21.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	0.1	-	-	-	-	-	-	0.1
	*167E	-	-	-	-	-	1	-	-	1	20.0	2.5	-	-	-	-	-	-	2.5
	*170E	-	-	-	-	-	-	1	-	1	22.0	4.2	0.5	-	-	-	-	-	3.7
	*172E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	21.5	3.0	3.0	-	-	-	-	-	-
37N	141E	-	28	-	-	-	-	-	-	28	16.0	82.3	81.9	-	-	-	-	-	0.4
	142E	-	6	-	-	-	-	-	-	6	14.6	8.1	8.1	-	-	-	-	-	-
	143E	-	4	-	-	-	1	-	-	5	17.8	1.8	1.8	-	-	-	-	-	-
	144E	1	2	-	-	-	1	-	-	4	14.7	1.8	1.1	-	-	-	-	-	0.7
	145E	-	9	-	-	-	-	-	-	9	17.5	34.7	34.6	-	-	-	-	-	0.1
	146E	-	13	-	-	-	-	-	-	13	17.1*	34.2	34.2	-	-	-	-	-	-
	147E	-	14	-	-	-	-	-	-	14	16.9	17.0	17.0	-	-	-	-	-	-
	148E	-	25	-	-	-	-	1	-	26	19.0*	68.8	68.8	-	-	-	-	-	-
	149E	1	23	-	-	-	2	-	-	26	17.2	91.4	91.4	-	-	-	-	-	-
37N	150E	-	34	2	-	-	7	34	-	77	19.6*	457.7	456.7	1.0	-	-	-	-	-
	151E	-	1	1	-	-	1	4	-	7	20.8	48.8	48.8	-	-	-	-	-	-
	152E	-	-	-	-	-	3	14	-	17	21.7	158.5	158.0	-	-	-	-	-	0.5
	153E	-	-	-	-	-	7	19	-	26	22.1	182.2	182.2	-	-	-	-	-	-
	154E	-	-	-	-	-	-	4	-	4	21.0	27.0	27.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	16	-	17	22.2	89.8	89.8	-	-	-	-	-	-
	156E	-	-	-	-	-	2	17	-	19	22.1	233.0	232.0	-	-	-	-	-	1.0
	*159E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
36N	141E	-	1	-	-	-	-	-	-	1	14.0	8.3	8.3	-	-	-	-	-	-
	142E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
	143E	-	10	-	-	-	-	-	-	10	15.0	19.3	15.2	-	1.7	-	1.0	-	1.4
	144E	-	20	-	-	-	-	-	-	20	16.2*	54.7	37.6	16.0	0.1	-	-	-	1.0
	145E	1	2	-	-	-	-	-	-	3	15.0	1.5	1.5	-	-	-	-	-	-
	146E	-	3	-	-	-	1	1	-	5	21.0*	11.0	11.0	-	-	-	-	-	-
	*148E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	21.0	8.0	8.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	21.5	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	3	7	-	10	20.4	51.0	51.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	23.0	10.5	10.5	-	-	-	-	-	-
	159E	-	-	-	-	-	1	4	-	5	21.8	35.0	35.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	27.0	10.0	10.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	19.5	25.1	25.0	-	-	-	-	-	0.1
	*165E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	2	-	2	19.0	2.1	0.1	2.0	-	-	-	-	-
35N	141E	-	3	-	-	-	-	-	-	3	14.0	3.1	2.8	-	0.3	-	-	-	-
	142E	1	2	-	-	-	-	-	-	3	16.6	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	16.6	-	-	-	-	-	-	-	-
	144E	-	7	-	-	-	-	-	-	7	15.5	13.6	11.8	-	0.4	-	-	-	1.4
	145E	-	5	-	-	-	-	1	-	6	16.3	28.0	26.5	1.5	-	-	-	-	-
	*149E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	150E	-	-	-	-	-	-	3	-	3	23.0	10.0	10.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	1	-	1	19.0	5.0	5.0	-	-	-	-	-	-
	152E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	2	3	-	5	22.4	10.5	9.0	-	-	-	-	-	1.5
	*158E	-	-	-	-	-	1	1	-	2	25.0	5.0	5.0	-	-	-	-	-	-
	159E	-	-	-	-	-	11	7	-	18	22.1	167.0	167.0	-	-	-	-	-	-
	160E	-	-	-	-	-	17	3	-	20	21.4	236.5	236.5	-	-	-	-	-	-
	161E	-	-	-	-	-	9	2	-	11	22.0	118.5	118.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
34N	138E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	139E	-	2	-	-	-	-	-	-	2	16.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** AUG - -005 TSKI -096 8 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
34N	141E	-	3	-	-	-	-	-	-	3	16.3	2.5	0.6	-	0.5	-	-	-	1.4
	142E	-	1	-	-	-	-	-	-	1	15.0	4.5	4.5	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	13.0	0.6	0.1	-	0.4	-	-	-	0.1
	144E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	*148E	-	2	-	-	-	-	-	-	2	8.0	3.7	3.7	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	1	-	2	16.0	15.0	5.0	10.0	-	-	-	-	-
	152E	-	-	-	-	-	2	2	-	4	17.0	37.0	27.0	8.0	-	-	-	-	2.0
	153E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	1	1	-	2	16.0	7.5	2.0	5.5	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	17.0	13.0	13.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
33N	135E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*139E	-	11	-	-	-	-	-	-	11	15.8*	13.4	12.1	-	0.7	-	0.4	-	0.2
	140E	-	4	-	-	-	-	-	-	4	16.5*	0.4	0.4	-	-	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	15.8	10.8	4.5	0.1	2.2	-	4.0	-	-
	142E	-	3	-	-	-	-	-	-	3	12.6	4.4	3.5	-	0.9	-	-	-	-
	143E	-	7	-	-	-	-	-	-	7	13.0	8.9	4.6	-	4.0	-	-	-	0.3
	144E	-	2	-	-	-	-	-	-	2	16.0	4.4	2.9	-	1.5	-	-	-	-
	145E	-	2	-	-	-	-	-	-	2	16.0	7.1	6.1	-	1.0	-	-	-	-
	146E	-	5	-	-	-	-	-	-	5	16.8	8.8	-	-	3.8	-	4.0	-	1.0
	147E	-	2	-	-	-	-	-	-	2	16.0	3.8	-	-	1.8	-	-	-	2.0
	*153E	-	-	-	-	-	1	-	-	1	14.0	5.0	-	5.0	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	14.0	5.5	-	5.5	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	14.0	10.0	-	10.0	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
32N	128E	1	12	-	-	-	-	-	-	13	12.8	30.5	25.2	-	4.9	-	-	-	0.4
	129E	-	24	-	-	-	-	-	-	24	12.0	65.1	57.9	-	4.4	-	-	-	2.8
	*137E	-	2	-	-	-	-	-	-	2	16.5	6.4	1.6	-	2.3	-	2.5	-	-
	138E	-	5	-	-	-	-	-	-	5	16.8	6.1	5.0	-	-	-	1.1	-	-
	139E	-	11	-	-	-	-	-	-	11	14.4	7.4	5.4	-	0.8	-	-	-	1.2
	140E	1	7	-	-	-	-	-	-	8	15.0*	6.7	4.4	-	2.3	-	-	-	-
	141E	-	13	-	-	-	-	-	-	13	15.7	25.6	11.6	-	6.4	-	5.4	-	2.2
	142E	-	16	-	-	-	-	-	-	16	14.1	16.2	1.4	0.1	12.7	-	1.9	-	0.1
	143E	-	1	-	-	-	-	-	-	1	14.1	4.7	0.3	0.1	4.1	-	-	-	0.2
	*146E	-	13	-	-	-	-	-	-	13	13.7	23.1	0.4	3.2	19.1	-	-	-	0.4
	147E	-	3	-	-	-	-	-	-	3	12.3	5.8	0.5	-	5.3	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
31N	128E	-	2	-	-	-	-	-	-	2	14.0	1.2	0.1	-	-	-	-	-	1.1
	129E	1	4	-	-	-	-	-	-	5	12.0	6.0	6.0	-	-	-	-	-	-
	130E	-	2	-	-	-	-	-	-	2	10.0	2.2	2.2	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.1	-	0.1	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	17.0	1.4	0.5	-	0.7	-	-	-	0.2
	136E	-	1	-	-	-	-	-	-	1	17.0	1.2	1.0	-	-	-	0.2	-	-
	137E	-	3	-	-	-	-	-	-	3	15.3	0.4	0.1	-	0.1	-	-	-	0.2
	*139E	1	53	-	-	-	-	-	-	54	15.1*	50.5	27.1	-	18.0	-	1.5	-	3.9
31N	140E	-	12	-	-	-	-	-	-	12	13.7*	8.1	5.9	-	1.8	-	-	-	0.4
	141E	-	8	-	-	-	-	-	-	8	14.5	11.1	2.1	-	8.0	-	1.0	-	-
	142E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
30N	128E	1	21	-	-	-	-	-	-	22	14.0	108.1	84.8	5.0	15.2	-	1.2	-	1.9
	129E	2	34	-	-	-	-	-	-	36	12.8	103.4	81.1	1.8	15.6	-	0.7	-	4.2
	130E	-	8	-	-	-	-	-	-	8	14.3	21.9	17.7	-	3.1	-	-	-	1.1
	*133E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*138E	-	5	-	-	-	-	-	-	5	15.2	1.3	1.3	-	-	-	-	-	-
	139E	-	25	-	-	-	-	-	-	25	14.5*	44.7	16.7	-	20.9	-	-	-	7.1
	140E	2	20	-	-	-	-	-	-	22	13.8*	29.7	21.2	-	8.3	-	-	-	0.2
	141E	-	1	-	-	-	-	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
	*144E	-	3	-	-	-	-	-	-	3	12.3	1.4	0.4	-	1.0	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	23.0	17.0	17.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	0.6	-	-	-	-	0.2	-	0.4
	*178E	-	-	-	-	-	-	3	-	3	26.3	4.0	4.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	23.3	38.8	28.0	-	-	-	10.5	-	0.3
29N	128E	-	41	-	-	-	-	-	-	41	13.2	117.6	83.5	19.8	9.5	-	0.8	0.1	3.9
	129E	6	46	-	-	-	-	-	-	52	12.3	112.1	100.0	0.6	9.2	-	0.4	0.1	1.8
	130E	-	2	-	-	-	-	-	-	2	18.0	1.5	1.5	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*134E	-	1	-	-	-	-	-	-	1	13.0	2.2	1.7	-	0.5	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	15.0	0.7	0.2	0.2	0.2	-	-	-	0.1
	138E	-	3	-	-	-	-	-	-	3	15.0*	2.0	-	-	2.0	-	-	-	-
	139E	-	3	-	-	-	-	-	-	3	15.3	4.6	4.2	-	0.4	-	-	-	-
	140E	-	12	-	-	-	-	-	-	12	14.6	11.5	6.5	-	5.0	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	16.5	1.4	1.0	-	0.4	-	-	-	-
	142E	-	8	-	-	-	-	-	-	8	15.1*	17.8	7.3	-	10.4	-	-	-	0.1
	*178E	-	-	-	-	-	-	4	-	4	22.5	36.0	10.0	-	3.0	-	23.0	-	-
	179E	-	-	-	-	-	-	6	-	6	23.8	41.5	13.0	-	6.0	-	22.5	-	-
	*179W	-	-	-	-	-	-	2	-	2	24.0	11.0	2.0	-	6.0	-	3.0	-	-
28N	127E	-	6	-	-	-	-	-	-	6	12.8	31.1	22.0	-	6.5	-	-	-	2.6
	128E	-	2	-	-	-	-	-	-	2	14.5	18.8	3.0	15.8	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	16.0	2.6	2.3	-	0.2	-	-	-	0.1
	130E	-	1	-	-	-	-	-	-	1	12.0	2.1	2.1	-	-	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	16.0	4.9	4.5	-	0.4	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	16.0	0.8	0.8	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	20.0	0.1	0.1	-	-	-	-	-	-
	141E	-	9	-	-	-	-	-	-	9	13.6*	24.6	10.8	-	4.3	-	9.5	-	-
	142E	-	8	-	-	-	-	-	-	8	14.8*	11.5	9.4	-	2.1	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	24.3	21.0	10.0	-	3.0	-	8.0	-	-
	178W	-	-	-	-	-	-	4	-	4	24.2	9.5	9.0	-	-	-	0.5	-	-
	177W	-	-	-	-	-	-	4	-	4	21.7	5.5	5.0	-	0.5	-	-	-	-
	176W	-	-	-	-	-	-	4	-	4	23.7	32.5	21.0	-	7.5	-	4.0	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** AUG - -007 TSKI -098 8 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
27N	126E	-	3	-	-	-	-	-	-	3	14.6	23.1	19.9	-	2.7	-	-	-	0.5
	127E	-	4	-	-	-	-	-	-	4	14.2	7.1	1.5	5.6	-	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	140E	-	4	-	-	-	-	-	-	4	13.6*	1.0	0.9	-	0.1	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	16.7*	17.4	17.3	-	0.1	-	-	-	-
	142E	-	10	-	-	-	-	-	-	10	16.8	34.3	32.8	-	1.0	-	-	-	0.5
	143E	-	2	-	-	-	-	-	-	2	19.0	4.2	3.6	-	0.4	-	-	-	0.2
	*145E	-	16	-	-	-	-	-	-	16	15.5*	42.5	39.4	-	2.8	-	-	-	0.3
	*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
26N	124E	-	2	-	-	-	-	-	-	2	12.5	14.5	14.5	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	14.0	9.0	9.0	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	128E	-	2	-	-	-	-	-	-	2	14.0	4.7	4.7	-	-	-	-	-	-
	*140E	-	33	-	-	-	-	-	-	33	14.7	22.9	7.4	-	15.0	-	-	-	0.5
	141E	-	8	-	-	-	-	1	-	9	15.4	7.7	4.2	-	3.2	-	-	-	0.3
	142E	-	21	-	-	-	-	-	-	21	16.3*	128.2	123.2	-	4.0	-	-	-	1.0
	143E	-	2	-	-	-	-	-	-	2	17.0	4.8	4.8	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	20.0	29.5	22.2	-	-	-	7.3	-	-
	*176W	-	-	-	-	-	-	1	-	1	31.0	10.1	10.1	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	23.5	6.0	6.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	3	-	3	22.6	8.5	8.0	-	0.5	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	24.5	4.5	4.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	2	-	2	24.5	5.5	4.5	-	-	-	-	-	1.0
25N	124E	-	2	-	-	-	-	-	-	2	13.5	9.0	8.4	-	0.4	-	-	-	0.2
	125E	-	1	-	-	-	-	-	-	1	15.0	21.5	20.0	-	1.5	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	12.0	2.5	2.5	-	-	-	-	-	-
	127E	-	4	-	-	-	-	-	-	4	14.7	17.4	16.3	-	-	-	1.1	-	-
	*141E	-	15	-	-	-	-	-	-	15	16.0■	59.6	56.1	-	2.4	-	-	-	1.1
	142E	-	1	-	-	-	-	-	-	1	19.0	9.7	8.5	-	1.0	-	-	-	0.2
	*176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	6	-	6	20.6	43.5	43.0	-	-	-	-	-	0.5
	*174W	-	-	-	-	-	-	4	-	4	24.0	9.8	9.5	-	-	-	0.3	-	-
	173W	-	-	-	-	-	-	5	-	5	24.0	47.5	47.0	-	-	-	-	-	0.5
	172W	-	-	-	-	-	-	7	-	7	23.7	64.0	63.0	-	-	-	1.0	-	-
	171W	-	-	-	-	-	-	2	-	2	29.5	22.0	16.0	-	4.0	-	1.0	-	1.0
	170W	-	-	-	-	-	-	5	-	5	25.0	17.2	15.2	-	0.5	-	-	-	1.5
	169W	-	-	-	-	-	-	6	-	6	26.5	97.0	96.0	-	-	-	1.0	-	-
	168W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
24N	134E	-	1	-	-	-	-	-	-	1	11.0	3.5	1.7	-	1.8	-	-	-	-
	*141E	-	11	-	-	-	-	-	-	11	16.9■	20.0	17.2	-	1.6	-	-	-	1.2
	142E	-	1	-	-	-	-	-	-	1	18.0	0.7	0.7	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	22.0	7.0	7.C	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
24N	169W	-	-	-	-	-	-	1	-	1	28.0	11.0	11.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	5	-	5	25.0	30.0	30.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	23.0	0.1	0.1	-	-	-	-	-	-
	165W	-	-	-	-	-	-	3	-	3	23.0	27.0	26.5	-	-	-	-	-	0.5
	164W	-	-	-	-	-	-	2	-	2	23.5	9.2	9.2	-	-	-	-	-	-
23N	125E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	*136E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*141E	-	16	-	-	-	2	-	-	18	15.4*	70.5	65.6	-	4.4	-	-	-	0.5
	142E	-	-	-	-	-	-	1	-	1	21.0	11.4	11.4	-	-	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	24.0	0.9	0.6	-	0.3	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	23.5	4.0	4.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	23.0	14.0	14.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	2	-	2	25.5	9.3	9.3	-	-	-	-	-	-
	165W	-	-	-	-	-	-	2	-	2	23.0	5.0	5.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	3	-	3	23.0	28.0	28.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	1	-	1	23.0	5.0	5.0	-	-	-	-	-	-
22N	140E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	5	-	-	5	14.8	20.9	20.9	-	-	-	-	-	-
	143E	-	1	-	-	-	1	-	-	2	19.5	0.5	0.2	-	-	-	0.3	-	-
	*145E	-	-	-	-	-	2	-	-	2	15.0	5.8	5.5	-	0.3	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	19.0	2.5	2.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*169W	-	-	-	-	-	-	1	-	1	31.0	5.3	5.3	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
21N	139E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	*141E	-	-	-	-	-	1	-	-	1	20.0	0.8	0.8	-	-	-	-	-	-
	142E	-	-	-	-	-	2	-	-	2	14.0	7.0	7.0	-	-	-	-	-	-
	143E	-	4	-	-	-	1	-	-	5	16.0	36.9	36.1	-	0.8	-	-	-	-
	144E	-	-	-	-	-	4	1	-	5	17.2	22.4	21.7	-	0.5	-	-	-	0.2
	145E	-	-	-	-	-	3	1	-	4	18.7	10.7	10.0	-	0.7	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	149E	-	-	-	-	-	2	-	-	2	19.0	10.4	10.4	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	1	-	2	19.0	12.5	12.5	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	2	-	2	27.5	7.0	7.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	18.0	5.5	5.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　AUG - -009　　　TSKI -100　　　8 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
20N	140E	-	-	-	-	-	5	-	-	5	20.6	30.0	30.0	-	-	-	-	-	-
	141E	-	-	-	-	-	3	-	-	3	21.0	25.2	25.2	-	-	-	-	-	-
	142E	-	1	-	-	-	1	-	-	2	16.0	8.3	8.0	-	0.3	-	-	-	-
	143E	-	-	-	-	-	2	-	-	2	14.0	12.5	12.5	-	-	-	-	-	-
	144E	-	-	-	-	-	3	-	-	3	19.6	21.4	19.7	-	1.6	-	-	-	0.1
	145E	-	-	-	-	-	3	-	-	3	17.3	16.7	16.5	-	-	-	-	-	0.2
	*147E	-	-	-	-	-	1	-	-	1	19.0	3.5	3.5	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	8.4	8.4	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	17.0	5.5	5.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
	159E	-	-	-	-	-	2	3	-	5	19.8	36.8	36.5	-	0.3	-	-	-	-
	160E	-	-	-	-	-	2	-	-	2	18.5	9.4	7.0	2.4	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	21.0	1.3	1.3	-	-	-	-	-	-
	163E	-	-	-	-	-	-	2	-	2	22.5	10.0	10.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	20.0	3.5	0.5	3.0	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	23.0	9.0	9.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	3	-	4	21.7	28.5	28.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	8	-	8	21.5	43.6	43.6	-	-	-	-	-	-
	*163W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	*159W	-	-	-	-	-	-	2	-	2	26.0	13.0	13.0	-	-	-	-	-	-
19N	140E	-	-	-	-	-	4	1	-	5	23.0	41.0	41.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	3	-	-	3	20.0	36.4	36.4	-	-	-	-	-	-
	143E	-	-	-	-	-	7	-	-	7	19.8	22.8	22.8	-	-	-	-	-	-
	144E	-	-	-	-	-	5	-	-	5	16.8	22.8	22.0	-	0.2	-	0.3	-	0.3
	145E	-	-	-	-	-	10	-	-	10	20.6	34.5	33.9	-	-	-	0.6	-	-
	146E	-	-	-	-	-	2	1	-	3	22.0	6.5	6.4	-	-	-	-	-	0.1
	147E	-	-	-	-	-	1	-	-	1	19.0	4.0	4.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	26.0	1.8	1.8	-	-	-	-	-	-
	151E	-	-	-	-	-	1	-	-	1	20.0	1.1	0.5	0.6	-	-	-	-	-
	*154E	-	-	-	-	-	2	-	-	2	19.0	31.0	31.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	3	-	3	21.3	16.5	16.5	-	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	19.5	0.7	0.7	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	21.5	0.5	0.5	-	-	-	-	-	-
	165E	-	-	-	-	-	2	2	-	4	20.2	7.6	7.6	-	-	-	-	-	-
	166E	-	-	-	-	-	-	3	-	3	24.0	13.0	13.0	-	-	-	-	-	-
	167E	-	-	-	-	-	2	2	-	4	23.0	14.0	14.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	7	-	8	22.8	47.4	47.1	-	-	-	-	-	0.3
	169E	-	-	-	-	-	7	4	-	11	20.2	84.5	84.5	-	-	-	-	-	-
	170E	-	-	-	-	-	5	1	-	6	21.3	28.5	28.5	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	33.0	5.0	5.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*161W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*158W	-	-	-	-	-	-	2	-	2	26.0	1.0	1.0	-	-	-	-	-	-
18N	141E	-	-	-	-	-	4	-	-	4	22.0	25.0	25.0	-	-	-	-	-	-
	*144E	-	-	-	-	-	7	-	-	7	21.7	17.0	17.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
18N	146E	-	-	-	-	-	5	-	-	5	18.6	12.1	12.1	-	-	-	-	-	-
	147E	-	-	-	-	-	5	3	-	8	20.8	33.9	33.9	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	149E	-	-	-	-	-	5	1	-	6	21.8	15.6	15.6	-	-	-	-	-	-
	150E	-	-	-	-	-	2	2	-	4	20.0	23.4	23.3	-	-	-	-	-	0.1
	151E	-	-	-	-	-	1	-	-	1	19.0	7.0	6.0	-	-	-	-	-	1.0
	152E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	153E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	2.5	2.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	7	-	7	25.5	34.2	34.2	-	-	-	-	-	-
	167E	-	-	-	-	-	-	3	-	3	26.3	7.0	7.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	2	2	-	4	20.5	44.9	44.9	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	31.0	2.0	2.0	-	-	-	-	-	-
17N	141E	-	-	-	-	-	2	-	-	2	22.0	16.0	16.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	143E	-	-	-	-	-	4	1	-	5	19.2	24.5	22.4	-	-	-	2.0	-	0.1
	144E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	1	-	2	19.0	14.7	14.5	-	-	-	-	-	0.2
	146E	-	-	-	-	-	4	-	-	4	20.0	11.0	11.0	-	-	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	17.5	4.0	4.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	23.5	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
16N	142E	-	1	-	-	-	-	1	-	2	27.0	4.7	4.5	-	0.1	-	-	-	0.1
	143E	-	-	-	-	-	3	1	-	4	18.2	20.0	19.5	-	0.5	-	-	-	-
	*145E	-	-	-	-	-	-	2	-	2	23.0	5.0	5.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	17.0	3.3	1.9	-	1.4	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	24.0	0.6	0.6	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
15N	142E	-	3	-	-	-	-	-	-	3	21.0	2.0	-	-	1.4	-	-	-	0.6
	143E	-	2	-	-	-	-	-	-	2	21.0	1.7	-	-	1.5	-	-	-	0.2
	144E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	20.5	0.8	0.8	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*160W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
14N	147E	-	1	-	-	-	-	-	-	1	18.0	9.0	9.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	17.0	1.8	1.8	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　AUG - -011　　TSKI -102　　8 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
14N	*173E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	27.0	12.0	12.0	-	-	-	-	-	-
13N	169E	-	-	-	-	-	-	2	-	2	27.5	1.0	1.0	-	-	-	-	-	-
12N	144E	-	-	-	-	-	-	1	-	1	23.0	2.5	2.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
11N	168E	-	-	-	-	-	-	2	-	2	27.5	8.1	8.1	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	19.0	1.0	0.5	-	-	-	-	-	0.5
	176E	-	-	-	-	-	-	1	-	1	26.0	7.0	5.0	-	2.0	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	24.0	8.0	8.0	-	-	-	-	-	-
10N	137E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	2	-	2	26.0	13.0	11.0	-	2.0	-	-	-	-
09N	148E	-	-	-	-	-	1	-	-	1	15.0	0.5	-	-	0.5	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	4	-	4	27.2	22.0	21.5	-	0.5	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
08N	145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	2	-	2	27.5	2.9	2.9	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	19.0	3.0	3.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	24.5	3.5	3.5	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	26.0	3.0	2.0	-	1.0	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
07N	146E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	21.0	0.9	0.9	-	-	-	-	-	-
	*176E	-	-	-	-	-	1	3	-	4	23.2	7.0	7.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	3	-	3	25.0	3.0	2.0	-	1.0	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	26.0	3.5	3.0	-	-	-	-	-	0.5
	179E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	33.0	7.0	7.0	-	-	-	-	-	-
	*163W	-	-	-	-	-	-	1	-	1	24.0	2.0	1.0	-	-	-	-	-	1.0
	*161W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
06N	148E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
06N	149E	-	-	-	-	-	1	2	-	3	21.6	4.8	4.8	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	24.5	3.0	3.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	24.0	14.0	14.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	20.0	1.3	-	-	1.3	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	26.0	8.0	8.0	-	-	-	-	-	-
05N	150E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	171E	-	-	-	-	-	4	-	-	4	17.0	27.0	27.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	37.0	0.6	0.6	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	26.0	6.0	3.0	-	-	-	3.0	-	-
	*179W	-	-	-	-	-	1	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	178W	-	-	-	-	-	2	7	-	9	25.3	38.0	38.0	-	-	-	-	-	-
	177W	-	-	-	-	-	2	1	-	3	24.3	7.0	7.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	21.0	1.2	0.7	-	0.5	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*166W	-	-	-	-	-	-	1	-	1	24.0	15.0	15.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	9	-	-	9	23.0	0.8	0.7	-	-	-	0.1	-	-
04N	151E	-	-	-	-	-	1	-	-	1	15.0	2.2	2.0	-	0.2	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	163E	-	1	-	-	-	-	-	-	1	26.0	0.6	-	-	0.4	-	0.2	-	-
	*169E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	3	-	3	18.0	16.0	16.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	5	-	5	18.0	33.5	33.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	18.0	4.0	4.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	25.5	2.0	2.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	2	-	2	26.0	5.0	5.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	21.0	15.0	15.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	3	-	3	20.6	12.0	12.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
03N	000E	-	-	-	-	-	1	-	-	1	23.0	6.6	5.2	-	-	-	0.1	-	1.3
	*159E	-	1	-	-	-	1	-	-	2	17.0*	2.6	0.1	-	1.9	-	0.6	-	-
	*162E	-	1	-	-	-	-	-	-	1	17.0	0.1	-	-	0.1	-	-	-	-
	163E	-	1	-	-	-	-	-	-	1	17.0	0.8	-	-	0.4	-	0.4	-	-
	164E	-	2	-	-	-	-	-	-	2	17.0	1.9	-	-	1.7	-	-	-	0.2
	165E	-	1	-	-	-	-	-	-	1	17.0	1.1	-	-	0.8	-	-	-	0.3
	166E	-	1	-	-	-	-	-	-	1	17.0	0.4	-	-	0.4	-	-	-	-
	*168E	-	3	-	-	-	-	1	-	4	21.0*	14.2	9.0	-	4.1	-	1.0	-	0.1
	169E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	2	-	2	18.5	2.5	2.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	3	-	3	22.0	39.5	39.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU T■UKEI *** AUG - -013 TSKI -104

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
3N 175E	-	-	-	-	-	-	2	-	2	24.0	40.0	40.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	24.0	18.0	18.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	4	-	4	20.7	17.0	17.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	23.6	6.0	6.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	1	-	1	33.0	2.0	2.0	-	-	-	-	-	-
177W	-	-	-	-	-	3	5	-	8	21.1	46.7	46.2	-	-	-	0.5	-	-
176W	-	-	-	-	-	-	17	-	17	21.6	175.0	175.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	11	-	11	21.6	75.5	75.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	5	-	5	19.4	37.5	37.5	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
*168W	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
*164W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*000W	-	-	-	-	-	5	-	-	5	23.0	24.8	22.9	-	0.3	-	0.7	-	0.9
2N 000E	-	-	-	-	-	7	-	-	7	23.0	70.9	54.8	-	0.9	-	1.7	-	13.5
001E	-	-	-	-	-	1	-	-	1	23.0	3.2	2.9	-	-	-	0.1	-	0.2
*152E	-	-	-	-	-	-	1	-	1	27.0	3.0	2.5	-	0.5	-	-	-	-
*155E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.0	-	0.5	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	15.0	4.0	4.0	-	-	-	-	-	-
158E	-	-	-	-	-	4	1	-	5	17.4	39.7	35.5	-	3.0	-	1.2	-	-
159E	-	-	-	-	-	1	-	-	1	15.0	7.0	6.5	-	0.5	-	-	-	-
160E	-	1	-	-	-	-	-	-	1	15.0	3.5	-	-	3.4	-	0.1	-	-
161E	-	2	-	-	-	-	-	-	2	15.0	1.9	-	-	1.5	-	0.4	-	-
*165E	-	-	-	-	-	-	1	-	1	19.0	10.5	10.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	2	-	2	21.5	5.0	5.0	-	-	-	-	-	-
*168E	-	2	-	-	-	-	1	-	3	24.0*	3.9	1.5	-	1.7	-	0.4	-	0.3
169E	-	1	-	-	-	-	1	-	2	27.0*	1.1	0.2	-	0.7	-	-	-	0.2
*171E	-	-	-	-	-	-	2	-	2	21.0	11.5	11.5	-	-	-	-	-	-
172E	-	-	-	-	-	3	17	-	20	19.7	214.5	214.0	-	0.5	-	-	-	-
173E	-	-	-	-	-	-	3	-	3	24.6	25.0	25.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	6	-	6	26.5	67.5	67.5	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	2	-	2	32.0	4.0	4.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	2	-	2	25.0	49.0	49.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
179E	-	-	-	-	-	1	10	-	11	25.5	64.3	64.3	-	-	-	-	-	-
*179W	-	-	-	-	-	-	12	-	12	23.8	84.0	84.0	-	-	-	-	-	-
178W	-	-	-	-	-	4	20	-	24	23.2	259.1	258.5	-	0.6	-	-	-	-
177W	-	-	-	-	-	9	30	-	39	24.3	500.1	500.1	-	-	-	-	-	-
176W	-	-	-	-	-	5	31	-	36	22.8	561.0	559.3	-	1.7	-	-	-	-
175W	-	-	-	-	-	-	22	-	22	25.0	333.5	332.5	-	1.0	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
*167W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
*002W	-	-	-	-	-	1	-	-	1	23.0	4.3	4.0	-	-	-	-	-	0.3
001W	-	-	-	-	-	6	-	-	6	23.0	41.4	36.3	-	1.2	-	1.9	-	2.0
000W	-	-	-	-	-	4	-	-	4	23.0	26.1	22.0	-	0.2	-	0.7	-	3.2
1N 160E	-	-	-	-	-	-	1	-	1	21.0	4.2	3.1	-	0.7	-	0.4	-	-
161E	-	2	-	-	-	-	1	-	3	21.0*	6.8	2.8	-	3.5	-	0.4	-	0.1
162E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	24.0	0.8	0.8	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	24.0	1.4	0.3	-	1.1	-	-	-	-
*168E	-	1	-	-	-	-	-	-	1	24.0	0.7	-	-	0.4	-	-	-	0.3
1N 169E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
170E	-	-	-	-	-	1	1	-	2	19.0	9.8	9.8	-	-	-	-	-	-
*172E	-	-	-	-	-	-	6	-	6	19.6	32.3	32.3	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*176E	-	-	-	-	-	-	4	-	4	25.5	137.0	137.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	11	-	11	24.2	179.0	179.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	3	-	3	18.0	58.0	58.0	-	-	-	-	-	-
179E	-	-	-	-	-	-	5	-	5	32.2	93.8	93.2	-	-	-	0.6	-	-
*179W	-	-	-	-	-	-	10	-	10	27.9	99.5	99.5	-	-	-	-	-	-
178W	-	-	-	-	-	-	12	-	12	26.0	183.2	183.2	-	-	-	-	-	-
177W	-	-	-	-	-	5	21	-	26	25.2	448.8	447 5	-	1.3	-	-	-	-
176W	-	-	-	-	-	-	14	-	14	25.4	336.3	336.0	-	-	-	-	-	0.3
175W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
*001W	-	-	-	-	-	1	-	-	1	23.0	9.5	9.3	-	-	-	0.2	-	-
ION 160E	-	-	-	-	-	2	-	-	2	17.0	9.4	0.1	-	3.1	-	6.2	-	-
*167E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
168E	-	2	-	-	-	-	1	-	3	21.0*	2.6	0.2	-	1.4	-	0.5	-	0.5
169E	-	2	-	-	-	-	-	-	2	21.0	2.2	-	-	1.2	-	0.6	-	0.4
*172E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	23.0	19.0	19.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	22.5	5.8	5.5	-	0.1	-	-	-	0.2
*178W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
177W	-	-	-	-	-	10	16	-	26	24.4	421.0	421.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	2	-	2	27.0	25.0	25.0	-	-	-	-	-	-
0S 162E	-	-	-	-	-	1	-	-	1	17.0	1.3	0.8	-	0.5	-	-	-	-
*164E	-	-	-	-	-	1	-	-	1	17.0	4.9	3.8	-	1.1	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
178W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
1S 162E	-	-	-	-	-	-	3	-	3	21.0	20.6	19.6	-	1.0	-	-	-	-
163E	-	-	-	-	-	-	3	-	3	21.0	24.1	22.9	-	0.2	-	1.0	-	-
164E	-	-	-	-	-	1	-	-	1	17.0	3.7	3.6	-	0.1	-	-	-	-
*167E	-	-	-	-	-	1	-	-	1	17.0	3.2	3.2	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	25.5	1.8	1.8	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
175W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
2S 174E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	37.0	0.7	0.7	-	-	-	-	-	-
3S 169E	-	-	-	-	-	-	1	-	1	21.0	1.0	0.6	-	0.4	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	26.0	21.0	21.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	7	-	7	29.7	49.1	49.1	-	-	-	-	-	-
178W	-	-	-	-	-	-	2	-	2	23.0	17.0	17.0	-	-	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
4S 169E	-	-	-	-	-	-	3	-	3	23.0	6.0	6.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -■ETSU　　　*** GYOJYO-■ETSU TOUKEI ***　　　AUG - -015　　　TSKI -106　　　8 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ ■.F.	メバチ B.E.	ソーダ F.■.	その他 ELS
04S	170E	-	-	-	-	-	-	1	-	1	24.0	20.0	20.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
05S	169E	-	-	-	-	-	-	1	-	1	24.0	6.0	6.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	21.0	2.4	2.4	-	-	-	-	-	-
	171E	-	-	-	-	-	-	3	-	3	23.0	30.0	30.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	24.0	8.5	8.5	-	-	-	-	-	-
06S	171E	-	-	-	-	-	-	1	-	1	24.0	8.0	5.5	-	1.0	-	1.5	-	-
	*173E	-	-	-	-	-	-	1	-	1	24.0	2.0	1.5	-	0.5	-	-	-	-
	174E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　SEP - -001　　TSKI -107

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
44N	174E	-	-	-	-	-	24	18	-	42	19.2	171.3	-	171.3	-	-	-	-	-
	175E	-	-	-	-	-	62	18	-	80	19.4	337.8	7.0	330.8	-	-	-	-	-
	176E	-	-	-	-	-	11	2	-	13	17.7	29.2	-	29.2	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	21.0	0.3	-	0.3	-	-	-	-	-
43N	156E	-	-	-	-	-	1	-	-	1	26.0	25.0	13.0	12.0	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	3	1	-	4	21.7	0.4	-	0.4	-	-	-	-	-
	174E	-	-	-	-	-	3	-	-	3	23.6	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	42	10	-	52	22.5*	126.8	8.5	117.7	0.1	-	-	-	0.5
	176E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	2	-	2	19.0	0.4	-	0.4	-	-	-	-	-
	179E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
42N	146E	-	1	-	-	-	-	-	-	1	21.0	3.6	3.6	-	-	-	-	-	-
	*151E	-	-	-	-	-	5	2	-	7	22.8	55.0	55.0	-	-	-	-	-	-
	152E	-	20	-	-	-	10	1	-	31	20.7*	417.8	417.8	-	-	-	-	-	-
	153E	-	-	-	-	-	5	-	-	5	24.2	30.7	30.7	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	2	-	-	2	24.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	2	-	-	2	24.0	22.0	22.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	4	-	-	4	16.0*	10.8	1.1	9.7	-	-	-	-	-
	167E	-	-	-	-	-	4	-	-	4	20.3*	1.5	0.5	1.0	-	-	-	-	-
	168E	-	-	-	-	-	3	-	-	3	14.6	0.8	0.1	0.7	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	27.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	1	-	2	20.0	0.5	-	0.5	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	2	-	-	2	26.5	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	1	-	-	1	20.0	0.5	-	0.5	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	17.0*	6.0	-	6.0	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	16.0	8.0	1.0	7.0	-	-	-	-	-
41N	144E	-	9	-	-	-	-	-	-	9	18.5	45.2	45.2	-	-	-	-	-	-
	145E	-	17	1	-	-	-	-	-	18	18.6	60.6	60.6	-	-	-	-	-	-
	146E	-	11	-	-	-	1	-	-	12	17.5	36.1	36.1	-	-	-	-	-	-
	147E	-	4	-	-	-	-	-	-	4	13.2	1.0	1.0	-	-	-	-	-	-
	*149E	-	4	-	-	-	-	-	-	4	18.5	12.6	12.6	-	-	-	-	-	-
	150E	-	58	3	-	-	1	-	-	62	19.1*	348.4	348.4	-	-	-	-	-	-
	151E	-	8	-	-	-	3	1	-	12	20.5*	41.0	41.0	-	-	-	-	-	-
	152E	-	28	2	-	-	9	4	-	43	20.2*	460.0	460.0	-	-	-	-	-	-
	153E	-	5	-	-	-	3	2	-	10	21.4*	55.9	55.9	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	155E	-	1	-	-	-	5	2	-	8	24.8	38.5	38.5	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	11	-	-	11	25.7*	122.5	122.5	-	-	-	-	-	-
	158E	-	-	-	-	-	19	1	-	20	24.0*	249.5	249.5	-	-	-	-	-	-
	159E	-	-	-	-	-	11	1	-	12	23.7*	39.6	39.6	-	-	-	-	-	-
	160E	-	-	-	-	-	2	-	-	2	23.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	2	-	-	2	25.5	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	15	2	-	17	24.1	177.5	177.5	-	-	-	-	-	-
	164E	-	-	-	-	-	4	-	-	4	23.0	22.0	22.0	-	-	-	-	-	-
	165E	-	-	-	-	-	46	11	-	57	23.3*	265.2	246.8	16.4	-	-	-	-	2.0
41N	166E	-	-	-	-	-	30	4	-	34	22.8*	88.0	64.3	17.5	-	-	-	0.3	5.9
	167E	-	-	-	-	-	17	3	-	20	22.2*	16.3	12.6	2.6	-	-	-	-	1.1
	168E	-	-	-	-	-	7	4	-	11	19.2	40.5	40.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	1	-	4	19.5	5.6	5.1	0.5	-	-	-	-	-
	170E	-	-	-	-	-	3	-	-	3	21.0	19.0	19.0	-	-	-	-	-	-
	171E	-	-	-	-	-	4	-	-	4	23.0	10.5	10.0	-	-	-	-	-	0.5
	172E	-	-	-	-	-	2	1	-	3	21.3	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	2	-	-	2	25.0	1.0	-	1.0	-	-	-	-	-
	174E	-	-	-	-	-	2	-	-	2	25.0*	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	2	1	-	3	21.6	8.5	8.5	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	4	1	-	5	18.2	7.1	0.4	6.7	-	-	-	-	-
	178E	-	-	-	-	-	2	1	-	3	18.0	2.2	0.1	2.1	-	-	-	-	-
40N	143E	-	3	-	-	-	1	-	-	4	15.3*	0.1	-	-	-	-	-	-	0.1
	144E	-	64	3	-	-	1	-	-	68	16.1*	209.7	209.3	-	-	-	-	-	0.4
	145E	-	75	-	-	-	1	-	-	76	16.0*	218.2	217.2	-	-	-	-	-	1.0
	146E	1	40	-	-	-	-	-	-	41	15.4	89.8	89.8	-	-	-	-	-	-
	147E	-	39	5	-	-	-	-	-	44	18.3	164.4	164.4	-	-	-	-	-	-
	148E	-	30	1	-	-	1	-	-	32	18.5*	164.6	164.6	-	-	-	-	-	-
	149E	-	36	-	-	-	1	-	-	37	19.1*	148.6	148.2	-	-	-	-	-	0.4
	150E	-	34	-	-	-	5	1	-	40	18.6*	153.2	153.2	-	-	-	-	-	-
	151E	-	8	-	-	-	3	2	-	13	21.0	67.4	67.4	-	-	-	-	-	-
	152E	-	17	-	-	-	-	-	-	17	15.7	132.5	132.2	-	-	-	-	-	0.3
	153E	-	12	-	-	-	-	-	-	12	16.4	80.4	80.1	-	-	-	-	-	0.3
	154E	-	-	-	-	-	3	-	-	3	24.3	13.0	13.0	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	23.0	5.0	5.0	-	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	20.0*	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	5	1	-	6	25.3	4.0	4.0	-	-	-	-	-	-
	159E	-	-	-	-	-	14	2	-	16	25.2	19.5	19.5	-	-	-	-	-	-
	160E	-	-	-	-	-	13	2	-	15	24.4*	43.5	43.5	-	-	-	-	-	-
	161E	-	-	-	-	-	5	1	-	6	24.8	66.0	66.0	-	-	-	-	-	-
	162E	-	-	-	-	-	7	-	-	7	25.0	17.5	17.5	-	-	-	-	-	-
	163E	-	-	-	-	-	34	2	-	36	24.1*	255.7	255.2	-	-	-	-	-	0.5
	164E	-	-	-	-	-	44	6	-	50	24.2*	208.9	205.5	2.0	-	-	-	-	1.4
	165E	-	-	-	-	-	80	14	-	94	23.6*	788.3	781.5	5.5	-	-	-	-	1.3
	166E	-	-	-	-	-	2	2	-	4	25.6*	10.0	10.0	-	-	-	-	-	-
	167E	-	-	-	-	-	7	1	-	8	25.7	38.5	38.5	-	-	-	-	-	-
	168E	-	-	-	-	-	56	3	-	59	24.9*	365.7	358.1	7.4	-	-	-	-	0.2
	169E	-	-	-	-	-	3	-	-	3	20.6	6.0	6.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	23.0	3.0	-	3.0	-	-	-	-	-
	171E	-	-	-	-	-	3	-	-	3	23.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	1	1	-	2	27.0	1.3	-	1.3	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	2	1	-	3	20.0	8.5	8.5	-	-	-	-	-	-
	176E	-	-	-	-	-	1	-	-	1	19.0	2.5	2.5	-	-	-	-	-	-
39N	142E	-	3	-	-	-	-	-	-	3	14.6	0.3	-	-	-	-	-	-	0.3
	143E	-	5	-	-	-	-	-	-	5	17.0	6.0	6.0	-	-	-	-	-	-
	144E	-	3	-	-	-	-	-	-	3	21.0*	2.0	2.0	-	-	-	-	-	-
	145E	-	32	-	-	-	-	-	-	32	17.5	68.7	68.7	-	-	-	-	-	-
	146E	-	118	1	-	-	-	-	-	119	16.4	388.1	387.2	-	-	-	-	-	0.9
	147E	-	94	-	-	-	-	1	-	95	17.1*	348.2	347.2	-	-	-	-	-	1.0
	148E	1	54	2	-	-	-	-	-	57	17.2*	252.6	251.8	-	-	-	-	-	0.8

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　SEP - -003　　　　TSKI -109　　9 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
39N	149E	-	42	-	-	-	-	-	-	42	15.5	87.8	87.8	-	-	-	-	-	-
	150E	-	11	2	-	-	1	-	-	14	19.5	119.8	119.8	-	-	-	-	-	-
	151E	-	1	-	-	-	-	1	-	2	19.5	5.5	5.5	-	-	-	-	-	-
	152E	-	1	-	-	-	-	1	-	2	22.5	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	2	-	3	22.6	1.0	1.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	21.0	-	-	-	-	-	-	-	-
	160E	-	-	-	-	-	2	-	-	2	21.0*	34.0	34.0	-	-	-	-	-	-
	161E	-	-	-	-	-	12	9	-	21	22.6*	228.7	228.7	-	-	-	-	-	-
	162E	-	-	-	-	-	31	15	-	46	23.8*	739.7	739.7	-	-	-	-	-	-
	163E	-	-	-	-	-	20	13	-	33	23.6*	164.0	164.0	-	-	-	-	-	-
	164E	-	-	-	-	-	20	4	-	24	23.5	117.5	117.5	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	22.5	38.0	38.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	2	-	-	2	25.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
38N	142E	-	6	-	-	-	-	-	-	6	15.8	3.2	3.2	-	-	-	-	-	-
	143E	-	7	-	-	-	-	-	-	7	16.0	9.5	9.5	-	-	-	-	-	-
	144E	3	13	-	-	-	-	-	-	16	15.8	24.5	24.5	-	-	-	-	-	-
	145E	1	80	2	-	-	-	-	-	83	15.5*	256.2	255.7	-	-	-	-	-	0.5
	146E	2	151	4	-	-	1	-	-	158	17.2*	718.6	716.0	-	0.1	-	-	-	2.5
	147E	4	98	-	-	-	2	-	-	104	16.2*	411.5	410.9	-	-	-	-	-	0.6
	148E	2	94	2	-	-	-	1	-	99	16.2*	448.6	447.1	-	-	-	-	-	1.5
	149E	-	16	-	-	-	-	1	-	17	17.0	42.6	41.9	-	-	-	-	-	0.7
	150E	-	4	-	-	-	4	4	-	12	19.1	39.2	39.2	-	-	-	-	-	-
	151E	-	-	-	-	-	-	3	-	3	21.0	2.5	2.5	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	1	2	-	3	21.3	5.0	5.0	-	-	-	-	-	-
	154E	-	-	-	-	-	1	1	-	2	25.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	-	2	-	2	25.0	2.2	2.2	-	-	-	-	-	-
	*165E	-	-	-	-	-	4	-	-	4	26.2	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	3	1	-	4	25.2	-	-	-	-	-	-	-	-
37N	142E	-	2	-	-	-	-	-	-	2	16.0	0.9	0.9	-	-	-	-	-	-
	143E	-	5	-	-	-	-	-	-	5	14.6	3.7	3.4	-	0.3	-	-	-	-
	144E	-	9	-	-	-	-	-	-	9	16.5	14.0	13.2	-	-	-	-	-	0.8
	145E	-	56	-	-	-	-	-	-	56	16.5	230.5	230.5	-	-	-	-	-	-
	146E	1	80	5	-	-	1	1	-	88	17.3*	389.6	388.7	-	-	-	-	-	0.9
	147E	1	77	3	-	-	-	2	-	83	17.9	472.5	472.5	-	-	-	-	-	-
	148E	-	16	-	-	-	-	1	-	17	15.8*	71.2	70.7	-	-	-	-	-	0.5
	149E	-	-	2	-	-	-	-	-	2	20.0	18.0	18.0	-	-	-	-	-	-
	150E	-	1	2	-	-	4	3	-	10	18.5*	42.0	42.0	-	-	-	-	-	-
	151E	-	-	-	-	-	4	6	-	10	22.3*	61.5	59.5	-	-	-	-	-	2.0
	*163E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	20.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	2	1	-	3	27.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	4	2	-	6	25.1	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
36N	141E	-	4	-	-	-	-	-	-	4	17.3*	3.3	2.5	-	0.8	-	-	-	-
	142E	-	4	-	-	-	-	-	-	4	17.5	7.2	6.7	0.5	-	-	-	-	-
	143E	-	4	-	-	-	-	-	-	4	17.5	11.0	11.0	-	-	-	-	-	-
	144E	-	10	-	-	-	-	-	-	10	15.9	25.4	25.4	-	-	-	-	-	-
	145E	1	85	2	-	-	-	-	-	88	16.0*	405.3	405.1	-	-	-	-	-	0.2
	146E	1	41	1	-	-	-	-	-	43	18.0*	297.0	297.0	-	-	-	-	-	-
	147E	-	31	1	-	-	-	-	-	32	17.6*	171.9	171.9	-	-	-	-	-	-
	148E	-	2	1	-	-	-	-	-	3	17.3	9.7	9.7	-	-	-	-	-	-
	149E	-	1	-	-	-	-	-	-	1	24.0	1.5	1.5	-	-	-	-	-	-
35N	140E	-	30	-	-	-	-	-	-	30	14.2*	40.6	40.4	-	-	-	-	-	0.2
	141E	-	13	-	-	-	-	-	-	13	16.4	60.2	60.2	-	-	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	18.0	10.5	10.5	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	18.0	1.7	0.6	-	-	-	-	-	1.1
	145E	-	1	-	-	-	-	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
34N	138E	-	3	-	-	-	-	-	-	3	17.6	2.4	2.3	-	-	-	-	-	0.1
	139E	-	13	-	-	-	-	1	-	14	16.4*	5.4	4.9	-	-	0.1	-	-	0.4
	140E	-	4	-	-	-	-	-	-	4	18.7	7.7	6.4	-	0.8	-	-	-	0.5
	141E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	12.0	2.6	2.6	-	-	-	-	-	-
33N	134E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*138E	-	2	-	-	-	-	-	-	2	15.0*	1.3	-	-	0.7	-	-	-	0.6
	139E	-	21	-	-	-	-	-	-	21	15.2	17.2	15.8	-	0.7	-	-	0.1	0.6
	140E	-	7	-	-	-	-	-	-	7	16.7	6.6	6.4	-	-	-	-	-	0.2
	*172E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
32N	128E	-	2	-	-	-	-	-	-	2	13.5	0.5	-	-	-	-	-	-	0.5
	129E	-	5	-	-	-	-	-	-	5	12.2	12.0	10.4	-	1.3	-	-	-	0.3
	*134E	-	1	-	-	-	-	-	-	1	15.0	3.0	0.5	-	1.7	-	-	-	0.8
	*139E	-	11	-	-	-	-	-	-	11	16.5*	19.6	17.1	-	1.7	-	-	-	0.8
	140E	-	5	-	-	-	-	-	-	5	17.7*	8.0	6.4	-	1.6	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
31N	127E	-	1	-	-	-	-	-	-	1	9.0	1.2	1.2	-	-	-	-	-	-
	128E	-	3	-	-	-	-	-	-	3	11.6	4.5	4.2	-	-	-	-	-	0.3
	129E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*139E	-	51	-	-	-	-	-	-	51	14.7*	27.4	5.6	-	20.0	-	-	-	1.8
	140E	-	14	-	-	-	-	-	-	14	18.4*	11.3	1.9	-	6.1	-	-	-	3.3
	*144E	-	1	-	-	-	-	-	-	1	17.0	5.0	5.0	-	-	-	-	-	-
30N	127E	-	4	-	-	-	-	-	-	4	12.7	3.2	2.2	-	-	-	-	-	1.0
	128E	-	28	-	-	-	-	-	-	28	11.3	106.7	73.8	-	11.4	-	-	-	21.5
	129E	1	7	-	-	-	-	-	-	8	11.8	18.4	12.5	1.7	2.6	-	-	-	1.6
	130E	3	3	-	-	-	-	-	-	6	12.8	4.3	2.1	-	1.5	-	-	-	0.7
	*132E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*138E	-	2	-	-	-	-	-	-	2	18.0	2.7	0.6	-	1.9	-	-	-	0.2

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-■ETSU TOUKEI ***　　　　SE■ - -005　　　TSKI -111　　リ 月

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
IN	139E	-	2	-	-	-	-	-	-	2	12.0	1.0	1.0	-	-	-	-	-	-
	140E	-	15	-	-	-	-	-	-	15	14.8*	11.3	4.0	0.5	6.4	-	-	-	0.4
	*151E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	20.0	9.5	1.0	-	2.4	-	6.0	-	0.1
	*179W	-	-	-	-	-	-	1	-	1	25.0	11.0	2.0	-	-	-	6.0	-	3.0
'N	127E	-	5	-	-	-	-	-	-	5	14.6	3.7	3.2	-	0.5	-	-	-	-
	128E	-	21	-	-	-	-	-	-	21	12.9	45.6	36.2	-	9.3	-	-	-	0.1
	129E	6	38	-	-	-	-	-	-	44	12.3	66.5	59.3	0.2	5.9	-	0.3	-	0.8
	*139E	1	-	-	-	-	-	-	-	1	12.0	1.1	0.2	-	0.4	-	-	-	0.5
	140E	-	109	-	-	-	-	-	-	109	15.1*	57.7	1.4	-	55.1	-	-	-	1.2
	*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	22.0	2.0	1.0	-	-	-	1.0	-	-
	179E	-	-	-	-	-	-	2	-	2	24.5	11.0	2.5	-	6.0	-	2.5	-	-
	*179W	-	-	-	-	-	-	3	-	3	25.0	12.3	2.7	-	1.0	-	8.6	-	-
N	127E	-	15	-	-	-	-	-	-	15	12.6	24.8	19.2	-	4.1	-	1.2	-	0.3
	128E	-	4	-	-	-	-	-	-	4	12.7	2.5	1.0	-	1.5	-	-	-	-
	*137E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	14.6	2.8	2.7	-	-	-	-	-	0.1
	142E	-	6	-	-	-	-	-	-	6	15.2*	13.5	11.6	0.2	1.5	-	-	-	0.2
	*179W	-	-	-	-	-	-	1	-	1	22.0	8.0	5.0	-	-	-	3.0	-	-
	178W	-	-	-	-	-	-	2	-	2	24.0	8.0	4.0	-	4.0	-	-	-	-
	*176W	-	-	-	-	-	-	3	-	3	24.0	13.9	7.4	-	1.5	-	5.0	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	4.0	2.0	-	2.0	-	-	-	-
'N	126E	-	30	-	-	-	-	-	-	30	13.7	77.0	59.3	0.5	12.8	-	-	-	4.4
	127E	13	4	-	-	-	-	-	-	17	15.7	10.4	10.1	-	0.3	-	-	-	-
	128E	37	2	-	-	-	-	-	-	39	16.3	37.5	37.3	-	0.2	-	-	-	-
	*135E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*140E	-	2	-	-	-	-	-	-	2	13.5	2.6	1.9	-	0.4	-	-	-	0.3
	141E	-	8	-	-	-	-	-	-	8	14.8*	5.2	2.8	-	2.0	-	-	-	0.4
	*145E	-	2	-	-	-	-	-	-	2	16.0	2.9	2.5	0.1	-	-	-	0.3	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
N	125E	-	29	-	-	-	-	-	-	29	13.4	105.0	88.8	0.6	11.4	-	1.6	-	2.6
	126E	-	15	-	-	-	-	-	-	15	13.4	53.8	44.8	0.5	3.7	-	4.3	-	0.5
	127E	1	1	-	-	-	-	-	-	2	15.5	1.6	0.6	-	1.0	-	-	-	-
	128E	-	1	-	-	-	-	-	-	1	15.0	2.5	2.5	-	-	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	*140E	-	9	-	-	-	-	-	-	9	14.7	2.0	0.1	-	1.9	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	14.7	2.8	2.1	-	0.7	-	-	-	-
	142E	-	4	-	-	-	-	-	-	4	15.0	9.9	7.3	-	2.6	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	25.0	0.9	0.8	-	0.1	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	26.0	1.3	0.7	-	0.6	-	-	-	-
5N	124E	-	10	-	-	-	-	-	-	10	14.5	35.4	24.6	-	10.5	-	-	-	0.3
5N	125E	-	8	-	-	-	-	-	-	8	13.2	26.2	14.2	3.0	8.4	-	-	-	0.6
	126E	-	3	-	-	-	1	-	-	4	16.5	15.0	11.0	3.0	0.8	-	-	-	0.2
	127E	-	2	-	-	-	-	-	-	2	15.0	-	-	-	-	-	-	-	-
	*134E	-	2	-	-	-	-	-	-	2	17.0	3.1	0.3	-	1.5	-	-	-	1.3
	*142E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	2	-	2	20.0	9.0	9.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	4	-	4	24.2	22.4	22.0	-	0.4	-	-	-	-
4N	123E	-	2	-	-	-	-	-	-	2	15.0	3.3	3.3	-	-	-	-	-	-
	124E	-	1	-	-	-	-	-	-	1	13.0	4.5	4.0	-	0.5	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5		-	-	-	-	-
	127E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*141E	-	2	-	-	-	-	-	-	2	14.5	2.3	1.3	-	1.0	-	-	-	-
	*143E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	16.0	3.0	2.0	-	1.0	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	22.0	0.5	-	-	-	-	-	-	0.5
	170W	-	-	-	-	-	-	2	-	2	25.0	21.5	19.0	-	1.5	-	1.0	-	-
3N	122E	-	3	-	-	-	-	-	-	3	16.3	4.5	4.5	-	-	-	-	-	-
	123E	-	8	-	-	-	-	-	-	8	13.5	19.5	19.0	-	0.5	-	-	-	-
	124E	-	5	-	-	-	1	-	-	6	15.8	20.4	15.0	-	4.9	-	-	-	0.5
	125E	-	8	-	-	-	-	-	-	8	14.5	30.0	26.0	-	4.0	-	-	-	-
	126E	-	3	-	-	-	-	-	-	3	14.6	5.0	5.0	-	-	-	-	-	-
	*130E	-	2	-	-	-	-	-	-	2	11.0	4.0	4.0	-	-	-	-	-	-
	*136E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
	*141E	-	17	-	-	-	-	-	-	17	15.1	30.2	16.1	0.9	12.1	-	-	-	1.1
	142E	-	3	-	-	-	-	-	-	3	13.0	1.5	1.1	-	0.3	-	-	-	0.1
	*157E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
2N	122E	-	2	-	-	-	-	-	-	2	15.0	11.5	11.5	-	-	-	-	-	-
	123E	-	5	-	-	-	-	-	-	5	13.6	11.0	11.0	-	-	-	-	-	-
	124E	-	12	-	-	-	-	-	-	12	14.2	66.5	63.5	3.0	-	-	-	-	-
	125E	-	7	-	-	-	-	-	-	7	14.4	27.0	25.0	-	1.0	-	1.0	-	-
	126E	-	1	-	-	-	-	-	-	1	14.0	2.5	2.5	-	-	-	-	-	-
	*128E	-	1	-	-	-	-	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	11.0	0.5	0.5	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	11.0	5.3	5.0	-	-	-	-	-	0.3
	131E	-	1	-	-	-	-	-	-	1	11.0	1.5	1.5	-	-	-	-	-	-
	*137E	-	-	-	-	-	1	-	-	1	29.0	0.8	0.8	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	19.0	0.9	0.3	-	0.6	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	15.0	2.7	2.7	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
1N	123E	-	2	-	-	-	-	-	-	2	14.0	0.5	0.5	-	-	-	-	-	-
	124E	-	3	-	-	-	-	-	-	3	14.3	8.0	5.0	2.0	1.0	-	-	-	-
	125E	-	3	-	-	-	-	-	-	3	13.6	6.7	5.5	-	0.7	-	-	-	0.5

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** SEP - -007 TSKI -113 9 月

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
21N 126E	-	8	-	-	-	-	-	-	8	14.2	33.5	33.5	-	-	-	-	-	-
127E	-	2	-	-	-	-	-	-	2	12.5	2.0	1.5	-	0.5	-	-	-	-
128E	-	10	-	-	-	-	-	-	10	13.0	36.2	32.3	-	3.9	-	-	-	-
129E	-	1	-	-	-	-	-	-	1	11.0	1.5	1.5	-	-	-	-	-	-
*132E	-	5	-	-	-	-	-	-	5	12.6	17.7	17.0	-	-	-	-	-	0.7
*144E	-	1	-	-	-	-	-	-	1	12.0	0.3	-	-	0.3	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
*168E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	26.0	2.6	2.0	-	0.6	-	-	-	-
20N 123E	-	2	-	-	-	2	-	-	4	19.2	11.5	11.5	-	-	-	-	-	-
124E	-	5	-	-	-	3	-	-	8	18.5	29.6	27.5	-	2.0	-	-	-	0.1
125E	-	1	-	-	-	-	-	-	1	14.0	1.5	1.5	-	-	-	-	-	-
126E	-	5	-	-	-	-	-	-	5	13.2	11.9	11.5	-	0.3	-	-	-	0.1
127E	-	9	-	-	-	-	-	-	9	14.0	40.6	36.5	-	3.0	-	1.1	-	-
128E	-	27	-	-	-	-	-	-	27	13.6	155.1	138.5	-	15.3	-	-	-	1.3
129E	-	2	-	-	-	-	-	-	2	13.5	9.0	9.0	-	-	-	-	-	-
*132E	-	3	-	-	-	-	-	-	3	13.0	9.0	9.0	-	-	-	-	-	-
*139E	-	-	-	-	-	3	-	-	3	23.6	8.3	8.3	-	-	-	-	-	-
140E	-	-	-	-	-	3	-	-	3	19.0	3.5	3.5	-	-	-	-	-	-
*142E	-	1	-	-	-	-	-	-	1	19.0	2.1	2.0	-	0.1	-	-	-	-
*144E	-	1	-	-	-	1	-	-	2	14.0	0.6	-	-	0.6	-	-	-	-
145E	-	-	-	-	-	3	-	-	3	16.6	17.5	17.5	-	-	-	-	-	-
*151E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	2	-	2	18.0	9.3	9.0	-	-	-	0.2	-	0.1
19N 123E	-	4	-	-	-	-	-	-	4	13.5	23.0	23.0	-	-	-	-	-	-
124E	-	8	-	-	-	-	-	-	8	13.8	46.0	46.0	-	-	-	-	-	-
125E	-	1	-	-	-	-	-	-	1	12.0	1.0	1.0	-	-	-	-	-	-
126E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
127E	-	3	-	-	-	-	-	-	3	13.0	6.0	5.2	-	0.8	-	-	-	-
128E	-	1	-	-	-	-	-	-	1	12.0	4.0	4.0	-	-	-	-	-	-
129E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
130E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
*132E	-	1	-	-	-	-	-	-	1	13.0	3.5	3.5	-	-	-	-	-	-
133E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*136E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*139E	-	-	-	-	-	3	-	-	3	29.0	6.4	6.4	-	-	-	-	-	-
140E	-	-	-	-	-	3	-	-	3	23.6	2.5	2.5	-	-	-	-	-	-
141E	-	-	-	-	-	4	-	-	4	21.0	2.0	2.0	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
143E	-	-	-	-	-	1	-	-	1	20.0	3.0	3.0	-	-	-	-	-	-
*145E	-	13	-	-	-	-	-	-	13	12.0	12.3	-	-	12.3	-	-	-	-
146E	-	-	-	-	-	5	-	-	5	18.4	15.5	15.5	-	-	-	-	-	-
147E	-	-	-	-	-	4	-	-	4	17.2	10.6	10.6	-	-	-	-	-	-
148E	-	-	-	-	-	2	-	-	2	16.0	4.5	4.5	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	16.0	3.5	3.5	-	-	-	-	-	-
150E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
*167E	-	-	-	-	-	-	3	-	3	25.0	9.0	9.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	2	-	2	20.0	15.0	15.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	4	-	4	21.5	50.0	50.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	26.5	6.0	6.0	-	-	-	-	-	-
*176E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
*169W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
18N 128E	-	2	-	-	-	-	-	-	2	15.5	7.0	7.0	-	-	-	-	-	-
*131E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*140E	-	-	-	-	-	4	-	-	4	21.0	11.0	11.0	-	-	-	-	-	-
141E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
143E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
*145E	-	-	-	-	-	2	1	-	3	21.6	2.0	2.0	-	-	-	-	-	-
146E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
147E	-	-	-	-	-	3	2	-	5	18.8	11.0	11.0	-	-	-	-	-	-
148E	-	-	-	-	-	1	-	-	1	17.0	4.4	4.4	-	-	-	-	-	-
*161E	-	-	-	-	-	2	-	-	2	25.0	24.0	24.0	-	-	-	-	-	-
162E	-	-	-	-	-	1	1	-	2	23.0	15.0	15.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	3	-	3	24.6	1.0	1.0	-	-	-	-	-	-
*168E	-	-	-	-	-	1	2	-	3	20.6	22.5	22.5	-	-	-	-	-	-
169E	-	-	-	-	-	1	2	-	3	19.6	18.0	18.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	9	-	9	24.0	104.0	104.0	-	-	-	-	-	-
171E	-	-	-	-	-	1	7	-	8	22.5	51.0	51.0	-	-	-	-	-	-
172E	-	-	-	-	-	2	1	-	3	21.3	16.0	16.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
17N 127E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*130E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*137E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*141E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
142E	-	-	-	-	-	3	-	-	3	21.6	11.8	11.5	-	0.3	-	-	-	-
143E	-	-	-	-	-	2	2	-	4	22.0	9.0	9.0	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
146E	-	-	-	-	-	12	-	-	12	19.6	54.6	54.6	-	-	-	-	-	-
147E	-	-	-	-	-	1	-	-	1	23.0	6.0	6.0	-	-	-	-	-	-
148E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*151E	-	-	-	-	-	1	-	-	1	19.0	1.2	1.2	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	23.0	11.7	8.5	-	-	-	3.1	-	0.1
*166E	-	-	-	-	-	1	1	-	2	24.5	10.5	10.5	-	-	-	-	-	-
*168E	-	-	-	-	-	1	2	-	3	23.6	21.5	21.5	-	-	-	-	-	-
169E	-	-	-	-	-	-	3	-	3	23.6	18.0	18.0	-	-	-	-	-	-
170E	-	-	-	-	-	1	4	-	5	23.6	23.0	23.0	-	-	-	-	-	-
171E	-	-	-	-	-	1	1	-	2	24.0	2.0	2.0	-	-	-	-	-	-
*169W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
16N 131E	-	2	-	-	-	-	-	-	2	18.0	-	-	-	-	-	-	-	-
*144E	-	-	-	-	-	1	-	-	1	23.0	0.2	0.2	-	-	-	-	-	-
145E	-	-	-	-	-	2	-	-	2	23.0	8.3	8.3	-	-	-	-	-	-
146E	-	-	-	-	-	14	-	-	14	18.2	65.9	65.8	-	-	-	-	-	0.1
147E	-	-	-	-	-	1	-	-	1	17.0	2.8	2.8	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
*166E	-	-	-	-	-	1	-	-	1	24.0	5.0	5.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	-	3	-	3	21.3	17.0	17.0	-	-	-	-	-	-
15N 130E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
N *133E	-	2	-	-	-	1	-	-	3	21.6	6.5	6.5	-	-	-	-	-	-
*145E	-	-	-	-	-	1	-	-	1	16.0	1.2	1.2	-	-	-	-	-	-
*148E	-	-	-	-	-	2	-	-	2	21.5	7.2	7.2	-	-	-	-	-	-
*152E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*167E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	1	-	1	20.0	0.6	0.5	-	-	-	-	-	0.1
169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
5N 135E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
2N 131E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	18.0	-	-	-	-	-	-	-	-
*138E	-	-	-	-	-	1	-	-	1	29.0	0.7	0.7	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*167W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
1N 170E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
0N 178E	-	-	-	-	-	-	3	-	3	25.6	-	-	-	-	-	-	-	-
9N 172E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
8N 136E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	31.0	1.5	1.5	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
*172W	-	-	-	-	-	-	2	-	2	27.0	1.0	1.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
*168W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
7N 138E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	18.0	0.1	0.1	-	-	-	-	-	-
6N 151E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
*170E	-	-	-	-	-	1	-	-	1	25.0	2.2	0.8	-	1.4	-	-	-	-
*172E	-	-	-	-	-	2	-	-	2	19.5	12.0	12.0	-	-	-	-	-	-
173E	-	-	-	-	-	1	-	-	1	24.0	5.0	5.0	-	-	-	-	-	-
174E	-	-	-	-	-	2	-	-	2	24.0	12.0	12.0	-	-	-	-	-	-
*162W	-	-	-	-	-	-	4	-	4	23.0	35.5	35.5	-	-	-	-	-	-
5N 140E	-	1	-	-	-	-	-	-	1	23.0	0.5	-	-	0.3	-	0.2	-	-
05N *158E	-	-	-	-	-	1	-	-	1	19.0	0.2	0.2	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	17.0	1.3	0.5	-	0.5	-	0.3	-	-
*172E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
*174E	-	-	-	-	-	2	-	-	2	24.0	5.0	5.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
175W	-	-	-	-	-	-	2	-	2	20.5	0.5	0.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	28.0	11.0	11.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	22.5	15.0	15.0	-	-	-	-	-	-
*171W	-	-	-	-	-	-	5	-	5	24.4	34.0	34.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	3	-	3	28.0	23.0	21.0	-	-	-	2.0	-	-
*000W	-	-	-	-	-	22	-	-	22	23.0	6.2	6.1	-	-	-	0.1	-	-
04N 140E	-	1	-	-	-	-	-	-	1	23.0	1.1	-	-	0.8	-	0.3	-	-
*145E	-	1	-	-	-	-	-	-	1	23.0	0.3	-	-	0.2	-	0.1	-	-
*150E	-	1	-	-	-	-	-	-	1	23.0	0.6	-	-	0.3	-	0.3	-	-
151E	-	1	-	-	-	-	-	-	1	23.0	0.5	-	-	0.1	-	0.3	-	0.1
*154E	-	-	-	-	-	2	1	-	3	25.0	2.8	1.8	-	1.0	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	19.0	2.5	2.5	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	29.0	6.5	6.5	-	-	-	-	-	-
*175E	-	-	-	-	-	1	-	-	1	24.0	[illegible]	1.5	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	24.0	[illegible]	4.0	-	-	-	-	-	-
*176W	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
*174W	-	-	-	-	-	-	2	-	2	22.5	6.0	6.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	9	-	9	19.3	105.0	105.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	11	-	11	22.5	84.5	83.0	-	-	-	1.5	-	-
*009W	-	-	-	-	-	2	-	-	2	23.0	4.7	3.5	-	1.2	-	-	-	-
008W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*005W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
004W	-	-	-	-	-	1	-	-	1	23.0	1.1	0.6	-	0.5	-	-	-	-
003W	-	-	-	-	-	2	-	-	2	23.0	11.3	10.2	-	1.1	-	-	-	-
002W	-	-	-	-	-	4	-	-	4	23.0	2.5	2.5	-	-	-	-	-	-
001W	-	-	-	-	-	2	-	-	2	23.0	-	-	-	-	-	-	-	-
03N 001E	-	-	-	-	-	1	-	-	1	23.0	5.3	5.1	-	-	-	0.1	-	0.1
*145E	-	1	-	-	-	-	-	-	1	23.0	0.4	-	-	0.1	-	0.1	-	0.2
*148E	-	1	-	-	-	-	-	-	1	23.0	0.6	-	-	0.3	-	0.2	-	0.1
149E	-	2	-	-	-	-	-	-	2	23.0	0.8	-	-	0.3	-	0.4	-	0.1
*152E	-	2	-	-	-	-	-	-	2	23.0	0.5	-	-	0.2	-	0.2	-	0.1
*154E	-	-	-	-	-	1	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
155E	-	-	-	-	-	1	-	-	1	25.0	0.1	0.1	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	15.0	2.4	2.0	-	0.4	-	-	-	-
158E	-	-	-	-	-	4	1	-	5	20.2	18.0	16.6	-	1.3	-	0.1	-	-
159E	-	1	-	-	-	-	1	-	2	19.0	2.8	1.0	-	1.2	-	0.6	-	-
160E	-	-	-	-	-	1	1	-	2	21.5	0.4	0.3	-	0.1	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	17.0	1.0	-	-	0.5	-	0.5	-	-
*172E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	1	1	-	2	21.0	5.0	5.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	18.0	2.0	2.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	2	-	2	23.0	5.0	5.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
03N *175W	-	-	-	-	-	-	2	-	2	23.0	0.5	0.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	4	-	4	21.5	23.0	23.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	11	-	11	23.0	103.5	103.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	12	-	12	21.5	83.5	83.5	-	-	-	-	-	-
171W	-	-	-	-	-	-	4	-	4	20.7	8.5	8.0	-	0.5	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	3	-	3	22.0	44.0	44.0	-	-	-	-	-	-
*004W	-	-	-	-	-	2	-	-	2	23.0	24.1	14.7	-	2.4	-	0.5	-	6.5
003W	-	-	-	-	-	2	-	-	2	23.0	5.9	3.5	-	1.5	-	0.2	-	0.7
002W	-	-	-	-	-	3	-	-	3	23.0	23.8	17.8	-	0.6	-	0.3	-	5.1
001W	-	-	-	-	-	14	-	-	14	23.0	142.9	112.6	-	1.0	-	2.0	-	27.3
000W	-	-	-	-	-	11	-	-	11	23.0	95.0	76.3	-	-	-	1.2	-	17.5
02N 000E	-	-	-	-	-	3	-	-	3	23.0	20.8	13.0	-	0.2	-	0.4	-	7.2
*003E	-	-	-	-	-	3	-	-	3	23.0	37.6	26.1	-	-	-	0.3	-	11.2
*150E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
*154E	-	1	-	-	-	1	-	-	2	18.0*	1.9	1.0	-	0.8	-	-	-	0.1
155E	-	-	-	-	-	1	-	-	1	18.0	1.0	0.9	-	0.1	-	-	-	-
156E	-	1	-	-	-	-	1	-	2	23.0*	-	-	-	-	-	-	-	-
*158E	-	-	-	-	-	2	-	-	2	15.0	6.5	5.5	-	0.5	-	0.5	-	-
159E	-	-	-	-	-	1	-	-	1	15.0	2.1	1.0	-	1.0	-	0.1	-	-
160E	-	1	-	-	-	2	1	-	4	21.6*	3.2	2.0	-	0.9	-	0.3	-	-
*162E	-	-	-	-	-	2	-	-	2	26.0	9.3	2.5	-	3.3	-	3.5	-	-
*165E	-	-	-	-	-	-	3	-	3	22.0	12.5	8.4	-	3.1	-	1.0	-	-
166E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	24.0	7.7	5.7	-	2.0	-	-	-	-
168E	-	-	-	-	-	-	2	-	2	21.5	8.7	6.2	-	2.5	-	-	-	-
*171E	-	-	-	-	-	-	2	-	2	22.0	2.3	2.3	-	-	-	-	-	-
*174E	-	-	-	-	-	1	1	-	2	25.0	8.0	8.0	-	-	-	-	-	-
175E	-	-	-	-	-	7	2	-	9	22.3	16.4	16.4	-	-	-	-	-	-
176E	-	-	-	-	-	3	-	-	3	23.3	15.5	15.5	-	-	-	-	-	-
177E	-	-	-	-	-	4	-	-	4	22.2	25.5	25.5	-	-	-	-	-	-
178E	-	-	-	-	-	2	-	-	2	21.5	4.2	4.2	-	-	-	-	-	-
179E	-	-	-	-	-	1	7	-	8	23.6	76.8	76.8	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	21.0	11.5	11.5	-	-	-	-	-	-
178W	-	-	-	-	-	-	2	-	2	21.0	6.0	6.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	2	-	2	20.5	1.8	1.8	-	-	-	-	-	-
176W	-	-	-	-	-	1	1	-	2	20.5	3.0	3.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	3	-	3	27.3	18.5	18.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	2	-	2	23.0	13.0	13.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	3	-	3	24.0	13.0	13.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	34	-	34	23.0*	218.4	218.0	-	0.4	-	-	-	-
171W	-	-	-	-	-	-	12	-	12	24.3*	92.0	92.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
*009W	-	-	-	-	-	1	-	-	1	23.0	2.3	0.6	-	1.6	-	-	-	0.1
008W	-	-	-	-	-	1	-	-	1	23.0	1.4	1.2	-	-	-	-	-	0.2
*005W	-	-	-	-	-	1	-	-	1	23.0	5.0	2.3	-	2.3	-	-	-	0.4
004W	-	-	-	-	-	1	-	-	1	23.0	6.5	4.1	-	1.5	-	0.1	-	0.8
003W	-	-	-	-	-	3	-	-	3	23.0	19.7	11.2	-	1.5	-	0.1	-	6.9
002W	-	-	-	-	-	7	-	-	7	23.0	56.6	41.1	-	0.7	-	0.5	-	14.3
001W	-	-	-	-	-	30	-	-	30	23.0	337.8	252.1	-	0.2	-	7.2	-	78.3
000W	-	-	-	-	-	15	-	-	15	23.0	130.1	96.6	-	0.5	-	3.0	-	30.0
01N 000E	-	-	-	-	-	2	-	-	2	23.0	8.8	8.4	-	-	-	0.2	-	0.2
*003E	-	-	-	-	-	1	-	-	1	23.0	18.6	10.2	-	0.1	-	0.1	-	8.2
*154E	-	1	-	-	-	-	-	-	1	23.0	0.3	-	-	0.1	-	0.1	-	0.1
*158E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
*160E	-	1	-	-	-	2	-	-	3	22.5*	4.8	3.1	-	1.2	-	0.2	-	0.3
161E	-	-	-	-	-	5	1	-	6	20.1	9.9	6.0	-	1.2	-	1.1	-	1.6
162E	-	-	-	-	-	3	-	-	3	22.0	12.6	3.6	-	3.2	-	5.8	-	-
*165E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	19.0	4.5	4.5	-	-	-	-	-	-
*172E	-	-	-	-	-	1	-	-	1	23.0	2.5	2.5	-	-	-	-	-	-
173E	-	-	-	-	-	3	-	-	3	23.0	19.0	19.0	-	-	-	-	-	-
174E	-	-	-	-	-	1	1	-	2	24.0	8.5	8.5	-	-	-	-	-	-
175E	-	-	-	-	-	3	3	-	6	24.8	44.4	26.4	-	-	-	18.0	-	-
176E	-	-	-	-	-	2	2	-	4	21.7	33.0	33.0	-	-	-	-	-	-
177E	-	-	-	-	-	15	-	-	15	21.8	80.5	78.5	-	-	-	2.0	-	-
178E	-	-	-	-	-	1	1	-	2	23.5	13.5	13.5	-	-	-	-	-	-
179E	-	-	-	-	-	7	13	-	20	23.0	162.3	161.7	-	-	-	-	-	0.6
*179W	-	-	-	-	-	1	14	-	15	22.9	75.3	75.3	-	-	-	-	-	-
178W	-	-	-	-	-	3	8	-	11	24.8	152.5	150.5	-	2.0	-	-	-	-
177W	-	-	-	-	-	4	10	-	14	19.0	150.5	150.5	-	-	-	-	-	-
176W	-	-	-	-	-	5	18	-	23	21.3	298.7	298.5	-	-	-	0.2	-	-
175W	-	-	-	-	-	-	13	-	13	22.1	341.0	341.0	-	-	-	-	-	-
174W	-	-	-	-	-	1	5	-	6	22.3	23.0	23.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	23.5	48.0	48.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	35	-	35	24.5*	267.0	267.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	17	-	17	25.2	196.5	196.5	-	-	-	-	-	-
170W	-	-	-	-	-	-	8	-	8	25.7	41.5	41.5	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	2	-	2	26.5	7.5	7.5	-	-	-	-	-	-
*002W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
001W	-	-	-	-	-	4	-	-	4	23.0	24.1	18.6	-	0.6	-	1.5	-	3.4
000W	-	-	-	-	-	3	-	-	3	23.0	21.0	19.8	-	-	-	1.2	-	-
00N 158E	-	1	-	-	-	-	-	-	1	23.0	0.3	-	-	0.2	-	0.1	-	-
159E	-	1	-	-	-	-	-	-	1	23.0	1.0	-	-	0.8	-	0.1	-	0.1
*162E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
*165E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.5	-	-	-	-	-	-
*171E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
172E	-	-	-	-	-	17	-	-	17	22.6	91.0	91.0	-	-	-	-	-	-
173E	-	-	-	-	-	3	1	-	4	22.0	3.6	3.6	-	-	-	-	-	-
174E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
175E	-	-	-	-	-	2	-	-	2	20.0	7.0	7.0	-	-	-	-	-	-
*177E	-	-	-	-	-	1	5	-	6	21.6	86.0	86.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	7	-	7	23.4	60.2	60.0	-	-	-	-	-	0.2
179E	-	-	-	-	-	3	5	-	8	24.0	46.2	45.8	-	-	-	-	-	0.4
*179W	-	-	-	-	-	-	3	-	3	23.3	23.0	23.0	-	-	-	-	-	-
178W	-	-	-	-	-	2	16	-	18	22.0	167.3	167.3	-	-	-	-	-	-
177W	-	-	-	-	-	8	38	-	46	22.0	754.0	754.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	9	-	9	20.0	117.0	117.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	11	-	11	23.2	136.0	136.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	7	-	7	22.0	68.0	68.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	13	-	13	23.3	127.3	127.0	-	0.3	-	-	-	-
172W	-	-	-	-	-	-	35	-	35	24.2	377.3	376.3	-	1.0	-	-	-	-
171W	-	-	-	-	-	-	46	-	46	24.6	502.5	502.5	-	-	-	-	-	-
170W	-	-	-	-	-	-	4	-	4	21.7	19.0	19.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU

*** GYOJYO-BETSU TOUKEI ***

SEP - -013　　TSKI -119

操業位置 POSITION		竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
)ON	168W	-	-	-	-	-	-	7	-	7	22.0	52.0	52.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
)0S	162E	-	-	-	-	-	2	-	-	2	23.0	5.7	5.7	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	24.5	1.5	1.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	4	-	-	4	24.5	13.0	13.0	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	24.0	11.0	11.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	3	-	3	28.0	6.5	6.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	4	-	4	26.0	44.2	44.2	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
11S	162E	-	-	-	-	-	1	2	-	3	22.6	16.3	15.0	-	0.7	-	0.6	-	-
	163E	-	-	-	-	-	4	1	-	5	24.4	12.0	11.8	-	-	-	-	-	0.2
	*166E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	33.0	8.0	8.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
2S	179E	-	-	-	-	-	-	1	-	1	20.0	0.3	0.3	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	23.5	5.0	5.0	-	-	-	-	-	-
3S	179W	-	-	-	-	-	-	1	-	1	20.0	4.6	4.6	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	22.0	12.5	12.0	-	0.5	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	22.0	22.0	22.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	3	-	3	24.0	11.0	11.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
4S	177W	-	-	-	-	-	-	1	-	1	29.0	3.0	3.0	-	-	-	-	-	-
6S	175W	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
7S	173W	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　OCT - -001　　　TSKI -120　　　10 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ ダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
43N	153E	-	1	-	-	-	-	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
42N	151E	-	1	-	-	-	-	-	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	152E	-	6	-	-	-	-	-	-	6	19.5	12.6	12.6	-	-	-	-	-	-
	153E	-	3	-	-	-	10	1	-	14	20.8	56.8	54.3	2.5	-	-	-	-	-
	154E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	6	1	-	7	23.8	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	4	-	-	4	23.5	24.5	24.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	25.0	0.5	0.5	-	-	-	-	-	-
	158E	-	-	-	-	-	12	-	-	12	22.8	40.5	34.5	6.0	-	-	-	-	-
	159E	-	-	-	-	-	4	-	-	4	22.5	36.0	23.0	13.0	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	17	-	-	17	22.4*	65.2	3.1	62.1	-	-	-	-	-
	167E	-	-	-	-	-	28	4	-	32	23.3	128.1	9.0	119.0	-	0.1	-	-	-
	168E	-	-	-	-	-	4	-	-	4	23.0	50.2	0.1	50.0	-	0.1	-	-	-
	*177E	-	-	-	-	-	1	-	-	1	23.0	5.5	-	5.5	-	-	-	-	-
	178E	-	-	-	-	-	3	2	-	5	16.5*	10.5	-	10.5	-	-	-	-	-
41N	143E	-	1	1	-	-	-	-	-	2	18.0	2.5	-	-	-	-	-	-	2.5
	*145E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	147E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	148E	-	3	-	-	-	-	-	-	3	17.3	-	-	-	-	-	-	-	-
	149E	-	4	-	-	-	2	-	-	6	21.3	1.0	1.0	-	-	-	-	-	-
	150E	-	26	1	-	-	4	-	-	31	18.9	113.0	113.0	-	-	-	-	-	-
	151E	-	58	1	-	-	6	1	-	66	19.3*	174.7	174.6	-	-	-	-	-	0.1
	152E	-	69	2	-	-	10	1	-	82	18.6*	250.9	247.8	-	-	-	-	-	3.1
	153E	-	57	-	-	-	14	-	-	71	18.3*	349.6	349.5	-	-	-	-	-	0.1
	154E	-	1	-	-	-	19	-	-	20	23.1	142.5	142.5	-	-	-	-	-	-
	155E	-	1	-	-	-	36	4	-	41	23.9*	139.6	139.6	-	-	-	-	-	-
	156E	-	1	-	-	-	2	1	-	4	23.3*	9.2	9.2	-	-	-	-	-	-
	157E	-	-	-	-	-	19	2	-	21	22.8*	61.5	61.5	-	-	-	-	-	-
	158E	-	-	1	-	-	81	11	-	93	24.0*	636.8	388.6	244.0	-	-	3.5	-	0.7
	159E	-	-	2	-	-	20	2	-	24	23.1*	70.4	11.3	45.7	-	-	13.0	-	0.4
	160E	-	-	-	-	-	4	-	-	4	22.2	10.0	-	10.0	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	2	-	-	2	21.0	0.5	0.5	-	-	-	-	-	-
	166E	-	-	-	-	-	52	12	-	64	22.5*	338.6	27.2	310.0	-	0.8	-	-	0.6
	167E	-	-	-	-	-	36	9	-	45	22.7*	281.6	11.2	269.9	-	0.5	-	-	-
	168E	-	-	-	-	-	10	-	-	10	24.3*	68.3	0.7	65.8	-	-	-	-	1.8
	169E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	3.0	-	-	-	-	-
	*171E	-	-	-	-	-	2	-	-	2	14.0	2.5	-	2.5	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	14.0	3.3	-	3.3	-	-	-	-	-
	173E	-	-	-	-	-	2	-	-	2	14.0*	0.4	-	0.4	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	18	6	-	24	18.2*	170.2	0.9	169.1	-	0.2	-	-	-
	177E	-	-	-	-	-	115	51	-	166	18.3*	747.8	2.1	745.6	-	0.1	-	-	-
	178E	-	-	-	-	-	20	6	-	26	17.2*	61.2	-	61.2	-	-	-	-	-
40N	143E	-	1	1	-	-	-	-	-	2	17.0	1.0	-	-	-	-	-	-	1.0
	144E	1	4	-	-	-	-	-	-	5	17.4	3.8	-	-	-	-	-	-	3.8
	145E	-	6	-	-	-	1	-	-	7	17.0	2.4	2.2	-	-	-	-	-	0.2
	146E	-	14	-	-	-	-	-	-	14	15.1	1.0	1.0	-	-	-	-	-	-
	147E	1	19	-	-	-	-	-	-	20	15.6	10.8	10.0	-	-	-	-	-	0.8
40N	148E	-	45	1	-	-	1	-	-	47	18.2*	139.4	139.3	-	-	-	-	-	0.1
	149E	-	40	-	-	-	5	-	-	45	17.8	49.6	48.9	-	-	-	-	-	0.7
	150E	-	45	3	-	-	6	-	-	54	17.8*	110.4	109.5	-	-	-	-	-	0.9
	151E	-	23	1	-	-	7	1	-	32	18.7*	17.4	17.3	-	-	-	-	-	0.1
	152E	-	44	2	-	-	1	-	-	47	18.0	142.5	140.9	-	-	-	-	-	1.6
	153E	-	20	-	-	-	2	-	-	22	16.4*	52.5	51.7	-	-	-	-	-	0.8
	154E	-	90	6	-	-	3	1	-	100	19.3*	286.5	286.0	-	-	-	-	-	0.5
	155E	-	3	-	-	-	4	-	-	7	20.1	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	6	1	-	7	24.2	15.0	15.0	-	-	-	-	-	-
	157E	-	1	-	-	-	14	1	-	16	23.6*	30.5	30.5	-	-	-	-	-	-
	158E	-	2	-	-	-	17	1	-	20	23.6*	17.5	16.0	1.5	-	-	-	-	-
	159E	-	-	-	-	-	2	-	-	2	22.5	10.0	5.0	5.0	-	-	-	-	-
	160E	-	-	-	-	-	13	1	-	14	24.4	3.5	0.5	3.0	-	-	-	-	-
	161E	-	-	-	-	-	5	-	-	5	24.0	0.5	0.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	5	-	-	5	23.6	3.5	3.5	-	-	-	-	-	-
	165E	-	-	-	-	-	9	-	-	9	21.6	2.9	2.7	0.2	-	-	-	-	-
	166E	-	-	-	-	-	5	1	-	6	27.0	7.5	-	7.5	-	-	-	-	-
	167E	-	-	-	-	-	2	1	-	3	15.6	0.9	-	0.6	-	-	-	-	0.3
	168E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	12	12	-	24	19.2*	39.9	2.1	37.3	-	-	-	-	0.5
	172E	-	-	-	-	-	1	1	-	2	15.0	4.1	-	4.1	-	-	-	-	-
	173E	-	-	-	-	-	6	7	-	13	19.4	9.3	1.8	7.0	0.3	-	-	-	0.2
	174E	-	-	-	-	-	2	1	-	3	19.3	0.7	-	0.5	-	-	-	-	0.2
	175E	-	-	-	-	-	2	2	-	4	18.0*	1.0	0.5	0.3	-	-	-	-	0.2
	176E	-	-	-	-	-	25	19	-	44	19.1*	136.0	-	135.9	-	-	-	-	0.1
	177E	-	-	-	-	-	20	8	-	28	18.2*	40.0	-	40.0	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	15.5*	13.6	-	13.6	-	-	-	-	-
39N	141E	-	1	-	-	-	-	-	-	1	15.0	1.2	-	-	1.2	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	15.3	-	-	-	-	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	22.0	-	-	-	-	-	-	-	-
	144E	2	2	-	-	-	-	-	-	4	16.2	1.6	1.6	-	-	-	-	-	-
	145E	1	6	-	-	-	2	-	-	9	17.6	0.9	0.9	-	-	-	-	-	-
	146E	-	19	-	-	-	3	-	-	22	18.4	1.5	1.0	-	-	-	-	-	0.5
	147E	-	14	-	-	-	-	-	-	14	16.5	0.2	0.2	-	-	-	-	-	-
	148E	-	19	-	-	-	-	-	-	19	15.9	5.5	5.5	-	-	-	-	-	-
	149E	-	9	-	-	-	2	-	-	11	17.2	4.9	4.9	-	-	-	-	-	-
	150E	-	19	2	-	-	-	1	-	22	19.4	37.9	37.9	-	-	-	-	-	-
	151E	-	5	-	-	-	2	-	-	7	20.5	5.1	5.1	-	-	-	-	-	-
	152E	-	1	-	-	-	1	-	-	2	21.0	-	-	-	-	-	-	-	-
	153E	-	3	-	-	-	1	-	-	4	21.2	20.8	20.8	-	-	-	-	-	-
	154E	-	9	-	-	-	-	-	-	9	18.7	37.9	37.6	-	-	-	-	-	0.3
	155E	-	-	-	-	-	6	-	-	6	24.6	36.0	36.0	-	-	-	-	-	-
	156E	-	16	-	-	-	1	-	-	17	17.8	59.8	58.8	-	-	-	-	-	1.0
	*158E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	-	-	2	26.5	9.0	9.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	14.0	0.5	-	0.5	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	21.5	0.8	-	0.8	-	-	-	-	-
	176E	-	-	-	-	-	3	5	-	8	18.8	30.0	-	30.0	-	-	-	-	-
	177E	-	-	-	-	-	8	4	-	12	18.4*	11.0	0.2	9.9	-	-	-	-	0.9
	178E	-	-	-	-	-	2	-	-	2	20.0	1.5	-	1.5	-	-	-	-	-
38N	141E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	142E	-	2	-	-	-	1	-	-	3	15.6	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　OCT - -003　　　　TSKI -122　　　　10 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	■LB.	Y.F.	■.F.	■.E.	F.■.	ELS
38N	143E	-	3	-	-	-	1	-	-	4	16.5	-	-	-	-	-	-	-	-
	144E	-	5	-	-	-	-	-	-	5	16.0	-	-	-	-	-	-	-	-
	145E	-	5	-	-	-	-	-	-	5	16.6	-	-	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	147E	1	4	-	-	-	-	-	-	5	14.3*	6.0	6.0	-	-	-	-	-	-
	148E	-	4	-	-	-	-	-	-	4	20.0*	2.0	2.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	-	-	-	-	-	0.2
	*168F	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	2	1	-	3	22.3	1.3	-	1.3	-	-	-	-	-
	176E	-	-	-	-	-	9	4	-	13	18.3*	2.3	-	1.8	-	-	-	-	0.5
	177E	-	-	-	-	-	1	2	-	3	18.0	1.4	0.1	1.3	-	-	-	-	-
37N	143E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	144E	-	2	-	-	-	-	-	-	2	18.5	0.4	0.2	-	-	-	-	-	0.2
	145E	-	1	-	-	-	-	-	-	1	24.0	-	-	-	-	-	-	-	-
	*147E	1	5	-	-	-	1	-	-	7	16.8	21.4	21.4	-	-	-	-	-	-
	148E	-	2	-	-	-	-	-	-	2	16.5	-	-	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
36N	141E	-	2	-	-	-	-	-	-	2	14.0	0.6	-	-	-	-	-	-	0.6
	142E	-	2	-	-	-	-	-	-	2	12.5	0.4	-	-	-	-	-	-	0.4
	143E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	18.0	0.4	0.4	-	-	-	-	-	-
	147E	-	1	-	-	-	-	-	-	1	22.0	2.5	2.5	-	-	-	-	-	-
	*160E	-	1	-	-	-	-	-	-	1	22.0	0.2	-	0.1	-	-	0.1	-	-
	161E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*164E	-	2	-	-	-	-	-	-	2	18.0	0.7	-	0.4	-	-	0.2	-	0.1
35N	139E	-	2	-	-	-	-	-	-	2	17.0*	1.0	1.0	-	-	-	-	-	-
	140E	-	48	-	-	-	-	-	-	48	14.1*	42.3	36.4	-	-	-	-	-	5.9
	141E	1	17	-	-	-	-	-	-	18	14.4*	24.7	22.9	-	0.5	-	-	-	1.3
	142E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	143E	-	2	-	-	-	-	-	-	2	19.0	0.1	0.1	-	-	-	-	-	-
	*155E	-	1	-	-	-	-	-	-	1	19.0	0.1	-	-	-	-	0.1	-	-
	*164E	-	2	-	-	-	-	-	-	2	19.0	1.2	-	0.8	0.1	-	0.1	-	0.2
34N	138E	-	16	-	-	-	-	-	-	16	15.7*	21.7	18.7	-	0.9	1.5	-	-	0.6
	139E	-	96	-	-	-	-	-	-	96	15.3*	83.7	80.9	-	0.2	0.4	-	-	2.2
	140E	-	15	-	-	-	-	-	-	15	15.0*	13.8	13.8	-	-	-	-	-	-
	141E	-	1	-	-	-	-	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	10.0	4.1	1.0	-	2.1	-	-	-	1.0
	*152E	-	1	-	-	-	-	-	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	*159E	-	1	-	-	-	-	-	-	1	21.0	0.3	-	0.2	-	-	0.1	-	-
	160E	-	1	-	-	-	-	-	-	1	21.0	0.4	-	0.1	-	-	0.3	-	-
	*163E	-	1	-	-	-	-	-	-	1	21.0	0.2	-	0.1	-	-	0.1	-	-
	164E	-	1	-	-	-	-	-	-	1	21.0	0.3	-	0.1	0.1	-	0.1	-	-
33N	135E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*138E	-	5	-	-	-	-	-	-	5	15.0*	1.0	0.3	-	0.5	-	-	-	0.2
	139E	-	56	-	-	-	-	-	-	56	14.6*	83.3	79.3	-	3.8	-	-	-	0.2
33N	140E	2	96	-	-	-	-	-	-	98	14.9*	118.1	112.2	-	0.7	-	-	-	5.2
	141E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
32N	128E	-	2	-	-	-	-	-	-	2	11.0	0.3	0.3	-	-	-	-	-	-
	129E	-	10	-	-	-	-	-	-	10	12.1	19.7	15.2	-	1.2	-	0.8	-	2.5
	*139E	-	8	-	-	-	-	-	-	8	17.6*	9.5	7.3	-	2.2	-	-	-	-
	140E	-	4	-	-	-	-	-	-	4	17.5*	6.2	3.0	-	3.1	-	-	-	0.1
31N	128E	-	1	-	-	-	-	-	-	1	8.0	1.2	1.0	-	-	-	-	-	0.2
	*132E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*139E	-	16	-	-	-	-	-	-	16	14.7*	4.0	0.3	-	3.6	-	-	-	0.1
	140E	-	3	-	-	-	-	-		3	14.0*	2.6	-	-	1.8	-	-	-	0.8
30N	128E	-	5	-	-	-	-	-	-	5	14.0	2.9	2.6	-	-	-	-	-	0.3
	129E	1	12	-	-	-	-	-	-	13	10.9	6.8	6.1	-	0.2	-	-	-	0.5
	130E	2	-	-	-	-	-	-	-	2	10.0	0.5	0.5	-	-	-	-	-	-
	131E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*137E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*140E	-	8	-	-	-	-	-	-	8	12.8*	11.6	7.8	0.1	2.4	-	-	-	1.3
29N	128E	-	58	-	-	-	-	-	-	58	12.1	79.1	71.1	0.5	4.8	-	0.5	-	2.2
	129E	5	33	-	-	-	-	-	-	38	12.2	38.1	32.0	-	4.6	-	-	-	1.5
	130E	-	3	-	-	-	-	-	-	3	13.0	6.5	4.5	-	2.0	-	-	-	-
	*140E	-	45	-	-	-	-	-	-	45	13.9*	29.9	8.0	-	21.1	-	-	-	0.8
	*179E	-	-	-	-	-	-	3	-	3	22.0	19.0	13.0	-	-	-	6.0	-	-
28N	127E	-	22	-	-	-	-	-	-	22	12.5	87.2	74.1	-	10.3	-	-	-	2.8
	128E	-	8	-	-	-	-	-	-	8	13.2	7.2	6.7	-	0.5	-	-	-	-
	129E	2	7	-	-	-	-	-	-	9	12.2	10.4	10.1	-	0.1	-	-	-	0.2
	*140E	-	2	-	-	-	-	-	-	2	12.2	-	-	-	-	-	-	-	-
	*142E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	22.0	3.0	2.0	-	-	-	1.0	-	-
27N	126E	-	4	-	-	-	-	-	-	4	13.2	6.5	5.8	0.7	-	-	-	-	-
	127E	2	20	-	-	-	-	-	-	22	11.8	59.9	42.2	-	14.1	-	-	-	3.6
	128E	-	7	-	-	-	-	-	-	7	13.0	4.2	3.2	-	1.0	-	-	-	-
	*136E	-	1	-	-	-	-	-	-	1	15.0	0.3	0.3	-	-	-	-	-	-
	*141E	-	2	-	-	-	-	-	-	2	14.0	0.2	0.2	-	-	-	-	-	-
	142E	-	3	-	-	-	-	-	-	3	16.0	7.5	7.5	-	-	-	-	-	-
	*145E	-	6	-	-	-	-	-	-	6	16.0*	5.3	0.6	-	4.5	-	-	-	0.2
	*177W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	176W	-	-	-	-	-	-	2	-	2	22.0	7.0	4.0	-	-	-	3.0	-	-
	175W	-	-	-	-	-	-	3	-	3	22.0	21.0	16.5	-	-	-	4.5	-	-
26N	125E	-	1	-	-	-	-	-	-	1	17.0	1.1	0.5	-	-	-	0.6	-	-
	126E	-	2	-	-	-	-	-	-	2	12.0	1.0	1.0	-	-	-	-	-	-
	127E	-	3	-	-	-	-	-	-	3	13.0	10.3	7.1	3.0	-	-	-	-	0.2
	*134E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	135E	-	1	-	-	-	-	-	-	1	15.0	1.2	1.0	-	0.2	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS.
26N *140E	-	16	-	-	-	-	-	-	16	14.6*	22.9	15.5	-	7.4	-	-	-	-
141E	-	6	-	-	-	-	-	-	6	17.0*	41.1	39.3	-	1.1	-	-	-	0.7
142E	-	3	-	-	-	-	-	-	3	15.5*	1.2	1.1	-	0.1	-	-	-	-
25N 125E	-	3	-	-	-	-	-	-	3	12.3	-	-	-	-	-	-	-	-
126E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
*141E	-	4	-	-	-	-	-	-	4	15.7	27.0	14.4	-	3.0	-	-	-	9.6
142E	-	1	-	-	-	-	-	-	1	15.7	-	-	-	-	-	-	-	-
24N 123E	-	3	-	-	-	-	-	-	3	14.3	1.5	1.5	-	-	-	-	-	-
124E	-	1	-	-	-	-	-	-	1	12.0	1.0	0.5	-	0.5	-	-	-	-
125E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
126E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
*134E	-	1	-	-	-	-	-	-	1	15.0	2.7	-	-	2.6	-	-	-	0.1
*141E	-	6	-	-	-	-	-	-	6	17.0*	37.7	34.8	-	2.6	-	-	0.1	0.2
142E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
143E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
23N 122E	-	7	-	-	-	-	-	-	7	15.0	25.7	25.7	-	-	-	-	-	-
123E	-	21	-	-	-	-	-	-	21	13.4	53.9	48.9	-	4.5	-	-	-	0.9
124E	-	15	-	-	-	-	-	-	15	12.2	55.8	52.1	-	3.4	-	-	-	0.3
125E	-	8	-	-	-	-	-	-	8	15.2	42.0	42.0	-	-	-	-	-	-
126E	-	1	-	-	-	-	-	-	1	16.0	2.2	2.2	-	-	-	-	-	-
127E	-	1	-	-	-	-	-	-	1	15.0	3.5	3.5	-	-	-	-	-	-
*129E	-	1	-	-	-	-	-	-	1	14.0	10.0	10.0	-	-	-	-	-	-
130E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.2	-	-	-	-	-	-
*138E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*141E	-	6	-	-	-	-	-	-	6	13.0	22.7	18.9	0.1	2 9	-	-	-	0.8
142E	-	1	-	-	-	-	-	-	1	16.0	1.7	1.7	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
22N *119E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
120E	-	2	-	-	-	-	-	-	2	13.5	0.5	0.5	-	-	-	-	-	-
*122E	-	48	-	-	-	-	-	-	48	13.6	185.2	181.7	-	3.0	-	-	-	0.5
123E	-	10	-	-	-	-	-	-	10	13.6	11.6	9.1	-	2.5	-	-	-	-
124E	-	14	-	-	-	-	-	-	14	12.8	42.9	42.0	-	0.9	-	-	-	-
125E	-	5	-	-	-	-	-	-	5	13.6	33.9	33.9	-	-	-	-	-	-
*127E	-	4	-	-	-	-	-	-	4	13.2	16.5	15.8	-	0.7	-	-	-	-
128E	-	4	-	-	-	-	-	-	4	11.2	17.7	16.7	1.0	-	-	-	-	-
129E	-	2	-	-	-	-	-	-	2	12.5	6.5	6.5	-	-	-	-	-	-
130E	-	1	-	-	-	-	-	-	1	11.0	5.0	5.0	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	11.0	2.6	2.6	-	-	-	-	-	-
*142E	-	2	-	-	-	-	-	-	2	13.0	7.6	4.7	-	2.6	-	-	-	0.3
*154E	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	2	-	2	27.0	9.0	9.0	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	18.0	10.0	10.0	-	-	-	-	-	-
21N 120E	-	6	-	-	-	-	-	-	6	12.8	13.0	11.6	0.4	1.0	-	-	-	-
21N *122E	-	8	-	-	-	-	-	-	8	13.6	19.3	17.9	-	1.4	-	-	-	-
123E	-	11	-	-	-	-	-	-	11	13.9	25.6	25.0	-	0.5	-	-	-	0.[illegible]
124E	-	9	-	-	-	-	-	-	9	10.8	17.4	15.2	-	2.0	-	-	-	0.[illegible]
125E	-	11	-	-	-	-	-	-	11	12.7	36.9	34.0	-	2.8	-	-	-	0.[illegible]
126E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
*128E	-	-	-	-	-	3	-	-	3	23.0	10.0	10.0	-	-	-	-	-	-
129E	-	-	-	-	-	13	-	-	13	20.5	41.0	41.0	-	-	-	-	-	-
130E	-	4	-	-	-	-	-	-	4	13.7	20.2	20.2	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	13.0	5.5	5.5	-	-	-	-	-	-
132E	-	1	-	-	-	-	-	-	1	11.0	7.3	7.2	-	-	-	-	-	0.[illegible]
*138E	-	2	-	-	-	-	-	-	2	17.0	11.1	10.6	-	-	-	0.5	-	-
*142E	-	-	-	-	-	1	-	-	1	21.0	3.0	3.0	-	-	-	-	-	-
143E	-	1	-	-	-	1	-	-	2	20.0	13.0	6.3	-	6.7	-	-	-	-
144E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
*153E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
*162E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	2	-	2	21.0	1.3	0.4	-	0.2	-	0.7	-	-
167E	-	-	-	-	-	-	2	-	2	26.0	9.0	9.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	2	-	2	19.5	2.0	2.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	6	-	6	26.1	110.5	110.0	-	0.5	-	-	-	-
20N 122E	-	8	-	-	-	-	-	-	8	13.5	20.3	20.0	-	0.2	-	-	-	0.[illegible]
123E	-	5	-	-	-	-	-	-	5	16.0	21.7	21.7	-	-	-	-	-	-
124E	-	3	-	-	-	-	-	-	3	15.0	8.0	8.0	-	-	-	-	-	-
125E	-	4	-	-	-	-	-	-	4	14.2	13.7	12.0	-	1.5	-	-	-	0.[illegible]
126E	-	1	-	-	-	-	-	-	1	13.0	2.5	1.7	-	0.5	-	-	-	0.[illegible]
*129E	-	3	-	-	-	-	-	-	3	13.6	3.2	3.2	-	-	-	-	-	-
130E	-	1	1	-	-	-	-	-	2	13.5	5.4	5.4	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	14.0	8.0	8.0	-	-	-	-	-	-
132E	-	1	-	-	-	-	-	-	1	13.0	6.0	6.0	-	-	-	-	-	-
*135E	-	1	-	-	-	-	-	-	1	15.0	14.5	14.5	-	-	-	-	-	-
*145E	-	9	-	-	-	-	-	-	9	10.0*	8.7	-	-	8.7	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
*165E	-	-	-	-	-	1	-	-	1	22.0	28.0	28.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	22.0	2.5	2.5	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	2	-	2	26.0	8.0	8.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	8	-	8	25.0	68.5	68.5	-	-	-	-	-	-
170E	-	-	-	-	-	1	4	-	5	23.4	26.0	26.0	-	-	-	-	-	-
19N 123E	-	2	-	-	-	-	-	-	2	15.5	3.5	3.5	-	-	-	-	-	-
124E	-	1	-	-	-	-	-	-	1	13.0	4.5	3.5	-	1.0	-	-	-	-
*128E	-	2	-	-	-	-	-	-	2	14.0	4.0	4.0	-	-	-	-	-	-
129E	-	5	-	-	-	2	-	-	7	16.1	27.6	19.5	-	7.1	-	-	-	1.0
*131E	-	-	-	-	-	1	1	-	2	24.0	4.0	4.0	-	-	-	-	-	-
*135E	-	1	1	-	-	-	-	-	2	14.0	4.0	4.0	-	-	-	-	-	-
*142E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*145E	-	1	-	-	-	-	-	-	1	23.0	1.7	-	-	1.7	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	21.0	4.0	4.0	-	-	-	-	-	-
150E	-	-	-	-	-	1	-	-	1	21.0	3.0	3.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** OCT - -007 TSKI -126

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
9N *154E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
*160E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	29.0	6.0	6.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
165E	-	-	-	-	-	1	3	-	4	20.2	4.5	4.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	21.0	4.5	4.5	-	-	-	-	-	-
*168E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	5	-	5	25.4	18.5	18.5	-	-	-	-	-	-
170E	-	-	-	-	-	-	4	-	4	22.0	5.0	5.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	21.0	13.0	13.0	-	-	-	-	-	-
8N 128E	-	1	-	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
*130E	-	1	-	-	-	4	-	-	5	18.6	7.0	7.0	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
*142E	-	-	-	-	-	1	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
*145E	-	-	-	-	-	3	-	-	3	20.3	7.0	7.0	-	-	-	-	-	-
*148E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
*155E	-	-	-	-	-	1	-	-	1	13.0	1.0	1.0	-	-	-	-	-	-
156E	-	-	-	-	-	1	-	-	1	13.0	0.5	0.5	-	-	-	-	-	-
*160E	-	-	-	-	-	1	-	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*162E	-	-	-	-	-	2	-	-	2	21.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	1	1	-	2	24.5	4.5	4.5	-	-	-	-	-	-
165E	-	-	-	-	-	1	1	-	2	24.5	9.0	9.0	-	-	-	-	-	-
166E	-	-	-	-	-	4	1	-	5	21.0	18.5	18.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	2	-	2	28.0	9.0	9.0	-	-	-	-	-	-
170E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*172E	-	-	-	-	-	-	3	-	3	25.0	10.0	10.0	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
7N 128E	-	1	-	-	-	-	-	-	1	14.0	7.0	5.0	-	2.0	-	-	-	-
*131E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
132E	-	-	1	-	-	-	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
133E	-	1	-	-	-	1	-	-	2	20.0	4.8	4.8	-	-	-	-	-	-
134E	-	1	-	-	-	-	-	-	1	14.0	2.0	2.0	-	-	-	-	-	-
135E	-	-	1	-	-	-	-	-	1	14.0	3.0	3.0	-	-	-	-	-	-
*139E	-	-	-	-	-	1	-	-	1	14.0	1.0	1.0	-	-	-	-	-	-
*146E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
147E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
148E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	17.0	8.6	8.6	-	-	-	-	-	-
*170E	-	-	-	-	-	1	1	-	2	20.5	2.0	2.0	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
*175E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	26.0	7.0	7.0	-	-	-	-	-	-
6N 131E	-	-	-	-	-	2	-	-	2	19.0	3.0	3.0	-	-	-	-	-	-
*133E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
134E	-	3	1	-	-	-	-	-	4	14.7	14.2	14.2	-	-	-	-	-	-
135E	-	4	2	-	-	-	-	-	6	15.0	43.0	43.0	-	-	-	-	-	-
*140E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
*144E	-	-	-	-	-	1	-	-	1	16.0	0.8	0.8	-	-	-	-	-	-
145E	-	-	-	-	-	2	-	-	2	16.5	7.6	7.0	-	0.5	-	-	-	0.1
6N 146E	-	-	-	-	-	8	-	-	8	19.3	52.0	51.0	-	1.0	-	-	-	-
147E	-	-	-	-	-	2	-	-	2	19.0	11.0	11.0	-	-	-	-	-	-
*171E	-	-	-	-	-	-	2	-	2	24.0	2.0	2.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	25.5	4.5	3.5	-	1.[illegible]	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
174E	-	-	-	-	-	-	2	-	2	27.5	1.0	1.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
5N 130E	-	-	-	-	-	2	-	-	2	19.0	4.0	4.0	-	-	-	-	-	-
*133E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
134E	-	-	1	-	-	1	-	-	2	18.5	10.0	10.0	-	-	-	-	-	-
*141E	-	-	-	-	-	2	-	-	2	16.0	8.4	4.8	-	3.6	-	-	-	-
142E	-	-	-	-	-	3	-	-	3	15.0	25.7	25.7	-	-	-	-	-	-
143E	-	-	-	-	-	2	-	-	2	16.0	4.8	4.8	-	-	-	-	-	-
*146E	-	-	-	-	-	5	-	-	5	19.0	19.0	19.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	1	1	-	2	20.0	6.0	6.0	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
177E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
4N 142E	-	-	-	-	-	1	-	-	1	17.0	4.1	4.0	-	-	-	-	-	0.1
*151E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	2	-	2	25.0	1.0	1.0	-	-	-	-	-	-
3N 146E	-	-	-	-	-	1	-	-	1	16.0	0.5	0.5	-	-	-	-	-	-
*176E	-	-	-	-	-	1	1	-	2	20.0	13.0	13.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	2	-	2	26.5	12.5	12.5	-	-	-	-	-	-
2N 134E	-	-	-	-	-	-	2	-	2	25.0	20.0	20.0	-	-	-	-	-	-
135E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
1N 147E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
0N 136E	-	-	-	-	-	1	-	-	1	23.0	6.7	6.7	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
9N 160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** OCT - -009 TSKI -128 10 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
09N	179E	-	-	-	-	-	-	2	-	2	25.5	1.0	1.0	-	-	-	-	-	-
08N	138E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
07N	145E	-	-	-	-	-	1	-	-	1	17.0	4.6	4.6	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	1	-	2	22.0	-	-	-	-	-	-	-	-
	173E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	14.0	0.5	-	-	0.5	-	-	-	-
	*177E	-	-	-	-	-	-	6	-	6	18.8	33.5	33.5	-	-	-	-	-	-
	178E	-	-	-	-	-	2	5	-	7	19.8	21.0	21.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	21.0	0.7	0.7	-	-	-	-	-	-
	*178W	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	28.0	13.0	8.0	-	3.2	-	1.6	-	0.2
	*166W	-	-	-	-	-	-	2	-	2	28.0	25.0	25.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	1	-	1	28.0	10.0	10.0	-	-	-	-	-	-
	*163W	-	-	-	-	-	-	3	-	3	28.0	23.0	23.0	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	28.0	3.0	2.5	-	0.5	-	-	-	-
06N	141E	-	-	-	-	-	1	-	-	1	23.0	0.2	0.2	-	-	-	-	-	-
	*144E	-	-	-	-	-	5	-	-	5	17.2	33.6	24.5	-	9.1	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	19.0	0.7	0.7	-	-	-	-	-	-
	*157E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	1	-	2	21.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	2	3	-	5	19.2	1.4	0.6	-	0.7	-	-	-	0.1
	177E	-	-	-	-	-	1	2	-	3	19.0	16.0	16.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	7	-	7	19.2	24.5	24.0	-	0.5	-	-	-	-
	179E	-	-	-	-	-	4	4	-	8	17.5	36.1	35.5	-	0.6	-	-	-	-
	*179W	-	-	-	-	-	-	7	-	7	21.7	31.5	31.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	6	-	6	23.0	38.5	38.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	3	-	3	22.6	11.0	11.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	29.0	2.0	2.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	4	-	4	22.5	11.5	10.5	-	1.0	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	2	-	2	22.5	15.0	15.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	23.0	5.5	5.5	-	-	-	-	-	-
	168W	-	-	-	-	-	-	6	-	6	21.6	51.5	51.5	-	-	-	-	-	-
	167W	-	-	-	-	-	-	11	-	11	20.0	93.5	93.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	6	-	6	21.0	64.0	64.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	3	-	3	24.3	25.0	25.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	7	-	7	25.5	55.0	55.0	-	-	-	-	-	-
	163W	-	-	-	-	-	-	6	-	6	26.5	51.0	51.0	-	-	-	-	-	-
05N	000E	-	-	-	-	-	4	-	-	4	23.0	6.7	6.6	-	-	-	0.1	-	-
	*140E	-	2	-	-	-	-	-	-	2	23.0	0.6	-	-	0.3	-	0.2	-	0.1
	*146E	-	-	-	-	-	3	-	-	3	22.3	12.5	12.5	-	-	-	-	-	-
05N	*148E	-	-	-	-	-	1	1	-	2	22.0	8.0	8.0	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	*15PF	-	-	-	-	-	2	-	-	2	17.5	5.2	5.2	-	-	-	-	-	-
	*16[illegible]E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	24.0	15.0	15.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	21.0	9.0	9.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	5	-	5	21.0	24.0	24.0	-	-	-	-	-	-
	179E	-	-	-	-	-	3	5	-	8	24.0	37.2	35.5	-	1.6	-	-	-	0.1
	*179W	-	-	-	-	-	-	4	-	4	23.5	47.2	47.2	-	-	-	-	-	-
	178W	-	-	-	-	-	1	13	-	14	25.5	127.0	127.0	-	-	-	-	-	-
	177W	-	-	-	-	-	1	2	-	3	22.3	7.0	7.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	29.3	10.5	10.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	3	-	3	20.3	12.5	12.5	-	-	-	-	-	-
	174W	-	-	-	-	-	1	21	-	22	24.0	148.8	148.8	-	-	-	-	-	-
	173W	-	-	-	-	-	1	9	-	10	23.8	68.5	68.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	7	-	7	23.0	73.0	73.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	6	-	6	24.8	31.0	31.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	13	-	13	26.9	83.3	82.3	-	-	-	1.0	-	-
	169W	-	-	-	-	-	-	3	-	3	27.6	26.0	26.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	8	-	8	21.8	70.5	70.5	-	-	-	-	-	-
	167W	-	-	-	-	-	-	7	-	7	18.7	67.5	67.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	3	-	3	21.3	9.7	9.5	-	0.2	-	-	-	-
	165W	-	-	-	-	-	-	8	-	8	22.0	49.5	49.5	-	-	-	-	-	-
	164W	-	-	-	-	-	-	6	-	6	22.6	46.5	46.5	-	-	-	-	-	-
	163W	-	-	-	-	-	-	2	-	2	27.0	14.0	14.0	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	36	-	-	36	23.0	17.5	17.5	-	-	-	-	-	-
04N	000E	-	-	-	-	-	4	-	-	4	23.0	2.7	2.6	-	0.1	-	-	-	-
	001E	-	-	-	-	-	2	-	-	2	23.0	12.2	12.2	-	-	-	-	-	-
	*139E	-	4	-	-	-	-	-	-	4	23.0	2.6	-	-	1.5	-	1.0	-	0.1
	140E	-	3	-	-	-	-	-	-	3	23.0	1.5	-	-	0.9	-	0.6	-	-
	*145E	-	-	-	-	-	1	-	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	146E	-	-	-	-	-	3	-	-	3	17.0	21.4	19.0	-	2.4	-	-	-	-
	147E	-	-	-	-	-	2	-	-	2	17.0	8.5	7.5	-	1.0	-	-	-	-
	148E	-	-	-	-	-	5	-	-	5	16.0	17.2	17.2	-	-	-	-	-	-
	149E	-	-	-	-	-	1	-	-	1	15.0	1.6	1.0	-	0.6	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	16.0	3.5	3.5	-	-	-	-	-	-
	*153E	-	-	-	-	-	3	-	-	3	21.6	8.5	8.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	23.0	2.5	0.5	-	2.0	-	-	-	-
	*169E	-	-	-	-	-	1	1	-	2	22.5	1.0	1.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
	172E	-	-	-	-	-	1	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	1	1	-	2	21.5	3.0	3.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	5	-	5	23.6	29.0	29.0	-	-	-	-	-	-
	177E	-	-	-	-	-	2	14	-	16	23.2	80.5	80.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	5	-	5	23.6	15.3	15.0	-	0.2	-	-	-	0.1
	*179W	-	-	-	-	-	4	4	-	8	21.1	30.5	28.5	-	-	-	2.0	-	-
	178W	-	-	-	-	-	1	4	-	5	22.0	45.8	45.8	-	-	-	-	-	-
	177W	-	-	-	-	-	2	7	-	9	22.8	34.7	34.7	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　OCT - -011　　　TSKI -130　　　10 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
4N	176W	-	-	-	-	-	2	6	-	8	21.0	42.0	42.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	6	-	6	24.6	16.3	16.3	-	-	-	-	-	-
	174W	-	-	-	-	-	1	29	-	30	22.8	225.0	225.0	-	-	-	-	-	-
	173W	-	-	-	-	-	1	40	-	41	25.4*	290.7	290.7	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	25.2	28.7	28.7	-	-	-	-	-	-
	171W	-	-	-	-	-	-	16	-	16	26.4	123.8	123.8	-	-	-	-	-	-
	170W	-	-	-	-	-	-	8	-	8	24.6	59.0	59.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	21.0	11.5	11.5	-	-	-	-	-	-
	168W	-	-	-	-	-	-	1	-	1	19.0	10.0	10.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	2	-	2	22.5	5.5	5.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	2	-	2	19.0	12.0	12.0	-	-	-	-	-	-
	*005W	-	-	-	-	-	2	-	-	2	23.0	8.3	8.3	-	-	-	-	-	-
	*003W	-	-	-	-	-	4	-	-	4	23.0	9.9	8.9	-	1.0	-	-	-	-
	002W	-	-	-	-	-	13	-	-	13	23.0	106.5	55.8	-	48.5	-	2.2	-	-
	001W	-	-	-	-	-	12	-	-	12	23.0	42.9	26.5	-	16.3	-	0.1	-	-
	000W	-	-	-	-	-	2	-	-	2	23.0	7.5	4.9	-	2.6	-	-	-	-
13N	000E	-	-	-	-	-	8	-	-	8	23.0	47.5	25.6	-	1.0	-	0.8	-	20.1
	001E	-	-	-	-	-	6	-	-	6	23.0	28.3	17.5	-	0.2	-	0.3	-	10.3
	002E	-	-	-	-	-	10	-	-	10	23.0	60.2	46.8	-	0.2	-	1.4	-	11.8
	*141E	-	-	-	-	-	3	-	-	3	23.0	22.6	22.6	-	-	-	-	-	-
	142E	-	-	-	-	-	3	-	-	3	23.0	19.5	19.5	-	-	-	-	-	-
	*147E	-	-	-	-	-	2	-	-	2	17.0	7.5	7.5	-	-	-	-	-	-
	148E	-	-	-	-	-	4	-	-	4	17.6*	16.7	16.7	-	-	-	-	-	-
	149E	-	-	-	-	-	3	-	-	3	20.0	8.3	6.8	-	1.5	-	-	-	-
	150E	-	-	-	-	-	3	1	-	4	18.0	11.9	11.2	-	0.3	-	0.4	-	-
	151E	-	-	-	-	-	7	-	-	7	18.0	15.0	15.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	154E	-	-	-	-	-	2	-	-	2	17.0	11.6	11.6	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	157E	-	-	-	-	-	2	-	-	2	22.5	1.0	1.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	-	-	1	22.0	2.1	1.3	-	0.8	-	-	-	-
	160E	-	-	-	-	-	6	-	-	6	19.5	8.8	8.1	-	0.7	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	22.0	8.0	8.0	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	13.0	0.2	0.2	-	-	-	-	-	-
	*167E	-	-	-	-	-	2	-	-	2	20.5	0.5	0.5	-	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	2	-	-	2	17.5	1.5	1.5	-	-	-	-	-	-
	171E	-	-	-	-	-	1	-	-	1	21.0	7.5	7.5	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	4	-	5	22.0	28.5	28.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	21.0	10.0	10.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	4	-	4	23.7	26.5	26.5	-	-	-	-	-	-
	177E	-	-	-	-	-	6	5	-	11	24.0	43.0	43.0	-	-	-	-	-	-
	178E	-	-	-	-	-	1	3	-	4	23.7	22.0	22.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	5	-	5	26.0	31.7	31.7	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	7	-	7	23.0	4.2	4.2	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	21.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	1	29	-	30	24.4*	110.8	109.6	-	1.2	-	-	-	-
	176W	-	-	-	-	-	3	44	-	47	23.6*	227.0	227.0	-	-	-	-	-	-
	175W	-	-	-	-	-	6	48	-	54	23.3	383.4	383.4	-	-	-	-	-	-
	174W	-	-	-	-	-	1	76	-	77	23.7*	599.6	599.5	-	-	-	-	-	0.1
	173W	-	-	-	-	-	-	23	-	23	22.5	174.0	173.0	-	1.0	-	-	-	-
	172W	-	-	-	-	-	-	21	-	21	22.2	146.3	146.3	-	-	-	-	-	-
03N	171W	-	-	-	-	-	-	3	-	3	22.6	7.0	7.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	2	-	2	22.0	1.5	1.5	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	2	-	2	22.0	1.5	1.5	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	18.0	6.0	6.0	-	-	-	-	-	-
	*004W	-	-	-	-	-	4	-	-	4	23.0	30.7	17.9	-	2.2	-	1.2	-	9.4
	003W	-	-	-	-	-	5	-	-	5	23.0	32.4	16.6	-	0.3	-	3.3	-	12.2
	002W	-	-	-	-	-	15	-	-	15	23.0	108.1	66.8	-	4.4	-	7.5	-	29.4
	001W	-	-	-	-	-	3	-	-	3	23.0	17.2	10.9	-	-	-	0.8	-	5.5
	000W	-	-	-	-	-	6	-	-	6	23.0	24.7	13.9	-	0.1	-	1.1	-	9.6
02N	000E	-	-	-	-	-	6	-	-	6	23.0	36.5	21.4	-	-	-	1.7	-	13.4
	001E	-	-	-	-	-	3	-	-	3	23.0	15.1	11.9	-	0.2	-	0.8	-	2.2
	002E	-	-	-	-	-	11	-	-	11	23.0	77.3	46.7	-	1.2	-	2.8	-	26.6
	003E	-	-	-	-	-	6	-	-	6	23.0	47.2	35.0	-	0.2	-	3.5	-	8.5
	004E	-	-	-	-	-	2	-	-	2	23.0	19.4	9.6	-	-	-	2.5	-	7.3
	*149E	-	-	-	-	-	2	-	-	2	18.0	1.1	1.1	-	-	-	-	-	-
	150E	-	-	-	-	-	2	-	-	2	25.0	9.3	5.8	-	3.5	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*156E	-	-	-	-	-	2	-	-	2	17.0	0.5	0.5	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	1	1	-	2	22.0	4.0	4.0	-	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	4	-	-	4	21.2	23.5	23.5	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	20.0	6.5	6.5	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	14.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	28.0	2.0	2.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	27.0	5.0	5.0	-	-	-	-	-	-
	171E	-	-	-	-	-	1	-	-	1	25.0	0.6	0.6	-	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	25.0	0.7	0.7	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	4	-	4	21.0	29.0	29.0	-	-	-	-	-	-
	176E	-	-	-	-	-	1	4	-	5	25.0	10.0	10.0	-	-	-	-	-	-
	177E	-	-	-	-	-	2	2	-	4	21.5	9.0	9.0	-	-	-	-	-	-
	178E	-	-	-	-	-	1	2	-	3	29.0	3.0	3.0	-	-	-	-	-	-
	179E	-	-	-	-	-	2	3	-	5	25.5*	10.0	10.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	28.6	12.5	12.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	5	-	5	26.2	9.0	9.0	-	-	-	-	-	-
	177W	-	-	-	-	-	3	17	-	20	24.4*	72.0	72.0	-	-	-	-	-	-
	176W	-	-	-	-	-	1	21	-	22	24.0*	89.5	89.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	42	-	42	24.0*	272.7	272.7	-	-	-	-	-	-
	174W	-	-	-	-	-	3	63	-	66	23.7*	684.9	684.6	-	-	-	0.3	-	-
	173W	-	-	-	-	-	1	15	-	16	22.3	52.2	52.0	-	-	-	0.2	-	-
	172W	-	-	-	-	-	1	12	-	13	21.1*	64.5	64.5	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	23.0	1.0	1.0	-	-	-	-	-	-
	*005W	-	-	-	-	-	1	-	-	1	23.0	7.0	5.3	-	0.1	-	0.3	-	1.3
	004W	-	-	-	-	-	4	-	-	4	23.0	41.6	20.5	-	3.9	-	1.6	-	15.6
	003W	-	-	-	-	-	4	-	-	4	23.0	23.8	11.7	-	-	-	1.5	-	10.6
	002W	-	-	-	-	-	4	-	-	4	23.0	19.0	12.9	-	0.5	-	1.9	-	3.6
	001W	-	-	-	-	-	2	-	-	2	23.0	11.5	3.6	-	5.5	-	0.5	-	1.9
	000W	-	-	-	-	-	8	-	-	8	23.0	48.9	30.4	-	0.4	-	1.5	-	16.6
01N	000E	-	-	-	-	-	1	-	-	1	23.0	1.1	0.6	-	-	-	0.1	-	0.4
	*004E	-	-	-	-	-	1	-	-	1	23.0	10.7	7.3	-	-	-	0.6	-	2.8
	*153E	-	-	-	-	-	1	1	-	2	23.0	15.2	15.2	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU   *** GYOJYO-BETSU TOUKEI ***   OCT - -013   TSKI -132   .0 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
01N	154E	-	-	-	-	-	2	1	-	3	23.3	14.0	13.2	-	0.8	-	-	-	-
	*160E	-	-	-	-	-	2	-	-	2	18.5	4.9	4.9	-	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	24.0	12.0	12.0	-	-	-	-	-	-
	162E	-	-	-	-	-	3	-	-	3	24.3	15.3	15.0	-	0.3	-	-	-	-
	163E	-	-	-	-	-	8	1	-	9	23.8	31.3	30.0	-	0.3	-	-	-	1.0
	164E	-	-	-	-	-	1	1	-	2	26.5	9.1	9.1	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	22.5	5.5	5.5	-	-	-	-	-	-
	166E	-	-	-	-	-	2	-	-	2	22.5	12.6	12.6	-	-	-	-	-	-
	*172E	-	-	-	-	-	2	-	-	2	25.0	5.0	5.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	25.0	1.5	1.5	-	-	-	-	-	-
	175E	-	-	-	-	-	5	1	-	6	19.6	30.1	2.7	-	27.4	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	2	-	-	2	15.0	9.5	9.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	2	-	2	24.5	4.0	4.0	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	176W	-	-	-	-	-	2	2	-	4	23.0	28.5	28.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	11	-	11	25.0	103.0	103.0	-	-	-	-	-	-
	174W	-	-	-	-	-	1	11	-	12	21.5	134.5	134.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	7	-	7	25.8	71.0	71.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	6	-	6	24.0*	18.0	18.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	*004W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	003W	-	-	-	-	-	1	-	-	1	23.0	7.0	4.0	-	0.1	-	0.6	-	2.3
	002W	-	-	-	-	-	2	-	-	2	23.0	7.5	6.9	-	0.4	-	0.2	-	-
	001W	-	-	-	-	-	4	-	-	4	23.0	9.6	8.1	-	0.4	-	0.7	-	0.4
00N	000E	-	-	-	-	-	1	-	-	1	23.0	0.8	0.8	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	5	-	5	26.4	19.0	18.0	-	1.0	-	-	-	-
	162E	-	-	-	-	-	7	-	-	7	15.1	50.0	43.0	-	6.9	-	-	-	0.1
	163E	-	-	-	-	-	8	-	-	8	17.8	27.6	19.9	-	7.2	-	-	-	0.5
	*165E	-	-	-	-	-	1	-	-	1	23.0	4.0	4.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	3	-	-	3	24.3	9.5	9.5	-	-	-	-	-	-
	168E	-	-	-	-	-	7	-	-	7	20.7	21.0	21.0	-	-	-	-	-	-
	169E	-	-	-	-	-	15	-	-	15	22.9	49.6	49.6	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	3	-	4	23.2	13.5	13.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	1	-	-	1	24.0	7.5	7.5	-	-	-	-	-	-
	175W	-	-	-	-	-	1	2	-	3	20.0	3.0	3.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	3	-	3	23.6	13.0	12.0	-	-	-	1.0	-	-
	173W	-	-	-	-	-	-	2	-	2	21.5	17.0	17.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	23.8	23.0	23.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	3	-	3	24.3	8.5	8.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*00S	000E	-	-	-	-	-	1	-	-	1	23.0	0.9	0.7	-	-	-	0.2	-	-
	*154E	-	-	-	-	-	-	1	-	1	24.0	1.5	-	-	1.5	-	-	-	-
	*163E	-	-	-	-	-	2	-	-	2	15.0	7.6	4.5	-	3.1	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	25.0	4.0	4.0	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
00S	168E	-	-	-	-	-	5	-	-	5	24.0	23.5	23.5	-	-	-	-	-	-
	169E	-	-	-	-	-	5	-	-	5	22.0	25.0	25.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	25.0	2.3	2.3	-	-	-	-	-	-
	*172E	-	-	-	-	-	2	2	-	4	24.5	29.5	29.5	-	-	-	-	-	-
	173E	-	-	-	-	-	6	2	-	8	24.2	37.8	37.5	-	0.3	-	-	-	-
	174E	-	-	-	-	-	1	-	-	1	25.0	1.0	0.8	-	0.2	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	24.5	0.1	0.1	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	21.0	2.5	0.5	-	-	-	2.0	-	-
	*175W	-	-	-	-	-	1	-	-	1	24.0	3.0	2.5	-	0.5	-	-	-	-
	174W	-	-	-	-	-	-	4	-	4	22.7	10.5	10.5	-	-	-	-	-	-
01S	162E	-	-	-	-	-	1	-	-	1	15.0	2.2	-	-	2.2	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	15.0	0.7	0.7	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	15.0	1.6	1.6	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	2	-	3	23.3	12.0	12.0	-	-	-	-	-	-
	174E	-	-	-	-	-	1	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	26.0	13.0	13.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	28.0	0.3	0.3	-	-	-	-	-	-
	178W	-	-	-	-	-	1	1	-	2	23.5	2.5	2.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	26.5	23.0	23.0	-	-	-	-	-	-
	176W	-	-	-	-	-	-	10	-	10	23.8	74.0	74.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	20.0	17.0	17.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	25.0	8.0	8.0	-	-	-	-	-	-
02S	000E	-	-	-	-	-	1	-	-	1	23.0	0.5	0.2	-	-	-	-	-	0.3
	*155E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	15.0	2.6	2.6	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	23.0	15.0	15.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	26.0	21.5	21.5	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
03S	000E	-	-	-	-	-	1	-	-	1	23.0	1.6	0.9	-	-	-	-	-	0.7
	*179W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
04S	000E	-	-	-	-	-	1	-	-	1	23.0	0.1	0.1	-	-	-	-	-	-
*06S	000E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*09S	154E	-	-	-	-	-	-	2	-	2	24.0	18.9	18.2	-	0.5	-	0.2	-	-
10S	154E	-	-	-	-	-	-	2	-	2	24.0	18.5	18.5	-	-	-	-	-	-
*12S	149E	-	-	-	-	-	-	1	-	1	24.0	3.0	1.7	-	1.3	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
13S	146E	-	-	-	-	-	-	1	-	1	24.0	2.0	1.0	-	1.0	-	-	-	-
14S	149E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
*16S	147E	-	-	-	-	-	-	1	-	1	24.0	3.3	3.0	-	0.3	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　NOV - -001　　　　TSKI -135　　11 11

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
42N	167E	-	-	-	-	-	1	-	-	1	16.0	3.0	-	3.0	-	-	-	-	-
	168E	-	-	-	-	-	6	-	-	6	23.0*	31.5	0.2	31.2	-	0.1	-	-	-
41N	153E	-	1	-	-	-	-	-	-	1	19.0	6.0	6.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	5	-	-	5	19.6	12.0	4.0	8.0	-	-	-	-	-
	167E	-	-	-	-	-	60	18	-	78	22.0*	186.9	0.8	184.4	-	1.7	-	-	-
	168E	-	-	-	-	-	82	12	-	94	23.0*	334.6	0.8	330.2	-	2.0	-	-	1.6
	*173E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
40N	150E	-	1	-	-	-	-	-	-	1	19.0	-	-	-	-	-	-	-	-
	151E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	*153E	-	1	-	-	-	-	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
	*155E	-	2	-	-	-	-	-	-	2	18.5	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	3	1	-	4	25.0	3.0	-	3.0	-	-	-	-	-
	164E	-	-	-	-	-	63	6	-	69	23.8*	187.9	4.9	183.0	-	-	-	-	-
	165E	-	-	-	-	-	71	12	-	83	23.7*	229.2	1.4	227.6	-	-	-	-	0.2
	166E	-	-	-	-	-	29	5	-	34	22.8	36.4	-	36.4	-	-	-	-	-
	167E	-	-	-	-	-	30	5	-	35	22.7*	64.4	0.5	63.8	-	0.1	-	-	-
	168E	-	-	-	-	-	9	2	-	11	24.8	9.5	2.0	7.5	-	-	-	-	-
	169E	-	-	-	-	-	36	7	-	43	23.1	180.0	0.1	178.2	-	1.0	-	-	0.7
	170E	-	-	-	-	-	8	-	-	8	22.1	17.0	-	17.0	-	-	-	-	-
	171E	-	-	-	-	-	7	1	-	8	24.7	0.1	-	0.1	-	-	-	-	-
	172E	-	-	-	-	-	2	-	-	2	21.5	0.1	-	0.1	-	-	-	-	-
	173E	-	-	-	-	-	5	1	-	6	25.5	-	-	-	-	-	-	-	-
	174E	-	-	-	-	-	2	-	-	2	19.5	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	1	-	-	1	23.0	1.2	-	1.2	-	-	-	-	-
	*177E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
39N	149E	-	2	-	-	-	-	-	-	2	17.5	10.0	10.0	-	-	-	-	-	-
	*154E	-	3	-	-	-	-	-	-	3	17.6	-	-	-	-	-	-	-	-
	155E	-	5	-	-	-	-	-	-	5	19.8	-	-	-	-	-	-	-	-
	156E	-	1	-	-	-	-	-	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	24.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	14	-	-	14	23.2	21.7	-	21.7	-	-	-	-	-
	164E	-	-	-	-	-	31	8	-	39	22.5	126.1	0.5	125.3	-	-	-	-	0.3
	165E	-	-	-	-	-	28	3	-	31	23.9	34.8	-	34.8	-	-	-	-	-
	166E	-	-	-	-	-	37	9	-	46	22.9*	66.2	-	66.2	-	-	-	-	-
	167E	-	-	-	-	-	25	1	-	26	22.9	19.4	-	19.4	-	-	-	-	-
	168E	-	-	-	-	-	49	1	-	50	22.1*	316.2	0.5	315.7	-	-	-	-	-
	169E	-	-	-	-	-	50	4	-	54	21.7	237.4	1.0	236.4	-	-	-	-	-
	170E	-	-	-	-	-	12	-	-	12	22.9*	7.1	0.5	6.6	-	-	-	-	-
	171E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	3	-	-	3	21.0	-	-	-	-	-	-	-	-
	.173E	-	-	-	-	-	3	-	-	3	23.0	0.2	-	0.1	-	-	-	-	0.1
	174E	-	-	-	-	-	5	-	-	5	22.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	3	-	-	3	23.6	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	2	-	-	2	24.0	0.3	-	0.3	-	-	-	-	-
	177E	-	-	-	-	-	4	-	-	4	22.2	1.3	0.5	0.8	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	21.7	3.0	-	3.0	-	-	-	-	-
38N	148E	-	2	-	-	-	-	-	-	2	18.0	15.0	15.0	-	-	-	-	-	-
	149E	-	6	-	-	-	-	-	-	6	17.8*	6.0	6.0	-	-	-	-	-	-
38N	150E	-	1	-	-	-	-	-	-	1	21.0	-	-	-	-	-	-	-	-
	151E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*154E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	156E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	11	-	-	11	22.9	2.0	-	2.0	-	-	-	-	-
	167E	-	-	-	-	-	14	1	-	15	25.0	3.1	-	3.1	-	-	-	-	-
	168E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	1	-	-	1	24.0	-	-	-	-	-	-	-	-
	*177E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
37N	146E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	147E	-	1	-	-	-	-	-	-	1	18.0	13.0	13.0	-	-	-	-	-	-
	148E	-	9	-	-	-	1	-	-	10	17.6	27.0	27.0	-	-	-	-	-	-
	149E	-	21	-	-	-	-	-	-	21	17.2*	70.4	70.4	-	-	-	-	-	-
	*167E	-	-	-	-	-	2	-	-	2	22.5	0.3	-	0.3	-	-	-	-	-
36N	145E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	146E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
	147E	-	2	-	-	-	-	-	-	2	15.0	10.9	10.9	-	-	-	-	-	-
	148E	-	9	-	-	-	-	-	-	9	15.4	34.0	34.0	-	-	-	-	-	-
35N	140E	-	1	-	-	-	-	-	-	1	10.0	0.6	0.6	-	-	-	-	-	-
	*150E	-	1	-	-	-	-	-	-	1	10.0	0.1	-	0.1	-	-	-	-	-
34N	137E	-	1	-	-	-	-	-	-	1	14.0	0.2	-	-	0.2	-	-	-	-
	138E	-	21	-	-	-	-	-	-	21	15.5	15.7	8.6	-	3.4	3.7	-	-	-
	139E	-	10	-	-	-	-	-	-	10	12.0	6.3	6.3	-	-	-	-	-	-
	140E	-	3	-	-	-	-	-	-	3	16.0	2.7	2.7	-	-	-	-	-	-
	*144E	-	1	-	-	-	-	-	-	1	18.0	0.5	0.5	-	-	-	-	-	-
	*151E	-	1	-	-	-	-	-	-	1	18.0	0.2	-	0.1	-	-	0.1	-	-
	*157E	-	1	-	-	-	-	-	-	1	18.0	0.1	-	-	-	-	0.1	-	-
33N	139E	-	4	-	-	-	-	-	-	4	15.6*	3.7	3.6	-	0.1	-	-	-	-
	140E	-	15	-	-	-	-	-	-	15	14.0*	18.3	18.0	-	-	-	-	-	0.3
	*156E	-	4	-	-	-	-	-	-	4	14.0	1.0	-	0.3	-	-	0.4	-	0.3
	157E	-	1	-	-	-	-	-	-	1	14.0	0.4	-	0.2	-	-	0.1	-	0.1
32N	146E	-	2	-	-	-	-	-	-	2	14.0	0.5	-	0.3	-	-	0.2	-	-
	147E	-	3	-	-	-	-	-	-	3	14.0	1.8	-	1.3	-	-	0.3	-	0.2
31N	139E	-	1	-	-	-	-	-	-	1	20.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	20.0	0.8	-	-	0.8	-	-	-	-
	*148E	-	1	-	-	-	-	-	-	1	20.0	0.7	-	0.5	-	-	-	-	0.2

月別・漁場別努力量及び漁獲量

TSKI -BETSU   *** GYOJYO-BETSU TOUKEI ***   NOV - -003   TSKI -137   11 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
30N	129E	1	1	-	-	-	-	-	-	2	11.5	3.8	2.3	-	1.5	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	13.0	1.5	1.5	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-
	140E	-	4	-	-	-	-	-	-	4	13.7	4.1	2.4	-	1.7	-	-	-	-
29N	127E	-	3	-	-	-	-	-	-	3	13.0	4.9	4.9	-	-	-	-	-	-
	128E	-	33	-	-	-	-	-	-	33	12.5	48.0	37.0	1.0	7.1	-	-	-	2.9
	129E	7	25	-	-	-	-	-	-	32	11.6	20.1	15.4	-	3.8	-	-	-	0.9
	130E	-	4	-	-	-	-	-	-	4	11.0	7.0	5.0	-	2.0	-	-	-	-
	*140E	-	5	-	-	-	-	-	-	5	14.8	1.5	-	-	0.9	-	-	-	0.6
	141E	-	1	-	-	-	-	-	-	1	14.8	-	-	-	-	-	-	-	-
28N	127E	4	28	-	-	-	-	-	-	32	12.1	59.4	49.8	-	7.7	-	0.8	-	1.1
	128E	3	11	-	-	-	-	-	-	14	12.0	21.5	16.6	-	4.0	-	-	-	0.9
	129E	-	8	-	-	-	-	-	-	8	12.0	6.6	6.6	-	-	-	-	-	-
	*141E	-	29	-	-	-	-	-	-	29	13.4	11.0	0.3	-	9.0	-	-	-	1.7
	142E	-	2	-	-	-	-	-	-	2	13.4	0.6	-	-	0.6	-	-	-	-
27N	126E	-	4	-	-	-	-	-	-	4	16.5	6.3	5.0	-	0.3	-	1.0	-	-
	127E	-	23	-	-	-	-	-	-	23	12.3	45.7	36.1	-	7.8	-	-	-	1.8
	*130E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*139E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	17.0	0.2	-	-	0.2	-	-	-	-
	141E	-	3	-	-	-	-	-	-	3	14.0*	0.7	-	-	0.7	-	-	-	-
	*145E	-	2	-	-	-	-	-	-	2	14.5	1.3	0.1	-	1.2	-	-	-	-
26N	126E	-	5	-	-	-	-	-	-	5	14.8	6.5	6.5	-	-	-	-	-	-
	*131E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*140E	-	34	-	-	-	-	-	-	34	14.2*	21.3	5.1	-	15.9	-	-	-	0.3
	141E	-	3	-	-	-	-	-	-	3	17.0	4.8	2.0	-	2.8	-	-	-	-
25N	125E	-	1	-	-	-	-	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	*140E	-	4	-	-	-	-	-	-	4	15.2	11.7	11.2	-	0.5	-	-	-	-
	141E	-	5	-	-	-	-	-	-	5	14.0*	16.0	15.4	-	0.6	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	14.0	2.3	0.3	-	2.0	-	-	-	-
24N	140E	-	4	-	-	-	1	-	-	5	13.4	12.0	11.4	-	-	-	0.6	-	-
	141E	-	13	-	-	-	-	-	-	13	16.8*	22.2	19.3	-	2.9	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	153E	-	1	-	-	-	-	-	-	1	12.0	0.2	-	-	-	-	-	-	0.2
23N	124E	-	2	-	-	-	-	-	-	2	11.0	19.5	19.5	-	-	-	-	-	-
	125E	-	1	-	-	-	-	-	-	1	11.0	2.0	2.0	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	11.0	1.4	-	-	1.0	-	-	-	0.4
	130E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*132E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	*138E	-	1	-	-	-	-	-	-	1	19.0	3.2	1.5	-	1.2	-	-	-	0.5
	*141E	-	16	-	-	-	-	-	-	16	15.3	35.6	23.7	-	10.8	-	-	-	1.1
	142E	-	24	-	-	-	-	-	-	24	15.6*	94.2	86.8	-	7.1	-	-	-	0.3
	143E	-	8	-	-	-	-	-	-	8	12.5	43.8	39.8	-	4.0	-	-	-	-
23N	*153E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
22N	124E	-	1	-	-	-	-	-	-	1	11.0	4.6	4.0	-	-	-	-	-	0.6
	125E	-	1	-	-	-	-	-	-	1	11.0	5.5	5.5	-	-	-	-	-	-
	126E	-	1	-	-	-	-	-	-	1	11.0	6.3	6.0	-	0.2	-	-	-	0.1
	*129E	-	2	-	-	-	-	-	-	2	13.0	3.0	3.0	-	-	-	-	-	-
	130E	-	1	-	-	-	-	-	-	1	14.0	5.0	5.0	-	-	-	-	-	-
	131E	-	6	-	-	-	-	-	-	6	12.1	21.5	21.5	-	-	-	-	-	-
	132E	-	2	-	-	-	-	-	-	2	14.0	8.5	8.5	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	12.0	3.5	3.5	-	-	-	-	-	-
	*135E	-	2	-	-	-	-	-	-	2	15.0	1.0	1.0	-	-	-	-	-	-
	136E	-	1	-	-	-	-	-	-	1	12.0	1.5	0.8	-	-	-	-	-	0.7
	137E	-	1	-	-	-	-	-	-	1	11.0	0.2	0.2	-	-	-	-	-	-
	*140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	141E	-	2	-	-	-	-	1	-	3	19.0*	-	-	-	-	-	-	-	-
	142E	-	24	-	-	-	1	-	-	25	15.4	90.8	65.6	-	24.8	-	-	-	0.4
	143E	-	5	-	-	-	-	-	-	5	15.2	16.2	13.2	-	3.0	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
21N	128E	-	2	-	-	-	-	-	-	2	14.5	1.2	1.2	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	13.0	2.3	2.3	-	-	-	-	-	-
	130E	-	17	-	-	-	-	-	-	17	12.3	71.3	61.7	-	6.7	-	-	-	2.9
	131E	-	19	-	-	-	-	-	-	19	13.4	50.5	46.1	-	3.0	-	-	-	1.4
	132E	-	18	-	-	-	-	-	-	18	12.8	61.3	61.0	-	-	-	-	-	0.3
	133E	-	8	-	-	-	-	-	-	8	13.2	12.5	11.9	-	0.6	-	-	-	-
	134E	-	6	-	-	-	-	-	-	6	12.3	7.5	6.3	-	1.2	-	-	-	-
	*136E	-	3	-	-	-	-	-	-	3	14.0	1.0	1.0	-	-	-	-	-	-
	*138E	-	2	-	-	-	-	-	-	2	16.0	11.6	8.7	-	0.7	-	2.2	-	-
	*141E	-	-	-	-	-	1	-	-	1	19.0	2.6	2.6	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	10.0	2.0	1.3	-	0.7	-	-	-	-
	143E	-	5	-	-	-	1	-	-	6	15.6	18.1	14.3	-	3.7	-	-	-	0.1
	144E	-	1	-	-	-	-	-	-	1	15.6	0.6	-	-	0.6	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	27.0	3.1	3.0	-	0.1	-	-	-	-
	*153E	-	-	-	-	-	-	1	-	1	21.0	7.0	6.5	-	0.5	-	-	-	-
20N	128E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	129E	-	3	-	-	-	-	-	-	3	14.6	2.4	2.4	-	-	-	-	-	-
	130E	-	3	-	-	-	-	-	-	3	15.3	5.5	3.5	-	2.0	-	-	-	-
	131E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
	133E	-	6	-	-	-	-	-	-	6	13.3	25.0	21.0	-	4.0	-	-	-	-
	134E	-	21	-	-	-	1	-	-	22	12.9	74.1	68.8	-	4.3	-	1.0	-	-
	135E	-	16	-	-	-	-	-	-	16	14.0	128.3	47.2	-	0.8	-	-	0.2	0.1
	136E	-	9	-	-	-	-	-	-	9	13.2	20.9	17.4	-	3.0	-	-	-	0.5
	137E	-	2	-	-	-	-	-	-	2	11.5	0.8	0.8	-	-	-	-	-	-
	138E	-	2	-	-	-	-	-	-	2	15.0	12.6	9.8	-	2.8	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	18.0	1.5	1.1	-	0.4	-	-	-	-
	142E	-	8	-	-	-	-	1	-	9	15.2*	14.9	8.7	-	6.2	-	-	-	-
	143E	-	9	-	-	-	1	-	-	10	15.2*	44.0	41.3	-	2.5	-	-	-	0.2
	144E	-	2	-	-	-	-	-	-	2	17.0	1.8	1.8	-	-	-	-	-	-
	145E	-	8	-	-	-	-	-	-	8	10.0*	5.2	-	-	5.2	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** NOV - -005 TSKI -139 11 月

漁業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均屯数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
9N 128E	-	3	-	-	-	-	-	-	3	14.3	10.0	10.0	-	-	-	-	-	-
129E	-	2	-	-	-	-	-	-	2	11.0	6.0	3.0	-	3.0	-	-	-	-
130E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
132E	-	6	-	-	-	-	-	-	6	11.5	3.2	2.6	-	0.6	-	-	-	-
133E	-	44	1	-	-	2	-	-	47	13.4	166.9	163.4	-	2.3	-	0.2	-	1.0
134E	-	60	-	-	-	-	-	-	60	13.9	210.1	203.7	-	3.4	-	0.3	-	2.7
135E	-	25	-	-	-	1	2	-	28	13.8	110.2	108.4	-	0.8	-	-	-	1.0
136E	-	13	-	-	-	-	-	-	13	12.8	72.8	72.8	-	-	-	-	-	-
137E	-	8	-	-	-	-	-	-	8	13.1	31.1	30.1	-	1.0	-	-	-	-
138E	-	-	-	-	-	-	1	-	1	33.0	16.5	16.5	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	33.0	9.0	9.0	-	-	-	-	-	-
140E	-	2	-	-	-	-	-	-	2	17.0	2.0	1.2	-	0.8	-	-	-	-
*145E	-	4	-	-	-	-	-	-	4	10.0*	2.5	-	-	2.5	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-
3N 128E	-	2	-	-	-	-	-	-	2	14.0	5.0	5.0	-	-	-	-	-	-
129E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
130E	-	3	-	-	-	2	-	-	5	15.4	9.3	9.0	-	0.3	-	-	-	-
131E	-	2	-	-	-	-	-	-	2	10.5	-	-	-	-	-	-	-	-
132E	-	4	-	-	-	-	-	-	4	14.2	9.9	9.9	-	-	-	-	-	-
133E	-	10	1	-	-	-	-	-	11	14.6	21.0	21.0	-	-	-	-	-	-
134E	-	10	1	-	-	-	-	-	11	14.9	24.1	22.0	2.0	-	-	-	-	0.1
*136E	-	4	1	-	-	1	-	-	6	16.3	9.6	9.6	-	-	-	-	-	-
137E	-	1	-	-	-	-	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
138E	-	1	-	-	-	-	-	-	1	16.0	-	-	-	-	-	-	-	-
*140E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
141E	-	1	-	-	-	-	-	-	1	16.0	0.1	0.1	-	-	-	-	-	-
142E	-	2	-	-	-	-	-	-	2	13.0*	1.8	0.8	-	1.0	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
'N 128E	-	3	-	-	-	-	-	-	3	14.3	8.0	8.0	-	-	-	-	-	-
*130E	-	1	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	-	-
131E	-	5	-	-	-	-	-	-	5	11.2	5.0	5.0	-	-	-	-	-	-
132E	-	11	-	-	-	-	-	-	11	16.1	69.5	62.4	-	4.4	-	-	-	2.7
133E	-	3	1	-	-	4	-	-	8	16.1	10.1	9.4	-	0.2	-	-	-	0.5
134E	-	1	1	-	-	-	-	-	2	15.0	1.0	1.0	-	-	-	-	-	-
135E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
136E	-	1	-	-	-	-	1	-	2	18.5	11.0	11.0	-	-	-	-	-	-
137E	-	1	-	-	-	1	-	-	2	18.5	7.0	7.0	-	-	-	-	-	-
138E	-	-	-	-	-	1	-	-	1	19.0	2.0	2.0	-	-	-	-	-	-
*142E	-	3	-	-	-	2	-	-	5	15.2	7.6	4.2	-	3.1	-	-	-	0.3
143E	-	1	-	-	-	1	-	-	2	16.0*	3.6	3.1	-	0.5	-	-	-	-
*163E	-	-	-	-	-	-	2	-	2	28.0	7.0	7.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
.N 130E	-	5	-	-	-	-	-	-	5	12.0	4.8	2.5	-	0.4	-	-	-	1.9
131E	-	6	-	-	-	2	-	-	8	15.2	25.1	25.1	-	-	-	-	-	-
132E	-	7	-	-	-	5	-	-	12	16.4	28.5	27.5	-	-	-	-	-	1.0
133E	-	1	1	-	-	-	-	-	2	15.0	0.5	0.5	-	-	-	-	-	-
134E	-	2	-	-	-	1	-	-	3	14.6	10.4	10.4	-	-	-	-	-	-
135E	-	-	1	-	-	-	-	-	1	15.0	2.0	2.0	-	-	-	-	-	-
6N *143E	-	11	-	-	-	-	1	-	12	15.0*	12.2	0.5	-	10.0	-	-	-	1.7
*148E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
5N 130E	-	3	-	-	-	-	-	-	3	12.6	12.1	6.1	6.0	-	-	-	-	-
131E	-	7	-	-	-	6	-	-	13	16.3	78.3	77.0	-	-	-	1.3	-	-
132E	-	4	-	-	-	1	-	-	5	16.0	19.1	17.5	-	1.0	-	-	-	0.6
133E	-	-	-	-	-	2	-	-	2	19.0	2.0	2.0	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
*138E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
*142E	-	4	-	-	-	1	-	-	5	15.8	4.8	0.5	-	4.0	-	-	-	0.3
*163E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
4N 129E	-	1	-	-	-	-	-	-	1	12.0	2.0	1.5	-	0.5	-	-	-	-
130E	-	-	-	-	-	2	-	-	2	19.0	4.0	4.0	-	-	-	-	-	-
*133E	-	-	-	-	-	2	-	-	2	19.5	1.5	1.5	-	-	-	-	-	-
134E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
*136E	-	-	-	-	-	1	-	-	1	16.0	0.1	0.1	-	-	-	-	-	-
*141E	-	-	-	-	-	2	-	-	2	15.0	8.2	8.2	-	-	-	-	-	-
142E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
*149E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*156E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	28.0	3.5	3.5	-	-	-	-	-	-
*167E	-	-	-	-	-	-	2	-	2	28.0	12.0	12.0	-	-	-	-	-	-
3N 130E	-	-	-	-	-	2	-	-	2	19.0	6.0	6.0	-	-	-	-	-	-
131E	-	1	-	-	-	1	-	-	2	17.0	3.0	3.0	-	-	-	-	-	-
132E	-	1	-	-	-	1	-	-	2	13.5	7.0	2.5	3.0	1.5	-	-	-	-
*134E	-	-	-	-	-	1	-	-	1	16.0	-	-	-	-	-	-	-	-
*136E	-	-	-	-	-	2	-	-	2	16.0	9.6	9.6	-	-	-	-	-	-
*141E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	2	-	2	24.0	10.0	10.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
2N 130E	-	-	-	-	-	8	-	-	8	21.0	24.5	24.5	-	-	-	-	-	-
131E	-	-	-	-	-	1	-	-	1	23.0	1.5	1.5	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	19.0	1.6	1.5	-	-	-	0.1	-	-
*140E	-	-	-	-	-	-	1	-	1	33.0	6.0	6.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*167E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
1N 131E	-	-	-	-	-	3	-	-	3	23.0	7.4	7.4	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
*143E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
*149E	-	-	-	-	-	-	1	-	1	23.0	4.0	4.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　NOV - -007　　TSKI -141　　11 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
11N	150E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
10N	136E	-	-	-	-	-	1	-	-	1	22.0	1.0	-	-	1.0	-	-	-	-
	*144E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.2	-	0.3	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
09N	141E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	22.0	11.0	7.0	-	1.0	-	3.0	-	-
	*153E	-	-	-	-	-	1	1	-	2	25.0	11.0	11.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
08N	138E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	2	-	2	22.0	3.5	3.5	-	-	-	-	-	-
	*146E	-	-	-	-	-	2	-	-	2	23.5	2.0	2.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	2	-	2	20.0	1.5	1.0	-	0.5	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	27.0	22.4	22.0	-	0.4	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	18.0	4.0	3.0	-	-	-	1.0	-	-
	*159E	-	-	-	-	-	-	1	-	1	24.0	0.8	0.6	-	-	-	0.2	-	-
	*166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	24.5	6.0	6.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*168W	-	-	-	-	-	-	1	-	1	22.0	6.0	6.0	-	-	-	-	-	-
07N	147E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	14.0	7.0	4.5	-	2.5	-	-	-	-
	152E	-	-	-	-	-	1	1	-	2	21.0	1.5	1.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	1	-	2	24.5	4.1	3.0	-	1.0	-	-	-	0.1
	*173W	-	-	-	-	-	-	2	-	2	22.5	-	-	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	4	-	4	22.5	18.4	18.4	-	-	-	-	-	-
	*165W	-	-	-	-	-	-	2	-	2	26.5	15.0	15.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	8	-	8	25.1	49.4	49.4	-	-	-	-	-	-
	163W	-	-	-	-	-	-	3	-	3	28.3	13.5	13.5	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
06N	138E	-	-	-	-	-	1	-	-	1	16.0	0.3	0.2	-	0.1	-	-	-	-
	*140E	-	-	-	-	-	1	-	-	1	21.0	0.2	0.2	-	-	-	-	-	-
06N	141E	-	-	-	-	-	-	1	-	1	25.0	0.5	-	-	0.5	-	-	-	-
	142E	-	-	-	-	-	-	3	-	3	19.0	9.0	7.0	-	1.0	-	1.0	-	-
	143E	-	-	-	-	-	-	1	-	1	19.0	0.1	-	-	-	-	-	-	0.1
	144E	-	-	-	-	-	4	-	-	4	16.5	6.7	6.4	-	0.3	-	-	-	-
	145E	-	-	-	-	-	1	1	-	2	17.5	5.7	3.4	-	2.3	-	-	-	-
	146E	-	-	-	-	-	1	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	148E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	149E	-	-	-	-	-	1	3	-	4	23.0	21.0	15.5	-	3.5	-	2.0	-	-
	150E	-	-	-	-	-	1	6	-	7	22.2	52.0	45.0	-	-	-	7.0	-	-
	151E	-	-	-	-	-	3	4	-	7	19.8	66.1	52.6	-	8.4	-	4.1	-	1.0
	*153E	-	-	-	-	-	1	2	-	3	23.3	4.5	2.5	-	2.0	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	19.0	1.7	1.5	-	0.2	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
	176E	-	-	-	-	-	1	2	-	3	21.6	2.0	2.0	-	-	-	-	-	-
	177E	-	-	-	-	-	1	1	-	2	20.0*	5.5	5.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	24.0	4.5	4.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	4	-	4	23.7	17.1	14.7	-	1.7	-	0.7	-	-
	178W	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	177W	-	-	-	-	-	-	2	-	2	27.5	7.5	7.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	2	-	2	25.0	2.0	2.0	-	-	-	-	-	-
	*170W	-	-	-	-	-	-	2	-	2	23.0	2.0	2.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	1	-	1	22.0	1.5	1.5	-	-	-	-	-	-
	168W	-	-	-	-	-	-	4	-	4	24.7	36.2	36.2	-	-	-	-	-	-
	167W	-	-	-	-	-	-	3	-	3	23.3	21.0	21.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	15	-	15	23.3	76.0	76.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	22	-	22	23.3	195.5	194.5	-	1.0	-	-	-	-
	164W	-	-	-	-	-	-	10	-	10	22.3	67.5	67.5	-	-	-	-	-	-
	163W	-	-	-	-	-	-	10	-	10	22.1	109.5	109.5	-	-	-	-	-	-
	162W	-	-	-	-	-	-	14	-	14	23.1	110.0	110.0	-	-	-	-	-	-
05N	139E	-	-	-	-	-	1	-	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	140E	-	-	-	-	-	1	-	-	1	21.0	0.3	0.1	-	0.2	-	-	-	-
	141E	-	-	-	-	-	1	1	-	2	24.5	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	30.0	4.0	4.0	-	-	-	-	-	-
	*146E	-	-	-	-	-	1	-	-	1	17.0	3.0	3.0	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	4	-	-	4	18.3*	13.9	12.9	-	1.0	-	-	-	-
	149E	-	-	-	-	-	10	1	-	11	18.0*	51.6	47.2	-	3.3	-	0.1	-	1.0
	150E	-	-	-	-	-	6	4	-	10	20.4	39.1	34.0	-	4.0	-	1.1	-	-
	151E	-	-	-	-	-	7	4	-	11	19.0	124.5	114.7	-	3.5	-	2.0	-	4.3
	152E	-	-	-	-	-	6	2	-	8	20.8*	66.4	56.1	-	10.3	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	16.0	1.7	1.1	-	0.6	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	24.0	0.4	0.2	-	-	-	0.2	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-

別・漁場別努力量及び漁獲量

SKI -BETSU *** GYOJYO-BETSU TOUKEI *** NOV - -009 TSKI -143 11 月

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
175E	-	-	-	-	-	-	1	-	1	24.0	1.0	0.5	-	-	-	0.5	-	-
*177E	-	-	-	-	-	-	4	-	4	19.5	2.7	2.7	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	24.0	5.0	5.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	5	-	5	22.8	11.5	11.0	-	0.5	-	-	-	-
178W	-	-	-	-	-	-	8	-	8	27.2	36.7	36.7	-	-	-	-	-	-
177W	-	-	-	-	-	-	5	-	5	23.2	31.2	28.5	-	2.2	-	0.5	-	-
*175W	-	-	-	-	-	-	2	-	2	25.5	1.0	1.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	25.0	0.5	0.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	4	-	4	22.0	6.5	6.5	-	-	-	-	-	-
171W	-	-	-	-	-	-	7	-	7	22.5	18.6	18.6	-	-	-	-	-	-
170W	-	-	-	-	-	-	23	-	23	24.7	99.0	99.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	11	-	11	24.2	85.0	85.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	17	-	17	22.8	75.2	75.2	-	-	-	-	-	-
167W	-	-	-	-	-	-	19	-	19	22.7	97.0	97.0	-	-	-	-	-	-
166W	-	-	-	-	-	-	11	-	11	22.9	77.0	77.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	6	-	6	22.3	31.0	31.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	19	-	19	22.3	110.0	110.0	-	-	-	-	-	-
163W	-	-	-	-	-	-	11	-	11	22.3	67.0	67.0	-	-	-	-	-	-
*000W	-	-	-	-	-	13	-	-	13	23.0	11.7	7.0	-	4.7	-	-	-	-
000E	-	-	-	-	-	2	-	-	2	23.0	8.1	7.3	-	0.2	-	0.6	-	-
*143E	-	-	-	-	-	1	-	-	1	21.0	0.8	0.8	-	-	-	-	-	-
144E	-	-	-	-	-	4	-	-	4	17.2	12.7	12.7	-	-	-	-	-	-
145E	-	-	-	-	-	2	-	-	2	17.0	2.0	2.0	-	-	-	-	-	-
146E	-	-	-	-	-	2	-	-	2	19.5	6.5	6.5	-	-	-	-	-	-
147E	-	-	-	-	-	5	1	-	6	18.5	21.2	18.7	-	2.5	-	-	-	-
148E	-	-	-	-	-	12	1	-	13	17.1	54.4	52.2	-	2.2	-	-	-	-
149E	-	-	-	-	-	10	-	-	10	17.0	38.0	34.5	-	2.9	-	-	-	0.6
150E	-	-	-	-	-	9	3	-	12	18.1	81.8	77.0	-	2.3	-	2.5	-	-
151E	-	-	-	-	-	19	4	-	23	18.6*	154.7	143.7	-	7.0	-	3.0	-	1.0
152E	-	-	-	-	-	8	8	-	16	18.8	130.0	128.0	-	2.0	-	-	-	-
153E	-	-	-	-	-	6	5	-	11	19.6	38.0	28.6	-	5.9	-	3.5	-	-
154E	-	-	-	-	-	1	2	-	3	22.0	13.3	12.0	-	0.3	-	1.0	-	-
155E	-	-	-	-	-	-	2	-	2	22.0*	6.0	6.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	3	-	3	25.0	14.0	12.0	-	1.0	-	-	-	1.0
161E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	16.0	1.0	1.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	25.0	1.5	1.0	-	0.5	-	-	-	-
164E	-	-	-	-	-	-	3	-	3	22.3	4.5	4.5	-	-	-	-	-	-
*166E	-	-	-	-	-	1	1	-	2	15.5	7.5	5.5	-	-	-	2.0	-	-
167E	-	-	-	-	-	-	1	-	1	21.0	1.0	0.5	-	-	-	-	-	0.5
168E	-	-	-	-	-	2	4	-	6	17.5	13.0	12.0	-	-	-	1.0	-	-
169E	-	-	-	-	-	-	1	-	1	20.0	4.0	2.0	-	-	-	2.0	-	-
*171E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
175E	-	-	-	-	-	-	2	-	2	25.0	3.0	3.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	38.0	4.8	4.5	-	-	-	-	-	0.3
177E	-	-	-	-	-	1	3	-	4	28.0	22.0	22.0	-	-	-	-	-	-
178E	-	-	-	-	-	2	2	-	4	22.7	11.5	11.5	-	-	-	-	-	-
179E	-	-	-	-	-	2	7	-	9	24.1	23.1	23.1	-	-	-	-	-	-
*179W	-	-	-	-	-	1	4	-	5	25.5*	19.6	19.0	-	0.5	-	-	-	0.1
178W	-	-	-	-	-	1	10	-	11	23.5	69.3	63.3	-	-	-	6.0	-	-
177W	-	-	-	-	-	5	16	-	21	23.7*	93.8	91.2	-	2.1	-	0.5	-	-
176W	-	-	-	-	-	2	5	-	7	24.0	16.2	16.2	-	-	-	-	-	-
175W	-	-	-	-	-	-	3	-	3	24.3	6.0	6.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	3	-	3	22.3	3.0	3.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	22.5	2.2	2.2	-	-	-	-	-	-
172W	-	-	-	-	-	-	3	-	3	20.3	4.0	4.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	2	-	2	25.5	0.7	0.7	-	-	-	-	-	-
170W	-	-	-	-	-	-	7	-	7	27.8	30.5	30.5	-	-	-	-	-	-
169W	-	-	-	-	-	-	11	-	11	22.8	53.5	53.5	-	-	-	-	-	-
168W	-	-	-	-	-	-	11	-	11	23.6	67.5	67.5	-	-	-	-	-	-
167W	-	-	-	-	-	-	6	-	6	23.8	20.7	20.5	-	0.2	-	-	-	-
166W	-	-	-	-	-	-	7	-	7	23.8	28.5	28.5	-	-	-	-	-	-
165W	-	-	-	-	-	-	11	-	11	22.1	44.5	44.5	-	-	-	-	-	-
164W	-	-	-	-	-	-	15	-	15	21.8	85.0	85.0	-	-	-	-	-	-
163W	-	-	-	-	-	-	5	-	5	22.8	20.0	20.0	-	-	-	-	-	-
162W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*009W	-	-	-	-	-	3	-	-	3	23.0	43.4	41.1	-	2.3	-	-	-	-
008W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*005W	-	-	-	-	-	1	-	-	1	23.0	13.2	6.5	-	4.3	-	2.4	-	-
004W	-	-	-	-	-	2	-	-	2	23.0	31.1	13.6	-	14.8	-	2.7	-	-
003W	-	-	-	-	-	2	-	-	2	23.0	12.6	8.9	-	3.7	-	-	-	-
002W	-	-	-	-	-	8	-	-	8	23.0	61.6	51.3	-	9.8	-	0.5	-	-
001W	-	-	-	-	-	2	-	-	2	23.0	7.4	7.4	-	-	-	-	-	-
000W	-	-	-	-	-	2	-	-	2	23.0	6.5	6.5	-	-	-	-	-	-
000E	-	-	-	-	-	2	-	-	2	23.0	12.2	8.0	-	1.5	-	0.2	-	2.5
*143E	-	-	-	-	-	1	-	-	1	21.0	1.7	1.7	-	-	-	-	-	-
144E	-	-	-	-	-	2	1	-	3	23.3	1.6	0.8	-	0.8	-	-	-	-
*148E	-	-	-	-	-	8	-	-	8	16.8	23.7	22.1	-	1.6	-	-	-	-
*150E	-	-	-	-	-	3	3	-	6	18.1	28.0	27.7	-	-	-	0.3	-	-
151E	-	-	-	-	-	3	1	-	4	15.5	24.5	23.5	-	1.0	-	-	-	-
152E	-	-	-	-	-	3	2	-	5	20.7*	16.3	11.5	-	3.3	-	-	-	1.5
153E	-	-	-	-	-	7	1	-	8	19.0*	22.6	17.6	-	1.5	-	1.0	-	2.5
154E	-	-	-	-	-	4	2	-	6	20.1	7.5	6.5	-	1.0	-	-	-	-
155E	-	-	-	-	-	2	2	-	4	18.7	5.8	5.3	-	-	-	-	-	0.5
156E	-	-	-	-	-	2	-	-	2	16.0	6.2	4.2	-	2.0	-	-	-	-
157E	-	-	-	-	-	2	-	-	2	15.5	1.7	1.7	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
*163E	-	-	-	-	-	2	1	-	3	17.6	5.0	3.5	-	1.5	-	-	-	-
*166E	-	-	-	-	-	-	2	-	2	30.0	18.0	18.0	-	-	-	-	-	-
167E	-	-	-	-	-	-	3	-	3	29.6	6.0	6.0	-	-	-	-	-	-
168E	-	-	-	-	-	1	4	-	5	23.8	37.6	37.6	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	32.0	1.5	1.5	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	32.0	2.0	2.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
172E	-	-	-	-	-	-	4	-	4	22.7	22.5	22.5	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	32.0	1.0	1.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	33.0	2.0	2.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	6	-	6	25.1	40.0	40.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	10	-	10	24.2	118.5	118.0	-	0.5	-	-	-	-
177W	-	-	-	-	-	1	9	-	10	22.1*	46.6	46.6	-	-	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	27.6	11.3	11.3	-	-	-	-	-	-
175W	-	-	-	-	-	-	11	-	11	25.1	21.5	21.5	-	-	-	-	-	-
174W	-	-	-	-	-	-	16	-	16	21.8	68.0	68.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	16.5	6.5	6.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	4	-	4	26.2	2.7	2.7	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
03N 171W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	20.0	7.0	7.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	2	-	2	24.0	0.5	0.5	-	-	-	-	-	-
167W	-	-	-	-	-	-	1	-	1	22.0	2.5	2.5	-	-	-	-	-	-
166W	-	-	-	-	-	-	3	-	3	23.3	14.0	14.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	2	-	2	27.0	27.0	27.0	-	-	-	-	-	-
*161W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*004W	-	-	-	-	-	1	-	-	1	23.0	5.2	2.9	-	-	-	0.1	-	2.2
*002W	-	-	-	-	-	2	-	-	2	23.0	16.9	10.1	-	0.2	-	0.8	-	5.8
001W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
02N 000E	-	-	-	-	-	4	-	-	4	23.0	27.8	17.3	-	1.0	-	1.2	-	8.3
001E	-	-	-	-	-	6	-	-	6	23.0	48.4	36.1	-	0.2	-	4.4	-	7.7
002E	-	-	-	-	-	2	-	-	2	23.0	14.2	10.8	-	-	-	2.0	-	1.4
*148E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
*150E	-	-	-	-	-	1	-	-	1	26.0	7.0	5.5	-	-	-	-	-	1.5
151E	-	-	-	-	-	2	1	-	3	26.0	9.5	9.5	-	-	-	-	-	-
152E	-	-	-	-	-	15	1	-	16	18.5	63.7	56.3	-	6.7	-	0.7	-	-
153E	-	-	-	-	-	7	2	-	9	20.0	23.0	17.5	-	2.5	-	1.0	-	2.0
154E	-	-	-	-	-	2	2	-	4	19.2	19.0	18.5	-	0.5	-	-	-	-
155E	-	-	-	-	-	5	-	-	5	15.3*	14.0	11.8	-	2.2	-	-	-	-
156E	-	-	-	-	-	1	1	-	2	24.5	7.5	7.0	-	0.5	-	-	-	-
157E	-	-	-	-	-	-	2	-	2	27.0	7.0	6.5	-	-	-	0.5	-	-
158E	-	-	-	-	-	2	-	-	2	21.0	1.3	1.3	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
*162E	-	-	-	-	-	-	4	-	4	19.7	13.0	12.0	-	6.0	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	1	1	-	2	21.0	4.6	4.6	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	1	-	-	1	21.0	0.2	0.2	-	-	-	-	-	-
167E	-	-	-	-	-	1	1	-	2	22.5	3.0	3.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	2	-	2	21.0	4.5	4.5	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
172E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	2	-	2	25.5	2.0	2.0	-	-	-	-	-	-
179E	-	-	-	-	-	4	-	-	4	21.0	5.5	5.5	-	-	-	-	-	-
*179W	-	-	-	-	-	3	1	-	4	20.5	14.6	14.5	-	-	-	-	-	0.1
178W	-	-	-	-	-	-	11	-	11	23.1	54.2	54.0	-	0.2	-	-	-	-
177W	-	-	-	-	-	-	19	-	19	22.3	102.7	102.1	-	0.1	-	0.5	-	-
176W	-	-	-	-	-	-	2	-	2	25.5	3.5	3.5	-	-	-	-	-	-
175W	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	17.0	15.5	15.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
*170W	-	-	-	-	-	-	3	-	3	24.0	1.5	1.5	-	-	-	-	-	-
169W	-	-	-	-	-	-	2	-	2	20.0	17.0	17.0	-	-	-	-	-	-
*002W	-	-	-	-	-	1	-	-	1	23.0	10.0	5.6	-	0.5	-	1.2	-	2.7
001W	-	-	-	-	-	5	-	-	5	23.0	54.8	32.5	-	3.7	-	2.3	-	16.3
000W	-	-	-	-	-	6	-	-	6	23.0	45.3	28.3	-	1.4	-	3.0	-	12.6
01N 000E	-	-	-	-	-	7	-	-	7	23.0	40.6	32.3	-	3.2	-	4.0	-	1.1
01N 001E	-	-	-	-	-	4	-	-	4	23.0	28.8	22.8	-	0.1	-	5.9	-	-
002E	-	-	-	-	-	3	-	-	3	23.0	34.4	29.3	-	-	-	4.1	-	1.0
*004E	-	-	-	-	-	1	-	-	1	23.0	5.4	5.1	-	-	-	0.3	-	-
*141E	-	-	-	-	-	-	1	-	1	33.0	0.5	0.5	-	-	-	-	-	-
*152E	-	-	-	-	-	3	-	-	3	17.0	11.5	11.5	-	-	-	-	-	-
153E	-	-	-	-	-	4	4	-	8	20.7	15.4	9.6	-	5.8	-	-	-	-
154E	-	-	-	-	-	4	-	-	4	18.6*	16.5	13.5	-	-	-	3.0	-	-
155E	-		-	-	-	9	3	-	12	19.3	65.5	59.0	-	1.0	-	3.0	-	2.5
156E	-	-	-	-	-	3	1	-	4	17.7	15.3	8.5	-	5.3	-	1.5	-	-
157E	-	-	-	-	-	5	-	-	5	19.6	18.0	15.1	-	2.9	-	-	-	-
158E	-	-	-	-	-	1	1	-	2	20.0	6.0	3.5	-	2.5	-	-	-	-
159E	-	-	-	-	-	1	1	-	2	19.0	9.3	2.3	-	5.0	-	2.0	-	-
160E	-	-	-	-	-	1	-	-	1	13.0	2.3	2.3	-	-	-	-	-	-
*163E	-	-	-	-	-	2	-	-	2	22.5	9.5	9.0	-	-	-	0.5	-	-
*165E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
170E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	38.0	-	-	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	26.0	8.5	8.5	-	-	-	-	-	-
179E	-	-	-	-	-	-	4	-	4	24.5	19.0	19.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	22.3	2.5	2.5	-	-	-	-	-	-
178W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
177W	-	-	-	-	-	-	4	-	4	23.2	14.0	14.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	7	-	7	22.7	41.3	41.0	-	0.3	-	-	-	-
175W	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*000W	-	-	-	-	-	1	-	-	1	23.0	2.9	2.9	-	-	-	-	-	-
00N 000E	-	-	-	-	-	2	-	-	2	23.0	15.8	12.5	-	2.1	-	1.2	-	-
001E	-	-	-	-	-	4	-	-	4	23.0	25.8	23.9	-	0.6	-	1.3	-	-
002E	-	-	-	-	-	1	-	-	1	23.0	5.5	5.0	-	0.1	-	0.4	-	-
003E	-	-	-	-	-	1	-	-	1	23.0	4.7	4.7	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
*152E	-	-	-	-	-	1	1	-	2	23.0	7.2	2.5	-	4.7	-	-	-	-
153E	-	-	-	-	-	8	2	-	10	18.6	49.5	27.0	-	18.0	-	4.5	-	-
154E	-	-	-	-	-	9	3	-	12	20.0*	52.4	40.3	-	2.5	-	8.1	-	1.5
155E	-	-	-	-	-	11	5	-	16	20.3	65.8	52.5	-	4.3	-	7.5	-	1.5
156E	-	-	-	-	-	2	-	-	2	18.0	6.5	3.6	-	0.9	-	-	-	2.0
157E	-	-	-	-	-	3	4	-	7	21.5	21.7	12.4	-	8.5	-	0.8	-	-
158E	-	-	-	-	-	4	2	-	6	20.1	23.0	18.5	-	4.5	-	-	-	-
159E	-	-	-	-	-	1	1	-	2	22.0	8.6	4.6	-	4.0	-	-	-	-
160E	-	-	-	-	-	-	3	-	3	19.6	5.0	2.0	-	-	-	-	-	3.0
161E	-	-	-	-	-	1	2	-	3	24.3	4.5	3.7	-	-	-	0.8	-	-
162E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
163E	-	-	-	-	-	1	1	-	2	23.5	3.2	1.1	-	1.5	-	-	-	0.6
*166E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	21.0	5.0	4.5	-	-	-	0.5	-	-
*171E	-	-	-	-	-	1	1	-	2	22.5	5.0	5.0	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	22.0	6.5	6.5	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　NOV - -013　　　TSKI -147　　　11 月

業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
0N 178E	-	-	-	-	-	-	1	-	'	22.0	-	-	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
178W	-	-	-	-	-	-	4	-	4	23.2	2.0	2.0	-	-	-	-	-	-
177W	-	-	-	-	-	-	2	-	2	24.0	4.0	3.7	-	0.3	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	25.3	14.0	14.0	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
172W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*001W	-	-	-	-	-	2	-	-	2	23.0	28.1	21.1	-	5.4	-	1.6	-	-
000W	-	-	-	-	-	1	-	-	1	23.0	8.5	7.0	-	1.1	-	0.4	-	-
0S 149E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
*153E	-	-	-	-	-	1	1	-	2	29.5	1.5	0.5	-	-	-	1.0	-	-
154E	-	-	-	-	-	6	1	-	7	19.4	34.0	15.0	-	6.0	-	13.0	-	-
155E	-	-	-	-	-	15	3	-	18	19.5*	80.0	60.0	-	9.0	-	11.0	-	-
156E	-	-	-	-	-	14	1	-	15	19.6*	80.5	65.0	-	2.5	-	12.0	-	1.0
157E	-	-	-	-	-	6	1	-	7	21.2	16.5	14.0	-	1.5	-	-	-	1.0
158E	-	-	-	-	-	1	3	-	4	27.0	11.5	10.2	-	1.0	-	0.3	-	-
159E	-	-	-	-	-	1	-	-	1	18.0	2.0	2.0	-	-	-	-	-	-
160E	-	-	-	-	-	3	-	-	3	20.0*	9.1	4.6	-	4.5	-	-	-	-
161E	-	-	-	-	-	1	-	-	1	21.0	4.5	2.0	-	-	-	2.5	-	-
*166E	-	-	-	-	-	1	-	-	1	21.0	2.2	0.2	-	-	-	2.0	-	-
*168E	-	-	-	-	-	-	2	-	2	20.5	1.5	1.0	-	-	-	0.5	-	-
*171E	-	-	-	-	-	-	2	-	2	20.5	5.0	5.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	2	-	2	23.5	0.2	0.2	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
*177W	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	22.0	1.5	1.5	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
1S 001E	-	-	-	-	-	1	-	-	1	23.0	7.2	7.0	-	-	-	0.2	-	-
*154E	-	-	-	-	-	-	4	-	4	22.5	15.5	15.0	-	0.5	-	-	-	-
155E	-	-	-	-	-	2	1	-	3	21.6	10.0	8.5	-	0.5	-	-	-	1.0
156E	-	-	-	-	-	2	-	-	2	21.0	16.0	16.0	-	-	-	-	-	-
157E	-	-	-	-	-	4	-	-	4	21.5*	14.0	14.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
161E	-	-	-	-	-	1	1	-	2	25.5	15.0	13.5	-	-	-	-	-	1.5
162E	-	-	-	-	-	1	-	-	1	22.0	0.5	-	-	0.5	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
*165E	-	-	-	-	-	1	-	-	1	21.0	1.0	0.5	-	-	-	0.5	-	-
*167E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*169E	-	-	-	-	-	2	-	-	2	13.0	2.0	1.5	-	-	-	0.5	-	-
*172E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	2	-	2	20.0	1.5	1.0	-	-	-	0.5	-	-
*176E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
177E	-	-	-	-	-	1	2	-	3	28.5*	15.5	15.5	-	-	-	-	-	-
*179E	-	-	-	-	-	-	2	-	2	24.0	3.0	3.0	-	-	-	-	-	-
*177W	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
174W	-	-	-	-	-	-	2	-	2	22.0	1.5	1.5	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
2S 000E	-	-	-	-	-	2	-	-	2	23.0	12.4	6.4	-	-	-	-	-	6.0
*154E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	1	-	-	1	17.0	0.5	0.2	-	0.3	-	-	-	-
*170E	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	2	-	2	24.5	2.0	2.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	2	-	2	25.5	4.0	4.0	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	22.0	6.0	6.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	22.0	0.4	0.4	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
*179W	-	-	-	-	-	4	5	-	9	19.5*	32.2	32.0	-	0.2	-	-	-	-
178W	-	-	-	-	-	-	4	-	4	24.2	11.4	11.4	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
3S 154E	-	-	-	-	-	-	2	-	2	28.0	15.5	2.8	-	0.6	-	12.0	-	0.1
*160E	-	-	-	-	-	-	1	-	1	24.0	4.0	3.0	-	1.0	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	30.0	9.5	9.5	-	-	-	-	-	-
*169E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	2	-	2	23.5	2.5	2.5	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	7	-	7	18.7	12.8	12.8	-	-	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
4S 001E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*158E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.2	-	-	-	0.3	-	-
*164E	-	-	-	-	-	2	-	-	2	21.5	1.5	1.0	-	0.5	-	-	-	-
165E	-	-	-	-	-	3	-	-	3	22.0	16.5	16.5	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	26.0	12.0	10.5	-	1.5	-	-	-	-
170E	-	-	-	-	-	1	-	-	1	13.0	-	-	-	-	-	-	-	-
*176E	-	-	-	-	-	1	3	-	4	25.2	26.5	26.5	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
*179W	-	-	-	-	-	1	5	-	6	21.0*	37.5	36.5	-	1.0	-	-	-	-
178W	-	-	-	-	-	-	8	-	8	18.3	26.5	26.3	-	0.2	-	-	-	-
177W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*174W	-	-	-	-	-	-	2	-	2	22.0	1.0	1.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
5S 001E	-	-	-	-	-	1	-	-	1	23.0	8.2	7.7	-	0.5	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	2	-	2	27.0	11.0	11.0	-	-	-	-	-	-
163E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	24.0	15.5	15.0	-	0.5	-	-	-	-
165E	-	-	-	-	-	-	2	-	2	25.5	2.5	2.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS.
05S	168E	-	-	-	-	-	1	1	-	2	23.5	18.5	18.0	-	-	-	0.5	-	-
	169E	-	-	-	-	-	2	1	-	3	23.6	16.0	14.9	-	-	-	1.1	-	-
	170E	-	-	-	-	-	-	3	-	3	24.0	27.2	24.0	-	3.0	-	-	-	0.2
	*177E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	21.0	6.0	6.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	13	-	13	21.1	80.2	80.0	-	-	-	-	-	0.2
	178W	-	-	-	-	-	1	2	-	3	22.0	11.0	11.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	24.0	0.2	0.2	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	171W	-	-	-	-	-	-	2	-	2	20.0	20.5	20.5	-	-	-	-	-	-
06S	000E	-	-	-	-	-	1	-	-	1	23.0	4.7	4.4	-	0.3	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	17.0	1.2	1.1	-	0.1	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	24.0	7.0	7.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	2	1	-	3	27.0*	17.0	17.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	27.0*	18.0	18.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	-	-	1	21.0	4.5	4.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	2	-	5	22.6	26.0	20.0	-	5.0	-	1.0	-	-
	170E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	38.0	4.6	4.6	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	24.0	1.5	-	-	1.5	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	22.0	9.0	9.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	22.3	15.0	15.0	-	-	-	-	-	-
	178W	-	-	-	-	-	5	6	-	11	22.3*	63.0	62.0	-	-	-	1.0	-	-
	177W	-	-	-	-	-	-	28	-	28	22.4	257.5	257.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	22.3	9.0	9.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	15	-	15	23.4	152.5	152.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
07S	154E	-	-	-	-	-	-	2	-	2	23.0	19.0	18.0	-	1.0	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	23.0	14.5	13.8	-	0.7	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	17.0	4.5	4.2	-	0.1	-	-	-	0.2
	*163E	-	-	-	-	-	-	1	-	1	24.0	13.0	13.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	24.0	6.0	6.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	24.0	8.0	8.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	27.0	24.5	24.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	1	-	2	26.0*	9.5	9.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	-	-	3	22.6	10.5	10.5	-	-	-	-	-	-
	170E	-	-	-	-	-	3	-	-	3	22.6	14.0	11.0	-	0.3	-	2.7	-	-
	*177E	-	-	-	-	-	-	2	-	2	23.5	12.0	12.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	25.0	3.0	1.0	-	2.0	-	-	-	-
	*179W	-	-	-	-	-	1	8	-	9	22.5*	69.9	69.9	-	-	-	-	-	-
	178W	-	-	-	-	-	2	13	-	15	22.6*	137.3	137.3	-	-	-	-	-	-
	177W	-	-	-	-	-	-	14	-	14	21.5	97.9	97.1	-	0.8	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	25.0	10.5	10.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	16	-	16	22.4	98.7	98.7	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	22.0	22.0	22.0	-	-	-	-	-	-
08S	154E	-	-	-	-	-	-	2	-	2	22.0	7.0	7.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	17.0	3.8	3.3	-	0.5	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	20.0	0.1	0.1	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	5	-	5	19.6	46.5	46.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	21.0	31.5	31.5	-	-	-	-	-	-
09S	154E	-	-	-	-	-	-	1	-	1	22.0	5.0	5.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	3	-	3	25.6	12.1	12.0	-	0.1	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	2	-	2	27.0	13.0	13.0	-	-	-	-	-	-
	169E	-	-	-	-	-	2	-	-	2	26.0	9.5	9.5	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
10S	153E	-	-	-	-	-	-	1	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	5	-	5	23.6	34.4	34.1	-	0.3	-	-	-	-
	155E	-	-	-	-	-	-	4	-	4	23.5	27.1	26.6	-	0.5	-	-	-	-
	*157E	-	-	-	-	-	-	2	-	2	22.0*	10.0	10.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	24.0	7.0	7.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	3	-	4	18.0	40.9	39.2	-	1.5	-	-	-	0.2
	164E	-	-	-	-	-	1	-	-	1	18.0	9.0	9.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
11S	154E	-	-	-	-	-	-	2	-	2	24.0	5.8	5.3	-	0.2	-	0.2	-	0.1
	*156E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	3	-	3	33.0	32.0	29.0	-	3.0	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	17.0	19.2	19.0	-	0.2	-	-	-	-
12S	158E	-	-	-	-	-	-	1	-	1	23.0	0.1	0.1	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
13S	163E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	26.0	18.0	18.0	-	-	-	-	-	-
14S	159E	-	-	-	-	-	-	1	-	1	23.0	16.0	16.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	21.0	7.0	7.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	21.0	15.0	15.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	24.0	26.0	26.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	8	-	8	26.7	95.0	95.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	4	-	4	25.5	16.5	16.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	25.0	20.5	20.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　NOV - -017　　TSKI -151　　11 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
15S	159E	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	3	-	3	23.5*	26.4	25.0	-	1.4	-	-	-	-
	162E	-	-	-	-	-	-	6	-	6	23.5	54.2	52.5	-	0.7	-	1.0	-	-
	163E	-	-	-	-	-	-	2	-	2	28.5	16.0	15.5	-	-	-	0.5	-	-
	164E	-	-	-	-	-	-	3	-	3	27.0*	29.0	29.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	27.0	9.0	9.0	-	-	-	-	-	-
16S	147E	-	-	-	-	-	-	1	-	1	24.0	0.3	-	-	0.3	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	26.0	30.5	28.5	-	2.0	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	27.0	16.0	15.5	-	-	-	0.5	-	-
	*162E	-	-	-	-	-	-	2	-	2	25.0	26.0	26.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
17S	147E	-	-	-	-	-	-	5	-	5	24.0	11.4	-	-	10.6	-	0.8	-	-
	*159E	-	-	-	-	-	-	1	-	1	26.0	17.0	17.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	27.0	41.0	41.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	4	-	4	25.0	122.0	122.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	5	-	5	28.4	87.0	87.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	25.0	3.0	3.0	-	-	-	-	-	-
18S	160E	-	-	-	-	-	-	10	-	10	29.7	176.2	176.2	-	-	-	-	-	-
	161E	-	-	-	-	-	-	7	-	7	26.8	141.9	141.9	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	29.6	44.0	44.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	38.0	7.7	7.7	-	-	-	-	-	-
19S	159E	-	-	-	-	-	-	1	-	1	27.0	18.0	18.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	38.0	8.4	8.4	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	23.0	4.5	4.5	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	38.0	21.7	21.7	-	-	-	-	-	-
20S	166E	-	-	-	-	-	-	1	-	1	38.0	1.7	1.7	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	38.0	1.4	1.4	-	-	-	-	-	-
21S	168E	-	-	-	-	-	-	1	-	1	38.0	5.6	5.6	-	-	-	-	-	-
25S	162E	-	-	-	-	-	6	-	-	6	23.0	41.0	41.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

DEC 79

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** DEC - -001 TSKI -152 12 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
42N	167E	-	-	-	-	-	1	-	-	1	16.0	5.5	-	5.5	-	-	-	-	-
41N	167E	-	-	-	-	-	1	-	-	1	16.0	5.0	-	5.0	-	-	-	-	-
	168E	-	-	-	-	-	2	-	-	2	16.0	7.5	-	7.5	-	-	-	-	-
40N	164E	-	-	-	-	-	5	-	-	5	16.0	11.0	-	11.0	-	-	-	-	-
	165E	-	-	-	-	-	3	-	-	3	20.3	4.0	-	4.0	-	-	-	-	-
	166E	-	-	-	-	-	2	-	-	2	27.0	1.0	-	1.0	-	-	-	-	-
	167E	-	-	-	-	-	2	-	-	2	16.0	4.0	-	4.0	-	-	-	-	-
	*169E	-	-	-	-	-	2	-	-	2	16.0	7.0	-	7.0	-	-	-	-	-
39N	159E	-	-	-	-	-	1	-	-	1	22.0	2.0	-	2.0	-	-	-	-	-
	*161E	-	-	-	-	-	2	-	-	2	22.0	0.5	-	0.5	-	-	-	-	-
	*164E	-	-	-	-	-	6	-	-	6	20.5	0.3	-	0.3	-	-	-	-	-
	165E	-	-	-	-	-	4	-	-	4	21.7	1.0	0.5	0.5	-	-	-	-	-
	166E	-	-	-	-	-	1	1	-	2	26.0	3.5	-	3.5	-	-	-	-	-
	167E	-	-	-	-	-	20	7	-	27	25.4	115.0	-	115.0	-	-	-	-	-
	168E	-	-	-	-	-	3	-	-	3	23.3	13.5	-	13.5	-	-	-	-	-
38N	145E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	*147E	-	-	-	-	-	3	-	-	3	24.6	-	-	-	-	-	-	-	-
	*151E	-	-	-	-	-	1	-	-	1	19.0	-	-	-	-	-	-	-	-
	152E	-	-	-	-	-	3	-	-	3	19.3	0.3	-	0.3	-	-	-	-	-
	*154E	-	-	-	-	-	3	-	-	3	18.6	0.2	-	0.2	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	22.5	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	3	-	-	3	20.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	10	-	-	10	22.0	5.1	-	5.1	-	-	-	-	-
	158E	-	-	-	-	-	4	-	-	4	18.7	12.5	-	12.5	-	-	-	-	-
	159E	-	-	-	-	-	19	3	-	22	21.9	39.0	-	39.0	-	-	-	-	-
	160E	-	-	-	-	-	28	1	-	29	21.3	31.2	0.5	30.7	-	-	-	-	-
	161E	-	-	-	-	-	22	-	-	22	21.3	20.0	-	20.0	-	-	-	-	-
	162E	-	-	-	-	-	6	-	-	6	17.5	6.2	-	6.2	-	-	-	-	-
	163E	-	-	-	-	-	16	-	-	16	21.5	3.6	-	3.1	-	0.5	-	-	-
	164E	-	-	-	-	-	16	-	-	16	21.5	6.4	0.2	6.2	-	-	-	-	-
	165E	-	-	-	-	-	5	2	-	7	26.0	2.5	-	2.5	-	-	-	-	-
	*167E	-	-	-	-	-	2	-	-	2	28.0	-	-	-	-	-	-	-	-
37N	141E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	*147E	-	1	-	-	-	2	1	-	4	21.0	-	-	-	-	-	-	-	-
	148E	-	-	-	-	-	2	-	-	2	20.5	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	1	-	-	1	25.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	4	1	-	5	23.2	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	2	-	-	2	22.5	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	4	-	-	4	23.0	5.0	-	5.0	-	-	-	-	-
	155E	-	-	-	-	-	1	-	-	1	15.0	-	-	-	-	-	-	-	-
	156E	-	-	-	-	-	4	1	-	5	21.8	2.0	-	2.0	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	20.0	-	-	-	-	-	-	-	-
	158E	-	-	-	-	-	4	-	-	4	22.0	19.5	-	19.5	-	-	-	-	-
	159E	-	-	-	-	-	26	2	-	28	21.7	104.0	-	104.0	-	-	-	-	-
	160E	-	-	-	-	-	6	-	-	6	19.3	2.0	-	2.0	-	-	-	-	-
	161E	-	-	-	-	-	9	1	-	10	21.9	3.5	-	3.5	-	-	-	-	-
	162E	-	-	-	-	-	13	-	-	13	20.4	15.3	4.0	11.3	-	-	-	-	-
37N	163E	-	-	-	-	-	27	2	-	29	21.1	20.9	1.8	19.1	-	-	-	-	-
	164E	-	-	-	-	-	2	-	-	2	25.0	-	-	-	-	-	-	-	-
36N	147E	-	4	-	-	-	2	-	-	6	16.5	0.7	0.7	-	-	-	-	-	-
	148E	-	1	-	-	-	1	-	-	2	16.5	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	-	-	2	23.5	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	4	-	-	4	20.5	1.4	-	1.4	-	-	-	-	-
35N	140E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
34N	139E	-	3	-	-	-	-	-	-	3	12.0	0.3	0.3	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	10.0	-	-	-	-	-	-	-	-
33N	138E	-	2	-	-	-	-	-	-	2	10.0*	0.3	-	-	-	-	-	-	0.[illegible]
	139E	-	1	-	-	-	-	-	-	1	12.0	0.3	0.3	-	-	-	-	-	-
32N	139E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
31N	139E	-	44	-	-	-	-	-	-	44	14.0	25.7	4.6	-	15.7	-	-	-	5.[illegible]
	140E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	*148E	-	4	-	-	-	-	-	-	4	14.0	2.6	-	1.8	-	-	0.7	-	0.[illegible]
	*150E	-	1	-	-	-	-	-	-	1	14.0	0.6	-	0.6	-	-	-	-	-
	151E	-	7	-	-	-	-	-	-	7	14.0	3.3	-	2.7	0.1	-	0.3	-	0.[illegible]
30N	129E	-	6	-	-	-	-	-	-	6	12.6	2.3	0.5	-	0.4	-	-	-	1.[illegible]
	*138E	-	2	-	-	-	-	-	-	2	19.5	5.5	2.6	-	2.4	-	-	-	0.[illegible]
	139E	-	1	-	-	-	-	-	-	1	14.0	0.2	-	-	0.2	-	-	-	-
	140E	-	11	-	-	-	-	-	-	11	15.0	4.8	0.3	-	4.3	-	-	-	0.[illegible]
	141E	-	4	-	-	-	-	-	-	4	14.0	3.8	0.2	-	3.6	-	-	-	-
	*148E	-	1	-	-	-	-	-	-	1	14.0	0.3	-	0.3	-	-	-	-	-
	*151E	-	4	-	-	-	-	-	-	4	14.0	2.3	-	2.1	-	-	0.1	-	0.[illegible]
29N	129E	-	5	-	-	-	-	-	-	5	12.8	2.3	1.4	-	0.9	-	-	-	-
	*140E	-	14	-	-	-	-	-	-	14	13.2	6.6	0.8	-	5.5	-	-	-	0.[illegible]
	141E	-	1	-	-	-	-	-	-	1	13.2	-	-	-	-	-	-	-	-
28N	139E	-	1	-	-	-	-	-	-	1	13.2	-	-	-	-	-	-	-	-
	*141E	-	3	-	-	-	-	-	-	3	11.0	0.7	-	-	0.5	-	-	-	0.[illegible]
	142E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.3	-	-	-	0.[illegible]
27N	140E	-	31	-	-	-	-	-	-	31	14.2	14.2	-	0.1	13.0	-	-	-	1.[illegible]
	141E	-	18	-	-	-	-	-	-	18	12.9	9.3	0.1	-	8.2	-	-	-	1.[illegible]
26N	140E	-	28	-	-	-	-	-	-	28	13.6	13.7	0.9	-	11.7	-	-	-	1.[illegible]
	*142E	-	1	-	-	-	-	-	-	1	13.6	-	-	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** DEC - -003 TSKI -154 12 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
25N	140E	-	1	-	-	-	-	-	-	1	17.0	0.3	0.3	-	-	-	-	-	-
	141E	-	2	-	-	-	-	-	-	2	15.5	3.3	0.6	-	2.7	-	-	-	-
24N	140E	-	1	-	-	-	-	-	-	1	15.5	-	-	-	-	-	-	-	-
23N	141E	-	11	-	-	-	-	-	-	11	14.8*	11.5	2.8	-	6.7	-	-	-	2.0
22N	142E	-	2	-	-	-	-	-	-	2	17.0*	1.5	1.5	-	-	-	-	-	-
21N	141E	-	1	-	-	-	-	-	-	1	17.0	-	-	-	-	-	-	-	-
	142E	-	1	-	-	-	-	-	-	1	20.0	2.6	1.4	-	1.2	-	-	-	-
	143E	-	1	-	-	-	-	-	-	1	16.0	0.3	-	-	0.3	-	-	-	-
20N	141E	-	1	-	-	-	-	-	-	1	12.0	2.2	-	-	2.0	-	-	-	0.2
	142E	-	28	-	-	-	-	-	-	28	14.6*	64.6	21.8	-	41.7	-	-	-	1.1
	143E	-	3	-	-	-	-	-	-	3	15.6	10.0	9.0	-	1.0	-	-	-	-
	144E	-	1	-	-	-	-	-	-	1	19.0	2.8	1.3	-	1.5	-	-	-	-
	145E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
19N	131E	-	1	-	-	-	-	-	-	1	13.0	0.1	0.1	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	15.0	1.5	1.5	-	-	-	-	-	-
	*141E	-	1	-	-	-	-	-	-	1	16.0	4.5	4.5	-	-	-	-	-	-
	142E	-	7	-	-	-	-	-	-	7	16.0*	21.7	18.0	-	1.0	-	-	-	2.7
	*145E	-	1	-	-	-	-	-	-	1	12.0	0.3	-	-	0.3	-	-	-	-
18N	133E	-	5	-	-	-	-	-	-	5	16.6	10.1	10.1	-	-	-	-	-	-
	134E	-	9	-	-	-	-	-	-	9	13.6	36.6	36.5	-	0.1	-	-	-	-
	*142E	-	25	-	-	-	-	-	-	25	13.8*	38.3	3.0	-	34.8	-	-	-	0.5
	*145E	-	2	-	-	-	-	-	-	2	12.0	1.8	-	-	1.8	-	-	-	-
17N	130E	-	3	-	-	-	-	-	-	3	11.3	1.9	1.1	-	0.3	-	-	-	0.5
	*132E	-	2	-	-	-	-	-	-	2	13.5	4.3	4.3	-	-	-	-	-	-
	133E	-	7	-	-	-	-	-	-	7	17.0	27.7	27.7	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*142E	-	17	-	-	-	-	-	-	17	13.7*	33.2	-	-	30.2	-	-	-	3.0
	143E	-	5	-	-	-	-	-	-	5	13.8	7.1	-	-	6.8	-	-	-	0.3
	*145E	-	1	-	-	-	-	-	-	1	16.0	0.3	0.3	-	-	-	-	-	-
	*148E	-	-	-	-	-	1	-	-	1	19.0	4.5	4.5	-	-	-	-	-	-
16N	128E	-	2	-	-	-	-	-	-	2	15.0	8.0	8.0	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	15.0	4.5	4.5	-	-	-	-	-	-
	130E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	131E	-	8	-	-	-	-	-	-	8	11.8	9.0	9.0	-	-	-	-	-	-
	132E	-	1	-	-	-	-	-	-	1	11.0	1.6	1.6	-	-	-	-	-	-
	133E	-	2	-	-	-	-	-	-	2	15.0	8.6	8.6	-	-	-	-	-	-
	134E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	*143E	-	8	-	-	-	-	-	-	8	12.0*	12.2	-	-	12.1	-	-	-	0.1
16N	*145E	-	2	-	-	-	-	-	-	2	12.0	2.3	-	-	2.3	-	-	-	-
15N	128E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	13.5	5.5	5.0	-	0.5	-	-	-	-
	130E	-	9	-	-	-	-	-	-	9	13.1	14.5	14.0	-	0.3	-	0.1	-	0.1
	131E	-	31	-	-	-	-	-	-	31	11.8	125.5	122.0	-	1.4	-	-	-	2.1
	132E	-	1	-	-	-	-	-	-	1	13.0	3.5	3.5	-	-	-	-	-	-
	133E	-	2	1	-	-	-	-	-	3	14.0	1.2	1.2	-	-	-	-	-	-
	134E	-	2	1	-	-	-	-	-	3	13.6	1.5	1.5	-	-	-	-	-	-
	*142E	-	2	-	-	-	-	-	-	2	13.6	2.1	-	-	2.1	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
14N	128E	-	2	-	-	-	-	-	-	2	15.0	7.0	7.0	-	-	-	-	-	-
	129E	-	2	-	-	-	-	-	-	2	15.0	4.5	4.5	-	-	-	-	-	-
	130E	-	27	-	-	-	-	-	-	27	11.8	85.1	78.7	5.0	0.3	-	-	-	1.1
	131E	-	14	-	-	-	-	-	-	14	12.5	34.5	33.0	-	1.3	-	-	-	0.2
	132E	-	2	-	-	-	-	-	-	2	9.0	0.5	0.5	-	-	-	-	-	-
	*157E	-	-	-	-	-	3	1	-	4	24.0	30.0	30.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	27.0	2.6	2.6	-	-	-	-	-	-
13N	129E	-	1	-	-	-	-	-	-	1	13.0	4.5	4.5	-	-	-	-	-	-
	130E	-	8	-	-	-	-	-	-	8	13.6	24.2	23.2	-	1.0	-	-	-	-
	131E	-	2	-	-	-	-	-	-	2	12.0	1.0	1.0	-	-	-	-	-	-
	*133E	-	1	-	-	-	-	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
	134E	-	2	2	-	-	-	-	-	4	17.5	16.0	13.0	3.0	-	-	-	-	-
	135E	-	1	-	-	-	2	-	-	3	16.0	4.0	4.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	154E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	3	-	-	3	22.0	6.5	6.5	-	-	-	-	-	-
	157E	-	-	-	-	-	1	1	-	2	24.5	16.0	16.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
2N	128E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
	129E	-	4	1	-	-	-	-	-	5	15.4	14.5	14.5	-	-	-	-	-	-
	*131E	-	3	1	-	-	-	-	-	4	14.0	8.1	5.3	-	1.8	-	-	-	1.0
	132E	-	1	-	-	-	-	-	-	1	13.0	3.0	3.0	-	-	-	-	-	-
	133E	-	2	-	-	-	6	-	-	8	15.0	21.5	21.5	-	-	-	-	-	-
	*135E	-	-	-	-	-	2	-	-	2	15.0	-	-	-	-	-	-	-	-
	*143E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*148E	-	-	-	-	-	-	1	-	1	31.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	158E	-	-	-	-	-	1	-	-	1	22.0	6.0	6.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
1N	128E	-	5	1	-	-	-	-	-	6	14.1	17.2	17.2	-	-	-	-	-	-
	129E	-	6	-	-	-	-	-	-	6	11.6	11.9	11.4	-	0.4	-	-	-	0.1

月別・漁場別努力量及び漁獲量

TSKI -BETSU *** GYOJYO-BETSU TOUKEI *** DEC - -005 TSKI -156 12 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
11N	130E	-	4	-	-	-	-	-	-	4	15.5	10.0	10.0	-	-	-	-	-	-
	*132E	-	2	-	-	-	-	-	-	2	13.0	1.0	1.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	13.0	6.0	6.0	-	-	-	-	-	-
	134E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	135E	-	-	-	-	-	2	-	-	2	15.0	2.0	2.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	1	-	-	1	19.0	7.1	7.1	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
10N	128E	-	2	-	-	-	-	-	-	2	11.0	-	-	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	9.0	2.6	2.5	-	0.1	-	-	-	-
*10N	130E	-	1	-	-	-	-	-	-	1	9.0	5.0	5.0	-	-	-	-	-	-
00N	000E	1	-	-	-	-	-	-	-	1	9.0	103.8	-	-	-	-	80.1	23.7	-
*00N	000E	1	-	-	-	-	-	-	-	1	9.0	103.8	-	-	-	-	80.1	23.7	-

別・漁場別努力量及び漁獲量

KI -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　DEC - -001　　　　TSKI -158　　　　12 月

操業位置 POSITION	竿数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
N 132E	-	3	1	-	-	-	-	-	4	15.0	7.0	7.0	-	-	-	-	-	-
133E	-	-	-	-	-	1	-	-	1	25.0	3.0	3.0	-	-	-	-	-	-
*136E	-	-	-	-	-	4	-	-	4	15.0	23.0	23.0	-	-	-	-	-	-
137E	-	-	-	-	-	2	-	-	2	15.0	26.0	26.0	-	-	-	-	-	-
*144E	-	-	-	-	-	-	1	-	1	19.0	1.0	1.0	-	-	-	-	-	-
*149E	-	-	-	-	-	1	-	-	1	16.0	2.5	2.5	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
*156E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
N 128E	-	1	-	-	-	-	-	-	1	9.0	-	-	-	-	-	-	-	-
129E	-	1	-	-	-	-	-	-	1	9.0	3.6	2.5	-	1.0	-	-	-	0.1
130E	-	3	-	-	-	-	-	-	3	9.0	5.8	5.8	-	-	-	-	-	-
131E	-	1	-	-	-	-	-	-	1	16.0	16.5	16.5	-	-	-	-	-	-
132E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*136E	-	-	-	-	-	2	-	-	2	15.0	20.0	20.0	-	-	-	-	-	-
*145E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
*147E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
148E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
*150E	-	-	-	-	-	2	-	-	2	23.0	15.6	15.2	-	0.4	-	-	-	-
*158E	-	-	-	-	-	-	1	-	1	20.0	1.0	1.0	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
N 130E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
*137E	-	-	-	-	-	1	-	-	1	24.0	0.5	0.5	-	-	-	-	-	-
138E	-	-	-	-	-	4	-	-	4	15.0	10.0	10.0	-	-	-	-	-	-
*149E	-	-	-	-	-	1	1	-	2	22.5	12.1	12.0	-	0.1	-	-	-	-
150E	-	-	-	-	-	1	-	-	1	19.0	1.5	1.5	-	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	17.0	2.0	1.0	-	1.0	-	-	-	-
*154E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
N 149E	-	-	-	-	-	-	1	-	1	21.0	2.1	2.1	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
151E	-	-	-	-	-	1	-	-	1	16.0	1.5	1.5	-	-	-	-	-	-
152E	-	-	-	-	-	-	1	-	1	21.0	2.8	2.5	-	0.3	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
*156E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
*161E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*165E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
*165W	-	-	-	-	-	-	3	-	3	24.0	25.1	25.1	-	-	-	-	-	-
N 149E	-	-	-	-	-	4	-	-	4	16.7	5.5	5.5	-	-	-	-	-	-
150E	-	-	-	-	-	6	1	-	7	17.8	21.5	21.5	-	-	-	-	-	-
151E	-	-	-	-	-	14	2	-	16	16.8	69.7	68.0	-	1.5	-	-	-	0.2
152E	-	-	-	-	-	8	2	-	10	18.2	42.5	37.8	-	4.6	-	-	-	0.1
153E	-	-	-	-	-	2	3	-	5	18.6	13.5	13.5	-	-	-	-	-	-
154E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	17.0	1.5	1.3	-	0.2	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	17.0	3.5	3.5	-	-	-	-	-	-
N *163E	-	-	-	-	-	-	1	-	1	27.0	0.1	0.1	-	-	-	-	-	-
*167E	-	-	-	-	-	-	1	-	1	34.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	21.0	5.5	4.5	-	1.0	-	-	-	-
*179W	-	-	-	-	-	-	4	-	4	22.7	25.0	25.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	2	-	2	21.5	2.5	2.5	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
*167W	-	-	-	-	-	-	1	-	1	24.0	0.5	0.5	-	-	-	-	-	-
166W	-	-	-	-	-	-	2	-	2	22.5	2.0	2.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	7	-	7	24.0	64.5	64.5	-	-	-	-	-	-
164W	-	-	-	-	-	-	2	-	2	24.0	20.0	20.0	-	-	-	-	-	-
163W	-	-	-	-	-	-	15	-	15	24.8	154.1	154.1	-	-	-	-	-	-
162W	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
N 134E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
*148E	-	-	-	-	-	2	-	-	2	21.0	10.5	10.3	-	0.2	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	15.0	3.0	3.0	-	-	-	-	-	-
*151E	-	-	-	-	-	7	5	-	12	18.5	28.7	27.6	-	0.4	-	0.7	-	-
152E	-	-	-	-	-	8	6	-	14	19.7	105.2	102.0	-	3.2	-	-	-	-
153E	-	-	-	-	-	3	2	-	5	19.8	30.3	28.6	-	1.7	-	-	-	-
154E	-	-	-	-	-	6	5	-	11	19.2	37.8	37.4	-	0.4	-	-	-	-
*156E	-	-	-	-	-	-	4	-	4	17.7	9.6	8.6	-	-	-	1.0	-	-
157E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	17.0	1.0	-	-	-	-	-	-	1.0
161E	-	-	-	-	-	-	1	-	1	20.0	0.5	-	-	-	-	0.5	-	-
*165E	-	-	-	-	-	-	3	-	3	18.0	21.0	20.0	-	-	-	-	-	1.0
166E	-	-	-	-	-	-	4	-	4	20.0	23.0	23.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	2	-	3	25.0	22.0	21.0	-	1.0	-	-	-	-
168E	-	-	-	-	-	1	-	-	1	29.0	2.0	2.0	-	-	-	-	-	-
*170E	-	-	-	-	-	-	2	-	2	21.0	5.0	3.0	-	-	-	-	-	2.0
171E	-	-	-	-	-	1	2	-	3	21.3	5.5	4.5	-	-	-	-	-	1.0
172E	-	-	-	-	-	-	1	-	1	34.0	8.0	8.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	3	-	3	31.6	5.0	5.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	17.0	1.5	1.5	-	-	-	-	-	-
178E	-	-	-	-	-	2	3	-	5	25.6	26.3	25.8	-	0.5	-	-	-	-
179E	-	-	-	-	-	-	2	-	2	22.0	36.5	36.5	-	-	-	-	-	-
*179W	-	-	-	-	-	-	12	-	12	21.7	110.0	110.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	3	-	3	21.3	14.0	14.0	-	-	-	-	-	-
*175W	-	-	-	-	-	-	2	-	2	24.5	0.2	0.2	-	-	-	-	-	-
*172W	-	-	-	-	-	-	2	-	2	23.0	19.0	19.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	2	-	2	26.5	3.0	3.0	-	-	-	-	-	-
*168W	-	-	-	-	-	-	2	-	2	19.0	2.0	2.0	-	-	-	-	-	-
167W	-	-	-	-	-	-	3	-	3	27.0	5.0	5.0	-	-	-	-	-	-
166W	-	-	-	-	-	-	7	-	7	26.0	53.0	53.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	2	-	2	24.5	6.4	6.4	-	-	-	-	-	-
*163W	-	-	-	-	-	-	2	-	2	20.0	8.0	8.0	-	-	-	-	-	-
*161W	-	-	-	-	-	-	1	-	1	20.0	10.0	10.0	-	-	-	-	-	-
N 146E	-	-	-	-	-	1	-	-	1	18.0	4.0	4.0	-	-	-	-	-	-
*148E	-	-	-	-	-	1	-	-	1	18.0	1.0	1.0	-	-	-	-	-	-
149E	-	-	-	-	-	1	-	-	1	18.0	3.0	3.0	-	-	-	-	-	-
150E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　DEC - -003　　TSKI -160　　12 月

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
04N	151E	-	-	-	-	-	18	5	-	23	18.6	98.7	95.4	-	3.3	-	-	-	-
	152E	-	-	-	-	-	11	5	-	16	20.6*	93.4	90.4	-	0.7	-	2.3	-	-
	153E	-	-	-	-	-	20	2	-	22	16.5	111.3	105.9	-	5.4	-	-	-	-
	154E	-	-	-	-	-	5	9	-	14	20.0	47.7	46.3	-	1.4	-	-	-	-
	155E	-	-	-	-	-	6	2	-	8	17.6	14.1	12.8	-	1.3	-	-	-	-
	156E	-	-	-	-	-	1	1	-	2	18.5	6.2	6.2	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	2	-	2	24.0	14.5	14.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	2	3	-	5	19.6	15.1	14.4	-	0.7	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	17.0	5.5	5.5	-	-	-	-	-	-
	162E	-	-	-	-	-	5	5	-	10	17.4	51.2	46.4	-	4.7	-	0.1	-	-
	163E	-	-	-	-	-	4	5	-	9	18.1	31.5	30.5	-	1.0	-	-	-	-
	164E	-	-	-	-	-	1	2	-	3	21.3	11.5	11.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	27.0*	25.0	25.0	-	-	-	-	-	-
	166E	-	-	-	-	-	1	9	-	10	20.3*	124.0	123.0	-	-	-	1.0	-	-
	167E	-	-	-	-	-	1	2	-	3	19.3	5.0	4.0	-	-	-	-	-	1.0
	168E	-	2	-	-	-	-	3	-	5	24.6*	38.2	35.0	-	2.2	-	0.2	-	0.8
	169E	-	8	-	-	-	-	2	-	10	23.5*	28.4	13.0	-	11.6	-	2.0	-	1.8
	170E	-	-	-	-	-	1	1	-	2	19.5	2.5	2.0	-	-	-	0.5	-	-
	171E	-	-	-	-	-	2	4	-	6	25.0	45.5	45.5	-	-	-	-	-	-
	172E	-	-	-	-	-	3	13	-	16	22.9	162.5	162.5	-	-	-	-	-	-
	173E	-	-	-	-	-	12	43	-	55	22.2	623.0	623.0	-	-	-	-	-	-
	174E	-	-	-	-	-	3	27	-	30	24.2	161.0	161.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	15	-	15	25.4	197.8	195.5	-	2.3	-	-	-	-
	176E	-	-	-	-	-	-	13	-	13	22.6	100.0	100.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	3	-	3	21.0	5.5	5.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	7	-	7	24.2	84.0	82.0	-	2.0	-	-	-	-
	179E	-	-	-	-	-	-	10	-	10	23.0	56.5	56.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	21	-	21	23.4	237.5	237.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	12	-	12	25.0	121.0	121.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	30.0	11.0	11.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	3	-	3	22.0	10.0	10.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	3	-	3	25.0	14.0	14.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	3	-	3	20.0	24.0	24.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	4	-	4	21.5	27.6	27.6	-	-	-	-	-	-
	170W	-	-	-	-	-	-	2	-	2	23.5	9.0	8.5	-	-	-	0.5	-	-
	*161W	-	-	-	-	-	-	1	-	1	20.0	4.5	4.5	-	-	-	-	-	-
03N	143E	-	-	-	-	-	1	-	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	*150E	-	-	-	-	-	4	-	-	4	16.2	9.6	9.5	-	0.1	-	-	-	-
	151E	-	-	-	-	-	10	5	-	15	18.4*	27.8	27.7	-	0.1	-	-	-	-
	152E	-	-	-	-	-	6	4	-	10	17.1*	19.4	13.4	-	5.4	-	0.6	-	-
	153E	-	-	-	-	-	5	4	-	9	19.4	14.0	11.9	-	1.6	-	0.5	-	-
	154E	-	-	-	-	-	3	-	-	3	18.3	6.6	6.6	-	-	-	-	-	-
	155E	-	-	-	-	-	2	-	-	2	16.5	12.1	10.8	-	1.3	-	-	-	-
	156E	-	-	-	-	-	2	1	-	3	15.6	23.0	23.0	-	-	-	-	-	-
	157E	-	-	-	-	-	3	3	-	6	18.1	21.9	19.0	-	2.6	-	-	-	0.3
	158E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	1	1	-	2	19.5	3.0	1.6	-	0.9	-	0.5	-	-
	160E	-	-	-	-	-	4	3	-	7	16.1	10.2	10.2	-	-	-	-	-	-
	161E	-	-	-	-	-	3	9	-	12	17.6	66.3	64.0	-	1.1	-	0.8	-	0.4
	162E	-	-	-	-	-	16	9	-	25	17.3	125.2	121.7	-	3.5	-	-	-	-
	*164E	-	-	-	-	-	1	1	-	2	21.0	9.5	9.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	17.0	31.5	31.5	-	-	-	-	-	-
	166E	-	-	-	-	-	2	2	-	4	18.7	24.3	24.3	-	-	-	-	-	-
	*168E	-	3	-	-	-	2	2	-	7	23.7*	40.9	36.5	-	2.8	-	1.0	-	0.6
	169E	-	6	-	-	-	1	1	-	8	22.0*	8.1	-	-	4.4	-	2.6	-	1.1
03N	170E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	4	-	5	20.8	29.0	29.0	-	-	-	-	-	-
	173E	-	-	-	-	-	3	13	-	16	24.8	164.0	164.0	-	-	-	-	-	-
	174E	-	-	-	-	-	1	11	-	12	22.9	149.5	149.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	4	-	4	24.2	18.5	16.5	-	2.0	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	23.0	13.5	13.5	-	-	-	-	-	-
	*178E	-	-	-	-	-	1	-	-	1	29.0	1.5	1.5	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	178W	-	-	-	-	-	-	2	-	2	19.5	21.0	21.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	1	-	1	22.0	18.0	18.0	-	-	-	-	-	-
02N	149E	-	-	-	-	-	1	-	-	1	15.0	5.7	3.0	-	2.7	-	-	-	-
	150E	-	-	-	-	-	1	-	-	1	14.0	2.3	2.0	-	0.3	-	-	-	-
	151E	-	-	-	-	-	8	3	-	11	19.0*	41.1	38.6	-	2.5	-	-	-	-
	152E	-	-	-	-	-	22	6	-	28	17.4*	85.3	80.7	-	4.0	-	-	-	0.6
	153E	-	-	-	-	-	10	7	-	17	18.1*	47.2	42.8	-	4.2	-	0.2	-	-
	154E	-	-	-	-	-	5	2	-	7	19.1	21.2	19.7	-	1.5	-	-	-	-
	155E	-	-	-	-	-	3	6	-	9	19.1	31.1	25.6	-	5.5	-	-	-	-
	156E	-	-	-	-	-	5	2	-	7	16.7	13.4	9.3	-	4.1	-	-	-	-
	157E	-	-	-	-	-	1	-	-	1	14.0	1.6	1.0	-	0.3	-	0.3	-	-
	158E	-	-	-	-	-	2	1	-	3	18.0	12.4	10.4	-	2.0	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	17.0	18.0	17.1	-	0.9	-	-	-	-
	160E	-	-	-	-	-	2	1	-	3	18.3	6.2	6.2	-	-	-	-	-	-
	161E	-	-	-	-	-	2	2	-	4	18.7	13.8	8.1	-	5.7	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	18.0	1.6	1.5	-	-	-	0.1	-	-
	163E	-	-	-	-	-	1	2	-	3	22.3	15.6	15.5	-	0.1	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	21.0	14.3	14.3	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	166E	-	1	-	-	-	2	1	-	4	18.0*	19.8	18.0	-	1.0	-	0.6	-	0.2
	167E	-	3	-	-	-	2	1	-	6	17.0*	13.5	9.5	-	2.4	-	0.9	-	0.7
	168E	-	1	-	-	-	-	2	-	3	17.0*	6.7	3.5	0.1	0.9	-	0.1	-	2.1
	169E	-	3	-	-	-	-	-	-	3	17.0	2.5	-	-	1.7	-	0.6	-	0.2
	*171E	-	-	-	-	-	-	2	-	2	21.0	1.0	1.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	2	-	2	25.0	8.5	8.5	-	-	-	-	-	-
	173E	-	-	-	-	-	1	4	-	5	26.4	64.0	64.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	27.5	10.0	10.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	2	-	2	25.0	3.0	3.0	-	-	-	-	-	-
01N	142E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	2	-	4	19.0	16.5	13.5	-	3.0	-	-	-	-
	153E	-	-	-	-	-	4	2	-	6	21.2*	32.0	30.1	-	1.9	-	-	-	-
	154E	-	-	-	-	-	7	11	-	18	19.6*	65.2	46.1	-	5.0	-	14.1	-	-
	155E	-	-	-	-	-	5	2	-	7	15.0	21.0	18.7	-	1.7	-	0.6	-	-
	156E	-	-	-	-	-	4	1	-	5	19.0	21.0	20.0	-	1.0	-	-	-	-
	157E	-	-	-	-	-	4	2	-	6	17.3	26.2	18.5	-	7.2	-	0.5	-	-
	158E	-	-	-	-	-	3	3	-	6	18.4*	33.4	32.5	-	0.4	-	0.5	-	-
	159E	-	-	-	-	-	3	7	-	10	18.9	38.8	36.9	-	1.6	-	-	-	0.3
	160E	-	-	-	-	-	7	7	-	14	17.3*	94.1	91.8	-	1.3	-	1.0	-	-
	161E	-	-	-	-	-	12	7	-	19	17.9	150.9	144.7	-	6.1	-	-	-	0.1
	162E	-	-	-	-	-	11	15	-	26	17.2	248.9	243.1	-	5.3	-	0.5	-	-
	163E	-	-	-	-	-	1	2	-	3	17.0	39.6	39.6	-	-	-	-	-	-
	164E	-	-	-	-	-	2	3	-	5	17.0	37.6	37.1	-	0.5	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	20.0	26.0	26.0	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　DEC - -005　　TSKI -162　　12 月

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
01N	166E	-	-	-	-	-	-	1	-	1	20.0	9.0	8.0	-	1.0	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
	168E	-	1	-	-	-	-	1	-	2	20.0*	1.2	-	-	1.0	-	0.1	-	0.1
	169E	-	2	-	-	-	-	-	-	2	20.0	1.5	-	-	0.9	-	0.2	-	0.4
	170E	-	-	-	-	-	-	1	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
00N	153E	-	-	-	-	-	2	-	-	2	17.5	8.8	6.5	-	2.3	-	-	-	-
	154E	-	-	-	-	-	1	1	-	2	20.5	3.2	2.2	-	-	-	1.0	-	-
	155E	-	-	-	-	-	1	2	-	3	19.3	12.5	6.0	-	6.5	-	-	-	-
	156E	-	-	-	-	-	5	-	-	5	22.6	19.5	19.0	-	0.5	-	-	-	-
	157E	-	-	-	-	-	2	2	-	4	20.0	7.0	5.5	-	1.5	-	-	-	-
	158E	-	-	-	-	-	2	1	-	3	23.0	21.0	21.0	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	17.0	7.2	5.1	-	1.7	-	-	-	0.4
	160E	-	-	-	-	-	3	4	-	7	17.2	24.7	23.2	-	1.5	-	-	-	-
	161E	-	-	-	-	-	1	1	-	2	20.0	3.0	3.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	20.0	16.0	16.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	21.0	1.5	-	-	0.2	-	1.3	-	-
	*173E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	4.0	4.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
00S	156E	-	-	-	-	-	1	2	-	3	23.5*	21.0	19.4	-	1.6	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	17.0	1.0	-	-	-	-	-	-	1.0
	*174E	-	-	-	-	-	-	1	-	1	26.0	0.5	0.5	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
01S	154E	-	-	-	-	-	-	2	-	2	22.0	5.0	5.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	21.0	2.5	2.5	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	17.0	4.4	3.4	-	1.0	-	-	-	-
	*161E	-	-	-	-	-	1	1	-	2	24.5	4.5	3.4	-	1.1	-	-	-	-
	162E	-	-	-	-	-	1	-	-	1	22.0	13.0	13.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	29.0	4.5	4.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	3	-	3	28.0	14.0	13.5	-	0.5	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
02S	155E	-	-	-	-	-	-	1	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	25.0	10.0	10.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	17.0	3.0	2.0	-	-	-	-	-	1.0
	*177E	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
04S	165E	-	-	-	-	-	2	-	-	2	22.0	4.0	2.0	-	2.0	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
04S	167E	-	-	-	-	-	-	2	-	2	23.5	20.0	20.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	24.5	-	-	-	-	-	-	-	-
05S	154E	-	-	-	-	-	-	2	-	2	21.5	3.0	3.0	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	*165E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	166E	-	-	-	-	-	3	-	-	3	22.0	21.0	21.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	2	-	-	2	23.5	9.0	7.0	-	-	-	2.0	-	-
	170E	-	-	-	-	-	-	2	-	2	23.5	3.5	3.5	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	23.5	5.0	5.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
06S	163E	-	-	-	-	-	1	-	-	1	17.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	166E	-	-	-	-	-	3	1	-	4	27.5	17.0	17.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	17.0	0.5	0.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	17.0	5.0	5.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	29.0	1.0	1.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	22.0	8.0	8.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	2	-	2	20.0	14.0	14.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	1	-	1	24.0	4.0	4.0	-	-	-	-	-	-
07S	154E	-	-	-	-	-	-	2	-	2	24.0	13.0	13.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	21.0	4.5	3.5	-	1.0	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	17.0	1.0	1.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	1	-	1	20.0	2.0	2.0	-	-	-	-	-	-
08S	155E	-	-	-	-	-	-	3	-	3	25.0*	14.0	13.3	-	0.7	-	-	-	-
	*161E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	-	4	-	4	19.5	47.0	47.0	-	-	-	-	-	-
09S	154E	-	-	-	-	-	-	2	-	2	21.5	5.0	5.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	156E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	2	-	3	19.6	8.0	7.6	-	0.4	-	-	-	-
	*170E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
10S	155E	-	-	-	-	-	-	1	-	1	21.0	8.0	8.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	21.0	7.0	7.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	19.0	24.3	23.0	-	1.3	-	-	-	-
	164E	-	-	-	-	-	1	1	-	2	23.5	3.5	3.5	-	-	-	-	-	-

月別・漁場別努力量及び漁獲量

TSKI -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　DEC - -007　　TSKI -164　　12 月

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソ ダ F.M.	その他 ELS
10S	165E	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
11S	154E	-	-	-	-	-	-	2	-	2	21.0	41.0	41.0	-	-	-	-	-	-
	*157E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	-	-	1	17.0	2.0	1.8	-	0.2	-	-	-	-
	*167E	-	-	-	-	-	1	1	-	2	26.0	7.5	7.5	-	-	-	-	-	-
12S	152E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	1	-	1	27.0	1.0	1.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	27.0	5.5	5.0	-	-	-	0.5	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
13S	164E	-	-	-	-	-	-	1	-	1	20.0	8.0	8.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
14S	159E	-	-	-	-	-	-	1	-	1	23.0	6.0	6.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	1	2	-	3	22.3	12.1	12.0	-	0.1	-	-	-	-
15S	160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	1	-	-	1	17.0	0.3	-	-	0.3	-	-	-	-
	*164E	-	-	-	-	-	1	4	-	5	25.0	142.6	142.5	-	0.1	-	-	-	-
16S	152E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	33.0	20.0	20.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	27.0	9.0	9.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	17.0	11.0	10.8	-	0.2	-	-	-	-
17S	155E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*160E	-	-	-	-	-	-	2	-	2	35.5	18.0	18.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	3	-	3	38.0	17.0	17.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	8	-	8	29.0	98.4	98.4	-	-	-	-	-	-
	163E	-	-	-	-	-	-	12	-	12	28.7	113.3	113.3	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	38.0	1.4	1.4	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
18S	156E	-	-	-	-	-	-	2	-	2	23.0	51.0	51.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	38.0	0.9	0.9	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	27.0	0.3	0.3	-	-	-	-	-	-
	159E	-	-	-	-	-	-	12	-	12	27.3	87.4	87.4	-	-	-	-	-	-
	160E	-	-	-	-	-	-	19	-	19	28.8	203.5	203.0	-	-	-	0.5	-	-
	161E	-	-	-	-	-	-	6	-	6	29.0	72.3	72.3	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	17.0	6.6	6.5	-	0.1	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
19S	159E	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	3	-	3	26.0	46.0	46.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	38.0	9.7	9.7	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	28.0	21.2	21.2	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
20S	168E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
21S	169E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*25S	162E	-	-	-	-	-	5	-	-	5	23.0	49.0	49.0	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -001 年

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
46N	174E	-	-	-	-	-	-	1	-	1	26.0	7.5	-	7.5	-	-	-	-	-
*44N	151E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	37	25	-	62	19.5	289.4	-	289.3	-	-	-	-	0.1
	175E	-	-	-	-	-	63	18	-	81	19.3	339.1	7.0	332.1	-	-	-	-	-
	176E	-	-	-	-	-	11	2	-	13	17.7	29.2	-	29.2	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	21.0	0.3	-	0.3	-	-	-	-	-
43N	153E	-	1	-	-	-	-	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*156E	-	-	-	-	-	1	-	-	1	26.0	25.0	13.0	12.0	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	0.2	-	-	-	-	-
	173E	-	-	-	-	-	3	1	-	4	21.7	0.4	-	0.4	-	-	-	-	-
	174E	-	-	-	-	-	58	36	-	94	18.5*	583.3	1.7	581.6	-	-	-	-	-
	175E	-	-	-	-	-	44	10	-	54	22.1*	134.2	8.5	125.1	0.1	-	-	-	0.5
	176E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
	177E	-	-	-	-	-	1	2	-	3	18.5*	3.5	-	3.5	-	-	-	-	-
	178E	-	-	-	-	-	19	15	-	34	18.8*	119.1	1.0	117.0	-	-	-	-	1.1
	179E	-	-	-	-	-	8	1	-	9	17.7	23.4	0.9	22.5	-	-	-	-	-
42N	146E	-	1	-	-	-	-	-	-	1	21.0	3.6	3.6	-	-	-	-	-	-
	*151E	-	1	-	-	-	5	2	-	8	22.5	56.0	56.0	-	-	-	-	-	-
	152E	-	26	-	-	-	13	1	-	40	20.7*	433.4	433.4	-	-	-	-	-	-
	153E	-	3	-	-	-	18	1	-	22	22.0	89.0	86.5	2.5	-	-	-	-	-
	154E	-	-	-	-	-	3	-	-	3	22.6	1.0	1.0	-	-	-	-	-	-
	155E	-	-	-	-	-	7	1	-	8	23.3	3.0	3.0	-	-	-	-	-	-
	156E	-	-	-	-	-	7	-	-	7	23.4	24.5	24.5	-	-	-	-	-	-
	157E	-	-	-	-	-	5	1	-	6	26.5	0.5	0.5	-	-	-	-	-	-
	158E	-	-	-	-	-	15	-	-	15	22.8	62.5	56.5	6.0	-	-	-	-	-
	159E	-	-	-	-	-	4	-	-	4	22.5	36.0	23.0	13.0	-	-	-	-	-
	160E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	*166E	-	-	-	-	-	21	-	-	21	21.3*	76.0	4.2	71.8	-	-	-	-	-
	167E	-	-	-	-	-	34	4	-	38	22.7*	138.1	9.5	128.5	-	0.1	-	-	-
	168E	-	-	-	-	-	13	-	-	13	20.7*	82.5	0.4	81.9	-	0.2	-	-	-
	169E	-	-	-	-	-	1	-	-	1	27.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	27.0	-	-	-	-	-	-	-	-
	171E	-	-	-	-	-	1	-	-	1	18.0	0.2	-	0.2	-	-	-	-	-
	172E	-	-	-	-	-	1	1	-	2	20.0	0.5	-	0.5	-	-	-	-	-
	*174E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	175E	-	-	-	-	-	3	-	-	3	26.6	1.0	-	1.0	-	-	-	-	-
	*177E	-	-	-	-	-	47	10	-	57	22.3*	221.8	19.0	200.8	-	-	-	-	2.0
	178E	-	-	-	-	-	62	26	-	88	19.8*	302.8	5.6	292.9	-	-	-	-	4.3
	179E	-	-	-	-	-	26	11	-	37	19.5*	88.3	3.2	84.3	-	-	-	-	0.8
	*179W	-	-	-	-	-	-	2	-	2	24.0	1.0	-	1.0	-	-	-	-	-
	178W	-	-	-	-	-	1	-	-	1	18.0	2.0	-	2.0	-	-	-	-	-
41N	141E	-	1	-	-	-	-	-	-	1	15.0	-	-	-	-	-	-	-	-
	*143E	-	1	1	-	-	-	-	-	2	18.0	2.5	-	-	-	-	-	-	2.5
	144E	-	9	-	-	-	-	-	-	9	18.5	45.2	45.2	-	-	-	-	-	-
	145E	-	20	1	-	-	-	-	-	21	18.1	60.6	60.6	-	-	-	-	-	-
	146E	-	31	-	-	-	1	-	-	32	16.0	63.5	60.7	-	0.6	-	-	-	2.2
	147E	-	14	-	-	-	-	-	-	14	15.3*	32.2	32.2	-	-	-	-	-	-
	148E	-	3	-	-	-	-	-	-	3	17.3	-	-	-	-	-	-	-	-
41N	149E	-	9	-	-	-	3	-	-	12	19.6	17.8	17.8	-	-	-	-	-	-
	150E	-	140	4	-	-	8	1	-	153	18.9*	911.8	770.4	139.9	-	-	-	-	1.5
	151E	-	96	4	-	-	19	6	-	125	20.0*	542.2	542.1	-	-	-	-	-	0.1
	152E	-	99	4	-	-	61	14	-	178	20.5*	965.1	961.5	-	-	-	-	-	3.6
	153E	-	63	-	-	-	18	4	-	85	18.9*	420.5	420.4	-	-	-	-	-	0.1
	154E	-	1	-	-	-	32	2	-	35	23.4	155.5	149.0	6.5	-	-	-	-	-
	155E	-	2	-	-	-	52	7	-	61	24.2*	187.1	186.1	-	-	-	-	-	1.0
	156E	-	1	-	-	-	11	3	-	15	23.6*	10.7	10.7	-	-	-	-	-	-
	157E	-	-	-	-	-	34	3	-	37	23.9*	184.0	184.0	-	-	-	-	-	-
	158E	-	-	1	-	-	100	12	-	113	24.0*	886.3	638.1	244.0	-	-	3.5	-	0.7
	159E	-	-	2	-	-	33	3	-	38	23.4*	110.0	50.9	45.7	-	-	13.0	-	0.4
	160E	-	-	-	-	-	9	1	-	10	22.9	64.5	54.5	10.0	-	-	-	-	-
	161E	-	-	-	-	-	2	-	-	2	22.5	4.5	4.5	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	25.5	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	20	2	-	22	23.8	334.5	331.5	-	-	-	-	-	3.0
	164E	-	-	-	-	-	6	-	-	6	24.0	52.0	52.0	-	-	-	-	-	-
	165E	-	-	-	-	-	56	12	-	68	23.1*	276.7	256.8	16.4	-	-	-	-	3.5
	166E	-	-	-	-	-	94	18	-	112	22.5*	477.6	134.5	335.5	-	0.8	-	0.3	6.5
	167E	-	-	-	-	-	116	30	-	146	22.2*	489.8	24.6	461.9	-	2.2	-	-	1.1
	168E	-	-	-	-	-	101	16	-	117	22.6*	450.9	42.0	403.5	-	2.0	-	-	3.4
	169E	-	-	-	-	-	5	1	-	6	21.3	8.5	5.1	3.5	-	-	-	-	-
	170E	-	-	-	-	-	3	-	-	3	21.0	19.0	19.0	-	-	-	-	-	-
	171E	-	-	-	-	-	8	-	-	8	21.8	13.0	10.0	2.5	-	-	-	-	0.5
	172E	-	-	-	-	-	6	1	-	7	20.8*	3.3	-	3.3	-	-	-	-	-
	173E	-	-	-	-	-	7	1	-	8	21.1*	1.9	-	1.4	-	-	-	-	0.5
	174E	-	-	-	-	-	5	-	-	5	27.5*	13.0	-	13.0	-	-	-	-	-
	175E	-	-	-	-	-	51	60	-	111	22.6	502.9	172.1	325.4	-	-	2.0	-	3.4
	176E	-	-	-	-	-	55	47	-	102	21.3*	390.7	67.7	315.5	0.1	0.2	0.1	-	7.1
	177E	-	-	-	-	-	135	59	-	194	18.6*	819.0	2.5	812.8	-	0.1	-	-	3.6
	178E	-	-	-	-	-	28	16	-	44	18.6*	85.8	0.1	84.7	-	-	-	-	1.0
	179E	-	-	-	-	-	6	4	-	10	19.2	24.4	1.0	23.2	-	-	-	-	0.2
	*178W	-	-	-	-	-	1	-	-	1	20.0	2.0	-	2.0	-	-	-	-	-
	177W	-	-	-	-	-	2	-	-	2	20.0	3.0	-	3.0	-	-	-	-	-
40N	143E	-	8	1	-	-	1	-	-	10	16.3*	6.1	5.0	-	-	-	-	-	1.1
	144E	1	72	3	-	-	1	-	-	77	16.3*	214.0	209.8	-	-	-	-	-	4.2
	145E	-	96	-	-	-	4	1	-	101	16.4*	225.1	223.0	-	-	0.5	-	-	1.6
	146E	1	102	-	-	-	-	1	-	104	15.9*	238.9	235.9	3.0	-	-	-	-	-
	147E	1	76	6	-	-	-	-	-	83	17.4	203.1	202.3	-	-	-	-	-	0.8
	148E	-	122	4	-	-	5	-	-	131	18.5*	450.2	449.8	0.2	-	-	-	-	0.2
	149E	-	189	4	-	-	11	2	-	206	18.6*	1040.5	991.3	47.5	-	-	-	-	1.7
	150E	-	142	7	-	-	22	3	-	174	18.4*	705.2	611.9	92.0	-	-	-	-	1.3
	151E	-	52	1	-	-	22	8	-	83	19.7*	274.3	267.4	5.3	-	-	-	-	1.6
	152E	-	64	2	-	-	5	1	-	72	18.0	318.5	316.1	0.5	-	-	-	-	1.9
	153E	-	33	-	-	-	7	-	-	40	17.5*	135.4	134.3	-	-	-	-	-	1.1
	154E	-	90	6	-	-	14	4	-	114	20.0*	308.1	307.5	-	-	-	-	-	0.6
	155E	-	5	-	-	-	14	1	-	20	22.2	22.6	21.0	-	-	-	-	-	1.6
	156E	-	-	-	-	-	12	3	-	15	23.2	20.0	20.0	-	-	-	-	-	-
	157E	-	1	-	-	-	36	5	-	42	24.2*	137.5	137.5	-	-	-	-	-	-
	158E	-	2	-	-	-	38	28	-	68	22.9*	339.5	337.5	1.5	-	-	-	-	0.5
	159E	-	-	-	-	-	63	72	-	135	23.2	823.2	815.3	5.0	-	-	-	-	2.9
	160E	-	-	-	-	-	88	19	-	107	23.9*	581.4	577.5	3.0	-	-	-	-	0.9
	161E	-	-	-	-	-	13	9	-	22	22.3	100.0	98.0	-	-	-	-	-	2.0
	162E	-	-	-	-	-	10	2	-	12	24.2	30.5	30.5	-	-	-	-	-	-
	163E	-	-	-	-	-	40	5	-	45	24.1*	362.7	359.2	3.0	-	-	-	-	0.5
	164E	-	-	-	-	-	135	15	-	150	23.6*	530.8	331.4	196.0	-	-	-	-	3.4

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -003 年 計

操業位置		屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
40N	165E	-	-	-	-	-	179	30	-	209	23.5*	1112.9	874.1	237.3	-	-	-	-	1.5
	166E	-	-	-	-	-	43	10	-	53	24.0*	55.9	11.0	44.9	-	-	-	-	-
	167E	-	-	-	-	-	53	8	-	61	22.9*	115.8	44.0	68.4	-	0.1	-	-	3.3
	168E	-	-	-	-	-	68	6	-	74	24.7*	376.7	361.6	14.9	-	-	-	-	0.2
	169E	-	-	-	-	-	46	11	-	57	23.2	195.1	7.1	186.2	-	1.0	-	-	0.8
	170E	-	-	-	-	-	12	2	-	14	23.1	21.5	-	20.0	-	-	-	-	1.5
	171E	-	-	-	-	-	31	19	-	50	22.2*	111.6	62.6	44.4	-	-	3.0	-	1.6
	172E	-	-	-	-	-	9	6	-	15	22.9	24.6	2.1	21.0	-	-	-	-	1.5
	173E	-	-	-	-	-	22	13	-	35	23.0	85.7	73.3	10.0	0.3	-	-	-	2.1
	174E	-	-	-	-	-	72	18	-	90	22.8	524.4	272.9	242.1	-	-	-	-	9.4
	175E	-	-	-	-	-	81	69	-	150	22.6*	758.5	395.7	354.6	-	-	0.7	-	7.5
	176E	-	-	-	-	-	73	36	-	109	21.8*	458.2	42.8	410.0	-	-	-	-	5.4
	177E	-	-	-	-	-	26	11	-	37	19.5*	46.1	-	46.0	-	-	-	-	0.1
	178E	-	-	-	-	-	5	2	-	7	20.6*	13.6	-	13.6	-	-	-	-	-
	179E	-	-	-	-	-	2	7	-	9	23.7	6.5	-	6.5	-	-	-	-	-
	*179W	-	-	-	-	-	4	26	-	30	22.4	116.0	0.5	115.5	-	-	-	-	-
	178W	-	-	-	-	-	1	1	-	2	23.0	6.0	-	6.0	-	-	-	-	-
	177W	-	-	-	-	-	1	1	-	2	26.0	0.1	-	0.1	-	-	-	-	-
	176W	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	*173W	-	-	-	-	-	2	-	-	2	24.5	1.3	-	1.3	-	-	-	-	-
39N	141E	-	1	-	-	-	-	-	-	1	15.0	1.2	-	-	1.2	-	-	-	-
	142E	-	9	-	-	-	-	-	-	9	16.0	10.3	8.0	-	0.9	-	-	-	1.4
	143E	-	15	-	-	-	-	-	-	15	17.0	13.4	13.4	-	-	-	-	-	-
	144E	2	26	-	-	-	-	1	-	29	16.6*	76.9	73.7	-	1.9	-	0.6	-	0.7
	145E	1	71	-	-	-	3	1	-	76	18.1	142.1	141.9	-	0.2	-	-	-	-
	146E	-	206	5	-	-	5	1	-	217	17.3*	709.2	685.3	22.0	-	-	-	-	1.9
	147E	2	217	9	-	-	4	1	-	233	17.4*	902.9	840.6	57.8	-	3.5	-	-	1.0
	148E	1	195	5	-	-	7	8	-	216	17.7*	945.9	886.3	56.3	1.0	0.4	-	-	1.9
	149E	-	108	2	-	-	8	22	-	140	18.5*	570.7	490.1	78.6	-	-	-	-	2.0
	150E	-	79	10	-	-	5	6	-	100	20.0*	550.8	538.0	12.4	-	-	-	-	0.4
	151E	-	12	2	-	-	12	7	-	33	21.6	147.2	126.6	20.5	-	-	-	-	0.1
	152E	-	2	-	-	-	11	17	-	30	22.9	140.1	131.9	5.9	1.2	-	0.2	-	0.9
	153E	-	3	-	-	-	3	8	-	14	22.9	46.6	45.6	-	-	-	-	-	1.0
	154E	-	12	-	-	-	6	4	-	22	21.2	41.4	41.1	-	-	-	-	-	0.3
	155E	-	5	-	-	-	14	7	-	26	23.0	80.4	77.0	3.4	-	-	-	-	-
	156E	-	17	-	-	-	9	12	-	38	20.5	94.5	93.0	-	-	-	-	-	1.5
	157E	-	-	-	-	-	12	11	-	23	23.7	226.0	226.0	-	-	-	-	-	-
	158E	-	-	-	-	-	31	34	-	65	22.2	851.6	850.6	-	-	-	-	-	1.0
	159E	-	-	-	-	-	7	20	-	27	22.4	311.1	309.1	2.0	-	-	-	-	-
	160E	-	-	-	-	-	8	5	-	13	22.8*	53.0	53.0	-	-	-	-	-	-
	161E	-	-	-	-	-	20	11	-	31	23.1*	234.2	233.7	0.5	-	-	-	-	-
	162E	-	-	-	-	-	45	17	-	62	24.0*	767.7	767.7	-	-	-	-	-	-
	163E	-	-	-	-	-	41	16	-	57	23.5*	219.7	198.0	21.7	-	-	-	-	-
	164E	-	-	-	-	-	60	13	-	73	22.9	269.9	144.0	125.6	-	-	-	-	0.3
	165E	-	-	-	-	-	40	4	-	44	23.6	85.3	50.0	35.3	-	-	-	-	-
	166E	-	-	-	-	-	42	10	-	52	23.2*	69.7	-	69.7	-	-	-	-	-
	167E	-	-	-	-	-	50	10	-	60	24.0	155.2	15.5	139.6	-	-	-	-	0.1
	168E	-	-	-	-	-	55	2	-	57	21.9*	330.2	0.5	329.7	-	-	-	-	-
	169E	-	-	-	-	-	57	5	-	62	21.9	242.4	4.0	237.9	-	-	-	-	0.5
	170E	-	-	-	-	-	15	-	-	15	22.2*	9.6	0.5	9.1	-	-	-	-	-
	171E	-	-	-	-	-	6	1	-	7	25.7	17.0	-	17.0	-	-	-	-	-
	172E	-	-	-	-	-	8	3	-	11	24.0	12.2	0.1	9.1	-	-	-	-	3.0
	173E	-	-	-	-	-	9	1	-	10	23.8	0.7	-	0.6	-	-	-	-	0.1
	174E	-	-	-	-	-	11	4	-	15	24.4	37.3	20.0	17.3	-	-	-	-	-
	175E	-	-	-	-	-	9	9	-	18	22.7	68.9	62.1	6.8	-	-	-	-	-
39N	176E	-	-	-	-	-	17	18	-	35	22.4	73.3	3.0	70.3	-	-	-	-	-
	177E	-	-	-	-	-	21	6	-	27	22.3*	23.6	9.2	11.2	-	-	-	-	3.2
	178E	-	-	-	-	-	13	2	-	15	24.6	29.5	-	29.0	-	-	-	-	0.5
	179E	-	-	-	-	-	51	12	-	63	23.6	304.4	-	299.5	4.8	-	-	-	0.1
	*179W	-	-	-	-	-	40	29	-	69	24.1	471.3	14.3	451.2	-	-	-	-	5.8
	178W	-	-	-	-	-	8	6	-	14	26.7	50.5	0.5	50.0	-	-	-	-	-
	177W	-	-	-	-	-	1	1	-	2	25.5	0.6	-	0.1	-	-	-	-	0.5
	176W	-	-	-	-	-	-	1	-	1	30.0	1.0	-	-	-	-	-	-	1.0
	175W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
	*149W	-	-	-	-	-	2	-	-	2	23.0	13.7	12.8	0.9	-	-	-	-	-
38N	141E	-	30	-	-	-	-	-	-	30	16.5	61.7	61.6	-	-	-	-	-	0.1
	142E	-	24	-	-	-	2	-	-	26	15.6	49.4	49.4	-	-	-	-	-	-
	143E	-	21	-	-	-	2	-	-	23	15.9	21.6	15.2	4.0	-	-	-	-	2.4
	144E	3	39	-	-	-	-	1	-	43	16.4	59.9	59.6	-	-	-	-	-	0.3
	145E	2	136	2	-	-	5	1	-	146	16.4*	439.6	425.5	11.1	1.0	-	1.2	-	0.8
	146E	2	249	7	-	-	1	-	-	259	17.1*	1061.2	1034.8	22.9	0.3	-	-	-	3.2
	147E	5	198	8	-	-	8	-	-	219	16.4*	867.8	819.2	43.9	1.1	0.3	1.8	-	1.5
	148E	2	261	8	-	-	11	9	-	291	17.6*	1485.2	1445.8	33.6	2.5	-	-	-	3.3
	149E	2	143	6	-	-	22	19	-	192	18.2*	1577.8	1499.3	77.1	0.2	-	-	-	1.2
	150E	-	86	7	-	-	17	19	-	129	19.6*	741.0	719.0	22.0	-	-	-	-	-
	151E	-	8	1	-	-	16	42	-	67	22.9	392.0	364.1	25.8	0.2	-	0.1	-	1.8
	152E	-	5	-	-	-	37	66	-	108	23.0*	769.6	752.3	17.0	-	-	-	-	0.3
	153E	-	-	-	-	-	21	29	-	50	23.1	355.0	317.4	36.0	-	-	-	-	1.6
	154E	-	-	-	-	-	17	8	-	25	23.2	92.2	90.0	1.2	-	-	-	-	1.0
	155E	-	-	-	-	-	6	9	-	15	23.0	17.5	17.0	0.5	-	-	-	-	-
	156E	-	-	-	-	-	8	11	-	19	21.4	64.5	64.5	-	-	-	-	-	-
	157E	-	-	-	-	-	20	10	-	30	24.1	81.1	76.0	5.1	-	-	-	-	-
	158E	-	-	-	-	-	9	2	-	11	23.5	21.5	8.5	12.5	-	-	-	-	0.5
	159E	-	-	-	-	-	30	6	-	36	22.9	98.5	58.5	39.0	-	-	-	-	1.0
	160E	-	-	-	-	-	29	5	-	34	21.8	58.5	27.8	30.7	-	-	-	-	-
	161E	-	-	-	-	-	25	2	-	27	21.6	26.0	6.0	20.0	-	-	-	-	-
	162E	-	-	-	-	-	12	3	-	15	21.6	6.7	-	6.7	-	-	-	-	-
	163E	-	-	-	-	-	17	2	-	19	22.4	5.8	2.2	3.1	-	0.5	-	-	-
	164E	-	-	-	-	-	17	-	-	17	21.2	6.5	0.2	6.2	-	-	-	-	0.1
	165E	-	-	-	-	-	9	3	-	12	26.1	2.5	-	2.5	-	-	-	-	-
	166E	-	-	-	-	-	15	3	-	18	23.7	9.0	6.0	2.0	-	-	-	-	1.0
	167E	-	-	-	-	-	17	2	-	19	25.1	5.6	-	3.1	-	-	-	-	2.5
	168E	-	-	-	-	-	2	1	-	3	20.3	-	-	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	22.0	4.2	0.5	-	-	-	-	-	3.7
	171E	-	-	-	-	-	5	-	-	5	22.4	12.0	6.0	6.0	-	-	-	-	-
	172E	-	-	-	-	-	4	2	-	6	27.0	41.5	-	41.5	-	-	-	-	-
	173E	-	-	-	-	-	3	-	-	3	26.6	9.0	-	9.0	-	-	-	-	-
	174E	-	-	-	-	-	4	-	-	4	26.2	1.0	-	1.0	-	-	-	-	-
	175E	-	-	-	-	-	4	4	-	8	22.1	46.3	45.0	1.3	-	-	-	-	-
	176E	-	-	-	-	-	13	4	-	17	20.3*	2.3	-	1.8	-	-	-	-	0.5
	177E	-	-	-	-	-	10	4	-	14	24.2	5.4	0.1	5.3	-	-	-	-	-
	178E	-	-	-	-	-	35	8	-	43	24.9	198.9	5.0	192.9	-	-	-	-	1.0
	179E	-	-	-	-	-	81	7	-	88	25.7	745.7	34.1	711.4	-	-	-	-	0.2
	*179W	-	-	-	-	-	68	19	-	87	25.5	704.6	3.0	701.2	0.4	-	-	-	-
	178W	-	-	-	-	-	27	17	-	44	24.3	198.5	-	198.5	-	-	-	-	-
	177W	-	-	-	-	-	4	-	-	4	24.7	6.0	-	6.0	-	-	-	-	-
	*161W	-	-	-	-	-	1	-	-	1	23.0	7.0	7.0	-	-	-	-	-	-
	160W	-	-	-	-	-	1	-	-	1	23.0	7.5	7.5	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　54　　　NEN -005　　　年　計

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
37N	141E	1	41	-	-	-	1	-	-	43	16.8	147.4	147.0	-	-	-	-	-	0.4
	142E	1	24	-	-	-	-	-	-	25	16.4	63.1	63.1	-	-	-	-	-	-
	143E	1	35	-	-	-	3	1	-	40	17.4*	142.0	140.7	-	0.3	-	-	-	1.0
	144E	1	28	-	-	-	1	-	-	30	16.3	63.2	61.5	-	-	-	-	-	1.7
	145E	-	110	-	-	-	1	-	-	111	17.2*	368.7	361.9	5.3	0.1	-	-	-	1.4
	146E	1	128	5	-	-	1	1	-	136	17.2*	519.7	516.4	2.3	-	-	-	-	1.0
	147E	2	158	5	-	-	8	7	-	180	17.9*	905.4	886.1	16.5	0.6	-	2.0	-	0.2
	148E	-	104	-	-	-	13	3	-	120	18.8*	409.6	387.9	19.4	0.5	-	-	-	1.8
	149E	1	67	3	-	-	2	3	-	76	17.6*	308.1	305.0	3.1	-	-	-	-	-
	150E	-	51	4	-	-	16	46	-	117	19.7*	632.2	629.1	3.0	-	-	0.1	-	-
	151E	-	12	1	-	-	11	28	-	52	22.5*	321.2	316.6	-	0.5	-	-	-	4.1
	152E	-	10	-	-	-	17	55	-	82	22.3*	580.4	568.3	11.0	-	-	-	-	1.1
	153E	-	-	-	-	-	13	29	-	42	22.4	260.4	258.2	2.0	-	-	0.2	-	-
	154E	-	-	-	-	-	4	7	-	11	22.5	37.0	27.0	10.0	-	-	-	-	-
	155E	-	-	-	-	-	4	20	-	24	22.3	89.8	89.8	-	-	-	-	-	-
	156E	-	-	-	-	-	18	50	-	68	22.6	614.6	610.4	2.0	-	-	-	-	2.2
	157E	-	-	-	-	-	6	5	-	11	23.2	61.0	61.0	-	-	-	-	-	-
	158E	-	-	-	-	-	16	5	-	21	21.7	72.3	7.9	61.4	-	-	2.0	-	1.0
	159E	-	-	-	-	-	29	3	-	32	21.9	116.5	12.5	104.0	-	-	-	-	-
	160E	-	-	-	-	-	9	4	-	13	22.4	25.0	23.0	2.0	-	-	-	-	-
	161E	-	-	-	-	-	14	4	-	18	23.3	23.5	20.0	3.5	-	-	-	-	-
	162E	-	-	-	-	-	16	2	-	18	22.0	16.1	4.5	11.3	-	-	-	-	0.3
	163E	-	-	-	-	-	28	3	-	31	21.0	20.9	1.8	19.1	-	-	-	-	-
	164F	-	-	-	-	-	3	3	-	6	23.6	1.0	1.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	2	-	4	24.7	4.0	-	-	-	-	-	-	4.0
	166E	-	-	-	-	-	5	4	-	9	24.0	10.5	9.5	-	-	-	-	-	1.0
	167E	-	-	-	-	-	4	1	-	5	25.2	0.3	-	0.3	-	-	-	-	-
	168E	-	-	-	-	-	1	3	-	4	24.7	4.0	4.0	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
	171E	-	-	-	-	-	3	3	-	6	23.0*	5.5	-	5.5	-	-	-	-	-
	172E	-	-	-	-	-	1	3	-	4	25.2	19.5	18.5	1.0	-	-	-	-	-
	173E	-	-	-	-	-	1	3	-	4	25.7	7.0	3.0	3.0	-	-	-	-	1.0
	174E	-	-	-	-	-	-	2	-	2	25.0	3.0	3.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	1	-	1	26.0	3.0	-	3.0	-	-	-	-	-
	176E	-	-	-	-	-	1	1	-	2	29.5	2.5	-	2.0	-	-	-	-	0.5
	177E	-	-	-	-	-	2	-	-	2	26.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	2	-	-	2	30.0	6.0	-	5.0	-	-	-	-	1.0
	179E	-	-	-	-	-	4	1	-	5	26.2	1.0	-	1.0	-	-	-	-	-
	*179W	-	-	-	-	-	1	1	-	2	30.0	-	-	-	-	-	-	-	-
	178W	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
	177W	-	-	-	-	-	2	1	-	3	30.3	2.0	-	2.0	-	-	-	-	-
36N	140E	-	1	-	-	-	-	-	-	1	14.0	-	-	-	-	-	-	-	-
	141E	-	12	-	-	-	-	-	-	12	17.4*	32.0	30.6	-	0.8	-	-	-	0.6
	142E	1	43	1	-	-	1	1	-	47	17.6	204.7	203.8	0.5	-	-	-	-	0.4
	143E	-	96	3	-	-	-	-	-	99	17.8*	446.5	441.4	0.5	1.7	-	1.0	-	1.9
	144E	-	87	2	-	-	2	1	-	92	17.3*	348.3	310.8	35.0	0.1	-	-	-	2.4
	145E	2	107	2	-	-	1	1	-	113	16.3*	442.8	435.4	5.3	-	-	-	-	2.1
	146E	1	69	1	-	-	23	8	-	102	20.0*	524.4	368.6	151.8	-	-	3.6	-	0.4
	147E	-	68	2	-	-	70	17	-	157	21.3*	618.7	276.0	342.6	-	-	-	-	0.1
	148E	-	83	6	-	-	32	15	-	136	19.8	585.6	499.2	84.0	1.0	-	1.4	-	-
	149E	-	26	-	-	-	11	22	-	59	19.8*	190.3	104.9	81.7	-	-	3.0	-	0.7
	150E	-	21	1	-	-	15	18	-	55	20.5*	214.5	73.4	134.8	0.7	-	3.1	-	2.5
	151E	-	9	-	-	-	20	11	-	40	21.9	71.5	29.2	42.0	0.3	-	-	-	-
	152E	-	9	2	-	-	16	30	-	57	22.2*	429.5	398.5	29.3	0.6	-	-	-	1.1
36N	153E	-	-	-	-	-	30	35	-	65	21.6*	531.0	433.6	91.5	0.4	-	2.1	-	3.4
	154E	-	-	-	-	-	9	22	-	31	22.5	209.9	202.2	4.0	-	-	0.5	-	3.2
	155E	-	-	-	-	-	1	4	-	5	20.4	9.5	1.2	8.3	-	-	-	-	-
	156E	-	-	-	-	-	12	21	-	33	21.8	200.1	196.9	3.2	-	-	-	-	-
	157E	-	-	-	-	-	6	7	-	13	21.0	15.3	15.3	-	-	-	-	-	-
	158E	-	-	-	-	-	6	3	-	9	25.0	17.3	17.3	-	-	-	-	-	-
	159E	-	-	-	-	-	3	6	-	9	22.1	35.0	35.0	-	-	-	-	-	-
	160E	-	1	-	-	-	2	-	-	3	27.0*	10.2	10.0	0.1	-	-	0.1	-	-
	161E	-	-	-	-	-	1	2	-	3	19.0	25.1	25.0	-	-	-	-	-	0.1
	162E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	5	-	-	5	26.0	3.2	3.0	-	-	-	-	-	0.2
	164E	-	2	-	-	-	5	-	-	7	20.8*	2.1	-	1.8	-	-	0.2	-	0.1
	165E	-	-	-	-	-	1	4	-	5	21.4	2.5	2.5	-	-	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	21.0	3.0	-	3.0	-	-	-	-	-
	167E	-	-	-	-	-	6	2	-	8	24.6	2.1	0.1	2.0	-	-	-	-	-
	168E	-	-	-	-	-	3	2	-	5	28.8	8.0	-	8.0	-	-	-	-	-
	169E	-	-	-	-	-	1	8	-	9	24.6	38.7	0.5	36.5	-	-	-	-	1.7
	170E	-	-	-	-	-	11	16	-	27	23.5	100.8	2.8	98.0	-	-	-	-	-
	171E	-	-	-	-	-	3	30	-	33	24.4	153.0	3.5	146.8	1.1	-	1.6	-	-
	172E	-	-	-	-	-	7	15	-	22	25.0*	42.6	9.0	32.4	-	-	1.2	-	-
	173E	-	-	-	-	-	1	-	-	1	32.0	5.5	5.5	-	-	-	-	-	-
	174E	-	-	-	-	-	4	-	-	4	25.7	3.7	3.0	0.7	-	-	-	-	-
	175E	-	-	-	-	-	13	-	-	13	26.0	58.5	15.5	34.5	-	-	6.9	-	1.6
	176E	-	-	-	-	-	6	-	-	6	26.6	10.5	0.5	9.3	-	-	-	0.3	0.4
	177E	-	-	-	-	-	1	1	-	2	31.0	4.0	-	4.0	-	-	-	-	-
	178E	-	-	-	-	-	4	-	-	4	25.2	8.0	1.5	6.5	-	-	-	-	-
	179E	-	-	-	-	-	2	-	-	2	24.5	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
35N	139E	-	2	-	-	-	2	-	-	4	21.0*	8.0	1.0	7.0	-	-	-	-	-
	140E	-	84	1	-	-	-	-	-	85	14.3*	102.3	95.2	1.0	-	-	-	-	6.1
	141E	1	44	1	-	-	-	1	-	47	16.1*	158.0	118.9	37.0	0.8	-	-	-	1.3
	142E	1	167	1	-	-	3	-	-	172	18.4*	900.8	807.6	86.3	2.6	-	2.4	-	1.9
	143E	3	357	5	-	-	5	1	-	371	18.0*	2445.1	2420.1	23.7	0.9	-	-	-	0.4
	144E	1	236	9	-	-	1	2	-	249	17.8*	2024.5	2006.6	13.0	0.4	-	1.0	-	3.5
	145E	-	158	8	-	-	13	5	-	184	18.4*	813.0	430.6	374.9	7.0	-	-	-	0.5
	146E	-	63	2	-	-	38	11	-	114	20.1*	448.9	195.3	247.7	4.3	-	0.5	-	1.1
	147E	-	60	1	-	-	9	18	-	88	19.3	423.5	254.8	165.7	0.3	-	1.3	-	1.4
	148E	-	15	-	-	-	23	33	-	74	21.0	331.2	154.1	173.8	0.8	-	2.5	-	-
	149E	-	43	1	-	-	8	13	-	65	19.2*	177.2	131.3	36.7	9.2	-	-	-	-
	150E	-	34	-	-	-	17	13	-	64	19.0*	223.4	142.0	69.0	0.9	-	11.2	-	0.3
	151E	-	13	-	-	-	13	33	-	59	20.3	190.1	69.5	115.6	0.2	-	2.5	-	2.3
	152E	-	4	-	-	-	25	35	-	64	21.1	248.1	48.0	199.6	0.1	-	0.4	-	-
	153E	-	-	-	-	-	64	61	-	125	22.2*	638.9	475.0	148.3	2.2	-	12.8	-	0.6
	154E	-	-	-	-	-	30	35	-	65	22.0*	309.5	228.8	80.2	-	-	-	-	0.5
	155E	-	1	-	-	-	7	12	-	20	20.8*	80.1	61.7	18.3	-	-	0.1	-	-
	156E	-	-	-	-	-	64	46	-	110	20.2*	526.9	418.9	100.0	0.9	-	5.5	-	1.6
	157E	-	-	-	-	-	5	5	-	10	21.5	14.7	14.7	-	-	-	-	-	-
	158E	-	-	-	-	-	6	7	-	13	22.1	43.3	36.0	2.7	4.6	-	-	-	-
	159E	-	-	-	-	-	22	9	-	31	22.4	216.5	216.3	0.1	-	-	-	-	0.1
	160E	-	-	-	-	-	29	4	-	33	21.9	391.9	390.9	1.0	-	-	-	-	-
	161E	-	-	-	-	-	18	3	-	21	23.3	238.2	235.5	2.7	-	-	-	-	-
	162E	-	-	-	-	-	2	1	-	3	28.3	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	23.5	5.5	5.5	-	-	-	-	-	-
	164E	-	2	-	-	-	7	8	-	17	23.6*	15.6	1.5	13.7	0.1	-	0.1	-	0.2
	165E	-	-	-	-	-	4	11	-	15	23.6	21.3	2.0	19.3	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -007 年 計

操業位置		屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
35N	166E	-	-	-	-	-	6	4	-	10	26.3	8.5	6.0	2.5	-	-	-	-	-
	167E	-	-	-	-	-	1	1	-	2	27.0	11.0	-	11.0	-	-	-	-	-
	168E	-	-	-	-	-	23	82	-	105	23.6*	561.6	6.7	544.1	-	-	10.6	-	0.2
	169E	-	-	-	-	-	222	260	-	482	2.8*	2338.0	30.7	2293.7	-	-	12.6	-	1.0
	170E	-	-	-	-	-	251	402	-	653	8.4′	2595.5	39.1	2551.8	0.6	-	3.4	-	0.6
	171E	-	-	-	-	-	12	32	-	44	24.6*	163.0	27.0	134.4	-	-	1.6	-	-
	172E	-	-	-	-	-	-	2	-	2	25.0	2.0	-	-	-	-	-	-	2.0
	173E	-	-	-	-	-	1	1	-	2	28.0	0.5	0.5	-	-	-	-	-	-
	174E	-	-	-	-	-	9	-	-	9	26.1	24.8	0.1	24.7	-	-	-	-	-
	175E	-	-	-	-	-	-	3	-	3	26.6	1.5	-	1.5	-	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	178E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
	-*144W	-	2	-	-	-	-	-	-	2	20.0	15.0	15.0	-	-	-	-	-	-
34N	135E	-	1	-	-	-	-	1	-	2	22.0	0.5	-	0.5	-	-	-	-	-
	136E	-	17	-	-	-	-	2	-	19	17.5	6.5	4.9	-	1.6	-	-	-	-
	137E	-	10	-	-	-	2	-	-	12	16.7	23.8	15.5	5.0	1.1	-	0.7	-	1.5
	138E	1	108	1	-	-	6	6	-	122	17.0*	217.2	166.0	37.7	5.4	5.2	-	-	2.9
	139E	1	190	-	-	-	16	13	-	220	16.5*	320.1	194.6	115.8	0.5	1.0	0.5	-	7.7
	140E	-	69	-	-	-	8	4	-	81	18.0*	148.0	129.7	8.5	6.3	-	-	-	3.5
	141E	4	133	2	-	-	5	4	-	148	17.2*	534.6	414.5	107.8	8.1	-	1.3	-	2.9
	142E	7	500	10	-	-	1	3	-	521	17.4*	2820.8	2606.4	192.1	14.8	-	5.2	-	2.3
	143E	5	474	14	-	-	3	6	-	502	17.9*	3160.9	2934.8	206.7	5.5	0.1	4.8	8.0	1.0
	144E	6	300	7	-	-	9	6	-	328	17.5*	1427.6	1119.0	302.2	3.5	-	2.7	-	0.2
	145E	-	186	13	-	-	5	8	-	212	17.9*	841.7	570.0	258.7	10.5	-	0.6	-	1.9
	146E	-	102	4	-	-	5	5	-	116	18.4*	721.7	677.6	40.7	-	-	3.0	-	0.4
	147E	-	74	3	-	-	4	9	-	90	19.5	487.9	359.2	127.5	0.3	-	0.9	-	-
	148E	1	70	3	-	-	9	18	-	101	18.8*	519.1	368.4	148.8	-	-	0.5	-	1.4
	149E	-	32	-	-	-	6	5	-	43	17.5	115.2	44.2	59.1	5.8	-	4.5	-	1.6
	150E	-	20	-	-	-	4	5	-	29	18.4	58.3	27.9	29.2	1.0	-	0.2	-	-
	151E	1	48	-	-	-	16	15	-	80	18.3*	278.3	104.6	171.7	0.3	-	1.7	-	-
	152E	1	40	2	-	-	16	67	-	126	20.1*	382.6	73.7	298.6	-	-	7.0	-	3.3
	153E	-	-	4	-	-	43	65	-	112	21.0*	473.2	112.3	342.2	5.9	-	9.3	-	3.5
	154E	-	-	-	-	-	75	82	-	157	21.9*	715.0	210.2	481.5	0.3	-	20.3	-	2.7
	155E	-	-	-	-	-	51	58	-	109	21.9*	552.4	232.7	318.2	0.4	-	1.1	-	-
	156E	-	-	-	-	-	30	21	-	51	21.5*	241.1	167.7	71.9	-	-	1.0	-	0.5
	157E	-	1	-	-	-	6	5	-	12	24.5*	24.2	19.0	0.1	-	-	2.1	-	3.0
	158E	-	-	-	-	-	4	3	-	7	25.5	11.7	5.0	1.0	-	-	3.5	-	2.2
	159E	-	1	-	-	-	4	7	-	12	21.5*	4.8	1.5	3.2	-	-	0.1	-	-
	160E	-	1	-	-	-	8	8	-	17	23.0*	56.6	54.5	1.6	-	-	0.3	-	0.2
	161E	-	-	-	-	-	6	2	-	8	22.6	21.4	19.0	2.1	-	-	-	-	0.3
	162E	-	-	-	-	-	1	3	-	4	25.0	16.0	15.5	0.5	-	-	-	-	-
	163E	-	1	-	-	-	6	17	-	24	24.3*	17.8	1.0	15.7	-	-	0.1	-	1.0
	164E	-	1	-	-	-	3	19	-	28	23.6*	44.4	13.0	31.2	0.1	-	0.1	-	-
	165E	-	-	-	-	-	6	45	-	51	24.2*	138.7	27.0	111.4	0.1	-	-	-	0.2
	166E	-	-	-	-	-	3	10	-	13	24.9*	62.7	56.5	6.0	-	-	-	-	0.2
	167E	-	-	-	-	-	-	5	-	5	26.2	1.5	-	1.5	-	-	-	-	-
	168E	-	-	-	-	-	60	81	-	141	23.3*	393.0	62.0	317.6	2.0	-	10.9	-	0.5
	169E	-	-	-	-	-	165	189	-	354	22.9*	1252.4	97.1	1137.8	0.1	-	16.1	-	1.3
	170E	-	-	-	-	-	18	38	-	56	21.6	276.2	3.0	265.3	-	-	7.9	-	-
	171E	-	-	-	-	-	1	1	-	2	18.0*	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	2	-	-	2	27.5	1.8	-	1.5	-	-	-	-	0.3
	*178E	-	-	-	-	-	-	1	-	1	23.0	4.0	1.0	-	-	-	-	-	3.0
	*179W	-	-	-	-	-	-	1	-	1	22.0	1.5	-	1.5	-	-	-	-	-
33N	131E	-	1	-	-	-	-	-	-	1	16.0	3.5	-	3.5	-	-	-	-	-
	132E	-	4	-	-	-	-	-	-	4	14.2	6.4	4.9	-	-	-	-	-	1.5
	133E	-	6	-	-	-	-	-	-	6	18.8	25.0	20.4	-	1.2	-	2.7	-	0.7
	134E	6	55	-	-	-	1	1	-	63	16.0	157.2	156.0	0.5	-	-	0.7	-	-
	135E	10	108	2	-	-	-	-	-	120	16.6*	346.3	321.7	20.3	0.7	-	2.7	-	0.9
	136E	18	316	5	-	-	13	2	-	354	17.3*	698.6	473.2	175.6	15.2	-	7.1	-	27.5
	137E	13	309	3	-	-	40	10	-	375	18.0*	644.3	451.6	166.7	4.0	-	8.0	-	14.0
	138E	6	1017	20	-	-	154	75	-	1272	1.6*	3188.3	1863.0	1214.9	27.3	7.1	4.2	4.8	67.0
	139E	6	872	7	-	-	289	123	-	1297	2.1*	3252.5	1557.6	1500.4	81.2	-	17.2	0.9	95.2
	140E	19	514	9	-	-	9	9	-	560	16.2*	1084.1	920.1	80.3	52.1	-	3.2	-	28.4
	141E	1	196	4	-	-	5	3	-	209	16.9*	650.7	409.3	206.2	10.4	-	18.1	-	6.7
	142E	5	512	9	-	-	2	4	-	532	17.6*	2526.2	2170.9	336.9	12.5	-	3.0	-	2.9
	143E	1	327	7	-	-	2	-	-	337	18.0*	1548.9	1364.6	169.4	6.4	-	4.9	-	3.6
	144E	1	119	1	-	-	3	2	-	126	17.2*	341.0	119.2	215.7	5.5	-	0.1	-	0.5
	145E	-	123	7	-	-	4	6	-	140	17.8*	444.8	163.1	278.6	1.2	-	0.5	-	1.4
	146E	1	78	3	-	-	6	1	-	89	17.8*	299.1	199.9	73.6	15.1	-	7.0	-	3.5
	147E	1	71	-	-	-	6	3	-	81	18.7*	379.3	315.2	50.1	1.8	-	10.0	-	2.2
	148E	3	136	1	-	-	8	4	-	152	16.9*	752.8	493.8	258.7	0.2	-	-	-	0.1
	149E	-	58	3	-	-	7	5	-	73	18.0	434.1	341.7	77.3	5.1	-	9.9	-	0.1
	150E	-	55	1	-	-	12	9	-	77	17.8	374.5	162.0	193.7	13.7	-	4.0	-	1.1
	151E	1	58	5	-	-	19	14	-	97	18.4*	545.4	221.0	305.0	12.1	-	6.0	-	1.3
	152E	-	17	5	-	-	22	42	-	86	20.7	356.4	74.5	277.2	0.3	-	4.0	-	0.4
	153E	-	1	-	-	-	42	58	-	101	21.1	427.8	81.5	342.7	-	-	-	-	3.6
	154E	-	-	1	-	-	170	208	-	379	22.2*	1644.0	122.2	1463.8	8.5	-	45.1	-	4.4
	155E	-	-	1	-	-	91	163	-	255	21.9*	1033.8	126.2	890.7	7.3	-	7.1	-	2.5
	156E	-	4	-	-	-	11	25	-	40	21.2*	140.3	62.6	75.7	0.3	-	0.4	-	1.3
	157E	-	1	-	-	-	3	14	-	18	24.0*	37.4	31.0	6.2	-	-	0.1	-	0.1
	158E	-	-	-	-	-	1	4	-	5	22.8	1.5	1.5	-	-	-	-	-	-
	159E	-	-	-	-	-	9	5	-	14	24.8*	27.5	3.3	23.9	0.3	-	-	-	-
	160E	-	-	-	-	-	2	8	-	10	25.1	3.0	1.5	1.5	-	-	-	-	-
	161E	-	-	-	-	-	2	7	-	9	24.2*	67.0	63.5	3.5	-	-	-	-	-
	162E	-	-	-	-	-	5	14	-	19	24.2	88.1	82.0	5.5	-	-	-	-	-
	163E	-	-	-	-	-	4	47	-	51	24.2*	119.9	52.5	67.4	-	-	-	-	0.6
	164E	-	-	-	-	-	-	9	-	9	25.3	17.5	14.5	-	-	-	3.0	-	-
	165E	-	-	-	-	-	3	6	-	9	23.3	0.5	-	0.5	-	-	-	-	-
	166E	-	-	-	-	-	13	29	-	42	23.9*	249.2	56.0	193.2	-	-	-	-	-
	167E	-	-	-	-	-	9	36	-	45	23.7*	142.3	84.5	49.0	-	-	7.7	-	1.1
	168E	-	-	-	-	-	63	58	-	121	23.0*	656.5	219.2	421.8	0.5	-	11.8	-	3.2
	169E	-	-	-	-	-	43	45	-	88	22.0*	368.4	87.0	260.7	1.2	-	16.1	-	3.4
	170E	-	-	-	-	-	1	3	-	4	23.2	18.0	13.5	3.0	-	-	1.0	-	0.5
	*172E	-	-	-	-	-	1	4	-	5	24.2	0.5	0.5	-	-	-	-	-	-
	173E	-	-	-	-	-	1	-	-	1	20.0	2.0	2.0	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
32N	128E	1	25	-	-	-	-	-	-	26	12.2	92.3	80.9	-	9.4	-	-	0.4	1.6
	129E	-	56	-	-	-	-	-	-	56	12.0	188.0	174.2	-	6.9	-	0.8	-	6.1
	*131E	-	1	-	-	-	-	-	-	1	15.0	1.0	1.0	-	-	-	-	-	-
	132E	8	36	1	-	-	1	-	-	46	14.6	188.8	180.5	-	6.6	-	0.7	-	1.0
	133E	6	79	1	-	-	-	-	-	86	17.1	380.1	362.9	7.3	5.9	-	0.6	-	3.4
	134E	11	254	5	-	-	-	1	-	271	17.2*	861.6	822.3	27.2	8.7	-	-	0.1	3.3
	135E	18	339	9	-	-	1	-	-	367	17.1*	1228.9	1175.7	25.1	3.2	-	6.6	6.0	12.3
	136E	5	533	9	-	-	9	4	-	560	17.8*	1676.2	1492.6	154.9	6.3	-	5.9	1.1	15.4
	137E	3	264	3	-	-	25	14	-	309	17.9*	725.7	485.8	153.5	31.9	0.7	30.4	-	23.4
	138E	-	517	12	-	-	49	9	-	587	0.7*	1270.1	927.4	269.4	27.5	-	10.4	-	35.4

年・漁場別努力量及び漁獲量

NEN -■ETSU　　　*** GYOJYO-BETSU TOUKEI ***　　　54　　　NEN -0■9　　　年 計

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
N 139E	4	571	15	-	-	52	24	-	666	1.7*	1340.1	1067.3	170.6	46.0	-	7.2	-	49.0
140E	2	364	6	-	-	2	1	-	375	16.1*	1198.9	1069.4	93.4	26.5	-	1.1	-	8.5
141E	-	247	7	-	-	7	1	-	262	16.5*	1218.9	1040.5	146.1	20.7	1.0	6.2	-	4.4
142E	-	239	3	-	-	3	1	-	246	16.9*	1135.2	996.8	100.6	23.4	-	13.4	-	1.0
143E	-	87	1	-	-	2	1	-	91	17.0*	463.5	447.2	5.5	8.1	-	0.7	-	2.0
144E	-	66	1	-	-	-	1	-	68	17.1*	275.3	196.6	59.2	10.1	-	9.2	-	0.2
145E	1	79	1	-	-	1	2	-	84	16.6*	318.2	233.1	54.2	10.6	-	2.3	-	18.0
146E	-	42	-	-	-	7	1	-	50	16.8*	131.6	88.5	20.0	22.5	-	0.2	-	0.4
147E	-	30	1	-	-	2	1	-	34	17.0*	180.7	172.1	2.3	5.8	-	0.3	-	0.2
148E	-	26	-	-	-	17	9	-	52	19.0	318.9	275.2	43.7	-	-	-	-	-
149E	-	25	-	-	-	8	3	-	36	19.2	280.2	199.9	66.2	1.6	-	11.0	-	1.5
150E	-	6	-	-	-	4	3	-	13	18.6	60.9	33.6	9.6	2.0	-	15.2	-	0.5
151E	-	4	-	-	-	6	4	-	14	19.6	38.1	12.1	22.8	1.2	-	1.0	-	1.0
152E	-	-	-	-	-	10	5	-	15	20.7*	99.7	64.5	22.0	1.4	-	11.8	-	-
153E	-	-	1	-	-	6	8	-	15	21.8	79.2	19.0	59.2	-	-	1.0	-	-
154E	-	-	-	-	-	5	5	-	10	21.3	38.5	12.8	22.0	1.8	-	1.0	-	0.9
155E	-	-	-	-	-	5	10	-	15	23.1	31.5	22.8	8.7	-	-	-	-	-
156E	-	-	-	-	-	3	7	-	10	23.8*	47.5	43.5	2.2	1.0	-	-	-	0.8
157E	-	-	-	-	-	1	13	-	14	25.7	33.1	12.0	18.2	-	-	2.9	-	-
158E	-	-	-	-	-	4	6	-	10	24.6*	22.5	10.0	1.5	-	-	7.0	-	4.0
159E	-	-	-	-	-	23	21	-	44	24.2*	151.7	6.8	142.4	-	-	-	-	2.5
160E	-	-	-	-	-	19	14	-	33	23.5	154.7	32.5	110.7	1.0	-	10.5	-	-
161E	-	-	-	-	-	6	9	-	15	23.7	65.7	38.8	5.4	-	-	21.5	-	-
162E	-	-	-	-	-	5	23	-	28	22.9*	58.6	31.0	27.6	-	-	-	-	-
163E	-	-	-	-	-	8	31	-	39	23.7*	152.1	52.5	99.2	-	-	-	-	0.4
164E	-	-	-	-	-	9	16	-	25	24.1	62.2	7.0	49.6	0.1	-	5.5	-	-
165E	-	-	-	-	-	38	65	-	103	23.3*	354.9	25.2	311.7	0.8	-	17.0	-	0.2
166E	-	-	-	-	-	79	91	-	170	23.2*	897.1	31.2	861.5	1.1	-	1.6	-	1.7
167E	-	-	-	-	-	5	35	-	40	24.1*	162.0	18.0	143.5	-	-	-	-	0.5
168E	-	-	-	-	-	1	8	-	9	24.3	27.3	-	27.3	-	-	-	-	-
169E	-	-	-	-	-	4	37	-	41	24.5*	158.7	12.5	136.1	-	-	9.1	-	1.0
170E	-	-	-	-	-	-	3	-	3	25.3	2.5	-	2.5	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
172E	-	-	-	-	-	-	3	-	3	21.6	3.0	-	3.0	-	-	-	-	-
173E	-	-	-	-	-	-	2	-	2	19.5	4.0	-	-	-	-	4.0	-	-
174E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*179W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
N 127E	-	1	-	-	-	-	-	-	1	9.0	1.2	1.2	-	-	-	-	-	-
128E	-	7	-	-	-	-	-	-	7	11.8	8.4	6.8	-	-	-	-	-	1.6
129E	2	8	-	-	-	-	-	-	10	12.3	11.3	10.1	-	1.2	-	-	-	-
130E	-	4	-	-	-	-	-	-	4	12.5	2.2	2.2	-	-	-	-	-	-
131E	-	9	-	-	-	-	-	-	9	15.7	37.0	37.0	-	-	-	-	-	-
132E	7	177	11	-	-	-	-	-	195	17.4*	948.1	881.2	7.3	52.7	-	0.9	-	6.0
133E	6	113	3	-	-	2	-	-	124	18.4*	553.3	498.8	44.8	5.4	-	1.6	-	2.7
134E	4	106	1	-	-	-	-	-	111	17.3*	294.7	259.3	20.0	9.9	-	1.7	-	3.8
135E	4	267	4	-	-	-	-	-	275	17.6*	1051.0	1021.4	11.0	8.0	-	5.3	-	5.3
136E	7	428	15	-	-	1	2	-	453	17.8*	1861.8	1812.5	15.5	17.2	-	5.3	-	11.3
137E	5	112	-	-	-	1	1	-	119	16.5*	391.4	331.5	18.5	17.3	-	9.1	-	15.0
138E	1	161	1	-	-	21	7	-	191	16.9*	459.9	258.4	133.9	31.1	-	7.2	-	29.3
139E	1	488	-	-	-	23	4	-	516	15.4*	944.5	631.6	61.8	202.8	-	7.3	1.9	39.1
140E	-	153	4	-	-	3	2	-	162	16.1*	414.3	300.2	29.5	46.9	-	11.1	-	26.6
141E	-	94	4	-	-	8	1	-	107	17.5*	421.4	331.6	55.2	31.1	-	2.3	-	1.2
N 142E	-	109	2	-	-	5	3	-	119	18.4*	942.4	887.9	49.0	0.5	-	-	-	5.0
143E	-	58	6	-	-	1	1	-	66	16.6*	456.0	422.5	20.0	8.9	-	3.1	-	1.5
144E	-	29	-	-	-	-	1	-	30	16.7*	124.2	114.1	-	5.8	-	1.7	-	2.6
145E	-	50	1	-	-	2	-	-	53	16.4*	257.2	219.3	27.3	7.1	-	1.5	-	2.0
146E	-	18	1	-	-	8	2	-	29	17.4	180.4	96.3	58.2	7.8	-	17.9	-	0.2
147E	-	1	-	-	-	5	-	-	6	18.6	15.4	9.0	5.9	0.5	-	-	-	-
148E	-	7	-	-	-	7	7	-	21	20.1*	85.8	43.5	40.7	-	-	1.0	-	0.6
149E	-	-	-	-	-	11	13	-	24	22.0*	85.6	20.3	64.8	-	-	-	-	0.5
150E	-	1	-	-	-	19	6	-	26	24.0*	98.9	7.0	88.9	-	-	3.0	-	-
151E	-	7	-	-	-	16	12	-	35	23.1*	74.0	9.0	59.4	0.1	-	3.3	-	2.2
152E	-	-	-	-	-	10	10	-	20	22.5*	45.0	3.1	39.6	-	-	1.0	-	1.3
153E	-	1	-	-	-	21	16	-	38	23.9	158.4	23.2	128.6	2.0	-	3.0	-	1.6
154E	-	-	-	-	-	36	29	-	65	22.3*	310.5	13.3	285.2	1.5	-	9.7	-	0.8
155E	-	-	-	-	-	15	11	-	26	20.7*	106.1	7.5	94.1	-	-	4.5	-	-
156E	-	-	-	-	-	11	5	-	16	23.2*	49.7	16.0	26.7	1.0	-	6.0	-	-
157E	-	-	-	-	-	12	13	-	25	25.1	26.3	1.5	24.6	-	-	-	-	0.2
158E	-	-	-	-	-	2	7	-	9	23.1*	11.2	0.5	9.7	-	-	-	-	1.0
159E	-	-	-	-	-	26	19	-	45	23.7*	138.0	6.2	126.5	-	-	5.3	-	-
160E	-	-	-	-	-	18	23	-	41	23.8	196.7	10.1	174.6	-	-	10.3	-	1.7
161E	-	-	-	-	-	12	22	-	34	23.7*	133.4	6.2	124.9	1.1	-	0.6	-	0.6
162E	-	-	-	-	-	13	29	-	42	24.7*	260.0	48.0	180.7	4.0	-	27.3	-	-
163E	-	-	-	-	-	6	15	-	21	23.7	72.1	18.8	41.9	-	-	11.4	-	-
164E	-	-	-	-	-	6	12	-	18	23.0*	60.0	6.0	24.0	-	-	30.0	-	-
165E	-	-	-	-	-	2	6	-	8	25.3	19.2	-	19.2	-	-	-	-	-
166E	-	-	-	-	-	1	1	-	2	28.0	3.5	-	3.5	-	-	-	-	-
167E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
168E	-	-	-	-	-	1	15	-	16	26.0	72.5	6.0	66.5	-	-	-	-	-
169E	-	-	-	-	-	-	10	-	10	24.3	57.5	2.0	55.5	-	-	-	-	-
170E	-	-	-	-	-	-	10	-	10	25.4	54.6	41.0	13.6	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*173E	-	-	-	-	-	-	4	-	4	27.0	1.0	1.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	1	-	-	1	32.0	-	-	-	-	-	-	-	-
*139W	-	1	-	-	-	-	-	-	1	15.0	1.5	1.0	-	0.5	-	-	-	-
N 127E	-	5	-	-	-	-	-	-	5	13.6	3.2	2.2	-	-	-	-	-	1.0
128E	2	66	-	-	-	-	-	-	68	12.5	264.5	197.4	5.1	35.5	-	1.2	0.5	24.8
129E	34	101	-	-	-	1	-	-	136	12.3	349.1	263.3	21.6	43.2	-	1.2	0.2	19.6
130E	12	117	-	-	-	-	-	-	129	13.9	179.6	103.1	3.5	34.6	21.3	-	-	17.1
131E	1	10	-	-	-	1	2	-	14	18.3	4.9	4.9	-	-	-	-	-	-
132E	-	14	-	-	-	-	1	-	15	18.2*	32.9	22.7	-	8.3	-	1.6	-	0.3
133E	-	36	-	-	-	1	1	-	38	16.4	44.9	32.9	-	6.5	-	2.5	-	3.0
134E	1	54	-	-	-	1	1	-	57	17.4*	154.6	102.9	4.1	25.5	-	17.1	-	5.0
135E	2	100	-	-	-	-	1	-	103	16.9*	226.7	191.6	4.4	19.5	0.2	7.8	-	3.2
136E	2	90	4	-	-	2	-	-	98	17.6*	293.2	258.0	-	26.2	-	4.7	-	4.3
137E	2	88	-	-	-	6	1	-	97	16.6*	320.6	227.2	4.2	65.2	-	3.4	-	20.6
138E	2	429	-	-	-	23	12	-	466	16.4*	1112.9	688.2	164.2	186.6	-	30.8	0.2	42.9
139E	-	158	-	-	-	15	1	-	174	15.7*	438.3	264.9	14.7	110.2	-	7.5	0.1	40.9
140E	2	236	-	-	-	7	-	-	245	15.2*	476.8	335.2	8.0	104.8	0.3	12.0	0.3	16.2
141E	-	41	1	-	-	4	2	-	48	17.6*	123.3	52.4	12.4	37.6	-	10.7	-	10.2
142E	-	29	-	-	-	3	1	-	33	16.6*	173.9	132.7	19.0	2.0	-	6.6	-	13.6
143E	-	31	-	-	-	3	-	-	34	16.6*	140.5	121.9	2.6	12.5	0.4	0.1	-	3.0
144E	-	8	-	-	-	-	-	-	8	13.5*	28.9	25.9	-	1.9	-	0.3	-	0.8

年・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均年数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
30N 145E	-	2	-	-	-	8	2	-	12	22.7	59.4	28.0	12.3	0.6	-	16.0	-	2.5
146E	-	8	-	-	-	3	1	-	12	16.2	8.1	0.5	4.4	0.1	-	1.2	-	1.9
147E	-	-	-	-	-	16	5	-	21	19.0	25.4	1.0	23.8	-	-	0.1	-	0.5
148E	-	1	-	-	-	22	6	-	29	22.6*	122.5	2.3	112.7	5.9	-	-	-	1.6
149E	-	-	-	-	-	24	1	-	25	18.8*	151.8	6.7	144.5	-	-	0.5	-	0.1
150E	-	1	-	-	-	20	3	-	24	20.1*	116.3	5.0	102.6	0.5	-	6.9	-	1.3
151E	-	4	-	-	-	42	9	-	55	23.7*	188.4	11.5	174.8	0.5	-	0.8	-	0.8
152E	-	-	-	-	-	34	4	-	38	21.2*	168.9	8.4	158.8	-	-	1.7	-	-
153E	-	1	-	-	-	92	35	-	128	21.9*	445.7	26.0	413.3	0.6	-	5.5	-	0.3
154E	-	-	-	-	-	14	8	-	22	22.6*	66.1	9.5	52.7	3.9	-	-	-	-
155E	-	-	-	-	-	5	4	-	9	22.0	6.0	1.0	5.0	-	-	-	-	-
156E	-	-	-	-	-	3	6	-	9	23.3	1.5	0.5	-	-	-	1.0	-	-
157E	-	-	-	-	-	10	4	-	14	22.6	7.0	0.2	5.0	-	-	1.8	-	-
158E	-	-	-	-	-	2	3	-	5	21.7*	6.5	0.5	6.0	-	-	-	-	-
159E	-	-	-	-	-	-	3	-	3	24.6	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	-	5	-	5	24.0	4.0	0.5	2.0	-	-	0.5	-	1.0
161E	-	-	-	-	-	4	12	-	16	25.6	21.2	3.5	14.7	-	-	3.0	-	-
162E	-	-	-	-	-	4	18	-	22	23.3	62.6	21.5	34.1	-	-	6.5	-	0.5
163E	-	-	-	-	-	-	6	-	6	25.3	5.0	3.0	1.0	-	-	1.0	-	-
164E	-	-	-	-	-	1	-	-	1	28.0	-	-	-	-	-	-	-	-
165E	-	-	-	-	-	2	1	-	3	28.6	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	1	4	-	5	24.2	1.5	-	1.5	-	-	-	-	-
167E	-	-	-	-	-	-	2	-	2	28.5	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	-	3	-	3	24.6	18.0	17.0	1.0	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	28.0	1.5	-	1.5	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	26.0	10.0	7.0	-	-	-	-	-	3.0
174E	-	-	-	-	-	-	1	-	1	27.0	7.5	7.5	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	24.0	0.6	-	-	-	-	0.2	-	0.4
176E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	7	-	7	23.5	13.8	9.7	-	1.6	-	-	-	2.5
179E	-	-	-	-	-	-	9	-	9	23.5	54.1	31.5	-	2.4	-	18.5	-	1.7
*179W	-	-	-	-	-	-	1	-	1	25.0	11.0	2.0	-	-	-	6.0	-	3.0
29N 127E	1	19	-	-	-	-	-	-	20	13.1	34.3	31.1	0.5	1.2	-	-	-	1.5
128E	4	283	-	-	-	-	-	-	287	13.0	651.1	486.1	22.5	91.0	-	2.3	2.7	46.5
129E	65	450	-	-	-	-	-	-	515	12.9*	957.7	772.6	9.4	119.7	-	3.4	8.1	44.5
130E	12	170	-	-	-	-	-	-	182	14.3	268.3	124.0	1.6	76.5	25.1	1.5	2.5	37.1
131E	-	6	-	-	-	4	-	-	10	18.4	9.3	6.0	-	2.5	-	-	-	0.8
132E	-	24	-	-	-	-	-	-	24	16.4	96.2	75.6	-	8.1	-	6.4	-	6.1
133E	1	27	-	-	-	-	-	-	28	17.5	69.1	51.0	0.3	9.6	-	5.7	-	2.5
134E	-	31	-	-	-	16	1	-	48	19.8*	94.9	58.0	19.6	7.2	-	2.4	-	7.7
135E	3	39	1	-	-	16	5	-	64	19.3	145.7	90.2	28.0	12.4	-	14.2	-	0.9
136E	1	15	-	-	-	7	2	-	25	19.8*	31.6	30.3	0.1	0.5	-	0.4	-	0.3
137E	-	33	-	-	-	4	1	-	38	17.8*	119.9	64.3	1.9	34.4	-	12.9	-	6.4
138E	-	86	-	-	-	85	22	-	193	19.4*	447.7	77.6	258.0	63.0	-	30.5	-	18.6
139E	1	108	-	-	-	45	10	-	164	17.9*	382.7	122.9	129.2	92.4	-	17.6	-	20.6
140E	-	408	-	-	-	7	1	-	416	15.0*	611.2	300.9	21.5	241.0	-	22.7	-	25.1
141E	-	62	-	-	-	2	1	-	65	15.9*	196.6	110.1	2.9	62.0	-	5.2	-	16.4
142E	-	20	-	-	-	-	1	-	21	16.1*	37.7	18.6	2.1	12.6	-	0.3	-	4.1
143E	-	15	-	-	-	-	1	-	16	16.5*	55.4	44.1	0.8	7.6	-	-	-	2.9
144E	-	8	-	-	-	-	-	-	8	17.4*	13.1	11.7	-	0.7	-	0.5	-	0.2
145E	-	2	-	-	-	8	3	-	13	21.8*	46.1	20.8	9.0	-	-	15.6	-	0.7
146E	-	2	-	-	-	34	4	-	40	19.7*	148.7	13.9	123.1	0.4	-	10.7	-	0.6
147E	-	-	-	-	-	35	6	-	41	19.6*	74.8	6.9	63.1	-	-	4.0	-	0.8
148E	-	-	-	-	-	11	7	-	18	22.2*	26.1	1.5	24.6	-	-	-	-	-
149E	-	-	-	-	-	34	10	-	44	22.7*	81.2	18.3	60.1	0.4	-	1.4	-	1.0
29N 150E	-	1	-	-	-	14	2	-	17	21.0	8.4	1.9	5.5	-	-	1.0	-	-
151E	-	-	-	-	-	3	2	-	5	26.4	10.7	4.0	0.5	0.1	-	5.0	-	1.1
152E	-	-	-	-	-	13	4	-	17	26.4*	80.3	6.5	73.8	-	-	-	-	-
153E	-	1	-	-	-	34	11	-	46	24.3*	146.6	20.0	106.1	2.8	-	17.3	-	0.4
154E	-	-	-	-	-	3	1	-	4	27.6*	4.0	-	4.0	-	-	-	-	-
155E	-	-	-	-	-	1	1	-	2	19.5	13.0	2.8	-	-	-	10.2	-	-
156E	-	-	-	-	-	3	3	-	6	26.1	-	-	-	-	-	-	-	-
157E	-	-	-	-	-	2	1	-	3	25.6	6.0	3.0	-	-	-	3.0	-	-
158E	-	-	-	-	-	1	1	-	2	30.0	-	-	-	-	-	-	-	-
159E	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
160E	-	-	-	-	-	1	2	-	3	21.0	0.8	-	0.7	0.1	-	-	-	-
161E	-	-	-	-	-	2	5	-	7	22.2	6.3	1.1	5.0	-	-	0.2	-	-
162E	-	-	-	-	-	3	6	-	9	26.2	11.0	2.0	3.0	-	-	6.0	-	-
163E	-	-	-	-	-	-	5	-	5	23.8	17.0	-	2.0	-	-	15.0	-	-
164E	-	-	-	-	-	1	3	-	4	24.0	-	-	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	19.0	-	-	-	-	-	-	-	-
*169E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
173E	-	-	-	-	-	1	1	-	2	21.5	-	-	-	-	-	-	-	-
*175E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	18.0	5.0	5.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	3	-	3	22.6	0.5	0.5	-	-	-	-	-	-
178E	-	-	-	-	-	-	9	-	9	24.0	61.9	24.5	-	3.0	-	34.4	-	-
179E	-	-	-	-	-	-	33	-	33	24.6	269.0	142.7	-	23.3	-	103.0	-	-
*179W	-	-	-	-	-	-	19	-	19	25.1	137.8	91.3	-	16.4	-	18.1	-	12.0
178W	-	-	-	-	-	-	1	-	1	22.0	3.0	1.0	-	-	-	2.0	-	-
177W	-	-	-	-	-	1	1	-	2	29.0	3.0	2.5	-	-	-	0.5	-	-
*171W	-	-	-	-	-	-	1	-	1	26.0	12.0	6.0	-	3.0	-	3.0	-	-
28N 126E	-	3	-	-	-	-	-	-	3	14.0	9.0	2.0	-	3.5	-	-	-	3.5
127E	6	217	-	-	-	-	-	-	223	13.5*	574.0	444.0	1.8	89.4	-	2.0	-	36.8
128E	7	129	-	-	-	1	-	-	137	13.8	311.6	220.9	20.6	43.8	-	3.0	0.1	23.2
129E	2	27	-	-	-	-	-	-	29	13.2	28.4	25.2	0.5	0.9	-	-	-	1.8
130E	2	30	-	-	-	-	-	-	32	15.0	70.7	43.2	0.2	18.4	-	-	-	8.9
131E	-	11	-	-	-	-	2	-	13	16.9	18.4	12.5	-	5.4	-	-	-	0.5
132E	2	13	-	-	-	1	-	-	16	16.5*	61.1	42.2	-	11.6	-	6.2	-	1.1
133E	-	11	-	-	-	-	-	-	11	16.6	23.5	19.1	-	1.9	-	1.2	-	1.3
134E	-	4	-	-	-	1	-	-	5	17.4	14.2	14.2	-	-	-	-	-	-
135E	-	10	-	-	-	9	6	-	25	21.9	86.0	19.5	46.5	9.0	-	10.9	-	0.1
136E	-	5	-	-	-	15	3	-	23	24.7	43.8	5.5	37.8	-	-	0.5	-	-
137E	-	23	-	-	-	24	4	-	51	22.4*	108.1	43.4	34.8	26.4	-	0.2	1.0	2.3
138E	-	23	-	-	-	24	8	-	55	20.0*	119.6	35.5	63.4	9.5	-	2.0	-	9.2
139E	-	61	-	-	-	51	5	-	117	18.8*	381.0	153.9	168.9	37.3	-	3.2	-	17.7
140E	-	69	-	-	-	1	1	-	71	15.7*	187.0	126.0	0.4	46.0	-	8.4	-	6.2
141E	-	71	-	-	-	5	-	-	76	14.4*	122.0	54.7	0.4	27.3	-	31.8	-	7.8
142E	-	34	-	-	-	2	-	-	36	15.9*	55.6	37.3	0.2	10.9	-	3.7	-	3.5
143E	-	2	-	-	-	-	2	-	4	21.7	3.9	0.5	-	0.8	-	2.0	-	0.6
144E	-	4	-	-	-	-	-	-	4	17.5	12.2	8.2	-	2.9	-	-	-	1.1
145E	-	-	-	-	-	-	2	-	2	30.0	3.5	-	3.5	-	-	-	-	-
146E	-	-	-	-	-	1	-	-	1	21.0	-	-	-	-	-	-	-	-
147E	-	-	-	-	-	1	1	-	2	24.0	4.0	-	3.5	-	-	-	-	0.5
148E	-	-	-	-	-	4	3	-	7	20.2	17.8	-	17.8	-	-	-	-	-
149E	-	-	-	-	-	17	10	-	27	20.5	83.1	7.7	75.4	-	-	-	-	-
*156E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -013 行 計

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
8N	*160E	-	-	-	-	-	-	2	-	2	26.5	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	1	-	-	1	15.0	0.1	-	-	-	-	0.1	-	-
	*163E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	-	4	-	4	21.5	27.5	20.0	-	7.0	-	0.5	-	-
	*178E	-	-	-	-	-	-	4	-	4	22.2	5.1	5.1	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	27.5	1.2	-	-	1.2	-	-	-	-
	*179W	-	-	-	-	-	-	22	-	22	24.7	219.5	150.0	-	28.0	-	40.5	-	1.0
	178W	-	-	-	-	-	-	18	-	18	24.6	130.0	94.0	-	24.0	-	12.0	-	-
	177W	-	-	-	-	-	1	8	-	9	23.3	18.0	13.1	-	2.5	-	2.0	-	0.4
	176W	-	-	-	-	-	-	13	-	13	23.9	138.1	78.9	-	32.0	-	27.0	-	0.2
	175W	-	-	-	-	-	-	2	-	2	26.0	6.0	4.0	-	2.0	-	-	-	-
7N	125E	-	1	-	-	-	-	-	-	1	13.0	1.3	1.3	-	-	-	-	-	-
	126E	-	84	-	-	-	-	-	-	84	14.0	208.2	151.5	1.6	39.7	-	3.5	0.1	11.8
	127E	67	170	-	-	-	-	-	-	237	14.4*	458.7	351.5	6.7	76.3	-	0.2	-	24.0
	128E	52	35	-	-	-	-	-	-	87	15.1	112.1	91.5	0.1	16.9	-	-	-	3.6
	129E	-	15	-	-	-	-	-	-	15	13.9	36.0	24.3	-	7.3	-	-	-	4.4
	130E	-	14	-	-	-	-	-	-	14	14.0	32.8	17.3	-	9.2	-	0.5	-	5.8
	131E	-	7	-	-	-	-	2	-	9	16.8*	4.8	4.4	-	0.2	-	-	-	0.2
	132E	2	5	-	-	-	-	-	-	7	16.1*	17.9	12.7	-	1.5	-	2.1	-	1.6
	133E	-	2	-	-	-	-	-	-	2	22.0	2.1	2.1	-	-	-	-	-	-
	*135E	-	5	-	-	-	2	1	-	8	20.1	4.3	3.8	0.2	0.3	-	-	-	-
	136E	-	6	-	-	-	2	-	-	8	17.7*	6.4	6.3	0.1	-	-	-	-	-
	137E	-	3	-	-	-	3	3	-	9	22.1*	14.7	2.8	11.9	-	-	-	-	-
	138E	-	2	-	-	-	2	-	-	4	19.5	2.8	0.3	-	-	-	0.5	-	2.0
	139E	-	15	-	-	-	10	-	-	25	17.1*	43.0	22.7	10.0	8.0	-	-	-	2.3
	140E	-	103	-	-	-	6	2	-	111	15.4*	203.4	145.8	7.1	37.5	-	0.3	-	12.7
	141E	-	57	-	-	-	10	2	-	69	16.8*	68.7	45.3	2.8	16.7	-	-	-	3.9
	142E	-	43	-	-	-	5	2	-	50	17.4*	58.6	43.9	-	9.0	-	-	-	5.7
	143E	-	3	-	-	-	2	-	-	5	19.6	6.7	4.6	1.0	0.7	-	-	-	0.4
	144E	-	4	-	-	-	-	-	-	4	17.7	12.1	4.8	-	6.1	-	0.9	-	0.3
	145E	-	134	-	-	-	-	-	-	134	14.6*	314.5	218.5	0.1	83.2	-	-	0.3	12.4
	*160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	32.0	-	-	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	2	-	2	18.0	15.0	10.0	-	3.0	-	2.0	-	-
	176E	-	-	-	-	-	-	2	-	2	18.5	10.0	5.0	-	5.0	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	2	-	2	25.5	5.5	5.0	-	-	-	0.5	-	-
	177W	-	-	-	-	-	-	9	-	9	25.2	36.0	18.5	-	8.0	-	9.5	-	-
	176W	-	-	-	-	-	-	16	-	16	24.5	126.1	90.8	-	20.0	-	14.3	-	1.0
	175W	-	-	-	-	-	-	11	-	11	23.8	57.6	35.1	-	9.5	-	13.0	-	-
6N	124E	-	2	-	-	-	-	-	-	2	12.5	14.5	14.5	-	-	-	-	-	-
	125E	-	42	-	-	-	-	-	-	42	13.6	138.9	117.0	0.6	14.7	-	2.2	-	4.4
	126E	39	68	-	-	-	-	-	-	107	15.3	200.6	160.4	2.0	27.1	-	4.3	-	6.8
	127E	43	20	-	-	-	-	-	-	63	16.0	95.3	82.8	3.0	9.3	-	-	-	0.2
	128E	-	46	-	-	-	-	-	-	46	14.6	105.7	86.2	-	12.6	-	2.5	-	4.4
	129E	-	3	-	-	-	-	1	-	4	18.5	0.5	0.5	-	-	-	-	-	-
	130E	-	6	-	-	-	-	-	-	6	17.3	3.6	1.8	-	0.2	-	-	-	1.6
	131E	-	2	-	-	-	-	-	-	2	12.5	-	-	-	-	-	-	-	-
6N	132E	-	4	-	-	-	-	-	-	4	16.0	24.5	13.2	-	9.3	-	2.0	-	-
	133E	-	1	-	-	-	-	-	-	1	22.0	2.4	2.4	-	-	-	-	-	-
	134E	-	1	-	-	-	2	1	-	4	22.2	-	-	-	-	-	-	-	-
	135E	-	15	-	-	-	3	-	-	18	19.2	35.2	26.0	-	8.7	-	-	-	0.5
	136E	-	8	-	-	-	-	-	-	8	17.1*	4.6	2.5	2.1	-	-	-	-	-
	137E	-	1	-	-	-	-	-	-	1	16.0	1.9	1.9	-	-	-	-	-	-
	*139E	-	-	-	-	-	4	-	-	4	26.0	0.5	0.5	-	-	-	-	-	-
	140E	-	232	-	-	-	1	-	-	233	14.9*	322.1	198.7	6.5	102.2	-	2.2	-	12.5
	141E	-	40	-	-	-	1	2	-	43	16.6*	82.4	68.1	-	11.1	-	-	-	3.2
	142E	-	36	-	-	-	2	-	-	38	16.5*	147.0	134.1	-	10.4	-	0.3	0.8	1.4
	143E	-	2	-	-	-	2	-	-	4	21.7	4.8	4.8	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*150E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*174E	-	-	-	-	-	1	3	-	4	19.5	4.5	4.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	19.0	3.0	3.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	23.5	36.0	35.5	-	-	-	0.5	-	-
	177E	-	-	-	-	-	-	1	-	1	25.0	6.0	6.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	20.0	29.5	22.2	-	-	-	7.3	-	-
	*177W	-	-	-	-	-	-	1	-	1	26.0	7.5	3.5	-	2.0	-	2.0	-	-
	176W	-	-	-	-	-	-	2	-	2	29.5	26.3	24.1	-	2.2	-	-	-	-
	175W	-	-	-	-	-	1	5	-	6	23.6	19.0	14.0	-	-	-	1.0	-	4.0
	174W	-	-	-	-	-	-	18	-	18	23.7	135.8	115.8	-	18.6	-	1.0	-	0.4
	173W	-	-	-	-	-	-	7	-	7	24.4	23.6	22.2	-	0.6	-	0.8	-	-
	172W	-	-	-	-	-	-	5	-	5	24.6	33.5	32.0	-	-	-	0.5	-	1.0
25N	122E	-	1	-	-	-	-	-	-	1	12.0	-	-	-	-	-	-	-	-
	*124E	-	15	-	-	-	1	1	-	17	16.0	49.7	36.8	-	11.7	-	-	-	1.2
	125E	-	40	-	-	-	-	-	-	40	14.2	157.3	118.5	3.0	27.7	-	-	-	8.1
	126E	2	55	1	-	-	1	-	-	59	14.6	159.5	107.4	3.0	35.2	-	1.2	-	12.7
	127E	-	57	1	-	-	-	-	-	58	14.7	174.2	143.1	2.0	18.9	-	1.9	-	8.3
	128E	-	17	-	-	-	-	-	-	17	15.7	39.3	22.5	3.6	6.2	-	3.5	-	3.5
	129E	-	4	-	-	-	-	-	-	4	15.5	16.5	16.5	-	-	-	-	-	-
	130E	-	4	-	-	-	-	-	-	4	19.5	6.3	5.0	1.0	0.3	-	-	-	-
	131E	-	5	-	-	-	-	-	-	5	17.8	0.5	0.5	-	-	-	-	-	-
	132E	-	3	-	-	-	1	-	-	4	19.2	3.5	2.5	-	-	-	1.0	-	-
	133E	-	1	-	-	-	2	-	-	3	23.6	-	-	-	-	-	-	-	-
	134E	-	3	-	-	-	-	-	-	3	17.6	10.7	5.1	-	4.3	-	-	-	1.3
	135E	-	-	-	-	-	2	-	-	2	30.5	0.5	-	-	-	-	-	-	0.5
	136E	-	6	-	-	-	-	-	-	6	18.0*	9.0	9.0	-	-	-	-	-	-
	137E	-	2	-	-	-	-	-	-	2	18.5	0.5	0.5	-	-	-	-	-	-
	138E	-	2	-	-	-	1	-	-	3	19.0	2.2	2.2	-	-	-	-	-	-
	*140E	-	8	-	-	-	1	-	-	9	16.5	22.7	21.1	-	1.6	-	-	-	-
	141E	-	39	-	-	-	-	-	-	39	16.0*	137.7	116.9	-	10.0	-	-	-	10.8
	142E	-	8	-	-	-	-	1	-	9	15.7*	17.7	14.3	-	3.0	-	-	-	0.4
	143E	-	1	-	-	-	1	-	-	2	24.0	43.7	43.7	-	-	-	-	-	-
	*146E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	2	-	2	19.0	6.5	2.5	-	1.0	-	-	-	3.0
	*172E	-	-	-	-	-	-	3	-	3	19.0	20.0	19.0	-	1.0	-	-	-	-
	173E	-	-	-	-	-	-	2	-	2	19.0	30.0	30.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	6	-	6	20.6	43.5	43.0	-	-	-	-	-	0.5
	*174W	-	-	-	-	-	-	4	-	4	24.0	9.8	9.5	-	-	-	0.3	-	-
	173W	-	-	-	-	-	1	11	-	12	23.5	101.0	96.0	-	2.0	-	1.0	-	2.0

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -015 年 計

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
25N	172W	-	-	-	-	-	1	24	-	25	24.2	214.9	195.5	-	11.6	-	6.0	-	1.8
	171W	-	-	-	-	-	-	6	-	6	27.1	70.1	62.5	-	5.2	-	1.0	-	1.4
	170W	-	-	-	-	-	-	17	-	17	24.7	105.2	98.2	-	5.0	-	0.3	-	1.7
	169W	-	-	-	-	-	-	11	-	11	25.0	152.8	148.0	-	3.4	-	1.0	-	0.4
	168W	-	-	-	-	-	-	2	-	2	23.0	20.0	18.0	-	2.0	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
24N	122E	-	5	-	-	-	-	-	-	5	18.6	1.5	1.5	-	-	-	-	-	-
	123E	-	12	-	-	-	-	-	-	12	16.0	21.8	21.8	-	-	-	-	-	-
	124E	-	18	-	-	-	-	-	-	18	14.4	62.1	58.6	-	2.4	-	-	-	1.1
	125E	-	16	-	-	-	-	-	-	16	14.6	67.0	64.1	0.6	2.2	-	-	-	0.1
	126E	-	43	-	-	-	-	-	-	43	13.6	154.4	117.5	-	32.1	-	-	-	4.8
	127E	-	15	1	-	-	-	-	-	16	16.4	54.1	38.2	2.0	8.7	-	-	-	5.2
	128E	-	5	-	-	-	-	-	-	5	17.2	23.9	23.2	-	0.5	-	-	-	0.2
	129E	-	5	-	-	-	-	-	-	5	15.0	12.2	3.5	-	-	-	3.0	-	5.7
	130E	-	9	1	-	-	-	-	-	10	17.3*	10.9	4.0	-	0.5	-	5.0	-	1.4
	131E	-	18	-	-	-	1	-	-	19	17.4	18.5	10.6	-	7.4	-	-	-	0.5
	132E	-	10	-	-	-	-	-	-	10	18.8	12.5	12.0	-	-	-	-	-	0.5
	133E	-	2	-	-	-	-	-	-	2	18.5	1.0	1.0	-	-	-	-	-	-
	134E	-	12	1	-	-	-	-	-	13	17.5	26.5	17.8	-	8.5	-	-	-	0.2
	*136E	-	2	-	-	-	-	1	-	3	16.6	-	-	-	-	-	-	-	-
	*140E	-	5	-	-	-	2	-	-	7	16.3*	12.0	11.4	-	-	-	0.6	-	-
	141E	-	58	-	-	-	-	2	-	60	16.7*	227.8	197.3	3.0	18.0	-	-	0.1	9.4
	142E	-	7	-	-	-	-	1	-	8	17.4*	20.2	19.5	-	0.5	-	-	-	0.2
	143E	-	2	-	-	-	-	-	-	2	12.0*	-	-	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	22.0	6.1	5.0	-	0.9	-	-	-	0.2
	*146E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*152E	-	-	-	-	-	-	4	-	4	28.0	28.0	28.0	-	-	-	-	-	-
	153E	-	1	-	-	-	2	-	-	3	15.6	14.2	13.0	-	1.0	-	-	-	0.2
	154E	-	17	-	-	-	1	-	-	18	13.3	31.0	7.9	-	21.8	-	-	-	1.3
	*159E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	
	164E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	
	*167E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	
	*169E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	
	*179E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	
	*174W	-	-	-	-	-	-	1	-	1	20.0	4.9	4.0	-	0.4	-	0.5	-	-
	173W	-	-	-	-	-	-	1	-	1	20.0	8.2	4.0	-	2.0	-	2.2	-	-
	172W	-	-	-	-	-	-	3	-	3	21.3	26.5	22.0	-	2.0	-	2.0	-	0.5
	171W	-	-	-	-	-	-	2	-	2	22.0	0.5	-	-	-	-	-	-	0.5
	170W	-	-	-	-	-	-	3	-	3	26.0	39.5	37.0	-	1.5	-	1.0	-	-
	169W	-	-	-	-	-	-	2	-	2	26.5	31.0	31.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	4	-	4	24.0	35.0	34.0	-	-	-	-	-	1.0
	167W	-	-	-	-	-	-	12	-	12	23.6	100.2	97.2	-	3.0	-	-	-	-
	166W	-	-	-	-	-	-	5	-	5	24.4	59.1	55.1	-	3.0	-	-	-	1.0
	165W	-	-	-	-	-	-	5	-	5	23.8	43.0	41.5	-	1.0	-	-	-	0.5
	164W	-	-	-	-	-	-	3	-	3	24.3	12.7	12.7	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	2	-	2	26.0	10.0	10.0	-	-	-	-	-	-
23N	122E	-	16	-	-	-	-	-	-	16	15.6■	51.2	50.7	-	-	-	-	-	0.5
	123E	-	40	-	-	-	1	-	-	41	14.0	114.6	102.4	0.4	8.5	-	-	-	3.3
	124E	-	66	-	-	-	6	-	-	72	15.1	343.2	321.5	2.5	15.0	-	2.1	-	2.1
	125E	-	74	-	-	-	-	-	-	74	15.2	474.0	443.0	16.4	10.6	-	-	-	4.0
	126E	-	25	-	-	-	1	-	-	26	15.9	59.8	54.7	-	4.6	-	-	-	0.5
	127E	-	7	1	-	-	-	-	-	8	17.0	45.0	39.8	-	1.3	-	3.0	-	0.9
23N	128E	-	3	-	-	-	-	-	-	3	18.3	6.4	6.4	-	-	-	-	-	-
	129E	-	6	-	-	-	-	-	-	6	15.0	13.4	12.0	-	1.0	-	-	-	0.4
	130E	-	19	-	-	-	-	-	-	19	15.0	48.9	46.1	0.3	2.2	-	-	-	0.3
	131E	-	14	2	-	-	-	-	-	16	19.5*	32.6	30.8	-	1.5	-	-	-	0.3
	132E	-	11	-	-	-	-	-	-	11	19.4	35.2	35.2	-	-	-	-	-	-
	133E	-	2	-	-	-	-	2	-	4	21.7	2.0	2.0	-	-	-	-	-	-
	134E	-	2	-	-	-	-	1	-	3	19.6	-	-	-	-	-	-	-	-
	135E	-	3	-	-	-	-	1	-	4	15.7	0.6	0.6	-	-	-	-	-	-
	136E	-	1	-	-	-	3	-	-	4	20.2	1.0	1.0	-	-	-	-	-	-
	137E	-	-	-	-	-	4	-	-	4	25.5	-	-	-	-	-	-	-	-
	138E	-	1	-	-	-	1	1	-	3	23.0	3.2	1.5	-	1.2	-	-	-	0.5
	139E	-	-	-	-	-	2	1	-	3	21.0	1.0	1.0	-	-	-	-	-	-
	140E	-	1	-	-	-	-	-	-	1	15.0	12.0	12.0	-	-	-	-	-	-
	141E	-	98	-	-	-	2	-	-	100	14.9*	419.5	354.8	1.0	54.2	-	-	-	9.5
	142E	-	35	-	-	-	1	1	-	37	15.8*	112.3	104.5	-	7.4	-	-	-	0.4
	143E	-	10	-	-	-	1	-	-	11	13.5	50.4	40.6	-	4.0	-	3.7	-	2.1
	144E	-	-	-	-	-	1	1	-	2	25.0	1.0	1.0	-	-	-	-	-	-
	145E	-	-	-	-	-	1	-	-	1	13.0	2.0	2.0	-	-	-	-	-	-
	146E	-	-	-	-	-	1	2	-	3	25.3	2.5	2.5	-	-	-	-	-	-
	147E	-	-	-	-	-	-	1	-	1	30.0	3.0	3.0	-	-	-	-	-	-
	*149E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	3	-	3	23.3	33.0	33.0	-	-	-	-	-	-
	151E	-	-	-	-	-	-	2	-	2	24.5	4.0	4.0	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	3	-	4	23.0	9.5	6.3	-	-	-	3.2	-	-
	154E	-	-	-	-	-	-	1	-	1	24.0	0.9	0.6	-	0.3	-	-	-	-
	*156E	-	-	-	-	-	-	1	-	1	20.0	3.0	3.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	2	-	2	24.0	1.0	1.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	164E	-	-	-	-	-	-	3	-	3	18.6	13.0	12.5	-	0.5	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	21.0	1.0	1.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	1	1	-	2	29.0	1.5	1.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	28.0	16.0	16.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	2	-	2	24.0	4.0	4.0	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	2	-	2	23.5	4.0	4.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	3	-	3	24.0	27.0	27.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	3	-	3	26.3	27.3	27.3	-	-	-	-	-	-
	165W	-	-	-	-	-	-	5	-	5	23.2	51.0	44.0	-	7.0	-	-	-	-
	164W	-	-	-	-	-	-	9	-	9	24.3	71.0	69.0	-	1.0	-	1.0	-	-
	163W	-	-	-	-	-	-	10	-	10	24.9	99.0	90.0	-	8.0	-	1.0	-	-
	162W	-	-	-	-	-	-	2	-	2	25.0	30.5	30.0	-	-	-	-	-	0.5
	161W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
22N	119E	-	2	-	-	-	-	-	-	2	14.5	-	-	-	-	-	-	-	-
	120E	-	26	-	-	-	-	-	-	26	16.6	14.6	13.1	0.1	1.4	-	-	-	-
	121E	-	17	-	-	-	-	-	-	17	16.3	17.2	13.1	-	4.0	-	-	-	0.1
	122E	-	55	-	-	-	2	-	-	57	14.3	204.7	201.2	-	3.0	-	-	-	0.5
	123E	-	22	-	-	-	1	-	-	23	14.3	48.5	44.2	-	3.0	-	-	-	1.3
	124E	-	41	-	-	-	2	-	-	43	14.6	180.0	173.5	3.0	2.9	-	-	-	0.6
	125E	-	53	1	-	-	-	1	-	55	15.1	276.7	272.6	-	2.0	-	1.0	-	1.1
	126E	-	76	3	-	-	2	-	-	81	16.6	442.7	433.3	-	5.8	-	1.0	-	2.6
	127E	-	15	3	-	-	1	1	-	20	17.0	95.8	94.1	-	1.7	-	-	-	-
	128E	-	12	-	-	-	-	-	-	12	14.5	47.4	45.7	1.0	0.7	-	-	-	-

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
2N 129E	-	48	-	-	-	-	-	-	48	15.7*	149.8	145.9	-	0.5	-	-	-	3.4
130E	-	60	-	-	-	1	-	-	61	16.5	242.4	235.5	-	1.9	-	-	-	5.0
131E	-	18	2	-	-	-	-	-	20	15.9	62.8	60.9	-	1.5	-	-	-	0.4
132E	-	13	3	-	-	-	-	-	16	19.4	59.5	57.5	-	2.0	-	-	-	-
133E	-	6	-	-	-	1	-	-	7	16.5	12.2	12.2	-	-	-	-	-	-
134E	-	5	-	-	-	-	-	-	5	17.4	4.6	4.6	-	-	-	-	-	-
135E	-	4	-	-	-	1	-	-	5	17.6	2.8	2.8	-	-	-	-	-	-
136E	-	3	1	-	-	-	-	-	4	15.5	4.6	3.6	-	0.3	-	-	-	0.7
137E	-	2	-	-	-	5	-	-	7	23.5	7.5	7.5	-	-	-	-	-	-
*139E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.3	-	-	-	-	-	0.2
140E	-	1	-	-	-	1	-	-	2	17.0	1.0	1.0	-	-	-	-	-	-
141E	-	2	-	-	-	-	1	-	3	19.0*	-	-	-	-	-	-	-	-
142E	-	31	-	-	-	11	1	-	43	15.8*	154.8	126.1	-	28.0	-	-	-	0.7
143E	-	13	-	-	-	9	2	-	24	17.0*	93.8	85.9	-	7.3	-	0.3	-	0.3
144E	-	3	-	-	-	4	2	-	9	17.1*	48.1	46.1	-	-	-	1.0	-	1.0
145E	-	-	-	-	-	8	2	-	10	19.1	50.0	49.7	-	0.3	-	-	-	-
146E	-	-	-	-	-	2	10	-	12	24.0	79.7	79.7	-	-	-	-	-	-
147E	-	-	-	-	-	1	2	-	3	23.6	7.5	7.5	-	-	-	-	-	-
148E	-	-	-	-	-	-	3	-	3	25.0	20.0	20.0	-	-	-	-	-	-
149E	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
150E	-	-	-	-	-	1	1	-	2	21.0	2.5	2.5	-	-	-	-	-	-
151E	-	-	-	-	-	-	1	-	1	30.0	5.0	5.0	-	-	-	-	-	-
152E	-	-	-	-	-	-	2	-	2	24.5	6.6	6.6	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	31.0	3.0	3.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	2	-	2	29.0	21.0	21.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	24.0	0.3	0.3	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	29.0	8.0	8.0	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	27.0	9.0	9.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	-	2	-	2	22.0	14.0	14.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	2	-	2	23.5	5.5	5.5	-	-	-	-	-	-
*171E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	26.0	4.5	4.5	-	-	-	-	-	-
175E	-	-	-	-	-	1	1	-	2	27.0	9.0	9.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*173W	-	-	-	-	-	-	1	-	1	23.0	3.0	3.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
169W	-	-	-	-	-	-	3	-	3	28.3	16.3	15.3	-	-	-	-	-	1.0
*166W	-	-	-	-	-	-	2	-	2	26.0	7.0	6.0	-	1.0	-	-	-	-
165W	-	-	-	-	-	-	2	-	2	27.0	4.0	4.0	-	-	-	-	-	-
164W	-	-	-	-	-	-	1	-	1	26.0	9.0	9.0	-	-	-	-	-	-
*162W	-	-	-	-	-	-	2	-	2	27.0	8.0	8.0	-	-	-	-	-	-
161W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
1N 119E	-	4	-	-	-	-	-	-	4	15.7	5.0	3.5	-	1.5	-	-	-	-
120E	-	91	3	-	-	-	-	-	94	16.4*	152.5	140.1	0.4	9.2	-	-	1.3	1.5
121E	-	38	-	-	-	-	-	-	38	15.5	77.3	72.3	-	1.4	-	-	-	3.6
122E	-	16	-	-	-	-	-	-	16	13.9	59.7	58.3	-	1.4	-	-	-	-
123E	-	16	-	-	-	-	-	-	16	14.0	31.6	30.0	-	1.5	-	-	-	0.1
124E	-	17	-	-	-	-	-	-	17	12.8	30.5	24.9	2.0	3.2	-	-	-	0.4
125E	-	30	1	-	-	1	-	-	32	14.5	151.0	146.1	-	4.0	-	-	-	0.9
126E	-	42	4	-	-	2	5	-	53	16.3*	324.3	322.5	-	1.3	-	-	-	0.5
21N 127E	-	14	-	-	-	1	-	-	15	15.2	37.8	36.3	-	1.2	-	-	-	0.3
128E	-	42	-	-	-	8	2	-	52	17.1	207.4	194.9	-	12.1	-	-	-	0.4
129E	-	60	1	-	-	13	1	-	75	17.1*	258.3	254.2	0.1	3.3	-	-	-	0.7
130E	-	42	1	-	-	1	-	-	44	14.9*	178.9	168.8	-	7.2	-	-	-	2.9
131E	-	55	1	-	-	1	1	-	58	16.5	234.6	227.5	-	5.4	-	-	-	1.7
132E	-	46	5	-	-	4	1	-	56	16.7	212.4	211.3	-	-	-	-	-	1.1
133E	-	17	-	-	-	4	1	-	22	18.4*	48.0	46.9	-	1.1	-	-	-	-
134E	-	13	-	-	-	1	-	-	14	17.4*	21.0	19.8	-	1.2	-	-	-	-
135E	-	4	-	-	-	2	1	-	7	20.8	27.0	27.0	-	-	-	-	-	-
136E	-	29	1	-	-	7	2	-	39	17.8	160.6	160.6	-	-	-	-	-	-
137E	-	-	-	-	-	3	-	-	3	27.6	-	-	-	-	-	-	-	-
138E	-	5	-	-	-	1	-	-	6	16.6	24.4	21.0	-	0.7	-	2.7	-	-
139E	-	1	-	-	-	1	-	-	2	19.0	7.5	7.5	-	-	-	-	-	-
140E	-	-	-	-	-	-	1	-	1	34.0	2.0	2.0	-	-	-	-	-	-
141E	-	4	-	-	-	3	3	-	10	19.1*	19.9	19.6	-	0.2	-	-	-	0.1
142E	-	10	-	-	-	12	-	-	22	16.3	57.0	51.8	0.8	1.9	-	2.5	-	-
143E	-	42	-	-	-	6	1	-	49	16.3*	133.9	114.3	-	15.9	-	-	-	3.7
144E	-	56	-	-	-	9	6	-	71	16.4*	219.6	208.3	-	6.8	-	0.3	-	4.2
145E	-	27	-	-	-	4	2	-	33	17.2*	105.6	97.4	-	3.7	-	2.8	-	1.7
146E	-	4	-	-	-	2	5	-	11	20.6	62.5	60.7	-	1.8	-	-	-	-
147E	-	-	-	-	-	1	1	-	2	20.0	12.2	12.0	-	-	-	-	-	0.2
148E	-	-	-	-	-	4	10	-	14	24.2	78.8	78.8	-	-	-	-	-	-
149E	-	-	-	-	-	8	8	-	16	20.0	70.9	70.9	-	-	-	-	-	-
150E	-	-	-	-	-	-	4	-	4	25.7	17.9	17.9	-	-	-	-	-	-
151E	-	-	-	-	-	3	4	-	7	24.8	52.0	52.0	-	-	-	-	-	-
*153E	-	-	-	-	-	-	5	-	5	24.0	55.0	51.5	-	0.5	-	3.0	-	-
154E	-	-	-	-	-	1	3	-	4	25.7	34.0	34.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	2	-	2	31.0	1.0	1.0	-	-	-	-	-	-
*159E	-	-	-	-	-	1	1	-	2	19.0	12.5	12.5	-	-	-	-	-	-
*161E	-	-	-	-	-	1	-	-	1	19.0	1.0	1.0	-	-	-	-	-	-
162E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*164E	-	-	-	-	-	-	4	-	4	29.0	8.0	8.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	22.0	8.5	7.5	-	0.5	-	0.5	-	-
166E	-	-	-	-	-	-	7	-	7	25.0	24.8	23.9	-	0.2	-	0.7	-	-
167E	-	-	-	-	-	-	2	-	2	26.0	9.0	9.0	-	-	-	-	-	-
168E	-	-	-	-	-	1	2	-	3	18.0	2.0	2.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	18.0	8.0	8.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	8	-	8	28.0	113.9	113.4	-	0.5	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	18.0	5.5	5.5	-	-	-	-	-	-
*173E	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	23.0	3.0	3.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	2	-	2	29.5	0.2	0.2	-	-	-	-	-	-
*178W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
*172W	-	-	-	-	-	-	2	-	2	27.0	2.6	2.0	-	0.6	-	-	-	-
*163W	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
*158W	-	-	-	-	-	-	1	-	1	28.0	4.0	4.0	-	-	-	-	-	-
20N 119E	-	2	-	-	-	-	-	-	2	14.5	1.0	1.0	-	-	-	-	-	-
120E	-	3	-	-	-	-	-	-	3	16.6	1.5	1.5	-	-	-	-	-	-
121E	-	5	-	-	-	-	-	-	5	13.0	21.7	21.7	-	-	-	-	-	-
122E	-	9	-	-	-	2	-	-	11	15.9	42.3	42.0	-	0.2	-	-	-	0.1
123E	-	7	-	-	-	2	-	-	9	17.4	33.2	33.2	-	-	-	-	-	-
124E	-	11	-	-	-	20	-	-	31	19.7	231.2	229.1	-	2.0	-	-	-	0.1
125E	-	14	-	-	-	5	-	-	19	18.6*	102.6	100.9	-	1.5	-	-	-	0.2

年・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
20N 126E	-	19	-	-	-	1	-	-	20	16.3*	82.0	80.5	-	1.1	-	-	-	0.4
127E	-	31	1	-	-	-	2	-	34	16.8*	137.2	131.0	-	3.4	-	1.1	-	1.7
128E	-	60	-	-	-	-	5	-	65	15.4	305.0	283.9	-	17.0	-	-	-	4.1
129E	-	28	4	-	-	1	1	-	34	16.0	136.3	136.3	-	-	-	-	-	-
130E	-	34	3	-	-	1	-	-	38	17.0*	136.8	132.9	0.7	2.4	-	-	-	0.8
131E	-	57	1	-	-	9	1	-	68	19.8*	325.8	324.4	-	1.4	-	-	-	-
132E	-	45	-	-	-	1	3	-	49	18.4	193.0	192.5	-	0.3	-	-	-	0.2
133E	-	14	-	-	-	2	1	-	17	18.5	64.2	57.0	-	4.7	-	-	-	2.5
134E	-	29	-	-	-	13	2	-	44	16.7	122.5	116.2	-	5.3	-	1.0	-	-
135E	-	19	-	-	-	22	4	-	45	18.9	203.1	120.9	-	0.9	-	-	80.2	1.1
136E	-	46	3	-	-	21	6	-	76	18.6	353.5	338.8	-	12.5	-	0.4	-	1.8
137E	-	6	-	-	-	15	3	-	24	19.7	79.9	77.9	-	1.7	-	0.3	-	-
138E	-	3	-	-	-	1	-	-	4	15.2	13.8	10.8	-	3.0	-	-	-	-
139E	-	2	-	-	-	4	1	-	7	19.7	12.9	10.3	-	1.5	-	-	-	1.1
140E	-	-	-	-	-	12	1	-	13	22.0	39.9	39.9	-	-	-	-	-	-
141E	-	3	-	-	-	5	1	-	9	19.8	54.5	51.9	-	2.4	-	-	-	0.2
142E	-	60	-	-	-	6	2	-	68	15.6*	165.1	102.3	-	58.4	-	-	-	4.4
143E	-	21	-	-	-	8	1	-	30	17.0*	112.9	101.8	-	9.8	-	-	-	1.3
144E	-	93	-	-	-	11	11	-	115	17.0*	424.9	393.2	-	26.2	-	-	-	5.5
145E	-	112	-	-	-	22	4	-	138	16.5*	625.0	573.5	-	47.4	-	0.5	-	3.6
146E	-	14	-	-	-	15	7	-	36	19.8*	213.0	206.6	-	5.7	-	-	-	0.7
147E	-	-	-	-	-	11	8	-	19	23.1	105.5	105.5	-	-	-	-	-	-
148E	-	-	-	-	-	33	15	-	48	22.7	278.2	277.9	-	-	-	0.3	-	-
149E	-	-	-	-	-	7	4	-	11	23.8	72.4	72.4	-	-	-	-	-	-
150E	-	-	-	-	-	4	3	-	7	24.4	41.3	41.3	-	-	-	-	-	-
151E	-	-	-	-	-	6	6	-	12	23.8	40.5	40.5	-	-	-	-	-	-
152E	-	-	-	-	-	1	4	-	5	25.4	17.0	17.0	-	-	-	-	-	-
153E	-	-	-	-	-	5	11	-	16	24.1	169.5	169.5	-	-	-	-	-	-
154E	-	-	-	-	-	-	8	-	8	26.6	73.0	73.0	-	-	-	-	-	-
155E	-	-	-	-	-	1	1	-	2	25.5	8.4	7.5	-	0.9	-	-	-	-
156E	-	-	-	-	-	-	2	-	2	27.0	12.0	12.0	-	-	-	-	-	-
157E	-	-	-	-	-	1	1	-	2	23.0	17.5	17.5	-	-	-	-	-	-
158E	-	-	-	-	-	1	1	-	2	20.5	2.0	2.0	-	-	-	-	-	-
159E	-	-	-	-	-	2	5	-	7	20.1	40.8	40.5	-	0.3	-	-	-	-
160E	-	-	-	-	-	2	2	-	4	23.7	16.4	14.0	2.4	-	-	-	-	-
161E	-	-	-	-	-	-	2	-	2	25.0	10.0	10.0	-	-	-	-	-	-
162E	-	-	-	-	-	-	6	-	6	22.6	29.3	29.3	-	-	-	-	-	-
163E	-	-	-	-	-	1	3	-	4	22.2	20.0	20.0	-	-	-	-	-	-
164E	-	-	-	-	-	1	2	-	3	22.3	6.5	3.5	3.0	-	-	-	-	-
165E	-	-	-	-	-	1	-	-	1	22.0	28.0	28.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	3	-	3	22.6	4.5	4.5	-	-	-	-	-	-
167E	-	-	-	-	-	1	1	-	2	23.5	5.0	5.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	4	-	4	24.5	17.0	17.0	-	-	-	-	-	-
169E	-	-	-	-	-	1	11	-	12	23.9	97.0	97.0	-	-	-	-	-	-
170E	-	-	-	-	-	1	4	-	5	23.4	26.0	26.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	1	-	1	29.0	5.0	5.0	-	-	-	-	-	-
*173E	-	-	-	-	-	-	3	-	3	24.3	11.7	11.4	-	-	-	0.2	-	0.1
174E	-	-	-	-	-	-	1	-	1	37.0	1.2	-	-	-	-	1.2	-	-
175E	-	-	-	-	-	-	3	-	3	37.0	19.3	17.7	-	-	-	1.6	-	-
176E	-	-	-	-	-	-	9	-	9	22.2	46.6	46.6	-	-	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	28.0	9.0	9.0	-	-	-	-	-	-
*172W	-	-	-	-	-	-	1	-	1	26.0	3.2	2.0	-	-	-	1.2	-	-
*163W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
162W	-	-	-	-	-	-	3	-	3	26.0	35.0	35.0	-	-	-	-	-	-
161W	-	-	-	-	-	-	2	-	2	26.0	18.0	16.0	-	-	-	2.0	-	-
160W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
159W	-	-	-	-	-	-	2	-	2	26.0	13.0	13.0	-	-	-	-	-	-
19N 121E	-	2	-	-	-	-	-	-	2	20.0	2.5	2.5	-	-	-	-	-	-
122E	-	-	-	-	-	2	-	-	2	25.0	4.0	4.0	-	-	-	-	-	-
123E	-	6	-	-	-	-	-	-	6	14.1	26.5	26.5	-	-	-	-	-	-
124E	-	9	-	-	-	-	-	-	9	13.7	50.5	49.5	-	1.0	-	-	-	-
125E	-	2	-	-	-	2	3	-	7	21.0	39.8	39.2	-	0.6	-	-	-	-
126E	-	4	-	-	-	3	1	-	8	21.2	25.3	25.3	-	-	-	-	-	-
127E	-	46	2	-	-	3	3	-	54	17.1	363.0	350.8	0.3	5.3	-	-	-	6.6
128E	-	56	1	-	-	5	5	-	67	16.6*	271.4	266.4	-	2.8	-	0.2	-	2.0
129E	-	19	2	-	-	3	6	-	30	17.6*	119.3	108.0	-	10.3	-	-	-	1.0
130E	-	8	-	-	-	7	1	-	16	19.5	25.1	20.2	-	0.6	-	-	-	4.3
131E	-	12	1	-	-	11	2	-	26	21.5	62.0	57.9	-	3.1	-	-	-	1.0
132E	-	14	-	-	-	4	-	-	18	16.0	34.7	31.1	-	2.1	-	1.5	-	-
133E	-	51	1	-	-	8	-	-	60	14.8	191.8	188.3	-	2.3	-	0.2	-	1.0
134E	-	71	-	-	-	3	1	-	75	15.1	251.9	245.0	-	3.9	-	0.3	-	2.7
135E	-	37	1	-	-	12	13	-	63	17.9	213.5	210.7	-	1.3	-	-	-	1.5
136E	-	19	-	-	-	19	15	-	53	19.7	189.8	189.3	-	-	-	-	-	0.5
137E	-	10	-	-	-	60	15	-	85	22.7	333.9	329.3	-	3.6	-	0.2	-	0.8
138E	-	-	-	-	-	5	1	-	6	23.8	23.4	23.4	-	-	-	-	-	-
139E	-	-	-	-	-	5	2	-	7	25.4	16.4	16.4	-	-	-	-	-	-
140E	-	2	-	-	-	8	1	-	11	21.8	48.1	47.3	-	0.8	-	-	-	-
141E	-	1	-	-	-	6	-	-	7	21.2	7.7	7.7	-	-	-	-	-	-
142E	-	7	-	-	-	7	2	-	16	19.1*	77.6	73.9	-	1.0	-	-	-	2.7
143E	-	2	-	-	-	11	1	-	14	20.0	42.5	42.3	-	0.2	-	-	-	-
144E	-	11	-	-	-	11	6	-	28	20.7	90.5	86.3	-	2.4	-	0.6	-	1.2
145E	-	53	-	-	-	22	6	-	81	17.3*	313.1	284.0	-	28.3	-	0.6	-	0.2
146E	-	9	-	-	-	30	12	-	51	20.4	322.4	320.8	-	1.5	-	-	-	0.1
147E	-	-	-	-	-	15	20	-	35	22.8	233.1	231.4	-	0.5	-	-	-	1.2
148E	-	-	-	-	-	6	5	-	11	22.3	34.0	34.0	-	-	-	-	-	-
149E	-	-	-	-	-	4	8	-	12	25.2	49.0	49.0	-	-	-	-	-	-
150E	-	-	-	-	-	5	4	-	9	24.3	57.8	57.8	-	-	-	-	-	-
151E	-	-	-	-	-	2	2	-	4	23.7	15.6	15.0	0.6	-	-	-	-	-
152E	-	-	-	-	-	-	3	-	3	23.3	4.0	4.0	-	-	-	-	-	-
153E	-	-	-	-	-	2	1	-	3	19.6	8.5	8.5	-	-	-	-	-	-
154E	-	-	-	-	-	3	1	-	4	22.0	35.0	35.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	2	-	2	24.5	0.5	0.5	-	-	-	-	-	-
156E	-	-	-	-	-	-	8	-	8	26.6	72.5	72.5	-	-	-	-	-	-
157E	-	-	-	-	-	2	5	-	7	24.5	57.5	57.5	-	-	-	-	-	-
158E	-	-	-	-	-	-	2	-	2	26.0	8.0	8.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	5	-	5	26.0	20.0	20.0	-	-	-	-	-	-
160E	-	-	-	-	-	1	4	-	5	22.6	17.5	17.5	-	-	-	-	-	-
161E	-	-	-	-	-	2	2	-	4	21.7	8.7	8.7	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	29.5	7.0	7.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	12	-	12	28.9	59.7	59.7	-	-	-	-	-	-
164E	-	-	-	-	-	2	14	-	16	25.8	131.5	131.5	-	-	-	-	-	-
165E	-	-	-	-	-	3	25	-	28	25.7	218.9	218.9	-	-	-	-	-	-
166E	-	-	-	-	-	-	16	-	16	26.1	168.0	168.0	-	-	-	-	-	-
167E	-	-	-	-	-	2	6	-	8	24.0	24.0	24.0	-	-	-	-	-	-
168E	-	-	-	-	-	2	7	-	9	22.7	50.4	50.1	-	-	-	-	-	-
169E	-	-	-	-	-	7	9	-	16	21.8	103.0	103.0	-	-	-	-	-	0.3
170E	-	-	-	-	-	5	7	-	12	21.3	48.5	48.5	-	-	-	-	-	-
171E	-	-	-	-	-	-	4	-	4	21.5	50.0	50.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	5	-	5	26.8	24.0	24.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	2	-	2	26.0	3.0	3.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	3	-	3	28.0	13.0	13.0	-	-	-	-	-	-
175E	-	-	-	-	-	-	4	-	4	33.5	19.8	19.8	-	-	-	-	-	-
176E	-	-	-	-	-	1	4	-	5	33.0	31.4	31.4	-	-	-	-	-	-
■179E	-	-	-	-	-	-	2	-	2	27.0	0.5	0.5	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
19N *176W	-	-	-	-	-	-	1	-	1	26.0	5.0	5.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	1	-	1	26.0	2.0	1.0	-	-	-	1.0	-	-
*173W	-	-	-	-	-	-	1	-	1	24.0	1.0	1.0	-	-	-	-	-	-
*169W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
*162W	-	-	-	-	-	-	1	-	1	26.0	13.0	13.0	-	-	-	-	-	-
161W	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
*158W	-	-	-	-	-	-	4	-	4	26.0	32.0	8.0	-	-	-	24.0	-	-
157W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
18N 122E	-	1	-	-	-	-	-	-	1	13.0	0.5	-	-	0.5	-	-	-	-
*125E	-	2	-	-	-	-	-	-	2	18.0	3.0	3.0	-	-	-	-	-	-
126E	-	3	-	-	-	2	-	-	5	19.0	19.0	19.0	-	-	-	-	-	-
127E	-	13	-	-	-	1	-	-	14	15.0	53.1	52.1	-	0.5	-	-	-	0.5
128E	-	15	-	-	-	1	11	-	27	20.6	105.7	102.8	-	2.6	-	-	-	0.3
129E	-	15	1	-	-	3	20	-	39	22.2*	172.5	171.7	-	-	-	0.1	-	0.7
130E	-	18	2	-	-	10	15	-	45	21.2*	177.3	176.8	-	0.3	-	-	-	0.2
131E	-	12	1	-	-	9	2	-	24	21.0	52.8	52.8	-	-	-	-	-	-
132E	-	11	-	-	-	15	7	-	33	21.5	73.3	71.3	-	2.0	-	-	-	-
133E	-	23	1	-	-	21	26	-	71	21.9	269.9	267.2	-	1.1	-	0.1	-	1.5
134E	-	32	1	-	-	10	10	-	53	18.9	196.9	194.7	2.0	0.1	-	-	-	0.1
135E	-	16	-	-	-	11	12	-	39	21.4*	193.4	188.4	0.5	0.4	-	-	-	4.3
136E	-	20	6	-	-	44	55	-	125	21.2*	656.2	651.7	-	1.2	-	0.1	-	3.2
137E	-	4	-	-	-	51	16	-	71	24.7*	393.2	392.2	-	0.6	-	-	-	0.4
138E	-	1	-	-	-	7	2	-	10	22.6	39.6	39.6	-	-	-	-	-	-
139E	-	-	-	-	-	-	2	-	2	25.0	1.0	1.0	-	-	-	-	-	-
140E	-	1	-	-	-	5	-	-	6	21.5	11.0	11.0	-	-	-	-	-	-
141E	-	1	-	-	-	8	3	-	12	22.0	35.0	35.0	-	-	-	-	-	-
142E	-	43	-	-	-	7	1	-	51	15.8*	74.3	23.4	-	50.4	-	-	-	0.5
143E	-	3	-	-	-	3	4	-	10	21.5	33.6	31.0	-	2.6	-	-	-	-
144E	-	-	-	-	-	11	2	-	13	22.6	39.3	39.3	-	-	-	-	-	-
145E	-	2	-	-	-	9	4	-	15	20.7	38.0	36.2	-	1.8	-	-	-	-
146E	-	-	-	-	-	27	3	-	30	21.3	191.6	191.6	-	-	-	-	-	-
147E	-	-	-	-	-	18	13	-	31	22.0	179.9	179.9	-	-	-	-	-	-
148E	-	-	-	-	-	8	4	-	12	22.7	57.4	54.9	2.5	-	-	-	-	-
149E	-	-	-	-	-	8	4	-	12	23.4	50.6	50.6	-	-	-	-	-	-
150E	-	-	-	-	-	4	2	-	6	20.6	26.4	26.3	-	-	-	-	-	0.1
151E	-	-	-	-	-	2	2	-	4	20.5	11.0	10.0	-	-	-	-	-	1.0
152E	-	-	-	-	-	-	3	-	3	23.3	3.3	3.3	-	-	-	-	-	-
153E	-	-	-	-	-	3	-	-	3	17.3	10.5	10.5	-	-	-	-	-	-
154E	-	-	-	-	-	2	-	-	2	23.0	6.0	6.0	-	-	-	-	-	-
155E	-	-	-	-	-	3	1	-	4	19.0	4.5	4.5	-	-	-	-	-	-
156E	-	-	-	-	-	1	1	-	2	17.0	5.5	5.5	-	-	-	-	-	-
157E	-	-	-	-	-	1	-	-	1	23.0	2.0	2.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
159E	-	-	-	-	-	1	6	-	7	26.7	62.7	62.7	-	-	-	-	-	-
160E	-	-	-	-	-	2	1	-	3	21.6	11.5	11.5	-	-	-	-	-	-
161E	-	-	-	-	-	3	1	-	4	24.2	36.0	36.0	-	-	-	-	-	-
162E	-	-	-	-	-	3	1	-	4	22.0	15.0	15.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	1	-	1	23.0	2.5	2.5	-	-	-	-	-	-
164E	-	-	-	-	-	1	6	-	7	24.5	26.5	26.5	-	-	-	-	-	-
165E	-	-	-	-	-	2	6	-	8	23.1	52.5	52.5	-	-	-	-	-	-
166E	-	-	-	-	-	4	28	-	32	24.9	218.2	216.7	-	-	-	1.5	-	-
167E	-	-	-	-	-	-	6	-	6	27.6	22.6	22.6	-	-	-	-	-	-
168E	-	-	-	-	-	1	5	-	6	22.5	41.5	41.5	-	-	-	-	-	-
169E	-	-	-	-	-	1	5	-	6	23.1	27.0	27.0	-	-	-	-	-	-
170E	-	-	-	-	-	3	12	-	15	23.2	155.9	155.9	-	-	-	-	-	-
18N 171E	-	-	-	-	-	1	9	-	10	24.0	64.0	64.0	-	-	-	-	-	-
172E	-	-	-	-	-	2	4	-	6	23.1	26.0	26.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	2	-	2	25.0	6.0	6.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	17.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
*177W	-	-	-	-	-	-	1	-	1	37.0	0.8	0.3	-	-	-	0.5	-	-
*174W	-	-	-	-	-	-	1	-	1	37.0	2.0	2.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	31.0	7.0	7.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	31.0	2.0	2.0	-	-	-	-	-	-
17N 125E	-	3	-	-	-	-	-	-	3	13.6	9.4	6.5	-	0.9	-	-	-	2.0
126E	-	2	-	-	-	5	-	-	7	19.7	24.4	24.4	-	-	-	-	-	-
127E	-	12	-	-	-	2	-	-	14	16.6*	57.8	57.8	-	-	-	-	-	-
128E	-	19	-	-	-	2	6	-	27	18.4*	108.1	103.4	-	4.0	-	-	-	0.7
129E	-	13	-	-	-	2	11	-	26	20.9*	114.0	111.5	-	-	-	-	-	2.5
130E	-	17	1	-	-	1	14	-	33	20.9*	101.3	100.5	-	0.3	-	-	-	0.5
131E	-	17	-	-	-	10	21	-	48	21.8*	190.6	190.5	-	-	-	-	-	0.1
132E	-	16	1	-	-	3	11	-	31	19.0*	118.5	111.4	-	4.4	-	-	-	2.7
133E	-	17	1	-	-	29	17	-	64	21.7*	243.1	242.4	-	0.2	-	-	-	0.5
134E	-	15	1	-	-	30	77	-	123	23.3*	623.6	623.0	-	0.5	0.1	-	-	-
135E	-	42	4	-	-	14	50	-	110	21.2*	555.1	555.1	-	-	-	-	-	-
136E	-	10	-	-	-	14	26	-	50	21.7*	228.8	228.8	-	-	-	-	-	-
137E	-	4	-	-	-	16	9	-	29	22.3*	81.7	80.9	-	-	-	0.4	-	0.4
138E	-	-	-	-	-	7	3	-	10	25.1	8.9	8.9	-	-	-	-	-	-
139E	-	-	-	-	-	3	-	-	3	26.5*	1.0	1.0	-	-	-	-	-	-
140E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
141E	-	-	-	-	-	5	1	-	6	23.4*	16.1	16.1	-	-	-	-	-	-
142E	-	35	-	-	-	7	1	-	43	15.7*	80.5	20.2	-	57.0	-	-	-	3.3
143E	-	6	-	-	-	11	3	-	20	19.0*	50.7	41.0	-	7.3	-	2.0	-	0.4
144E	-	-	-	-	-	3	1	-	4	24.5	8.0	8.0	-	-	-	-	-	-
145E	-	2	-	-	-	4	2	-	8	20.3	27.5	25.3	2.0	-	-	-	-	0.2
146E	-	-	-	-	-	19	1	-	20	20.5	77.1	77.1	-	-	-	-	-	-
147E	-	-	-	-	-	6	5	-	11	23.2	37.0	37.0	-	-	-	-	-	-
148E	-	-	-	-	-	6	1	-	7	21.1	10.0	9.5	0.5	-	-	-	-	-
149E	-	-	-	-	-	2	-	-	2	21.0	1.5	1.5	-	-	-	-	-	-
150E	-	-	-	-	-	2	2	-	4	25.0	7.0	7.0	-	-	-	-	-	-
151E	-	-	-	-	-	1	2	-	3	25.3	3.2	3.2	-	-	-	-	-	-
152E	-	-	-	-	-	3	1	-	4	19.7	20.5	20.5	-	-	-	-	-	-
153E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
154E	-	-	-	-	-	3	2	-	5	22.6	17.8	17.8	-	-	-	-	-	-
*159E	-	-	-	-	-	-	1	-	1	33.0	13.0	13.0	-	-	-	-	-	-
160E	-	-	-	-	-	-	2	-	2	23.5	-	-	-	-	-	-	-	-
161E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
162E	-	-	-	-	-	-	1	-	1	23.0	11.7	8.5	-	-	-	3.1	-	0.1
163E	-	-	-	-	-	-	4	-	4	23.0	15.6	15.6	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	28.0	7.0	7.0	-	-	-	-	-	-
166E	-	-	-	-	-	1	10	-	11	27.3	108.3	108.3	-	-	-	-	-	-
167E	-	-	-	-	-	-	11	-	11	26.7	131.0	131.0	-	-	-	-	-	-
168E	-	-	-	-	-	1	6	-	7	24.0	26.5	26.5	-	-	-	-	-	-
169E	-	-	-	-	-	-	3	-	3	23.6	18.0	18.0	-	-	-	-	-	-
170E	-	-	-	-	-	2	7	-	9	21.7	26.0	26.0	-	-	-	-	-	-
171E	-	-	-	-	-	1	1	-	2	24.0	2.0	2.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
173E	-	-	-	-	-	-	2	-	2	28.5	6.0	6.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	28.0	3.0	3.0	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -023 年計

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
17N 175E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	33.0	3.0	3.0	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	26.0	7.0	7.0	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	31.0	8.0	8.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
169W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
168W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
16N 126E	-	3	-	-	-	2	-	-	5	21.6	25.9	25.8	-	-	-	-	-	0.1
127E	-	5	-	-	-	1	1	-	7	20.8	32.1	30.0	-	2.0	-	-	-	0.1
128E	-	7	3	-	-	4	2	-	16	19.8	97.0	96.5	0.5	-	-	-	-	-
129E	-	5	-	-	-	1	4	-	10	19.0	27.6	26.9	-	0.7	-	-	-	-
130E	-	9	-	-	-	4	15	-	28	20.4	71.8	69.5	-	0.4	-	-	-	1.9
131E	-	24	1	-	-	5	18	-	48	18.9*	193.4	193.4	-	-	-	-	-	-
132E	-	15	-	-	-	18	27	-	60	21.4*	235.1	233.1	-	1.0	-	-	-	1.0
133E	-	12	1	-	-	6	34	-	53	22.1*	292.7	292.6	-	0.1	-	-	-	-
134E	-	30	3	-	-	5	24	-	62	20.3*	211.7	210.1	-	0.7	-	0.4	-	0.5
135E	-	53	4	-	-	9	28	-	94	19.7*	452.9	452.7	-	0.2	-	-	-	-
136E	-	13	-	-	-	2	11	-	26	20.4*	70.6	70.6	-	-	-	-	-	-
137E	-	1	-	-	-	-	10	-	11	23.6*	17.7	17.7	-	-	-	-	-	-
138E	-	1	-	-	-	2	7	-	10	21.6	10.1	9.8	-	-	-	-	-	0.3
139E	-	-	-	-	-	1	1	-	2	22.0	1.0	1.0	-	-	-	-	-	-
140E	-	-	-	-	-	3	1	-	4	25.3*	3.0	3.0	-	-	-	-	-	-
141E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
142E	-	1	-	-	-	2	4	-	7	25.1*	10.2	10.0	-	0.1	-	-	-	0.1
143E	-	22	-	-	-	6	2	-	30	15.5*	47.3	21.0	-	23.6	-	-	-	2.7
144E	-	-	-	-	-	4	-	-	4	23.5	1.0	1.0	-	-	-	-	-	-
145E	-	3	-	-	-	5	3	-	11	20.0	23.8	20.9	-	2.8	-	-	-	0.1
146E	-	-	-	-	-	26	3	-	29	20.2	126.2	121.7	2.0	2.4	-	-	-	0.1
147E	-	-	-	-	-	4	-	-	4	20.7	16.3	16.3	-	-	-	-	-	-
148E	-	-	-	-	-	1	2	-	3	26.6	4.5	4.5	-	-	-	-	-	-
149E	-	-	-	-	-	3	1	-	4	25.0	8.0	8.0	-	-	-	-	-	-
*151E	-	-	-	-	-	-	2	-	2	28.5	8.0	8.0	-	-	-	-	-	-
152E	-	-	-	-	-	1	1	-	2	27.5	1.4	1.4	-	-	-	-	-	-
*154E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
155E	-	-	-	-	-	2	1	-	3	22.3	7.0	7.0	-	-	-	-	-	-
*157E	-	-	-	-	-	-	1	-	1	24.0	0.6	0.6	-	-	-	-	-	-
158E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*162E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	21.0	6.0	6.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	1	-	1	30.0	-	-	-	-	-	-	-	-
165E	-	-	-	-	-	-	3	-	3	28.0	22.5	22.5	-	-	-	-	-	-
166E	-	-	-	-	-	1	5	-	6	26.5	39.0	39.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	1	-	2	21.0	2.0	2.0	-	-	-	-	-	-
*169E	-	-	-	-	-	-	6	-	6	23.8	22.2	22.2	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	25.0	3.5	3.5	-	-	-	-	-	-
171E	-	-	-	-	-	-	3	-	3	24.6	12.0	12.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	3	-	3	24.6	5.0	4.0	-	1.0	-	-	-	-
173E	-	-	-	-	-	-	3	-	3	24.6	7.0	7.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	2	-	2	27.5	1.0	1.0	-	-	-	-	-	-
*176E	-	-	-	-	-	-	1	-	1	32.0	3.0	3.0	-	-	-	-	-	-
*179E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
173W	-	-	-	-	-	-	1	-	1	31.0	1.0	1.0	-	-	-	-	-	-
*169W	-	-	-	-	-	-	2	-	2	37.0	14.9	14.9	-	-	-	-	-	-
15N 127E	-	1	-	-	-	-	-	-	1	18.0	5.2	5.0	-	0.2	-	-	-	-
128E	-	1	2	-	-	3	-	-	6	20.6	26.0	26.0	-	-	-	-	-	-
129E	-	2	1	-	-	1	4	-	8	20.3	38.5	38.0	-	0.5	-	-	-	-
130E	-	13	-	-	-	4	5	-	22	17.7	57.2	50.7	6.0	0.3	-	0.1	-	0.1
131E	-	50	-	-	-	9	28	-	87	17.6*	382.2	374.4	-	4.4	-	1.3	-	2.1
132E	-	15	-	-	-	8	16	-	39	20.1*	230.1	224.1	-	5.0	-	-	-	1.0
133E	-	15	3	-	-	12	45	-	75	22.7*	353.8	351.9	-	-	-	1.9	-	-
134E	-	10	3	-	-	6	13	-	32	21.6*	115.3	115.0	-	-	-	0.3	-	-
135E	-	23	2	-	-	4	9	-	38	18.5	79.4	78.0	-	1.4	-	-	-	-
136E	-	59	-	-	-	-	5	-	64	17.1*	207.6	207.6	-	-	-	-	-	-
137E	-	5	-	-	-	2	3	-	10	20.4*	28.2	28.2	-	-	-	-	-	-
138E	-	-	-	-	-	3	3	-	6	24.3	0.9	0.7	-	-	-	-	-	0.2
139E	-	-	-	-	-	2	1	-	3	23.0	0.7	0.7	-	-	-	-	-	-
140E	-	-	-	-	-	2	-	-	2	21.0	3.0	2.0	-	1.0	-	-	-	-
141E	-	-	-	-	-	4	-	-	4	22.0	8.4	4.8	-	3.6	-	-	-	-
142E	-	9	-	-	-	5	4	-	18	18.6*	34.6	26.2	-	7.5	-	-	-	0.9
143E	-	2	-	-	-	3	1	-	6	20.2*	7.0	5.3	-	1.5	-	-	-	0.2
144E	-	-	-	-	-	1	3	-	4	23.5	0.5	0.5	-	-	-	-	-	-
145E	-	-	-	-	-	2	1	-	3	17.0	4.2	4.2	-	-	-	-	-	-
146E	-	-	-	-	-	9	8	-	17	21.5	67.5	67.5	-	-	-	-	-	-
147E	-	-	-	-	-	10	8	-	18	24.8	68.3	68.3	-	-	-	-	-	-
148E	-	-	-	-	-	10	3	-	13	25.0	55.7	55.7	-	-	-	-	-	-
149E	-	-	-	-	-	2	2	-	4	25.6*	5.0	5.0	-	-	-	-	-	-
150E	-	-	-	-	-	7	1	-	8	29.1	47.0	45.5	1.5	-	-	-	-	-
151E	-	-	-	-	-	1	1	-	2	27.5	10.0	10.0	-	-	-	-	-	-
152E	-	-	-	-	-	3	2	-	5	22.8	2.5	2.5	-	-	-	-	-	-
153E	-	-	-	-	-	1	1	-	2	18.0	-	-	-	-	-	-	-	-
*156E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
157E	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
158E	-	-	-	-	-	-	4	-	4	23.2	4.0	4.0	-	-	-	-	-	-
159E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*163E	-	-	-	-	-	1	1	-	2	22.5	0.5	0.5	-	-	-	-	-	-
164E	-	-	-	-	-	1	1	-	2	20.5	0.8	0.8	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	25.0	2.0	2.0	-	-	-	-	-	-
167E	-	-	-	-	-	1	1	-	2	26.0	2.0	2.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	3	-	3	21.3	24.6	24.5	-	-	-	-	-	0.1
169E	-	-	-	-	-	-	3	-	3	21.6	6.0	6.0	-	-	-	-	-	-
170E	-	-	-	-	-	-	1	-	1	26.0	3.5	3.5	-	-	-	-	-	-
*172E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
173E	-	-	-	-	-	1	2	-	3	21.6	6.0	6.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	2	-	2	24.0	6.0	6.0	-	-	-	-	-	-
176E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
177E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
*160W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
14N 127E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
128E	-	2	-	-	-	1	1	-	4	20.2	16.0	16.0	-	-	-	-	-	-
129E	-	4	-	-	-	1	4	-	9	20.2	44.0	43.5	-	0.5	-	-	-	-
130E	-	27	-	-	-	2	4	-	33	13.9	115.1	108.7	5.0	0.3	-	-	-	1.1
131E	-	16	-	-	-	3	5	-	24	17.6	63.3	61.8	-	1.3	-	-	-	0.2

年・漁場別努力量及び漁獲量

NEN -BETSU   *** GYOJYO-BETSU TOUKEI ***   54   NEN -025   年 計

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300~	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
4N	132E	-	12	1	-	-	2	11	-	26	20.0*	121.5	121.0	0.5	-	-	-	-	-
	133E	-	11	-	-	-	7	14	-	32	22.1*	143.0	143.0	-	-	-	-	-	-
	134E	-	28	-	-	-	5	9	-	42	18.4*	130.4	129.9	-	-	-	-	-	0.5
	135E	-	24	1	-	-	2	8	-	35	18.6	155.4	155.4	-	-	-	-	-	-
	136E	-	7	-	-	-	1	7	-	15	20.7*	46.4	45.7	-	0.1	-	-	-	0.6
	137E	-	3	1	-	-	1	3	-	8	21.0	59.2	59.2	-	-	-	-	-	-
	138E	-	-	-	-	-	1	1	-	2	25.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	20.0	-	-	-	-	-	-	-	-
	140E	-	-	-	-	-	1	-	-	1	18.0	-	-	-	-	-	-	-	-
	141E	-	-	-	-	-	2	2	-	4	18.5	8.2	8.2	-	-	-	-	-	-
	142E	-	-	-	-	-	3	-	-	3	19.3	7.1	7.0	-	-	-	-	-	0.1
	143E	-	-	-	-	-	3	1	-	4	24.7	10.0	10.0	-	-	-	-	-	-
	144E	-	-	-	-	-	7	1	-	8	23.8*	15.1	15.1	-	-	-	-	-	-
	145E	-	-	-	-	-	12	7	-	19	23.1*	40.2	35.5	4.5	-	-	-	-	0.2
	146E	-	-	-	-	-	68	11	-	79	21.2*	289.7	283.0	5.5	-	-	-	-	1.2
	147E	-	1	-	-	-	55	11	-	67	22.8*	235.7	235.7	-	-	-	-	-	-
	148E	-	-	-	-	-	38	9	-	47	24.5*	158.9	156.4	-	-	-	1.5	-	1.0
	149E	-	-	-	-	-	21	4	-	25	25.2*	63.4	60.5	2.5	-	-	-	-	0.4
	150E	-	-	-	-	-	24	6	-	30	26.7	107.5	94.5	13.0	-	-	-	-	-
	151E	-	-	-	-	-	12	6	-	18	25.9*	120.5	120.5	-	-	-	-	-	-
	152E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	153E	-	-	-	-	-	1	2	-	3	28.3	-	-	-	-	-	-	-	-
	*155E	-	-	-	-	-	-	2	-	2	24.0	10.8	10.8	-	-	-	-	-	-
	156E	-	-	-	-	-	-	2	-	2	25.5	2.0	2.0	-	-	-	-	-	-
	157E	-	-	-	-	-	4	3	-	7	25.2	30.0	30.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	16	-	16	23.8	74.4	74.4	-	-	-	-	-	-
	159E	-	-	-	-	-	-	2	-	2	24.5	3.2	3.2	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	25.0	5.0	5.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	27.0	2.6	2.6	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	23.0	6.5	6.5	-	-	-	-	-	-
	*167E	-	-	-	-	-	-	7	-	7	23.1	28.0	28.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	1	-	1	18.0	3.0	3.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	28.0	1.0	1.0	-	-	-	-	-	-
	173E	-	-	-	-	-	1	2	-	3	24.3	6.0	6.0	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	23.0	12.0	12.0	-	-	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	25.0	1.0	1.0	-	-	-	-	-	-
	176E	-	-	-	-	-	-	1	-	1	36.0	6.0	6.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	27.0	7.0	7.0	-	-	-	-	-	-
3N	127E	-	-	-	-	-	1	-	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*129E	-	1	-	-	-	-	-	-	1	13.0	4.5	4.5	-	-	-	-	-	-
	130E	-	9	-	-	-	2	2	-	13	15.6*	32.6	31.6	-	1.0	-	-	-	-
	131E	-	10	-	-	-	1	1	-	12	16.1	26.0	26.0	-	-	-	-	-	-
	132E	-	8	-	-	-	3	1	-	12	18.3	31.0	26.5	3.0	1.5	-	-	-	-
	133E	-	11	-	-	-	1	5	-	17	20.5	45.0	45.0	-	-	-	-	-	-
	134E	-	17	3	-	-	11	9	-	40	20.5	118.2	115.2	3.0	-	-	-	-	-
	135E	-	1	1	-	-	9	11	-	22	24.0	115.5	115.5	-	-	-	-	-	-
	136E	-	3	-	-	-	3	3	-	9	20.6	13.9	13.9	-	-	-	-	-	-
	137E	-	2	-	-	-	2	4	-	8	21.3	5.9	5.9	-	-	-	-	-	-
	138E	-	-	-	-	-	1	-	-	1	22.0	-	-	-	-	-	-	-	-
	139E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	140E	-	-	-	-	-	-	1	-	1	21.0	0.5	0.5	-	-	-	-	-	-
3N	141E	-	-	-	-	-	2	1	-	3	20.0	3.3	3.3	-	-	-	-	-	-
	142E	-	-	-	-	-	2	4	-	6	20.0	22.5	22.5	-	-	-	-	-	-
	143E	-	-	-	-	-	2	2	-	4	22.2	-	-	-	-	-	-	-	-
	144E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	145E	-	-	-	-	-	29	24	-	53	23.8*	180.9	179.4	1.5	-	-	-	-	-
	146E	-	-	-	-	-	37	21	-	58	24.5*	350.4	349.0	1.0	-	-	-	-	0.4
	147E	-	-	-	-	-	51	25	-	76	23.0*	302.6	302.3	-	0.3	-	-	-	-
	148E	-	-	-	-	-	41	15	-	56	24.2*	195.7	183.2	-	-	-	-	-	12.5
	149E	-	-	-	-	-	17	11	-	28	24.2*	103.5	103.5	-	-	-	-	-	-
	150E	-	-	-	-	-	14	2	-	16	24.4*	45.1	40.0	2.5	-	-	2.5	-	0.1
	151E	-	-	-	-	-	19	10	-	29	25.3*	173.0	171.5	1.5	-	-	-	-	-
	152E	-	-	-	-	-	9	7	-	16	26.5	78.2	78.0	-	0.2	-	-	-	-
	153E	-	-	-	-	-	2	3	-	5	25.6	1.0	1.0	-	-	-	-	-	-
	154E	-	-	-	-	-	-	4	-	4	24.5	7.4	7.4	-	-	-	-	-	-
	155E	-	-	-	-	-	3	8	-	11	25.2	34.1	34.1	-	-	-	-	-	-
	156E	-	-	-	-	-	7	6	-	13	24.0	29.5	29.5	-	-	-	-	-	-
	157E	-	-	-	-	-	6	17	-	23	23.9	102.8	102.8	-	-	-	-	-	-
	158E	-	-	-	-	-	7	26	-	33	24.6	150.4	150.4	-	-	-	-	-	-
	159E	-	-	-	-	-	4	18	-	22	24.0	105.8	105.5	-	-	-	0.3	-	-
	*162E	-	-	-	-	-	1	1	-	2	20.5	-	-	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	1	-	1	23.0	2.0	2.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	3	-	3	22.0	23.0	23.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	23.5	-	-	-	-	-	-	-	-
	167E	-	-	-	-	-	-	14	-	14	26.0	66.0	66.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	4	-	4	21.5	32.5	32.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	27.5	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	176E	-	-	-	-	-	1	1	-	2	20.0	13.0	13.0	-	-	-	-	-	-
	177E	-	-	-	-	-	-	2	-	2	26.5	12.5	12.5	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
2N	128E	-	2	-	-	-	-	-	-	2	13.0	4.0	4.0	-	-	-	-	-	-
	129E	-	4	1	-	-	-	-	-	5	15.4	14.5	14.5	-	-	-	-	-	-
	130E	-	-	-	-	-	8	1	-	9	21.8	25.5	25.5	-	-	-	-	-	-
	131E	-	10	1	-	-	1	-	-	12	16.9	37.1	34.3	-	1.8	-	-	-	1.0
	132E	-	6	2	-	-	-	2	-	10	21.6	93.6	93.6	-	-	-	-	-	-
	133E	-	8	-	-	-	6	5	-	19	18.2	53.2	53.2	-	-	-	-	-	-
	134E	-	9	3	-	-	6	5	-	23	19.4	87.8	87.6	-	-	-	0.2	-	-
	135E	-	3	-	-	-	4	2	-	9	21.2	2.0	2.0	-	-	-	-	-	-
	136E	-	5	-	-	-	1	4	-	10	22.2*	5.0	1.7	-	2.9	-	0.3	-	0.1
	137E	-	-	-	-	-	-	2	-	2	25.0	6.0	6.0	-	-	-	-	-	-
	138E	-	1	-	-	-	2	1	-	4	22.3*	0.7	0.7	-	-	-	-	-	-
	139E	-	-	-	-	-	-	2	-	2	26.5	2.0	2.0	-	-	-	-	-	-
	140E	-	-	-	-	-	-	2	-	2	25.5	6.0	6.0	-	-	-	-	-	-
	*142E	-	-	-	-	-	-	2	-	2	23.5	0.2	0.2	-	-	-	-	-	-
	143E	-	-	-	-	-	2	2	-	4	25.2	10.5	9.0	0.5	-	-	1.0	-	-
	144E	-	-	-	-	-	-	5	-	5	23.6	3.5	3.5	-	-	-	-	-	-
	145E	-	-	-	-	-	16	4	-	20	21.2	75.2	71.7	3.5	-	-	-	-	-
	146E	-	-	-	-	-	37	20	-	57	23.0	226.8	216.9	8.0	-	-	1.5	-	0.4
	147E	-	-	-	-	-	32	33	-	65	24.0*	259.5	257.0	-	2.0	-	-	-	0.5
	148E	-	-	-	-	-	33	20	-	53	24.0*	149.7	144.2	5.5	-	-	-	-	-
	149E	-	-	-	-	-	35	13	-	48	23.0*	128.1	124.8	3.0	-	-	-	-	0.3
	150E	-	-	-	-	-	30	14	-	44	23.7	142.2	142.0	-	0.2	-	-	-	-
	151E	-	-	-	-	-	25	13	-	38	24.4*	115.8	115.8	-	-	-	-	-	-
	152E	-	-	-	-	-	3	4	-	7	24.8	4.5	4.5	-	-	-	-	-	-
	153E	-	-	-	-	-	4	2	-	6	23.8	9.0	9.0	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -027 年計

操業位置 POSITION	屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
12N 154E	-	1	-	-	-	6	8	-	15	24.5*	46.5	45.5	-	0.8	-	-	-	0.2
155E	-	-	-	-	-	9	33	-	42	24.8	221.8	219.8	-	2.0	-	-	-	-
156E	-	-	-	-	-	3	15	-	18	21.8	81.8	81.8	-	-	-	-	-	-
157E	-	-	-	-	-	5	24	-	29	25.7*	109.8	109.8	-	-	-	-	-	-
158E	-	-	-	-	-	7	35	-	42	25.0*	274.5	274.2	-	0.3	-	-	-	-
159E	-	-	-	-	-	6	11	-	17	25.9	68.7	68.0	-	-	-	-	-	0.7
160E	-	-	-	-	-	7	9	-	16	25.7	73.2	73.2	-	-	-	-	-	-
161E	-	-	-	-	-	3	5	-	8	23.1	8.6	8.6	-	-	-	-	-	-
162E	-	-	-	-	-	-	2	-	2	25.0	11.0	11.0	-	-	-	-	-	-
163E	-	-	-	-	-	-	2	-	2	21.5	7.0	7.0	-	-	-	-	-	-
164E	-	-	-	-	-	-	7	-	7	18.7	29.0	29.0	-	-	-	-	-	-
165E	-	-	-	-	-	-	1	-	1	27.0	0.5	0.5	-	-	-	-	-	-
166E	-	-	-	-	-	-	1	-	1	31.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	1	2	-	3	27.5*	-	-	-	-	-	-	-	-
168E	-	-	-	-	-	-	3	-	3	18.3	10.0	10.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
*171E	-	-	-	-	-	-	3	-	3	25.6	3.0	3.0	-	-	-	-	-	-
172E	-	-	-	-	-	-	2	-	2	25.0	11.0	11.0	-	-	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	25.0	1.0	1.0	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
176E	-	-	-	-	-	-	3	-	3	23.6	-	-	-	-	-	-	-	-
*178E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
*171W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
*167W	-	-	-	-	-	-	1	-	1	18.0	-	-	-	-	-	-	-	-
11N 127E	-	-	-	-	-	1	-	-	1	26.0	1.0	1.0	-	-	-	-	-	-
128E	-	5	1	-	-	1	-	-	7	15.8	18.2	18.2	-	-	-	-	-	-
129E	-	6	1	-	-	1	-	-	8	14.1	17.3	16.8	-	0.4	-	-	-	0.1
130E	-	8	-	-	-	2	-	-	10	17.7	33.5	33.5	-	-	-	-	-	-
131E	-	8	2	-	-	4	-	-	14	17.0	74.6	73.2	-	-	-	-	-	1.4
132E	-	9	2	-	-	3	7	-	21	21.8	119.4	118.1	-	1.0	-	-	-	0.3
133E	-	6	-	-	-	2	1	-	9	19.8	81.3	81.3	-	-	-	-	-	-
134E	-	-	-	-	-	2	-	-	2	26.0	5.0	5.0	-	-	-	-	-	-
135E	-	4	-	-	-	2	1	-	7	18.0	16.2	16.2	-	-	-	-	-	-
136E	-	7	-	-	-	1	2	-	10	17.8	45.0	45.0	-	-	-	-	-	-
137E	-	5	-	-	-	-	3	-	8	21.5*	23.5	23.0	-	0.4	-	0.1	-	-
138E	-	-	-	-	-	2	1	-	3	24.3	3.5	3.5	-	-	-	-	-	-
139E	-	1	-	-	-	2	9	-	12	24.3*	66.0	66.0	-	-	-	-	-	-
140E	-	-	-	-	-	-	17	-	17	24.1*	100.3	100.3	-	-	-	-	-	-
141E	-	-	-	-	-	1	2	-	3	26.0	3.0	3.0	-	-	-	-	-	-
142E	-	-	-	-	-	3	2	-	5	22.8	0.9	0.9	-	-	-	-	-	-
143E	-	-	-	-	-	1	2	-	3	26.0	-	-	-	-	-	-	-	-
144E	-	1	-	-	-	-	2	-	3	22.5*	1.4	0.5	-	0.4	-	0.4	-	0.1
145E	-	3	-	-	-	36	21	-	60	23.1*	245.2	242.1	-	1.4	-	1.0	-	0.7
146E	-	-	-	-	-	28	29	-	57	23.3*	249.7	241.9	7.0	0.5	-	-	-	0.3
147E	-	-	-	-	-	11	7	-	18	24.5	76.6	67.6	7.5	-	-	1.5	-	-
148E	-	-	-	-	-	12	8	-	20	24.4	78.5	69.5	6.0	-	-	3.0	-	-
149E	-	-	-	-	-	19	9	-	28	24.4*	110.3	106.5	3.5	-	-	-	-	0.3
150E	-	-	-	-	-	30	11	-	41	23.8*	145.2	140.2	5.0	-	-	-	-	-
151E	-	-	-	-	-	29	13	-	42	24.1*	176.8	174.8	-	-	-	-	-	2.0
152E	-	-	-	-	-	23	5	-	28	26.8*	197.3	194.7	-	2.6	-	-	-	-
153E	-	-	-	-	-	8	19	-	27	25.2	138.5	138.5	-	-	-	-	-	-
154E	-	-	-	-	-	14	24	-	38	24.9*	154.0	154.0	-	-	-	-	-	-
155E	-	4	-	-	-	24	21	-	49	25.1*	219.5	216.0	-	2.2	-	-	-	1.3
156E	-	-	-	-	-	18	30	-	48	24.4*	200.7	199.3	-	1.3	-	0.1	-	-
157E	-	-	-	-	-	15	24	-	39	24.8*	225.4	225.4	-	-	-	-	-	-
11N 158E	-	-	-	-	-	6	17	-	23	25.9	140.5	140.0	-	0.5	-	-	-	-
159E	-	-	-	-	-	3	2	-	5	23.4	11.0	11.0	-	-	-	-	-	-
160E	-	-	-	-	-	2	7	-	9	26.7	28.4	28.4	-	-	-	-	-	-
161E	-	-	-	-	-	11	4	-	15	24.6	53.4	51.4	1.5	-	-	-	-	0.5
162E	-	-	-	-	-	-	8	-	8	24.2	25.0	25.0	-	-	-	-	-	-
163E	-	-	-	-	-	2	8	-	10	24.6	66.5	66.5	-	-	-	-	-	-
164E	-	-	-	-	-	1	7	-	8	23.3	18.5	18.5	-	-	-	-	-	-
165E	-	-	-	-	-	-	6	-	6	23.6	19.0	19.0	-	-	-	-	-	-
166E	-	-	-	-	-	-	6	-	6	24.0	21.5	21.5	-	-	-	-	-	-
167E	-	-	-	-	-	-	1	-	1	18.0	1.0	1.0	-	-	-	-	-	-
168E	-	-	-	-	-	-	4	-	4	30.7	11.4	11.4	-	-	-	-	-	-
*170E	-	-	-	-	-	-	5	-	5	28.6	3.0	3.0	-	-	-	-	-	-
171E	-	-	-	-	-	-	6	-	6	26.8	15.5	15.5	-	-	-	-	-	-
172E	-	-	-	-	-	-	4	-	4	28.5	16.0	15.5	-	-	-	0.5	-	-
173E	-	-	-	-	-	-	3	-	3	33.0	23.0	23.0	-	-	-	-	-	-
174E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	19.0	1.0	0.5	-	-	-	-	-	0.5
176E	-	-	-	-	-	-	1	-	1	26.0	7.0	5.0	-	2.0	-	-	-	-
177E	-	-	-	-	-	-	1	-	1	19.0	0.5	0.5	-	-	-	-	-	-
*175W	-	-	-	-	-	-	1	-	1	24.0	8.0	8.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
10N 128E	-	2	-	-	-	-	-	-	2	11.0	-	-	-	-	-	-	-	-
129E	-	1	3	-	-	1	-	-	5	17.2	14.3	13.5	-	0.8	-	-	-	-
130E	-	2	-	-	-	3	-	-	5	20.0	16.5	16.5	-	-	-	-	-	-
131E	-	2	-	-	-	1	-	-	3	21.3	2.1	2.1	-	-	-	-	-	-
132E	-	8	2	-	-	2	-	-	12	18.2	44.0	44.0	-	-	-	-	-	-
133E	-	2	1	-	-	5	-	-	8	22.3	15.0	15.0	-	-	-	-	-	-
134E	-	6	1	-	-	8	4	-	19	23.4	123.5	123.3	-	-	-	0.1	-	0.1
135E	-	2	2	-	-	-	-	-	4	15.0	9.5	9.5	-	-	-	-	-	-
136E	-	15	-	-	-	11	2	-	28	18.2	107.0	103.9	-	1.0	-	1.0	-	1.1
137E	-	7	-	-	-	8	2	-	17	21.6*	68.2	67.6	-	0.4	-	0.2	-	-
138E	-	-	-	-	-	3	15	-	18	23.3	62.9	62.6	-	-	-	-	-	0.3
139E	-	-	-	-	-	3	8	-	11	24.7	19.0	19.0	-	-	-	-	-	-
140E	-	-	-	-	-	1	14	-	15	24.1	46.5	44.5	-	2.0	-	-	-	-
141E	-	-	-	-	-	2	7	-	9	22.2*	33.1	32.5	-	0.2	-	-	-	0.4
142E	-	-	-	-	-	2	26	-	28	24.0*	126.0	124.7	-	0.3	-	1.0	-	-
143E	-	1	-	-	-	13	32	-	46	22.0*	132.2	131.3	-	0.4	-	0.4	-	0.1
144E	-	3	-	-	-	13	42	-	58	23.8*	236.4	233.9	-	0.8	-	1.2	-	0.5
145E	-	1	-	-	-	9	26	-	36	24.5*	133.0	130.8	0.6	0.8	-	0.4	-	0.4
146E	-	1	-	-	-	23	53	-	77	23.7*	319.7	319.1	-	0.2	-	0.2	-	0.2
147E	-	3	-	-	-	15	48	-	66	23.8*	299.3	296.5	-	0.8	-	1.0	-	1.0
148E	-	2	-	-	-	14	24	-	40	24.3*	147.0	145.9	-	0.6	-	0.3	-	0.2
149E	-	-	-	-	-	24	19	-	43	24.5*	129.6	129.5	-	0.1	-	-	-	-
150E	-	-	-	-	-	37	32	-	69	23.0*	242.2	238.5	-	1.2	-	1.2	-	1.3
151E	-	-	-	-	-	13	21	-	34	24.6*	133.0	133.0	-	-	-	-	-	-
152E	-	-	-	-	-	9	8	-	17	22.8*	48.8	48.3	-	0.5	-	-	-	-
153E	-	-	-	-	-	5	17	-	22	21.9	75.3	75.3	-	-	-	-	-	-
154E	-	-	-	-	-	17	10	-	27	24.0	96.0	96.0	-	-	-	-	-	-
155E	-	3	-	-	-	7	10	-	20	25.8*	71.9	68.7	-	1.9	-	0.8	-	0.5
156E	-	-	-	-	-	8	12	-	20	23.2	67.7	67.7	-	-	-	-	-	-
157E	-	-	-	-	-	11	6	-	17	25.2	93.8	93.8	-	-	-	-	-	-
158E	-	-	-	-	-	7	11	-	18	25.0	94.5	94.0	-	0.5	-	-	-	-
159E	-	-	-	-	-	2	6	-	8	24.3	18.0	18.0	-	-	-	-	-	-
160E	-	-	-	-	-	2	5	-	7	25.8*	8.0	8.0	-	-	-	-	-	-
161E	-	-	-	-	-	6	2	-	8	25.1	38.3	38.0	-	0.3	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -029 年 計

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソ ダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
10N	162E	-	-	-	-	-	2	5	-	7	22.1*	22.0	22.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	5	-	5	27.8	14.3	14.0	-	0.3	-	-	-	-
	164E	-	-	-	-	-	-	3	-	3	23.6	17.0	17.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	5	-	6	24.6	8.5	8.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	4	-	4	23.7	7.0	7.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	1	-	1	27.0	-	-	-	-	-	-	-	-
	168E	-	-	-	-	-	-	5	-	5	28.2	13.5	13.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	30.0	12.0	12.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	2	-	2	32.0	2.0	2.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	27.0	7.0	7.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	27.0	13.0	13.0	-	-	-	-	-	-
	173E	-	-	-	-	-	-	3	-	3	23.6	20.5	18.5	-	2.0	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	30.0	8.9	8.8	-	-	-	0.1	-	-
	175E	-	-	-	-	-	-	1	-	1	25.0	-	-	-	-	-	-	-	-
	*178E	-	-	-	-	-	-	4	-	4	26.2	-	-	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
09N	127E	-	-	-	-	-	1	-	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	128E	-	1	-	-	-	1	-	-	2	17.5	6.5	6.5	-	-	-	-	-	-
	129E	-	1	-	-	-	-	-	-	1	9.0	3.6	2.5	-	1.0	-	-	-	0.1
	130E	-	3	-	-	-	-	1	-	4	9.0*	9.8	9.8	-	-	-	-	-	-
	131E	-	1	1	-	-	-	-	-	2	15.0	19.5	19.5	-	-	-	-	-	-
	132E	-	1	-	-	-	2	-	-	3	22.6	5.0	5.0	-	-	-	-	-	-
	133E	-	1	-	-	-	-	-	-	1	17.0	7.0	7.0	-	-	-	-	-	-
	134E	-	1	-	-	-	6	-	-	7	25.7	33.9	33.9	-	-	-	-	-	-
	135E	-	-	-	-	-	1	-	-	1	28.0	2.0	2.0	-	-	-	-	-	-
	136E	-	-	-	-	-	8	2	-	10	23.5*	41.5	40.7	-	0.3	-	-	-	0.5
	137E	-	-	-	-	-	7	7	-	14	23.5	75.8	74.7	-	0.5	-	0.6	-	-
	138E	-	-	-	-	-	4	4	-	8	20.8	12.4	12.4	-	-	-	-	-	-
	139E	-	-	-	-	-	10	11	-	21	23.4	80.3	80.3	-	-	-	-	-	-
	140E	-	-	-	-	-	3	13	-	16	23.1	109.9	109.9	-	-	-	-	-	-
	141E	-	-	-	-	-	2	28	-	30	23.8*	199.1	199.1	-	-	-	-	-	-
	142E	-	-	-	-	-	12	22	-	34	24.3*	176.5	175.7	-	0.2	-	0.1	-	0.5
	143E	-	-	-	-	-	12	57	-	69	23.6*	322.3	322.3	-	-	-	-	-	-
	144E	-	-	-	-	-	25	77	-	102	23.1*	499.0	496.7	-	2.3	-	-	-	-
	145E	-	-	-	-	-	15	59	-	74	24.1*	331.4	330.7	-	0.5	-	-	-	0.2
	146E	-	-	-	-	-	2	25	-	27	24.0	119.5	119.4	-	0.1	-	-	-	-
	147E	-	-	-	-	-	7	11	-	18	21.9	73.5	73.5	-	-	-	-	-	-
	148E	-	-	-	-	-	11	20	-	31	22.6	127.5	127.0	-	0.5	-	-	-	-
	149E	-	-	-	-	-	16	31	-	47	23.9*	189.7	185.7	-	1.0	-	3.0	-	-
	150E	-	-	-	-	-	53	24	-	77	22.0*	309.7	309.2	-	0.4	-	-	-	0.1
	151E	-	-	-	-	-	42	22	-	64	22.5*	300.7	300.5	-	0.2	-	-	-	-
	152E	-	-	-	-	-	13	3	-	16	22.9	60.5	60.5	-	-	-	-	-	-
	153E	-	-	-	-	-	11	22	-	33	23.8	103.4	103.4	-	-	-	-	-	-
	154E	-	-	-	-	-	14	9	-	23	25.1	101.5	99.5	-	-	-	-	-	2.0
	155E	-	2	-	-	-	11	5	-	18	24.0*	68.2	67.2	-	0.6	-	0.2	-	0.2
	156E	-	3	-	-	-	3	9	-	15	24.2*	74.4	69.0	-	4.5	-	0.6	-	0.3
	157E	-	-	-	-	-	7	12	-	19	25.1	56.9	56.9	-	-	-	-	-	-
	158E	-	-	-	-	-	4	4	-	8	25.2*	32.5	32.5	-	-	-	-	-	-
	159E	-	-	-	-	-	9	8	-	17	25.5*	83.3	83.3	-	-	-	-	-	-
	160E	-	-	-	-	-	4	4	-	8	25.2	27.5	27.5	-	-	-	-	-	-
	161E	-	-	-	-	-	4	5	-	9	25.5	55.0	54.0	-	-	-	0.5	-	0.5
	162E	-	-	-	-	-	5	3	-	8	24.8*	27.4	27.4	-	-	-	-	-	-
	163E	-	-	-	-	-	4	5	-	9	22.5	45.0	44.5	-	0.5	-	-	-	-
	164E	-	-	-	-	-	2	8	-	10	23.2*	27.1	27.0	-	-	-	0.1	-	-
	165E	-	-	-	-	-	2	5	-	7	25.5	28.5	28.5	-	-	-	-	-	-
09N	166E	-	-	-	-	-	3	5	-	8	26.2	13.0	13.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	19.0	6.0	6.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	3	-	3	24.0	0.5	0.5	-	-	-	-	-	-
	169E	-	-	-	-	-	-	3	-	3	20.3	23.0	23.0	-	-	-	-	-	-
	170E	-	-	-	-	-	-	2	-	2	28.5	12.0	12.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	3	-	3	27.0	13.0	13.0	-	-	-	-	-	-
	172E	-	-	-	-	-	1	7	-	8	27.1	59.5	59.5	-	-	-	-	-	-
	173E	-	-	-	-	-	-	4	-	4	22.2	14.5	14.5	-	-	-	-	-	-
	174E	-	-	-	-	-	-	2	-	2	19.0	25.1	25.0	-	0.1	-	-	-	-
	175E	-	-	-	-	-	-	4	-	4	27.2	22.0	21.5	-	0.5	-	-	-	-
	176E	-	-	-	-	-	-	5	-	5	23.8	26.0	26.0	-	-	-	-	-	-
	177E	-	-	-	-	-	1	6	-	7	26.4	25.0	25.0	-	-	-	-	-	-
	178E	-	-	-	-	-	-	4	-	4	27.0	17.0	17.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	3	-	3	23.6	1.0	1.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
08N	130E	-	1	-	-	-	-	-	-	1	15.0	0.5	0.5	-	-	-	-	-	-
	*133E	-	1	-	-	-	2	7	-	10	27.1*	38.6	38.6	-	-	-	-	-	-
	134E	-	1	-	-	-	2	1	-	4	21.7	23.7	23.7	-	-	-	-	-	-
	*136E	-	-	-	-	-	1	-	-	1	29.0	-	-	-	-	-	-	-	-
	137E	-	-	-	-	-	3	3	-	6	25.0	7.0	7.0	-	-	-	-	-	-
	138E	-	-	-	-	-	11	5	-	16	20.5	34.0	34.0	-	-	-	-	-	-
	139E	-	-	-	-	-	5	5	-	10	24.6	24.5	24.2	-	-	-	-	0.3	-
	140E	-	-	-	-	-	9	30	-	39	23.3*	221.0	220.2	-	-	-	0.3	-	0.5
	141E	-	-	-	-	-	4	35	-	39	23.8*	233.1	229.9	-	1.0	-	-	-	2.2
	142E	-	-	-	-	-	7	25	-	32	25.0*	158.5	154.7	-	2.8	-	0.5	-	0.5
	143E	-	-	-	-	-	11	23	-	34	23.2*	95.7	95.0	-	0.2	-	-	-	0.5
	144E	-	-	-	-	-	17	24	-	41	22.0*	141.6	140.3	-	0.6	-	0.5	-	0.2
	145E	-	-	-	-	-	35	25	-	60	19.6*	216.2	213.8	-	0.7	-	-	0.4	1.3
	146E	-	-	-	-	-	5	27	-	32	24.6	152.7	152.7	-	-	-	-	-	-
	147E	-	-	-	-	-	2	6	-	8	25.7*	23.9	23.9	-	-	-	-	-	-
	148E	-	-	-	-	-	3	8	-	11	23.1	13.1	13.1	-	-	-	-	-	-
	149E	-	-	-	-	-	9	13	-	22	21.9*	108.0	107.9	-	0.1	-	-	-	-
	150E	-	-	-	-	-	42	22	-	64	20.0*	762.8	760.5	-	2.1	-	-	-	0.2
	151E	-	-	-	-	-	30	17	-	47	22.5*	182.0	178.8	-	1.0	-	-	-	2.2
	152E	-	-	-	-	-	23	19	-	42	21.7	208.3	206.9	-	0.6	-	0.5	-	0.3
	153E	-	-	-	-	-	16	48	-	64	22.9	266.8	265.5	-	0.4	-	0.5	-	0.4
	154E	-	-	-	-	-	23	17	-	40	22.2*	120.1	117.1	-	1.2	-	1.2	-	0.6
	155E	-	-	-	-	-	32	31	-	63	24.4*	340.7	340.4	-	0.3	-	-	-	-
	156E	-	-	-	-	-	28	39	-	67	24.2*	294.6	293.6	-	1.0	-	-	-	-
	157E	-	-	-	-	-	21	28	-	49	24.6	248.0	247.2	-	0.5	-	-	-	0.3
	158E	-	-	-	-	-	18	15	-	33	25.0	173.4	172.8	-	0.1	-	-	-	0.5
	159E	-	-	-	-	-	8	8	-	16	25.1	47.8	47.6	-	-	-	0.2	-	-
	160E	-	-	-	-	-	1	-	-	1	28.0	1.5	1.5	-	-	-	-	-	-
	161E	-	-	-	-	-	4	5	-	9	25.4	21.0	21.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	3	-	5	22.6	19.0	19.0	-	-	-	-	-	-
	163E	-	-	-	-	-	13	7	-	20	24.8	60.4	59.0	-	1.4	-	-	-	-
	164E	-	-	-	-	-	5	13	-	18	24.6	51.2	51.2	-	-	-	-	-	-
	165E	-	-	-	-	-	8	10	-	18	24.9	76.9	75.5	-	0.9	-	0.5	-	-
	166E	-	-	-	-	-	8	17	-	25	25.0	129.0	129.0	-	-	-	-	-	-
	167E	-	-	-	-	-	3	10	-	13	21.6	63.9	63.0	-	-	-	0.3	-	0.6
	168E	-	-	-	-	-	2	5	-	7	23.5	26.0	26.0	-	-	-	-	-	-
	169E	-	-	-	-	-	5	4	-	9	26.6	30.9	30.9	-	-	-	-	-	-
	170E	-	-	-	-	-	4	2	-	6	27.1	36.5	35.5	-	1.0	-	-	-	-
	171E	-	-	-	-	-	1	1	-	2	29.0	6.5	6.5	-	-	-	-	-	-
	172E	-	-	-	-	-	-	11	-	11	27.9	46.5	46.3	-	0.2	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -031

操業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
08N 173E	-	-	-	-	-	-	8	-	8	23.3	46.8	46.8	-	-	-	-	-	-
174E	-	-	-	-	-	-	5	-	5	19.6	39.7	39.5	-	0.2	-	-	-	-
175E	-	-	-	-	-	1	6	-	7	24.8	14.3	14.0	-	0.3	-	-	-	-
176E	-	-	-	-	-	1	6	-	7	24.0	28.0	28.0	-	-	-	-	-	-
177E	-	-	-	-	-	-	13	-	13	25.4	60.7	60.5	-	0.2	-	-	-	-
178E	-	-	-	-	-	-	4	-	4	24.7	8.5	7.5	-	1.0	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	37.0	-	-	-	-	-	-	-	-
*178W	-	-	-	-	-	-	2	-	2	26.0	-	-	-	-	-	-	-	-
*176W	-	-	-	-	-	-	2	-	2	22.5	1.0	1.0	-	-	-	-	-	-
*173W	-	-	-	-	-	-	2	-	2	23.5	3.0	3.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	2	-	2	27.0	1.0	1.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	22.0	10.0	10.0	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	31.0	0.5	0.5	-	-	-	-	-	-
*168W	-	-	-	-	-	-	2	-	2	20.0	6.0	6.0	-	-	-	-	-	-
07N 131E	-	-	-	-	-	-	1	-	1	21.0	7.0	6.0	-	1.0	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	21.0	2.7	2.5	-	-	-	-	-	0.2
133E	-	-	-	-	-	1	2	-	3	27.3	11.5	11.5	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
137E	-	-	-	-	-	1	4	-	5	24.2	4.5	4.5	-	-	-	-	-	-
138E	-	-	-	-	-	2	-	-	2	28.5	1.0	1.0	-	-	-	-	-	-
139E	-	-	-	-	-	2	1	-	3	21.6	3.5	3.5	-	-	-	-	-	-
140E	-	-	-	-	-	10	20	-	30	25.5	130.6	130.1	-	0.5	-	-	-	-
141E	-	-	-	-	-	6	34	-	40	23.7	237.5	237.5	-	-	-	-	-	-
142E	-	-	-	-	-	7	43	-	50	25.1	288.6	285.3	-	2.5	-	-	-	0.8
143E	-	-	-	-	-	6	38	-	44	24.2	195.9	192.5	-	1.0	-	1.8	-	0.6
144E	-	-	-	-	-	1	20	-	21	24.8	79.5	79.5	-	-	-	-	-	-
145E	-	-	-	-	-	11	10	-	21	20.5*	112.3	112.3	-	-	-	-	-	-
146E	-	-	-	-	-	6	10	-	16	22.1	49.6	48.8	-	-	-	-	-	0.8
147E	-	-	-	-	-	12	10	-	22	21.1*	51.7	51.7	-	-	-	-	-	-
148E	-	-	-	-	-	8	13	-	21	20.9	75.3	74.4	-	0.1	-	-	0.8	-
149E	-	-	-	-	-	16	8	-	24	20.0	67.3	67.3	-	-	-	-	-	-
150E	-	-	-	-	-	46	40	-	86	20.0*	301.4	299.8	-	1.0	-	-	-	0.6
151E	-	-	-	-	-	38	32	-	70	21.9*	390.5	385.5	-	3.4	-	-	-	1.6
152E	-	-	-	-	-	18	13	-	31	21.8*	110.3	108.8	-	1.3	-	-	-	0.2
153E	-	-	-	-	-	14	19	-	33	23.3	147.5	147.5	-	-	-	-	-	-
154E	-	-	-	-	-	18	13	-	31	21.7*	103.6	103.1	-	0.3	-	-	-	0.2
155E	-	-	-	-	-	31	15	-	46	21.7	132.9	131.9	-	0.8	-	-	-	0.2
156E	-	-	-	-	-	33	25	-	58	22.7*	215.8	215.3	-	-	-	-	-	0.5
157E	-	-	-	-	-	17	21	-	38	22.2*	170.3	168.3	-	1.0	-	-	0.3	0.7
158E	-	-	-	-	-	15	23	-	38	24.4*	118.0	117.0	-	0.8	-	-	-	0.2
159E	-	-	-	-	-	11	13	-	24	23.7*	72.4	72.4	-	-	-	-	-	-
160E	-	-	-	-	-	8	9	-	17	25.7	40.5	40.5	-	-	-	-	-	-
161E	-	-	-	-	-	4	12	-	16	24.6	41.5	41.5	-	-	-	-	-	-
162E	-	-	-	-	-	6	6	-	12	25.9	51.8	51.8	-	-	-	-	-	-
163E	-	-	-	-	-	3	6	-	9	25.6	16.9	16.9	-	-	-	-	-	-
164E	-	-	-	-	-	4	5	-	9	23.6	7.1	7.0	-	0.1	-	-	-	-
165E	-	-	-	-	-	1	8	-	9	23.1	20.2	20.0	-	0.2	-	-	-	-
166E	-	-	-	-	-	12	10	-	22	24.7*	83.4	83.0	-	0.4	-	-	-	-
167E	-	-	-	-	-	9	7	-	16	23.7	65.8	65.5	-	-	-	-	-	0.3
168E	-	-	-	-	-	9	6	-	15	22.8	47.5	47.0	-	0.5	-	-	-	-
169E	-	-	-	-	-	1	4	-	5	26.6	10.5	10.0	-	0.5	-	-	-	-
170E	-	-	-	-	-	3	9	-	12	24.0	34.2	34.2	-	-	-	-	-	-
171E	-	-	-	-	-	2	-	-	2	26.0	11.0	11.0	-	-	-	-	-	-
172E	-	-	-	-	-	2	4	-	6	25.8	11.1	10.2	-	0.1	-	0.5	-	0.3
173E	-	-	-	-	-	-	5	-	5	27.0	13.0	13.0	-	-	-	-	-	-
07N 174E	-	-	-	-	-	-	3	-	3	28.0	10.0	10.0	-	-	-	-	-	-
175E	-	-	-	-	-	1	2	-	3	24.6	3.0	2.4	-	0.6	-	-	-	-
176E	-	-	-	-	-	2	7	-	9	26.2	34.7	34.7	-	-	-	-	-	-
177E	-	-	-	-	-	1	18	-	19	23.7	92.6	91.0	-	1.0	-	-	-	0.6
178E	-	-	-	-	-	4	13	-	17	23.2	42.6	41.0	-	1.0	-	-	-	0.6
179E	-	-	-	-	-	-	6	-	6	25.6	30.7	29.7	-	1.0	-	-	-	-
*179W	-	-	-	-	-	-	3	-	3	31.3	37.0	37.0	-	-	-	-	-	-
178W	-	-	-	-	-	1	2	-	3	25.6	8.0	6.0	-	2.0	-	-	-	-
*176W	-	-	-	-	-	-	2	-	2	27.5	13.0	8.0	-	3.2	-	1.6	-	0.2
*173W	-	-	-	-	-	-	3	-	3	21.0	0.1	0.1	-	-	-	-	-	-
*167W	-	-	-	-	-	-	4	-	4	22.5	18.4	18.4	-	-	-	-	-	-
166W	-	-	-	-	-	-	2	-	2	28.0	25.0	25.0	-	-	-	-	-	-
165W	-	-	-	-	-	-	6	-	6	25.5	50.1	50.1	-	-	-	-	-	-
164W	-	-	-	-	-	-	8	-	8	25.1	49.4	49.4	-	-	-	-	-	-
163W	-	-	-	-	-	-	7	-	7	27.5	38.5	37.5	-	-	-	-	-	1.0
162W	-	-	-	-	-	-	2	-	2	28.0	8.0	7.5	-	0.5	-	-	-	-
161W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
06N 131E	-	-	-	-	-	-	3	-	3	28.0	27.5	27.5	-	-	-	-	-	-
132E	-	-	-	-	-	-	1	-	1	28.0	6.0	6.0	-	-	-	-	-	-
133E	-	-	-	-	-	2	-	-	2	26.5	1.0	1.0	-	-	-	-	-	-
134E	-	-	-	-	-	-	1	-	1	31.0	2.0	2.0	-	-	-	-	-	-
*136E	-	-	-	-	-	-	1	-	1	30.0	0.2	0.1	-	0.1	-	-	-	-
137E	-	-	-	-	-	3	-	-	3	25.6	2.0	2.0	-	-	-	-	-	-
138E	-	-	-	-	-	2	1	-	3	18.3	4.3	4.2	-	0.1	-	-	-	-
139E	-	-	-	-	-	7	4	-	11	22.0	32.6	32.6	-	-	-	-	-	-
140E	-	-	-	-	-	8	11	-	19	22.1	69.2	67.1	-	1.1	-	-	-	1.0
141E	-	-	-	-	-	13	29	-	42	22.6	160.6	160.1	-	0.5	-	-	-	-
142E	-	-	-	-	-	8	28	-	36	24.5	146.8	141.6	-	4.2	-	1.0	-	-
143E	-	-	-	-	-	2	15	-	17	25.0	80.3	79.0	-	0.2	-	-	-	1.1
144E	-	-	-	-	-	12	14	-	26	20.6*	145.1	134.7	-	9.9	-	-	-	0.5
145E	-	-	-	-	-	4	3	-	7	20.3*	14.8	12.5	-	2.3	-	-	-	-
146E	-	-	-	-	-	15	7	-	22	22.8	80.8	80.8	-	-	-	-	-	-
147E	-	-	-	-	-	23	14	-	37	20.9*	158.5	158.5	-	-	-	-	-	-
148E	-	-	-	-	-	45	20	-	65	19.8*	264.5	264.2	-	0.3	-	-	-	-
149E	-	-	-	-	-	30	26	-	56	21.2*	231.2	223.3	-	3.7	-	2.0	-	2.2
150E	-	-	-	-	-	34	29	-	63	20.6*	282.1	272.1	-	1.0	-	7.0	-	2.0
151E	-	-	-	-	-	30	31	-	61	21.2*	300.9	285.4	-	10.2	-	4.1	-	1.2
152E	-	-	-	-	-	28	12	-	40	19.6*	168.9	162.9	-	5.9	-	-	-	0.1
153E	-	-	-	-	-	15	15	-	30	21.2*	73.4	71.1	-	2.3	-	-	-	-
154E	-	-	-	-	-	4	13	-	17	24.3*	38.8	38.8	-	-	-	-	-	-
155E	-	-	-	-	-	11	15	-	26	22.6*	95.4	94.7	-	0.2	-	-	-	0.5
156E	-	-	-	-	-	15	19	-	34	22.8*	144.8	143.7	-	0.2	-	-	-	0.9
157E	-	-	-	-	-	20	21	-	41	24.9	166.0	166.0	-	-	-	-	-	-
158E	-	-	-	-	-	18	9	-	27	24.0*	61.6	61.5	-	0.1	-	-	-	-
159E	-	-	-	-	-	9	12	-	21	23.8	47.7	47.5	-	0.2	-	-	-	-
160E	-	-	-	-	-	2	15	-	17	23.4	75.6	75.3	-	0.3	-	-	-	-
161E	-	-	-	-	-	8	9	-	17	23.6*	25.9	25.9	-	-	-	-	-	-
162E	-	-	-	-	-	6	10	-	16	24.8*	44.4	43.7	-	0.3	-	-	-	0.4
163E	-	-	-	-	-	5	6	-	11	25.1*	20.4	20.4	-	-	-	-	-	-
164E	-	-	-	-	-	5	2	-	7	22.5*	2.5	2.5	-	-	-	-	-	-
165E	-	-	-	-	-	1	9	-	10	23.1	20.8	20.8	-	-	-	-	-	-
166E	-	-	-	-	-	4	3	-	7	26.0*	21.6	21.6	-	-	-	-	-	-
167E	-	-	-	-	-	11	14	-	25	24.0	147.3	146.1	-	0.4	-	-	-	0.8
168E	-	-	-	-	-	6	7	-	13	22.5*	45.9	45.3	-	0.5	-	0.1	-	-
169E	-	-	-	-	-	2	4	-	6	24.1	22.7	22.2	-	-	-	0.5	-	-

業位置		屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
N	170E	-	-	-	-	-	2	3	-	5	23.4	11.2	9.8	-	1.4	-	-	-	-
	171E	-	-	-	-	-	4	8	-	12	24.7	36.8	36.5	-	-	-	0.3	-	-
	172E	-	-	-	-	-	3	6	-	9	23.1	27.5	27.5	-	-	-	-	-	-
	173E	-	-	-	-	-	2	10	-	12	25.0	40.5	39.3	-	0.2	-	0.5	-	0.5
	174E	-	-	-	-	-	3	12	-	15	27.7	63.3	61.8	-	1.0	-	-	-	0.5
	175E	-	-	-	-	-	2	10	-	12	28.7	87.0	87.0	-	-	-	-	-	-
	176E	-	-	-	-	-	3	9	-	12	23.6	25.1	24.3	-	0.7	-	-	-	0.1
	177E	-	-	-	-	-	2	13	-	15	25.5*	84.5	82.5	-	2.0	-	-	-	-
	178E	-	-	-	-	-	-	18	-	18	23.4	75.5	74.0	-	1.5	-	-	-	-
	179E	-	-	-	-	-	4	20	-	24	23.5	136.8	133.8	-	2.1	-	0.9	-	-
	*179W	-	-	-	-	-	2	25	-	27	24.5	117.6	103.7	-	3.2	-	10.7	-	-
	178W	-	-	-	-	-	-	9	-	9	23.6	54.0	54.0	-	-	-	-	-	-
	177W	-	-	-	-	-	-	5	-	5	24.6	18.5	18.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	4	-	4	24.2	12.5	12.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	3	-	3	24.0	4.5	4.5	-	-	-	-	-	-
	174W	-	-	-	-	-	-	4	-	4	22.5	11.5	10.5	-	1.0	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	19.0	1.5	1.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	3	-	3	23.3	10.0	10.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	2	-	2	21.0	11.0	11.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	4	-	4	22.7	17.0	17.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	3	-	3	22.6	7.0	7.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	10	-	10	22.9	87.7	87.7	-	-	-	-	-	-
	167W	-	-	-	-	-	-	15	-	15	21.0	115.0	115.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	23	-	23	22.6	142.0	142.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	32	-	32	23.5	285.0	284.0	-	1.0	-	-	-	-
	164W	-	-	-	-	-	-	19	-	19	23.6	142.5	142.5	-	-	-	-	-	-
	163W	-	-	-	-	-	-	31	-	31	24.2	314.6	314.6	-	-	-	-	-	-
	162W	-	-	-	-	-	2	19	-	21	23.0	169.5	169.5	-	-	-	-	-	-
5N	000E	-	-	-	-	-	4	5	-	9	23.0	11.7	11.6	-	-	-	0.1	-	-
	*131E	-	-	-	-	-	-	1	-	1	23.0	8.0	8.0	-	-	-	-	-	-
	132E	-	-	-	-	-	-	1	-	1	31.0	5.0	5.0	-	-	-	-	-	-
	133E	-	-	-	-	-	-	2	-	2	20.0*	13.0	13.0	-	-	-	-	-	-
	134E	-	-	-	-	-	1	4	-	5	25.5*	12.5	12.5	-	-	-	-	-	-
	135E	-	-	-	-	-	-	3	-	3	25.0	25.0	25.0	-	-	-	-	-	-
	136E	-	-	-	-	-	1	1	-	2	25.5	5.5	5.5	-	-	-	-	-	-
	137E	-	-	-	-	-	3	2	-	5	25.0	9.4	8.5	-	0.5	-	-	-	0.4
	138E	-	-	-	-	-	1	1	-	2	17.5	9.0	9.0	-	-	-	-	-	-
	139E	-	-	-	-	-	4	13	-	17	23.0	60.9	60.9	-	-	-	-	-	-
	140E	-	3	-	-	-	3	6	-	12	25.0*	55.8	54.5	-	0.8	-	0.4	-	0.1
	141E	-	-	-	-	-	3	12	-	15	26.2	52.5	51.5	-	-	-	1.0	-	-
	142E	-	-	-	-	-	2	5	-	7	26.7	47.0	47.0	-	-	-	-	-	-
	143E	-	-	-	-	-	2	3	-	5	25.8	9.0	9.0	-	-	-	-	-	-
	144E	-	-	-	-	-	6	5	-	11	25.3	43.5	42.5	-	1.0	-	-	-	-
	145E	-	-	-	-	-	2	2	-	4	22.5	9.2	9.0	-	-	-	-	-	0.2
	146E	-	-	-	-	-	7	2	-	9	24.0	39.0	39.0	-	-	-	-	-	-
	147E	-	-	-	-	-	1	8	-	9	21.8*	30.0	29.9	-	0.1	-	-	-	-
	148E	-	-	-	-	-	21	7	-	28	19.5*	93.2	92.0	-	1.2	-	-	-	-
	149E	-	-	-	-	-	36	9	-	45	19.2*	166.1	160.0	-	4.0	-	0.6	-	1.5
	150E	-	-	-	-	-	34	14	-	48	20.6	198.8	192.2	-	4.9	-	1.1	-	0.6
	151E	-	-	-	-	-	24	16	-	40	18.9	210.5	199.6	-	3.9	-	2.7	-	4.3
	152E	-	-	-	-	-	23	20	-	43	20.6*	230.8	216.0	-	14.1	-	-	-	0.7
	153E	-	-	-	-	-	16	14	-	30	20.4*	121.8	119.1	-	2.7	-	-	-	-
	154E	-	-	-	-	-	26	21	-	47	21.5*	220.0	217.8	-	0.9	-	-	-	1.3
	155E	-	-	-	-	-	11	4	-	15	21.3	66.0	64.9	-	1.1	-	-	-	-
	156E	-	-	-	-	-	7	9	-	16	22.3	32.7	31.7	-	-	-	1.0	-	-
5N	157E	-	-	-	-	-	4	7	-	11	23.5	25.2	24.9	-	0.3	-	-	-	-
	158E	-	-	-	-	-	6	14	-	20	21.7	64.9	64.4	-	-	-	0.5	-	-
	159E	-	-	-	-	-	6	13	-	19	23.6	40.0	39.7	-	-	-	0.3	-	-
	160E	-	-	-	-	-	7	7	-	14	21.6	15.3	14.2	-	-	-	-	-	1.1
	161E	-	-	-	-	-	5	3	-	8	22.3	20.3	19.8	-	-	-	0.5	-	-
	162E	-	-	-	-	-	9	5	-	14	24.0*	55.5	55.0	-	-	-	-	-	0.5
	163E	-	-	-	-	-	12	12	-	24	25.2	51.1	51.1	-	-	-	-	-	-
	164E	-	-	-	-	-	1	5	-	6	22.6	19.9	19.9	-	-	-	-	-	-
	165E	-	-	-	-	-	1	9	-	10	21.5	33.3	31.5	-	0.5	-	0.3	-	1.0
	166E	-	-	-	-	-	3	14	-	17	23.4	67.2	67.2	-	-	-	-	-	-
	167E	-	-	-	-	-	10	19	-	29	23.9	170.4	169.4	-	1.0	-	-	-	-
	168E	-	-	-	-	-	4	16	-	20	25.1	50.5	50.5	-	-	-	-	-	-
	169E	-	-	-	-	-	5	18	-	23	24.7	87.1	87.1	-	-	-	-	-	-
	170E	-	-	-	-	-	2	22	-	24	23.4*	82.9	79.9	-	-	-	0.5	-	2.5
	171E	-	-	-	-	-	8	21	-	29	23.5	114.2	112.0	-	-	-	0.7	-	1.5
	172E	-	-	-	-	-	2	14	-	16	25.3	77.2	77.2	-	-	-	-	-	-
	173E	-	-	-	-	-	2	20	-	22	26.0	101.8	99.5	-	-	-	2.3	-	-
	174E	-	-	-	-	-	2	32	-	34	29.6	228.9	221.7	-	0.1	-	7.1	-	-
	175E	-	-	-	-	-	-	19	-	19	27.1	85.8	83.3	-	-	-	2.5	-	-
	176E	-	-	-	-	-	-	8	-	8	26.0	22.9	22.9	-	-	-	-	-	-
	177E	-	-	-	-	-	-	10	-	10	24.1	58.2	58.2	-	-	-	-	-	-
	178E	-	-	-	-	-	2	20	-	22	26.6	123.2	122.7	-	0.5	-	-	-	-
	179E	-	-	-	-	-	4	19	-	23	25.1	147.1	142.4	-	1.6	-	3.0	-	0.1
	*179W	-	-	-	-	-	1	27	-	28	22.9	210.7	209.3	-	0.5	-	0.9	-	-
	178W	-	-	-	-	-	3	40	-	43	26.1	308.6	301.6	-	2.5	-	4.5	-	-
	177W	-	-	-	-	-	3	13	-	16	24.8	59.2	56.5	-	2.2	-	0.5	-	-
	176W	-	-	-	-	-	-	6	-	6	26.0	14.7	14.2	-	0.5	-	-	-	-
	175W	-	-	-	-	-	-	10	-	10	22.3	18.2	18.2	-	-	-	-	-	-
	174W	-	-	-	-	-	1	23	-	24	24.0	161.8	161.8	-	-	-	-	-	-
	173W	-	-	-	-	-	1	14	-	15	24.5	86.0	86.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	13	-	13	22.6	98.5	98.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	20	-	20	24.1	86.6	86.6	-	-	-	-	-	-
	170W	-	-	-	-	-	-	37	-	37	25.5	186.3	185.3	-	-	-	1.0	-	-
	169W	-	-	-	-	-	-	17	-	17	25.5	134.0	132.0	-	-	-	2.0	-	-
	168W	-	-	-	-	-	-	27	-	27	22.2	147.7	147.7	-	-	-	-	-	-
	167W	-	-	-	-	-	-	29	-	29	22.2	169.5	169.5	-	-	-	-	-	-
	166W	-	-	-	-	-	-	22	-	22	23.7	154.7	154.5	-	0.2	-	-	-	-
	165W	-	-	-	-	-	-	16	-	16	22.4	86.9	86.9	-	-	-	-	-	-
	164W	-	-	-	-	-	-	25	-	25	22.4	156.5	156.5	-	-	-	-	-	-
	163W	-	-	-	-	-	-	15	-	15	22.6	89.0	89.0	-	-	-	-	-	-
	162W	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	161W	-	-	-	-	-	-	1	-	1	20.0	10.0	10.0	-	-	-	-	-	-
	*000W	-	-	-	-	-	80	7	-	87	23.0	36.2	31.3	-	4.7	-	0.2	-	-
4N	000E	-	-	-	-	-	6	1	-	7	23.0	12.8	11.9	-	0.3	-	0.6	-	-
	001E	-	-	-	-	-	2	2	-	4	23.0	27.2	27.1	-	0.1	-	-	-	-
	002E	-	-	-	-	-	-	2	-	2	23.0	4.2	4.2	-	-	-	-	-	-
	*133E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	134E	-	-	-	-	-	-	2	-	2	29.5	6.0	6.0	-	-	-	-	-	-
	135E	-	-	-	-	-	-	4	-	4	26.0	13.0	10.0	-	3.0	-	-	-	-
	136E	-	-	-	-	-	1	-	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	137E	-	-	-	-	-	2	4	-	6	26.6	23.0	23.0	-	-	-	-	-	-
	138E	-	-	-	-	-	-	12	-	12	27.2	52.1	52.0	-	0.1	-	-	-	-
	139E	-	4	-	-	-	8	43	-	55	25.0*	437.2	434.5	-	1.6	-	1.0	-	0.1
	140E	-	4	-	-	-	2	12	-	18	25.4*	50.0	47.4	-	1.7	-	0.9	-	-
	141E	-	-	-	-	-	-	2	-	2	22.0	7.0	7.0	-	-	-	-	-	-

操業位置	屯数階層別操業隻数									平均年数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
04N 142E	-	-	-	-	-	-	6	-	6	24.3	32.2	32.2	-	-	-	-	-	-
143E	-	-	-	-	-	4	18	-	22	24.9	142.3	140.8	-	0.5	-	-	-	1.0
144E	-	-	-	-	-	7	10	-	17	21.4	62.7	62.7	-	-	-	-	-	-
145E	-	1	-	-	-	4	2	-	7	22.4*	14.3	14.0	-	0.2	-	0.1	-	-
146E	-	-	-	-	-	7	1	-	8	20.8	37.9	35.5	-	2.4	-	-	-	-
147E	-	-	-	-	-	8	3	-	11	19.6	41.4	37.9	-	3.5	-	-	-	-
148E	-	-	-	-	-	19	3	-	22	17.5	80.6	78.4	-	2.2	-	-	-	-
149E	-	-	-	-	-	17	4	-	21	19.6	68.2	64.1	-	3.5	-	-	-	0.6
150E	-	1	-	-	-	15	6	-	22	19.4*	109.4	104.0	-	2.6	-	2.8	-	-
151E	-	1	-	-	-	50	17	-	68	19.1*	366.8	351.8	-	10.6	-	3.3	-	1.1
152E	-	-	-	-	-	29	16	-	45	19.3*	293.0	288.0	-	2.7	-	2.3	-	-
153E	-	-	-	-	-	44	24	-	68	19.5*	264.9	249.6	-	11.8	-	3.5	-	-
154E	-	-	-	-	-	32	29	-	61	21.1*	242.8	235.3	-	6.3	-	1.0	-	0.2
155E	-	-	-	-	-	14	4	-	18	18.1*	37.8	35.7	-	2.0	-	-	-	0.1
156E	-	-	-	-	-	2	7	-	9	22.7	16.4	15.9	-	-	-	0.5	-	-
157E	-	-	-	-	-	7	7	-	14	24.8*	22.6	22.6	-	-	-	-	-	-
158E	-	-	-	-	-	7	5	-	12	21.2	38.0	36.3	-	0.3	-	1.0	-	0.4
159E	-	-	-	-	-	9	4	-	13	24.6	34.9	32.5	-	2.2	-	-	-	0.2
160E	-	-	-	-	-	9	10	-	19	22.1	58.0	55.1	-	1.9	-	-	-	1.0
161E	-	1	-	-	-	14	3	-	18	24.3*	78.5	77.8	-	0.3	-	0.1	-	0.3
162E	-	-	-	-	-	15	11	-	26	21.2	75.1	70.3	-	4.7	-	0.1	-	-
163E	-	1	-	-	-	9	9	-	19	21.3*	44.6	42.5	-	1.9	-	0.2	-	-
164E	-	-	-	-	-	5	12	-	17	22.8*	35.6	35.6	-	-	-	-	-	-
165E	-	-	-	-	-	3	9	-	12	23.9*	52.0	52.0	-	-	-	-	-	-
166E	-	1	-	-	-	5	14	-	20	20.2*	165.8	162.3	-	0.1	-	3.1	-	0.3
167E	-	2	-	-	-	9	10	-	21	24.2*	47.9	44.3	-	1.4	-	0.7	-	1.5
168E	-	2	-	-	-	5	16	-	23	22.0*	95.6	91.2	-	2.4	-	1.2	-	0.8
169E	-	8	-	-	-	3	11	-	22	21.7*	83.1	65 0	-	12.3	-	4.0	-	1.8
170E	-	-	-	-	-	2	5	-	7	22.2	16.0	15.5	-	-	-	0.5	-	-
171E	-	-	-	-	-	6	15	-	21	24.1	80.1	79.6	-	0.5	-	-	-	-
172E	-	-	-	-	-	4	25	-	29	22.5	210.6	210.6	-	-	-	-	-	-
173E	-	-	-	-	-	14	59	-	73	22.4*	692.7	692.7	-	-	-	-	-	-
174E	-	-	-	-	-	5	41	-	46	23.4	235.6	234.5	-	0.7	-	-	-	0.4
175E	-	-	-	-	-	2	29	-	31	24.5	250.3	248.0	-	2.3	-	-	-	-
176E	-	-	-	-	-	-	25	-	25	24.4	142.8	141.5	-	1.0	-	-	-	0.3
177E	-	-	-	-	-	4	23	-	27	24.5	127.0	127.0	-	-	-	-	-	-
178E	-	-	-	-	-	2	13	-	15	23.8	104.0	102.0	-	2.0	-	-	-	-
179E	-	-	-	-	-	2	34	-	36	24.3	148.6	148.3	-	0.2	-	-	-	0.1
*179W	-	-	-	-	-	5	50	-	55	24.4*	501.1	498.5	-	0.5	-	2.0	-	0.1
178W	-	-	-	-	-	2	29	-	31	23.9	247.1	241.1	-	-	-	6.0	-	-
177W	-	-	-	-	-	7	29	-	36	23.7*	158.5	154.9	-	2.1	-	1.5	-	-
176W	-	-	-	-	-	4	18	-	22	22.6	82.5	82.5	-	-	-	-	-	-
175W	-	-	-	-	-	-	16	-	16	23.5	47.3	47.3	-	-	-	-	-	-
174W	-	-	-	-	-	1	38	-	39	22.9	250.0	250.0	-	-	-	-	-	-
173W	-	-	-	-	-	1	52	-	53	24.1*	401.9	401.9	-	-	-	-	-	-
172W	-	-	-	-	-	-	23	-	23	22.7	145.2	143.7	-	-	-	1.5	-	-
171W	-	-	-	-	-	-	22	-	22	25.4	152.1	152.1	-	-	-	-	-	-
170W	-	-	-	-	-	-	19	-	19	25.8	126.5	126.0	-	-	-	0.5	-	-
169W	-	-	-	-	-	-	14	-	14	22.6	70.0	70.0	-	-	-	-	-	-
168W	-	-	-	-	-	-	12	-	12	23.2	77.5	77.5	-	-	-	-	-	-
167W	-	-	-	-	-	-	8	-	8	23.5	26.2	26.0	-	0.2	-	-	-	-
166W	-	-	-	-	-	-	9	-	9	22.7	40.5	40.5	-	-	-	-	-	-
165W	-	-	-	-	-	1	11	-	12	22.4	45.5	45.5	-	-	-	-	-	-
164W	-	-	-	-	-	-	15	-	15	21.8	85.0	85.0	-	-	-	-	-	-
163W	-	-	-	-	-	-	5	-	5	22.8	20.0	20.0	-	-	-	-	-	-
162W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
161W	-	-	-	-	-	-	1	-	1	20.0	4.5	4.5	-	-	-	-	-	-
04N *009W	-	-	-	-	-	5	-	-	5	23.0	48.1	44.6	-	3.5	-	-	-	-
008W	-	-	-	-	-	2	-	-	2	23.0	-	-	-	-	-	-	-	-
*005W	-	-	-	-	-	4	-	-	4	23.0	21.5	14.8	-	4.3	-	2.4	-	-
004W	-	-	-	-	-	3	-	-	3	23.0	32.2	14.2	-	15.3	-	2.7	-	-
003W	-	-	-	-	-	8	1	-	9	23.0	33.8	28.0	-	5.8	-	-	-	-
002W	-	-	-	-	-	25	5	-	30	23.0	170.6	109.6	-	58.3	-	2.7	-	-
001W	-	-	-	-	-	16	-	-	16	23.0	50.3	33.9	-	16.3	-	0.1	-	-
000W	-	-	-	-	-	4	2	-	6	23.0	14.0	11.4	-	2.6	-	-	-	-
03N 000E	-	-	-	-	-	11	2	-	13	23.0	81.2	52.8	-	2.6	-	1.1	-	24.
001E	-	-	-	-	-	7	4	-	11	23.0	53.6	41.2	-	0.3	-	0.4	-	11.
002E	-	-	-	-	-	10	4	-	14	23.0	88.8	74.3	-	0.3	-	1.7	-	12.
003E	-	-	-	-	-	-	1	-	1	23.0	4.4	4.1	-	0.1	-	-	-	0.
*138E	-	-	-	-	-	-	7	-	7	23.8	12.0	12.0	-	-	-	-	-	-
139E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
140E	-	-	-	-	-	-	3	-	3	26.0	10.5	10.5	-	-	-	-	-	-
141E	-	-	-	-	-	3	2	-	5	24.4	28.1	28.1	-	-	-	-	-	-
142E	-	-	-	-	-	3	1	-	4	23.2	22.0	22.0	-	-	-	-	-	-
143E	-	-	-	-	-	2	-	-	2	22.5	2.7	2.7	-	-	-	-	-	-
144E	-	-	-	-	-	2	1	-	3	23.3	1.6	0.8	-	0.8	-	-	-	-
145E	-	1	-	-	-	-	-	-	1	23.3	0.4	-	-	0.1	-	0.1	-	0.
146E	-	-	-	-	-	1	-	-	1	22.0	4.0	4.0	-	-	-	-	-	-
147E	-	-	-	-	-	5	-	-	5	19.6	12.2	12.2	-	-	-	-	-	-
148E	-	1	-	-	-	15	-	-	16	19.2*	51.7	49.5	-	1.9	-	0.2	-	0.
149E	-	2	-	-	-	3	1	-	6	22.0*	12.1	9.8	-	1.8	-	0.4	-	0.
150E	-	-	-	-	-	12	4	-	16	17.5	52.5	51.4	-	0.4	-	0.7	-	-
151E	-	-	-	-	-	28	8	-	36	18.9*	126.3	125.2	-	1.1	-	-	-	-
152E	-	2	-	-	-	16	14	-	32	18.7*	110.5	98.8	-	8.9	-	0.8	-	2.
153E	-	-	-	-	-	14	7	-	21	19.1*	62.6	55.5	-	3.1	-	1.5	-	2.
154E	-	4	-	-	-	13	3	-	20	19.0*	38.6	32.9	-	4.4	-	1.1	-	0.
155E	-	2	-	-	-	6	6	-	14	20.8*	29.3	26.0	-	2.6	-	0.2	-	0.
156E	-	1	-	-	-	5	3	-	9	18.0*	37.3	34.2	-	2.8	-	0.3	-	-
157E	-	-	-	-	-	13	5	-	18	18.2	47.8	44.5	-	3.0	-	-	-	0.
158E	-	-	-	-	-	6	7	-	13	22.9	32.1	30.6	-	1.4	-	0.1	-	-
159E	-	2	-	-	-	7	6	-	15	21.5*	27.0	20.0	-	5.3	-	1.7	-	-
160E	-	2	-	-	-	12	10	-	24	20.1*	39.7	35.6	-	2.8	-	0.8	-	0.
161E	-	2	-	-	-	7	14	-	23	19.7*	94.5	90.5	-	2.1	-	1.4	-	0.
162E	-	1	-	-	-	23	16	-	40	19.5*	161.7	157.1	-	3.6	-	1.0	-	-
163E	-	1	-	-	-	4	3	-	8	21.5*	10.3	8.0	-	1.9	-	0.4	-	-
164E	-	2	-	-	-	4	3	-	9	23.1*	18.4	16.5	-	1.7	-	-	-	0.
165E	-	1	-	-	-	4	9	-	14	21.6*	71.5	70.4	-	0.8	-	-	-	0.
166E	-	1	-	-	-	4	6	-	11	23.2*	47.2	46.8	-	0.4	-	-	-	-
167E	-	-	-	-	-	3	4	-	7	27.6*	11.5	11.5	-	-	-	-	-	-
168E	-	6	-	-	-	7	17	-	30	24.2*	138.7	129.1	-	6.9	-	2.0	-	0.
169E	-	6	-	-	-	6	7	-	19	23.7*	29.7	18.8	-	6.7	-	3.1	-	1.
170E	-	-	-	-	-	24	7	-	31	23.1*	240.4	240.1	-	0.3	-	-	-	-
171E	-	-	-	-	-	4	3	-	7	18.0*	44.5	44.5	-	-	-	-	-	-
172E	-	-	-	-	-	4	10	-	14	21.0*	62.0	62.0	-	-	-	-	-	-
173E	-	-	-	-	-	3	15	-	18	25.0	168.5	168.5	-	-	-	-	-	-
174E	-	-	-	-	-	2	29	-	31	23.4	255.7	255.7	-	-	-	-	-	-
175E	-	-	-	-	-	1	18	-	19	23.3	91.6	89.6	-	2.0	-	-	-	-
176E	-	-	-	-	-	-	10	-	10	24.2	71.0	71.0	-	-	-	-	-	-
177E	-	-	-	-	-	7	11	-	18	25.9	53.0	53.0	-	-	-	-	-	-
178E	-	-	-	-	-	2	9	-	11	23.9	41.5	41.5	-	-	-	-	-	-
179E	-	-	-	-	-	-	13	-	13	25.3	88.7	86.7	-	-	-	2.0	-	-
*179W	-	-	-	-	-	-	27	-	27	25.6	171.4	168.4	-	-	-	3.0	-	-

年・漁場別努力量及び漁獲量

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
03N	178W	-	-	-	-	-	-	19	-	19	22.8	148.0	147.5	-	0.5	-	-	-	-
	177W	-	-	-	-	-	5	47	-	52	23.4*	228.1	226.4	-	1.2	-	0.5	-	-
	176W	-	-	-	-	-	3	66	-	69	23.3*	417.8	417.8	-	-	-	-	-	-
	175W	-	-	-	-	-	6	73	-	79	23.3	481.9	481.9	-	-	-	-	-	-
	174W	-	-	-	-	-	1	102	-	103	23.2*	731.1	731.0	-	-	-	-	-	0.1
	173W	-	-	-	-	-	-	39	-	39	22.6	299.0	298.0	-	1.0	-	-	-	-
	172W	-	-	-	-	-	-	38	-	38	22.6	238.5	238.5	-	-	-	-	-	-
	171W	-	-	-	-	-	-	9	-	9	22.6	18.0	17.5	-	0.5	-	-	-	-
	170W	-	-	-	-	-	-	4	-	4	21.2	4.0	4.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	21.0	17.0	17.0	-	-	-	-	-	-
	168W	-	-	-	-	-	2	7	-	9	24.4	119.5	119.5	-	-	-	-	-	-
	167W	-	-	-	-	-	4	5	-	9	24.3	107.0	107.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	3	-	3	23.3	14.0	14.0	-	-	-	-	-	-
	165W	-	-	-	-	-	-	1	-	1	26.0	2.0	2.0	-	-	-	-	-	-
	164W	-	-	-	-	-	-	3	-	3	27.3	27.0	27.0	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	18.0	6.0	6.0	-	-	-	-	-	-
	161W	-	-	-	-	-	-	1	-	1	27.0	2.0	2.0	-	-	-	-	-	-
	*004W	-	-	-	-	-	7	-	-	7	23.0	60.0	35.5	-	4.6	-	1.8	-	18.1
	003W	-	-	-	-	-	7	-	-	7	23.0	38.3	20.1	-	1.8	-	3.5	-	12.9
	002W	-	-	-	-	-	20	-	-	20	23.0	148.8	94.7	-	5.2	-	8.6	-	40.3
	001W	-	-	-	-	-	18	1	-	19	23.0	162.2	125.4	-	1.1	-	2.9	-	32.8
	000W	-	-	-	-	-	22	-	-	22	23.0	144.5	113.1	-	0.4	-	3.0	-	28.0
02N	000E	-	-	-	-	-	20	2	-	22	23.0	181.1	128.5	-	2.3	-	5.6	-	44.7
	001E	-	-	-	-	-	10	1	-	11	23.0	70.2	54.3	-	0.4	-	5.4	-	10.1
	002E	-	-	-	-	-	13	5	-	18	23.0	129.4	93.7	-	1.3	-	4.9	-	29.5
	003E	-	-	-	-	-	9	4	-	13	23.0	108.7	73.0	-	1.4	-	13.8	-	20.5
	004E	-	-	-	-	-	2	-	-	2	23.0	19.4	9.6	-	-	-	2.5	-	7.3
	*131E	-	-	-	-	-	-	1	-	1	23.0	0.5	0.5	-	-	-	-	-	-
	*140E	-	-	-	-	-	-	2	-	2	24.0	1.0	0.9	-	-	-	0.1	-	-
	*148E	-	-	-	-	-	1	-	-	1	22.0	2.0	2.0	-	-	-	-	-	-
	149E	-	-	-	-	-	3	2	-	5	19.4	9.8	7.1	-	2.7	-	-	-	-
	150E	-	-	-	-	-	4	2	-	6	24.1	24.1	18.8	-	3.8	-	-	-	1.5
	151E	-	-	-	-	-	14	6	-	20	22.7*	68.1	65.6	-	2.5	-	-	-	-
	152E	-	-	-	-	-	37	8	-	45	18.0*	152.0	139.5	-	11.2	-	0.7	-	0.6
	153E	-	-	-	-	-	17	9	-	26	18.8*	70.2	60.3	-	6.7	-	1.2	-	2.0
	154E	-	1	-	-	-	8	7	-	16	19.7*	45.1	42.2	-	2.8	-	-	-	0.1
	155E	-	1	-	-	-	11	7	-	19	19.1*	50.2	40.8	-	8.9	-	0.4	-	0.1
	156E	-	2	-	-	-	9	7	-	18	20.1*	28.9	23.3	-	5.2	-	0.3	-	0.1
	157E	-	1	-	-	-	2	4	-	7	21.3*	17.7	15.5	-	1.0	-	1.1	-	0.1
	158E	-	1	-	-	-	11	3	-	15	18.5*	65.2	57.2	-	6.2	-	1.8	-	-
	159E	-	2	-	-	-	6	4	-	12	21.3*	36.5	32.6	-	3.2	-	0.4	-	0.3
	160E	-	2	-	-	-	8	9	-	19	22.8*	42.9	38.2	-	4.3	-	0.4	-	-
	161E	-	3	-	-	-	9	14	-	26	22.6*	102.0	93.6	-	7.5	-	0.7	-	0.2
	162E	-	3	-	-	-	4	13	-	20	22.2*	70.9	55.0	-	11.1	-	4.2	-	0.6
	163E	-	-	-	-	-	2	10	-	12	23.9	93.6	93.5	-	0.1	-	-	-	-
	164E	-	-	-	-	-	2	28	-	30	24.5	232.0	231.6	-	0.4	-	-	-	-
	165E	-	-	-	-	-	-	16	-	16	22.9	80.6	76.5	-	3.1	-	1.0	-	-
	166E	-	1	-	-	-	5	12	-	18	23.4*	59.0	57.2	-	1.0	-	0.6	-	0.2
	167E	-	3	-	-	-	5	6	-	14	23.1*	52.7	46.7	-	4.4	-	0.9	-	0.7
	168E	-	4	-	-	-	-	12	-	16	22.8*	36.9	28.2	0.1	5.4	-	0.6	-	2.6
	169E	-	4	-	-	-	2	4	-	10	24.8*	15.6	12.2	-	2.4	-	0.6	-	0.4
	170E	-	-	-	-	-	8	4	-	12	25.4	78.1	78.1	-	-	-	-	-	-
	171E	-	-	-	-	-	2	14	-	16	25.8	48.9	48.9	-	-	-	-	-	-
	172E	-	-	-	-	-	8	22	-	30	21.1	246.6	246.1	-	0.5	-	-	-	-
	173E	-	-	-	-	-	2	8	-	10	25.9	97.0	97.0	-	-	-	-	-	-
02N	174E	-	-	-	-	-	1	11	-	12	26.1	93.7	90.7	-	-	-	3.0	-	-
	175E	-	-	-	-	-	9	9	-	18	23.2	55.9	55.9	-	-	-	-	-	-
	176E	-	-	-	-	-	4	7	-	11	25.3	29.5	29.5	-	-	-	-	-	-
	177E	-	-	-	-	-	6	4	-	10	22.5	83.5	83.5	-	-	-	-	-	-
	178E	-	-	-	-	-	3	6	-	9	25.1	10.2	10.2	-	-	-	-	-	-
	179E	-	-	-	-	-	8	23	-	31	24.4*	166.6	166.6	-	-	-	-	-	-
	*179W	-	-	-	-	-	3	24	-	27	24.1	176.6	176.5	-	-	-	-	-	0.1
	178W	-	-	-	-	-	4	41	-	45	23.6	335.3	334.5	-	0.8	-	-	-	-
	177W	-	-	-	-	-	12	71	-	83	23.9*	719.6	719.0	-	0.1	-	0.5	-	-
	176W	-	-	-	-	-	7	56	-	63	23.3*	685.0	683.3	-	1.7	-	-	-	-
	175W	-	-	-	-	-	-	69	-	69	24.6*	634.1	633.1	-	1.0	-	-	-	-
	174W	-	-	-	-	-	3	68	-	71	23.7*	714.4	714.1	-	-	-	0.3	-	-
	173W	-	-	-	-	-	1	20	-	21	22.0	80.7	80.5	-	-	-	0.2	-	-
	172W	-	-	-	-	-	1	48	-	49	22.7*	289.4	289.0	-	0.4	-	-	-	-
	171W	-	-	-	-	-	-	12	-	12	24.3*	92.0	92.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	6	-	6	24.1	9.0	9.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	4	-	4	21.5	18.0	18.0	-	-	-	-	-	-
	*167W	-	-	-	-	-	-	3	-	3	29.3	44.0	44.0	-	-	-	-	-	-
	166W	-	-	-	-	-	-	1	-	1	25.0	8.0	8.0	-	-	-	-	-	-
	*009W	-	-	-	-	-	1	-	-	1	23.0	2.3	0.6	-	1.6	-	-	-	0.1
	008W	-	-	-	-	-	1	-	-	1	23.0	1.4	1.2	-	-	-	-	-	0.2
	*005W	-	-	-	-	-	2	-	-	2	23.0	12.0	7.6	-	2.4	-	0.3	-	1.7
	004W	-	-	-	-	-	5	-	-	5	23.0	48.1	24.6	-	5.4	-	1.7	-	16.4
	003W	-	-	-	-	-	7	-	-	7	23.0	43.5	22.9	-	1.5	-	1.6	-	17.5
	002W	-	-	-	-	-	13	-	-	13	23.0	89.9	63.6	-	1.8	-	3.6	-	20.9
	001W	-	-	-	-	-	43	-	-	43	23.0	445.5	324.5	-	10.6	-	11.9	-	98.5
	000W	-	-	-	-	-	33	6	-	39	23.0	304.2	229.3	-	3.0	-	8.8	-	63.1
01N	000E	-	-	-	-	-	10	1	-	11	23.0	59.0	49.6	-	3.3	-	4.4	-	1.7
	001E	-	-	-	-	-	4	1	-	5	23.0	30.1	24.1	-	0.1	-	5.9	-	-
	002E	-	-	-	-	-	3	3	-	6	23.0	49.3	44.0	-	-	-	4.1	-	1.2
	003E	-	-	-	-	-	1	1	-	2	23.0	18.6	10.2	-	0.1	-	0.1	-	8.2
	004E	-	-	-	-	-	2	1	-	3	23.0	21.9	18.1	-	0.1	-	0.9	-	2.8
	*136E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	*141E	-	-	-	-	-	-	2	-	2	29.5	1.0	1.0	-	-	-	-	-	-
	142E	-	-	-	-	-	1	-	-	1	25.0	2.0	2.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	5	2	-	7	18.1	28.0	25.0	-	3.0	-	-	-	-
	153E	-	-	-	-	-	10	7	-	17	21.5*	65.6	57.9	-	7.7	-	-	-	-
	154E	-	1	-	-	-	13	12	-	26	20.0*	96.0	72.8	-	5.9	-	17.2	-	0.1
	155E	-	-	-	-	-	33	6	-	39	21.1*	264.5	255.7	-	2.7	-	3.6	-	2.5
	156E	-	1	-	-	-	8	2	-	11	18.8*	40.7	32.0	-	6.8	-	1.7	-	0.2
	157E	-	1	-	-	-	10	3	-	14	18.2*	46.7	35.6	-	10.3	-	0.7	-	0.1
	158E	-	1	-	-	-	6	5	-	12	21.0*	46.9	43.0	-	3.3	-	0.5	-	0.1
	159E	-	-	-	-	-	4	13	-	17	20.1	59.1	49.2	-	7.6	-	2.0	-	0.3
	160E	-	1	-	-	-	17	19	-	37	19.4*	164.9	159.8	-	3.2	-	1.6	-	0.3
	161E	-	2	-	-	-	30	56	-	88	22.3*	653.8	639.2	0.5	10.8	-	1.5	-	1.8
	162E	-	-	-	-	-	34	123	-	157	22.9*	1366.7	1347.5	-	10.8	-	7.4	-	1.0
	163E	-	-	-	-	-	20	55	-	75	24.1*	495.5	493.3	-	0.5	-	0.5	-	1.2
	164E	-	-	-	-	-	7	66	-	73	23.8*	562.0	559.4	-	2.6	-	-	-	-
	165E	-	-	-	-	-	3	40	-	43	23.6*	301.3	301.0	-	-	-	0.3	-	-
	166E	-	-	-	-	-	2	13	-	15	25.4*	67.5	65.4	-	2.1	-	-	-	-
	167E	-	-	-	-	-	-	3	-	3	23.5*	16.5	16.5	-	-	-	-	-	-
	168E	-	2	-	-	-	-	1	-	3	20.0*	1.9	-	-	1.4	-	0.1	-	0.4
	169E	-	3	-	-	-	1	2	-	6	15.5*	7.7	5.0	-	1.6	-	0.5	-	0.6
	170E	-	-	-	-	-	2	4	-	6	24.6	21.8	21.8	-	-	-	-	-	-
	171E	-	-	-	-	-	-	7	-	7	34.7	28.7	28.7	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU　　　　*** GYOJYO-BETSU TOUKEI ***　　　　54　　　　NEN -039　　　　年 計

操業位置		屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
01N	172E	-	-	-	-	-	5	12	-	17	22.0	102.3	102.3	-	-	-	-	-	-
	173E	-	-	-	-	-	3	3	-	6	24.0	23.5	23.5	-	-	-	-	-	-
	174E	-	-	-	-	-	3	3	-	6	25.3	13.0	13.0	-	-	-	-	-	-
	175E	-	-	-	-	-	8	5	-	13	22.3	75.5	30.1	-	27.4	-	18.0	-	-
	176E	-	-	-	-	-	2	8	-	10	24.9	193.0	193.0	-	-	-	-	-	-
	177E	-	-	-	-	-	15	15	-	30	23.4	262.0	260.0	-	-	-	2.0	-	-
	178E	-	-	-	-	-	1	8	-	9	22.5	83.0	83.0	-	-	-	-	-	-
	179E	-	-	-	-	-	9	25	-	34	24.1	290.6	288.9	-	0.5	-	0.6	-	0.6
	*179W	-	-	-	-	-	1	31	-	32	24.6	237.3	237.3	-	-	-	-	-	-
	178W	-	-	-	-	-	3	25	-	28	25.6	356.2	354.2	-	2.0	-	-	-	-
	177W	-	-	-	-	-	9	36	-	45	23.2	614.3	613.0	-	1.3	-	-	-	-
	176W	-	-	-	-	-	7	42	-	49	22.9	705.0	704.2	-	0.3	-	0.2	-	0.3
	175W	-	-	-	-	-	-	26	-	26	23.7	462.0	462.0	-	-	-	-	-	-
	174W	-	-	-	-	-	2	17	-	19	21.8	157.5	157.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	9	-	9	25.3	119.0	119.0	-	-	-	-	-	-
	172W	-	-	-	-	-	-	42	-	42	24.5*	285.0	285.0	-	-	-	-	-	-
	171W	-	-	-	-	-	-	18	-	18	25.2	196.5	196.5	-	-	-	-	-	-
	170W	-	-	-	-	-	-	11	-	11	25.6	69.4	68.5	-	0.9	-	-	-	-
	169W	-	-	-	-	-	-	3	-	3	25.3	17.0	17.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	4	-	4	25.7	18.5	18.5	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	25.0	2.5	2.5	-	-	-	-	-	-
	*162W	-	-	-	-	-	-	1	-	1	28.0	8.0	8.0	-	-	-	-	-	-
	*004W	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
	003W	-	-	-	-	-	1	-	-	1	23.0	7.0	4.0	-	0.1	-	0.6	-	2.3
	002W	-	-	-	-	-	3	-	-	3	23.0	7.5	6.9	-	0.4	-	0.2	-	-
	001W	-	-	-	-	-	9	-	-	9	23.0	43.2	36.0	-	1.0	-	2.4	-	3.8
	000W	-	-	-	-	-	4	1	-	5	23.0	23.9	22.7	-	-	-	1.2	-	-
00N	000E	-	-	-	-	-	3	1	-	4	23.0	19.2	15.9	-	2.1	-	1.2	-	-
	001E	-	-	-	-	-	4	-	-	4	23.0	25.8	23.9	-	0.6	-	1.3	-	-
	002E	-	-	-	-	-	1	1	-	2	23.0	9.7	8.9	-	0.2	-	0.6	-	-
	003E	-	-	-	-	-	1	1	-	2	23.0	8.4	8.4	-	-	-	-	-	-
	*145E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*149E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	150E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*152E	-	-	-	-	-	2	1	-	3	24.3	12.2	7.5	-	4.7	-	-	-	-
	153E	-	-	-	-	-	10	2	-	12	18.4	58.3	33.5	-	20.3	-	4.5	-	-
	154E	-	-	-	-	-	14	5	-	19	21.3*	71.6	58.5	-	2.5	-	9.1	-	1.5
	155E	-	-	-	-	-	21	8	-	29	22.4	128.8	107.0	-	10.8	-	7.5	-	3.5
	156E	-	-	-	-	-	8	-	-	8	22.0	28.0	24.6	-	1.4	-	-	-	2.0
	157E	-	3	-	-	-	5	7	-	15	20.8*	34.6	20.7	-	11.8	-	1.8	-	0.3
	158E	-	2	-	-	-	6	3	-	11	21.1*	44.9	39.5	-	5.0	-	0.2	-	0.2
	159E	-	1	-	-	-	2	3	-	6	20.0*	17.8	10.7	-	6.5	-	0.1	-	0.5
	160E	-	-	-	-	-	7	8	-	15	19.0	45.1	31.3	-	4.6	-	6.2	-	3.0
	161E	-	-	-	-	-	6	38	-	44	24.6*	404.5	400.7	-	2.0	-	1.8	-	-
	162E	-	-	-	-	-	14	33	-	47	22.8*	255.4	248.4	-	6.9	-	-	-	0.1
	163E	-	-	-	-	-	10	11	-	21	22.3*	78.8	68.0	-	9.7	-	-	-	1.1
	164E	-	-	-	-	-	-	35	-	35	25.6	337.9	337.1	-	0.5	-	-	-	0.3
	165E	-	-	-	-	-	3	20	-	23	26.9*	205.1	205.1	-	-	-	-	-	-
	166E	-	-	-	-	-	1	5	-	6	23.3	11.5	10.0	-	0.2	-	1.3	-	-
	167E	-	-	-	-	-	5	1	-	6	23.8	11.2	11.2	-	-	-	-	-	-
	168E	-	2	-	-	-	8	3	-	13	21.4*	29.0	26.1	-	1.4	-	1.0	-	0.5
	169E	-	2	-	-	-	15	1	-	18	23.1*	57.8	55.6	-	1.2	-	0.6	-	0.4
	170E	-	-	-	-	-	1	-	-	1	21.0	0.5	0.5	-	-	-	-	-	-
	171E	-	-	-	-	-	2	3	-	5	23.0	14.8	14.8	-	-	-	-	-	-
	172E	-	-	-	-	-	19	-	-	19	22.2	94.5	94.5	-	-	-	-	-	-
00N	173E	-	-	-	-	-	3	4	-	7	23.5	14.6	14.6	-	-	-	-	-	-
	174E	-	-	-	-	-	2	5	-	7	23.7	41.0	40.5	-	0.5	-	-	-	-
	175E	-	-	-	-	-	3	2	-	5	23.0	12.5	12.5	-	-	-	-	-	-
	176E	-	-	-	-	-	-	2	-	2	23.5	6.5	6.5	-	-	-	-	-	-
	177E	-	-	-	-	-	1	9	-	10	22.4	105.5	105.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	11	-	11	23.0	70.0	69.5	-	0.1	-	-	-	0.4
	179E	-	-	-	-	-	3	7	-	10	24.5	51.2	50.8	-	-	-	-	-	0.4
	*179W	-	-	-	-	-	1	9	-	10	23.2	38.5	38.5	-	-	-	-	-	-
	178W	-	-	-	-	-	2	23	-	25	22.6	175.3	175.3	-	-	-	-	-	-
	177W	-	-	-	-	-	18	56	-	74	22.9	1179.0	1178.7	-	0.3	-	-	-	-
	176W	-	-	-	-	-	1	14	-	15	22.2	163.5	163.5	-	-	-	-	-	-
	175W	-	-	-	-	-	1	14	-	15	23.0	142.0	142.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	10	-	10	22.5	81.0	80.0	-	-	-	1.0	-	-
	173W	-	-	-	-	-	-	16	-	16	23.1	144.3	144.0	-	0.3	-	-	-	-
	172W	-	-	-	-	-	-	41	-	41	24.1	400.3	399.3	-	1.0	-	-	-	-
	171W	-	-	-	-	-	-	49	-	49	24.6	511.0	511.0	-	-	-	-	-	-
	170W	-	-	-	-	-	-	5	-	5	22.4	19.0	19.0	-	-	-	-	-	-
	169W	-	-	-	-	-	-	2	-	2	27.5	7.0	7.0	-	-	-	-	-	-
	168W	-	-	-	-	-	-	7	-	7	22.0	52.0	52.0	-	-	-	-	-	-
	167W	-	-	-	-	-	-	1	-	1	28.0	5.0	5.0	-	-	-	-	-	-
	*001W	-	-	-	-	-	2	-	-	2	23.0	28.1	21.1	-	5.4	-	1.6	-	-
	000W	-	-	-	-	-	1	-	-	1	23.0	8.5	7.0	-	1.1	-	0.4	-	-
*00S	000E	-	-	-	-	-	1	-	-	1	23.0	0.9	0.7	-	-	-	0.2	-	-
	*002E	-	-	-	-	-	-	1	-	1	23.0	5.3	5.3	-	-	-	-	-	-
	*144E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
	*147E	-	-	-	-	-	-	1	-	1	26.0	7.0	7.0	-	-	-	-	-	-
	148E	-	-	-	-	-	-	1	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	149E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*153E	-	-	-	-	-	1	1	-	2	29.5	1.5	0.5	-	-	-	1.0	-	-
	154E	-	-	-	-	-	11	2	-	13	23.0	67.5	46.0	-	7.5	-	13.0	-	1.0
	155E	-	-	-	-	-	20	3	-	23	22.0*	109.0	89.0	-	9.0	-	11.0	-	-
	156E	-	-	-	-	-	17	5	-	22	22.0*	126.0	108.9	-	4.1	-	12.0	-	1.0
	157E	-	1	-	-	-	6	2	-	9	21.5*	20.3	16.0	-	2.6	-	0.4	-	1.3
	158E	-	-	-	-	-	1	3	-	4	27.0	11.5	10.2	-	1.0	-	0.3	-	-
	159E	-	-	-	-	-	1	1	-	2	22.5	4.0	4.0	-	-	-	-	-	-
	160E	-	-	-	-	-	4	2	-	6	21.4*	17.2	12.1	-	5.1	-	-	-	-
	161E	-	-	-	-	-	2	1	-	3	24.0	8.1	5.0	-	0.6	-	2.5	-	-
	162E	-	-	-	-	-	7	1	-	8	23.7	20.5	20.0	-	0.5	-	-	-	-
	163E	-	-	-	-	-	11	2	-	13	23.4	45.3	41.0	-	4.3	-	-	-	-
	164E	-	-	-	-	-	1	4	-	5	24.4	24.4	23.3	-	1.1	-	-	-	-
	165E	-	-	-	-	-	1	3	-	4	26.0	8.5	8.5	-	-	-	-	-	-
	166E	-	-	-	-	-	2	2	-	4	24.7	5.2	3.2	-	-	-	2.0	-	-
	167E	-	-	-	-	-	1	-	-	1	25.0	1.0	1.0	-	-	-	-	-	-
	168E	-	-	-	-	-	5	2	-	7	23.0	25.0	24.5	-	-	-	0.5	-	-
	169E	-	-	-	-	-	5	1	-	6	21.1	30.0	30.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	25.0	2.3	2.3	-	-	-	-	-	-
	171E	-	-	-	-	-	4	4	-	8	23.2	19.4	18.4	-	-	-	-	-	1.0
	172E	-	-	-	-	-	4	2	-	6	24.3	40.5	40.5	-	-	-	-	-	-
	173E	-	-	-	-	-	6	3	-	9	23.7	38.0	37.7	-	0.3	-	-	-	-
	174E	-	-	-	-	-	1	1	-	2	25.5	1.5	1.3	-	0.2	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	24.0	7.2	7.2	-	-	-	-	-	-
	176E	-	-	-	-	-	-	4	-	4	21.7	0.6	0.6	-	-	-	-	-	-
	177E	-	-	-	-	-	-	2	-	2	24.5	0.1	0.1	-	-	-	-	-	-
	178E	-	-	-	-	-	1	2	-	3	24.0	10.0	10.0	-	-	-	-	-	-
	179E	-	-	-	-	-	-	2	-	2	28.0	5.0	5.0	-	-	-	-	-	-

・漁場別努力量及び漁獲量

.N -BETSU　　*** GYOJYO-BETSU TOUKEI ***　　54　　NEN -041　　年計

業位置	屯数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
OSITION	-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
S *179W	-	-	-	-	-	1	2	-	3	24.3	5.0	5.0	-	-	-	-	-	-
178W	-	-	-	-	-	-	5	-	5	24.0	4.5	2.5	-	-	-	2.0	-	-
177W	-	-	-	-	-	-	4	-	4	27.5	10.0	10.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	1	-	1	22.0	1.5	1.5	-	-	-	-	-	-
175W	-	-	-	-	-	1	2	-	3	24.0	5.5	5.0	-	0.5	-	-	-	-
174W	-	-	-	-	-	-	5	-	5	22.4	14.5	14.5	-	-	-	-	-	-
173W	-	-	-	-	-	-	3	-	3	28.0	6.5	6.5	-	-	-	-	-	-
172W	-	-	-	-	-	-	5	-	5	25.2	44.2	44.2	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	18.0	2.5	2.5	-	-	-	-	-	-
170W	-	-	-	-	-	-	1	-	1	28.0	18.0	18.0	-	-	-	-	-	-
S 001E	-	-	-	-	-	1	-	-	1	23.0	7.2	7.0	-	-	-	0.2	-	-
*003E	-	-	-	-	-	-	2	-	2	23.0	13.6	13.1	-	0.1	-	0.1	-	0.3
004E	-	-	-	-	-	-	1	-	1	23.0	9.5	9.5	-	-	-	-	-	-
005E	-	-	-	-	-	-	6	-	6	23.0	30.7	29.6	-	0.9	-	-	-	0.2
*151E	-	-	-	-	-	1	-	-	1	17.0	1.5	1.5	-	-	-	-	-	-
*154E	-	-	-	-	-	-	6	-	6	22.3	20.5	20.0	-	0.5	-	-	-	-
155E	-	-	-	-	-	2	2	-	4	21.7	13.0	11.5	-	0.5	-	-	-	1.0
156E	-	-	-	-	-	2	-	-	2	21.0	16.0	16.0	-	-	-	-	-	-
157E	-	2	-	-	-	4	1	-	7	21.3*	18.3	16.5	-	1.3	-	0.4	-	0.1
158E	-	-	-	-	-	-	1	-	1	17.0	4.4	3.4	-	1.0	-	-	-	-
*160E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
161E	-	-	-	-	-	5	4	-	9	25.2	35.2	31.9	-	1.8	-	-	-	1.5
162E	-	-	-	-	-	9	7	-	16	21.9	100.5	95.5	-	4.4	-	0.6	-	-
163E	-	-	-	-	-	5	5	-	10	23.7	41.1	39.7	-	0.2	-	1.0	-	0.2
164E	-	-	-	-	-	1	1	-	2	22.5	6.2	6.1	-	0.1	-	-	-	-
165E	-	-	-	-	-	2	1	-	3	26.0	5.5	5.0	-	-	-	0.5	-	-
166E	-	-	-	-	-	1	-	-	1	26.0	-	-	-	-	-	-	-	-
167E	-	-	-	-	-	1	1	-	2	21.0	4.2	4.2	-	-	-	-	-	-
*169E	-	-	-	-	-	3	3	-	6	20.8	16.7	15.7	-	0.5	-	0.5	-	-
170E	-	-	-	-	-	1	2	-	3	19.0	2.7	2.7	-	-	-	-	-	-
171E	-	-	-	-	-	1	1	-	2	20.5	2.5	2.5	-	-	-	-	-	-
172E	-	-	-	-	-	1	-	-	1	24.0	3.0	3.0	-	-	-	-	-	-
173E	-	-	-	-	-	1	6	-	7	22.0	18.7	18.2	-	-	-	0.5	-	-
174E	-	-	-	-	-	1	-	-	1	15.0	0.6	0.6	-	-	-	-	-	-
*176E	-	-	-	-	-	1	2	-	3	24.0	2.0	2.0	-	-	-	-	-	-
177E	-	-	-	-	-	1	3	-	4	28.0*	15.5	15.5	-	-	-	-	-	-
178E	-	-	-	-	-	-	2	-	2	21.0	5.0	5.0	-	-	-	-	-	-
179E	-	-	-	-	-	1	5	-	6	25.0	19.0	19.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	4	-	4	28.2	16.3	16.3	-	-	-	-	-	-
178W	-	-	-	-	-	1	5	-	6	25.3	29.3	29.3	-	-	-	-	-	-
177W	-	-	-	-	-	-	6	-	6	25.1	29.0	29.0	-	-	-	-	-	-
176W	-	-	-	-	-	-	14	-	14	23.9	83.0	83.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	4	-	4	23.2	25.0	25.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	3	-	3	20.6	1.5	1.5	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	25.0	8.0	8.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	2	-	2	26.0	0.5	0.5	-	-	-	-	-	-
171W	-	-	-	-	-	-	2	-	2	23.0	-	-	-	-	-	-	-	-
S 000E	-	-	-	-	-	3	-	-	3	23.0	12.9	6.6	-	-	-	-	-	6.3
*154E	-	-	-	-	-	-	1	-	1	22.0	2.0	2.0	-	-	-	-	-	-
155E	-	-	-	-	-	-	2	-	2	22.5	2.0	2.0	-	-	-	-	-	-
*157E	-	-	-	-	-	3	-	-	3	17.0	24.0	24.0	-	-	-	-	-	-
*159E	-	-	-	-	-	4	-	-	4	17.0	26.5	26.5	-	-	-	-	-	-
160E	-	-	-	-	-	1	1	-	2	22.0	4.0	4.0	-	-	-	-	-	-
S 161E	-	-	-	-	-	1	-	-	1	24.0	2.0	2.0	-	-	-	-	-	-
162E	-	-	-	-	-	2	1	-	3	25.0	60.5	60.2	-	0.3	-	-	-	-
163E	-	-	-	-	-	1	2	-	3	26.3	9.5	9.5	-	-	-	-	-	-
164E	-	-	-	-	-	2	-	-	2	25.0	10.5	10.0	-	0.5	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
*168E	-	-	-	-	-	-	1	-	1	25.0	10.0	10.0	-	-	-	-	-	-
169E	-	-	-	-	-	-	1	-	1	17.0	3.0	2.0	-	-	-	-	-	1.0
170E	-	-	-	-	-	1	1	-	2	24.5	14.0	14.0	-	-	-	-	-	-
171E	-	-	-	-	-	3	2	-	5	21.2	7.6	7.6	-	-	-	-	-	-
*173E	-	-	-	-	-	1	-	-	1	15.0	0.2	0.2	-	-	-	-	-	-
174E	-	-	-	-	-	-	4	-	4	23.7	4.7	4.7	-	-	-	-	-	-
175E	-	-	-	-	-	-	3	-	3	26.6	8.0	8.0	-	-	-	-	-	-
*177E	-	-	-	-	-	-	2	-	2	22.5	18.0	18.0	-	-	-	-	-	-
178E	-	-	-	-	-	-	1	-	1	22.0	0.4	0.4	-	-	-	-	-	-
179E	-	-	-	-	-	-	6	-	6	25.0	20.0	20.0	-	-	-	-	-	-
*179W	-	-	-	-	-	5	8	-	13	20.1*	44.6	44.0	-	0.2	-	-	-	0.4
178W	-	-	-	-	-	1	6	-	7	23.2	26.7	26.4	-	-	-	-	-	0.3
177W	-	-	-	-	-	-	3	-	3	24.3	21.5	21.5	-	-	-	-	-	-
176W	-	-	-	-	-	-	2	-	2	25.0	2.1	2.1	-	-	-	-	-	-
175W	-	-	-	-	-	-	2	-	2	24.0	1.0	1.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	3	-	3	22.6	7.0	7.0	-	-	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	20.0	1.0	1.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	2	-	2	23.5	5.0	5.0	-	-	-	-	-	-
*170W	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
S 000E	-	-	-	-	-	1	1	-	2	23.0	1.6	0.9	-	-	-	-	-	0.7
*154E	-	-	-	-	-	1	2	-	3	24.3	23.5	10.8	-	0.6	-	12.0	-	0.1
155E	-	-	-	-	-	1	-	-	1	17.0	7.5	7.5	-	-	-	-	-	-
*157E	-	-	-	-	-	3	-	-	3	20.3	10.0	9.0	-	-	-	-	-	1.0
*159E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
160E	-	-	-	-	-	-	1	-	1	24.0	4.0	3.0	-	1.0	-	-	-	-
*162E	-	-	-	-	-	-	2	-	2	30.0	37.5	37.5	-	-	-	-	-	-
163E	-	-	-	-	-	1	2	-	3	25.3	5.5	5.5	-	-	-	-	-	-
164E	-	-	-	-	-	-	2	-	2	27.5	6.0	6.0	-	-	-	-	-	-
*166E	-	-	-	-	-	-	1	-	1	29.0	3.5	3.5	-	-	-	-	-	-
*169E	-	-	-	-	-	1	1	-	2	17.0	1.0	0.6	-	0.4	-	-	-	-
*174E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
175E	-	-	-	-	-	-	1	-	1	23.0	-	-	-	-	-	-	-	-
*177E	-	-	-	-	-	-	3	-	3	24.0	29.8	29.5	-	-	-	-	-	0.3
178E	-	-	-	-	-	-	2	-	2	23.5	2.5	2.5	-	-	-	-	-	-
179E	-	-	-	-	-	-	1	-	1	26.0	21.0	21.0	-	-	-	-	-	-
*179W	-	-	-	-	-	-	12	-	12	26.1	61.7	61.7	-	-	-	-	-	-
178W	-	-	-	-	-	-	10	-	10	19.8	33.3	33.3	-	-	-	-	-	-
177W	-	-	-	-	-	-	5	-	5	24.0	15.5	15.0	-	0.5	-	-	-	-
176W	-	-	-	-	-	-	3	-	3	23.6	11.0	11.0	-	-	-	-	-	-
175W	-	-	-	-	-	-	5	-	5	23.0	32.0	32.0	-	-	-	-	-	-
174W	-	-	-	-	-	-	3	-	3	25.6	16.5	16.0	-	0.5	-	-	-	-
173W	-	-	-	-	-	-	2	-	2	22.0	22.0	22.0	-	-	-	-	-	-
172W	-	-	-	-	-	-	3	-	3	24.0	11.0	11.0	-	-	-	-	-	-
171W	-	-	-	-	-	-	1	-	1	28.0	2.0	2.0	-	-	-	-	-	-
*169W	-	-	-	-	-	-	1	-	1	30.0	2.0	2.0	-	-	-	-	-	-
S 000E	-	-	-	-	-	1	-	-	1	23.0	0.1	0.1	-	-	-	-	-	-
001E	-	-	-	-	-	1	-	-	1	23.0	-	-	-	-	-	-	-	-
*157E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

操業位置		竿数階層別操業隻数									平均竿数	漁獲量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	HP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
04S	158E	-	-	-	-	-	2	-	-	2	24.0	5.5	5.2	-	-	-	0.3	-	-
	*162E	-	-	-	-	-	-	1	-	1	24.0	2.5	2.0	-	-	-	-	-	0.5
	*164E	-	-	-	-	-	2	-	-	2	21.5	1.5	1.0	-	0.5	-	-	-	-
	165E	-	-	-	-	-	5	-	-	5	22.0	20.5	18.5	-	2.0	-	-	-	-
	166E	-	-	-	-	-	1	-	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	23.5	20.0	20.0	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	4	-	5	24.2	18.0	16.5	-	1.5	-	-	-	-
	170E	-	-	-	-	-	1	1	-	2	18.5	20.0	20.0	-	-	-	-	-	-
	171E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	*175E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	176E	-	-	-	-	-	1	3	-	4	25.2	26.5	26.5	-	-	-	-	-	-
	177E	-	-	-	-	-	-	1	-	1	21.0	5.0	5.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	3	-	3	22.0	44.0	44.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	1	14	-	15	22.3*	130.0	127.5	-	2.0	-	0.5	-	-
	178W	-	-	-	-	-	-	9	-	9	19.1	26.5	26.3	-	0.2	-	-	-	-
	177W	-	-	-	-	-	-	4	-	4	28.0	7.2	7.0	-	0.2	-	-	-	-
	176W	-	-	-	-	-	-	5	-	5	24.0	1.0	1.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	2	-	2	22.0	1.0	1.0	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	28.0	-	-	-	-	-	-	-	-
05S	001E	-	-	-	-	-	1	-	-	1	23.0	8.2	7.7	-	0.5	-	-	-	-
	*154E	-	-	-	-	-	-	3	-	3	21.6	3.0	3.0	-	-	-	-	-	-
	*158E	-	-	-	-	-	1	-	-	1	27.0	51.0	1.0	-	-	-	-	-	50.0
	*160E	-	-	-	-	-	-	2	-	2	20.5	-	-	-	-	-	-	-	-
	161E	-	-	-	-	-	-	1	-	1	27.0	4.0	4.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	28.0	17.0	17.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	24.0	15.5	15.0	-	0.5	-	-	-	-
	165E	-	-	-	-	-	1	3	-	4	23.5	10.5	10.5	-	-	-	-	-	-
	166E	-	-	-	-	-	3	1	-	4	23.2	25.0	25.0	-	-	-	-	-	-
	167E	-	-	-	-	-	1	-	-	1	21.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	23.5	18.5	18.0	-	-	-	0.5	-	-
	169E	-	-	-	-	-	4	3	-	7	23.7	33.3	29.9	-	-	-	3.1	-	0.3
	170E	-	-	-	-	-	-	6	-	6	23.2*	33.1	29.9	-	3.0	-	-	-	0.2
	171E	-	-	-	-	-	-	4	-	4	23.0*	35.0	35.0	-	-	-	-	-	-
	172E	-	-	-	-	-	-	1	-	1	26.0	1.0	1.0	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	24.0	8.5	8.5	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	2	-	2	22.0	-	-	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	2	-	2	21.0	6.0	6.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	15	-	15	21.6	87.0	86.5	-	0.3	-	-	-	0.2
	178W	-	-	-	-	-	1	2	-	3	22.0	11.0	11.0	-	-	-	-	-	-
	*174W	-	-	-	-	-	-	2	-	2	23.0	0.2	0.2	-	-	-	-	-	-
	*172W	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	171W	-	-	-	-	-	-	2	-	2	20.0	20.5	20.5	-	-	-	-	-	-
06S	000E	-	-	-	-	-	2	-	-	2	23.0	4.7	4.4	-	0.3	-	-	-	-
	*154E	-	-	-	-	-	-	1	-	1	33.0	-	-	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	2	-	2	19.0	3.2	2.6	-	0.6	-	-	-	-
	*160E	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
	*163E	-	-	-	-	-	1	2	-	3	21.6	7.0	7.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	30.0	8.5	8.5	-	-	-	-	-	-
	165E	-	-	-	-	-	2	3	-	5	22.6*	21.0	21.0	-	-	-	-	-	-
	166E	-	-	-	-	-	3	4	-	7	26.3*	46.0	46.0	-	-	-	-	-	-
	167E	-	-	-	-	-	-	2	-	2	23.0	7.0	7.0	-	-	-	-	-	-
	168E	-	-	-	-	-	1	1	-	2	22.5	10.3	9.5	-	-	-	-	-	0.8
06S	169E	-	-	-	-	-	3	2	-	5	22.6	26.0	20.0	-	5.0	-	1.0	-	-
	170E	-	-	-	-	-	1	-	-	1	21.0	1.5	1.5	-	-	-	-	-	-
	171E	-	-	-	-	-	-	3	-	3	31.0*	17.6	15.1	-	1.0	-	1.5	-	-
	172E	-	-	-	-	-	-	1	-	1	24.0	6.0	5.0	-	-	-	-	-	1.0
	173E	-	-	-	-	-	-	2	-	2	24.0	3.5	1.5	-	2.0	-	-	-	-
	174E	-	-	-	-	-	1	1	-	2	26.5	2.5	2.5	-	-	-	-	-	-
	175E	-	-	-	-	-	-	2	-	2	23.0	10.3	10.0	-	-	-	-	-	0.3
	176E	-	-	-	-	-	-	1	-	1	22.0	0.5	0.5	-	-	-	-	-	-
	177E	-	-	-	-	-	-	2	-	2	23.0	12.5	12.5	-	-	-	-	-	-
	178E	-	-	-	-	-	-	1	-	1	22.0	-	-	-	-	-	-	-	-
	179E	-	-	-	-	-	-	1	-	1	21.0	4.0	4.0	-	-	-	-	-	-
	*179W	-	-	-	-	-	-	3	-	3	22.3	15.0	15.0	-	-	-	-	-	-
	178W	-	-	-	-	-	5	6	-	11	22.3*	63.0	62.0	-	-	-	1.0	-	-
	177W	-	-	-	-	-	-	28	-	28	22.4	257.5	257.5	-	-	-	-	-	-
	176W	-	-	-	-	-	-	4	-	4	22.0	10.0	10.0	-	-	-	-	-	-
	175W	-	-	-	-	-	-	3	-	3	23.0	20.0	20.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	16	-	16	23.4	156.5	156.5	-	-	-	-	-	-
	173W	-	-	-	-	-	-	1	-	1	24.0	3.0	3.0	-	-	-	-	-	-
07S	154E	-	-	-	-	-	-	4	-	4	23.0*	32.0	31.0	-	1.0	-	-	-	-
	155E	-	-	-	-	-	-	2	-	2	23.0	14.5	13.8	-	0.7	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	21.0	7.5	6.5	-	1.0	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	3	-	3	17.0	5.5	5.2	-	0.1	-	-	-	0.2
	*163E	-	-	-	-	-	-	1	-	1	24.0	13.0	13.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	24.0	6.0	6.0	-	-	-	-	-	-
	165E	-	-	-	-	-	1	2	-	3	27.0*	20.5	20.0	-	-	-	-	-	0.5
	166E	-	-	-	-	-	-	2	-	2	27.0	24.5	24.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	1	-	2	26.0*	9.5	9.5	-	-	-	-	-	-
	169E	-	-	-	-	-	3	-	-	3	22.6	10.5	10.5	-	-	-	-	-	-
	170E	-	-	-	-	-	3	-	-	3	22.6	14.0	11.0	-	0.3	-	2.7	-	-
	*174E	-	-	-	-	-	-	1	-	1	22.0	1.0	1.0	-	-	-	-	-	-
	*177E	-	-	-	-	-	-	5	-	5	23.8	31.0	31.0	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	25.0	3.0	1.0	-	2.0	-	-	-	-
	*179W	-	-	-	-	-	1	8	-	9	22.5*	69.9	69.9	-	-	-	-	-	-
	178W	-	-	-	-	-	2	13	-	15	22.6*	137.3	137.3	-	-	-	-	-	-
	177W	-	-	-	-	-	-	14	-	14	21.5	97.9	97.1	-	0.8	-	-	-	-
	176W	-	-	-	-	-	-	3	-	3	25.0	10.5	10.5	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	174W	-	-	-	-	-	-	17	-	17	22.2	100.7	100.7	-	-	-	-	-	-
	173W	-	-	-	-	-	-	2	-	2	25.5	24.5	24.5	-	-	-	-	-	-
08S	154E	-	-	-	-	-	-	2	-	2	22.0	7.0	7.0	-	-	-	-	-	-
	155E	-	-	-	-	-	-	4	-	4	22.3*	17.8	16.6	-	1.2	-	-	-	-
	*161E	-	-	-	-	-	-	2	-	2	22.5	7.5	7.5	-	-	-	-	-	-
	162E	-	-	-	-	-	-	1	-	1	24.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	24.0	2.3	2.0	-	-	-	-	-	0.3
	*165E	-	-	-	-	-	1	-	-	1	17.0	4.0	4.0	-	-	-	-	-	-
	166E	-	-	-	-	-	-	1	-	1	30.0	9.0	9.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
	169E	-	-	-	-	-	-	2	-	2	23.0*	5.0	5.0	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	20.0	0.1	0.1	-	-	-	-	-	-
	175W	-	-	-	-	-	-	1	-	1	26.0	-	-	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU

*** GYOJYO-BETSU TOUKEI ***

54 NEN -045 年計

操業位置 POSITION		屯数階層別操業隻数 -50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	平均竿数 NP	漁獲量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E.	ソーダ F.M.	その他 ELS
08S	*173W	-	-	-	-	-	-	9	-	9	19.5	93.5	93.5	-	-	-	-	-	-
	172W	-	-	-	-	-	-	5	-	5	21.0	31.5	31.5	-	-	-	-	-	-
09S	154E	-	-	-	-	-	-	5	-	5	22.6	28.9	28.2	-	0.5	-	0.2	-	-
	155E	-	-	-	-	-	-	1	-	1	27.0	5.0	5.0	-	-	-	-	-	-
	156E	-	-	-	-	-	-	4	-	4	25.6*	14.1	14.0	-	0.1	-	-	-	-
	*162E	-	-	-	-	-	-	3	-	3	25.0	5.5	5.5	-	-	-	-	-	-
	163E	-	-	-	-	-	1	2	-	3	19.6	8.0	7.6	-	0.4	-	-	-	-
	*165E	-	-	-	-	-	-	1	-	1	27.0	1.5	1.5	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	3	-	3	21.0*	13.0	13.0	-	-	-	-	-	-
	169E	-	-	-	-	-	2	1	-	3	27.0	13.0	13.0	-	-	-	-	-	-
	170E	-	-	-	-	-	1	-	-	1	29.0	0.5	0.5	-	-	-	-	-	-
	*177W	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	20.0	0.5	0.5	-	-	-	-	-	-
	*171W	-	-	-	-	-	-	1	-	1	20.0	6.0	6.0	-	-	-	-	-	-
10S	153E	-	-	-	-	-	-	1	-	1	24.0	4.5	4.5	-	-	-	-	-	-
	154E	-	-	-	-	-	-	7	-	7	23.7	52.9	52.6	-	0.3	-	-	-	-
	155E	-	-	-	-	-	-	5	-	5	23.0	35.1	34.6	-	0.5	-	-	-	-
	*157E	-	-	-	-	-	-	3	-	3	22.0*	17.0	17.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	24.0	2.0	2.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	2	-	2	24.0	7.0	7.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	21.0	-	-	-	-	-	-	-	-
	163E	-	-	-	-	-	1	5	-	6	18.3	65.2	62.2	-	2.8	-	-	-	0.2
	164E	-	-	-	-	-	2	1	-	3	23.5*	12.5	12.5	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	20.0	4.0	4.0	-	-	-	-	-	-
	*168E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*175W	-	-	-	-	-	-	1	-	1	30.0	20.0	20.0	-	-	-	-	-	-
11S	154E	-	-	-	-	-	-	4	-	4	22.5	46.8	46.3	-	0.2	-	0.2	-	0.1
	*156E	-	-	-	-	-	-	1	-	1	22.0	3.0	3.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	23.0	1.0	1.0	-	-	-	-	-	-
	158E	-	-	-	-	-	-	3	-	3	33.0	32.0	29.0	-	3.0	-	-	-	-
	159E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	21.0	3.0	3.0	-	-	-	-	-	-
	163E	-	-	-	-	-	2	-	-	2	17.0	19.2	19.0	-	0.2	-	-	-	-
	164E	-	-	-	-	-	1	-	-	1	17.0	2.0	1.8	-	0.2	-	-	-	-
	*167E	-	-	-	-	-	1	1	-	2	26.0	7.5	7.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	3	-	3	21.0	26.5	24.0	-	1.5	-	-	-	1.0
12S	149E	-	-	-	-	-	-	1	-	1	24.0	3.0	1.7	-	1.3	-	-	-	-
	*152E	-	-	-	-	-	-	2	-	2	22.5	1.5	1.5	-	-	-	-	-	-
	*158E	-	-	-	-	-	-	2	-	2	25.0	1.1	1.1	-	-	-	-	-	-
	*162E	-	-	-	-	-	-	1	-	1	27.0	5.5	5.0	-	-	-	0.5	-	-
	163E	-	-	-	-	-	1	-	-	1	26.0	4.0	4.0	-	-	-	-	-	-
	*166E	-	-	-	-	-	1	-	-	1	26.0	1.5	1.5	-	-	-	-	-	-
	*170E	-	-	-	-	-	-	1	-	1	29.0	-	-	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	8.0	8.0	-	-	-	-	-	-
	*178W	-	-	-	-	-	-	1	-	1	29.0	0.5	0.5	-	-	-	-	-	-
13S	146E	-	-	-	-	-	-	1	-	1	24.0	2.0	1.0	-	1.0	-	-	-	-
	*163E	-	-	-	-	-	-	2	-	2	24.0	8.0	8.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	23.0	26.0	26.0	-	-	-	-	-	-
	165E	-	-	-	-	-	-	1	-	1	30.0	1.5	1.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	-	1	-	1	30.0	0.5	0.5	-	-	-	-	-	-
	*174E	-	-	-	-	-	-	1	-	1	26.0	2.5	2.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	26.0	3.0	3.0	-	-	-	-	-	-
14S	149E	-	-	-	-	-	-	1	-	1	24.0	1.5	1.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	23.0	22.0	22.0	-	-	-	-	-	-
	*161E	-	-	-	-	-	1	-	-	1	21.0	7.0	7.0	-	-	-	-	-	-
	162E	-	-	-	-	-	2	-	-	2	21.0	15.0	15.0	-	-	-	-	-	-
	163E	-	-	-	-	-	1	1	-	2	24.0	26.0	26.0	-	-	-	-	-	-
	164E	-	-	-	-	-	1	10	-	11	25.5	107.1	107.0	-	0.1	-	-	-	-
	165E	-	-	-	-	-	-	4	-	4	25.5	16.5	16.5	-	-	-	-	-	-
	166E	-	-	-	-	-	-	2	-	2	25.0	20.5	20.5	-	-	-	-	-	-
	*172E	-	-	-	-	-	-	1	-	1	21.0	1.0	1.0	-	-	-	-	-	-
	*176W	-	-	-	-	-	-	1	-	1	30.0	1.0	1.0	-	-	-	-	-	-
15S	159E	-	-	-	-	-	-	1	-	1	23.0	12.0	12.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	27.0	3.0	3.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	3	-	3	23.5*	26.4	25.0	-	1.4	-	-	-	-
	162E	-	-	-	-	-	1	6	-	7	22.5	54.5	52.5	-	1.0	-	1.0	-	-
	163E	-	-	-	-	-	-	2	-	2	28.5	16.0	15.5	-	-	-	0.5	-	-
	164E	-	-	-	-	-	1	7	-	8	25.5*	171.6	171.5	-	0.1	-	-	-	-
	165E	-	-	-	-	-	-	2	-	2	24.0	9.0	9.0	-	-	-	-	-	-
	*173E	-	-	-	-	-	-	1	-	1	29.0	1.5	1.5	-	-	-	-	-	-
	*179E	-	-	-	-	-	-	1	-	1	29.0	9.0	9.0	-	-	-	-	-	-
16S	147E	-	-	-	-	-	-	2	-	2	24.0	3.6	3.0	-	0.6	-	-	-	-
	*152E	-	-	-	-	-	-	1	-	1	21.0	6.0	6.0	-	-	-	-	-	-
	153E	-	-	-	-	-	-	2	-	2	21.0	7.0	7.0	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	2	-	2	26.0	30.5	28.5	-	2.0	-	-	-	-
	160E	-	-	-	-	-	-	1	-	1	27.0	16.0	15.5	-	-	-	0.5	-	-
	*162E	-	-	-	-	-	-	3	-	3	24.3	27.0	27.0	-	-	-	-	-	-
	163E	-	-	-	-	-	-	1	-	1	33.0	20.0	20.0	-	-	-	-	-	-
	164E	-	-	-	-	-	-	2	-	2	27.0	9.0	9.0	-	-	-	-	-	-
	165E	-	-	-	-	-	2	-	-	2	17.0	11.0	10.8	-	0.2	-	-	-	-
	166E	-	-	-	-	-	-	3	-	3	22.3	14.0	13.0	-	1.0	-	-	-	-
	*177E	-	-	-	-	-	-	1	-	1	29.0	10.0	10.0	-	-	-	-	-	-
17S	147E	-	-	-	-	-	-	5	-	5	24.0	11.4	-	-	10.6	-	0.8	-	-
	*155E	-	-	-	-	-	-	1	-	1	21.0	3.5	3.5	-	-	-	-	-	-
	*159E	-	-	-	-	-	-	1	-	1	26.0	17.0	17.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	3	-	3	32.6	59.0	59.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	7	-	7	30.5	139.0	139.0	-	-	-	-	-	-
	162E	-	-	-	-	-	-	13	-	13	28.7	185.4	185.4	-	-	-	-	-	-
	163E	-	-	-	-	-	-	13	-	13	28.4	116.3	116.3	-	-	-	-	-	-
	164E	-	-	-	-	-	-	1	-	1	38.0	1.4	1.4	-	-	-	-	-	-
	*169E	-	-	-	-	-	1	1	-	2	19.0	2.5	2.5	-	-	-	-	-	-
	*176E	-	-	-	-	-	-	1	-	1	29.0	2.5	2.5	-	-	-	-	-	-

年・漁場別努力量及び漁獲量

NEN -BETSU *** GYOJYO-BETSU TOUKEI *** 54 NEN -047 年 計

操業位置		屯数階層別操業隻数									平均竿数	漁獲量 計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
POSITION		-50	-100	-150	-200	-250	-300	300-	フメイ	TOTAL	NP	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E.	F.M.	ELS
18S	156E	-	-	-	-	-	-	2	-	2	23.0	51.0	51.0	-	-	-	-	-	-
	157E	-	-	-	-	-	-	1	-	1	38.0	0.9	0.9	-	-	-	-	-	-
	158E	-	-	-	-	-	-	1	-	1	27.0	0.3	0.3	-	-	-	-	-	-
	159E	-	-	-	-	-	-	12	-	12	27.3	87.4	87.4	-	-	-	-	-	-
	160E	-	-	-	-	-	-	29	-	29	29.1	379.7	379.2	-	-	-	0.5	-	-
	161E	-	-	-	-	-	-	13	-	13	27.8	214.2	214.2	-	-	-	-	-	-
	162E	-	-	-	-	-	-	3	-	3	29.6	44.0	44.0	-	-	-	-	-	-
	*164E	-	-	-	-	-	-	2	-	2	31.0	7.7	7.7	-	-	-	-	-	-
	165E	-	-	-	-	-	1	-	-	1	17.0	6.6	6.5	-	0.1	-	-	-	-
	*167F	-	-	-	-	-	1	-	-	1	17.0	2.0	2.0	-	-	-	-	-	-
	168E	-	-	-	-	-	-	2	-	2	21.0	13.0	13.0	-	-	-	-	-	-
19S	159E	-	-	-	-	-	-	2	-	2	26.0	26.0	26.0	-	-	-	-	-	-
	160E	-	-	-	-	-	-	3	-	3	26.0	46.0	46.0	-	-	-	-	-	-
	161E	-	-	-	-	-	-	2	-	2	38.0	18.1	18.1	-	-	-	-	-	-
	162E	-	-	-	-	-	-	4	-	4	26.7	25.7	25.7	-	-	-	-	-	-
	*165E	-	-	-	-	-	-	2	-	2	38.0	21.7	21.7	-	-	-	-	-	-
	*167E	-	-	-	-	-	1	-	-	1	17.0	3.5	3.5	-	-	-	-	-	-
	*171E	-	-	-	-	-	1	-	-	1	17.0	2.5	2.5	-	-	-	-	-	-
20S	166E	-	-	-	-	-	-	1	-	1	38.0	1.7	1.7	-	-	-	-	-	-
	*168E	-	-	-	-	-	1	1	-	2	27.5	2.4	2.4	-	-	-	-	-	-
21S	168E	-	-	-	-	-	-	1	-	1	38.0	5.6	5.6	-	-	-	-	-	-
	169E	-	-	-	-	-	1	-	-	1	17.0	1.0	1.0	-	-	-	-	-	-
*25S	162E	-	-	-	-	-	11	-	-	11	23.0	90.0	90.0	-	-	-	-	-	-

旬別・全国・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

JUN- 1

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN -1														
-300	1	40.0	1.0	18.0	15.0	1459.0	1.0	1.0	-	-	-	-	-	-
TOTAL	1	40.0	1.0	18.0	15.0	1459.0	1.0	1.0	-	-	-	-	-	-
JAN -2														
-100	24	10.0	5.0	18.7*	15.5*	272.8	88.0	12.3	0.9	53.3	-	0.4	0.8	20.3
-300	1	40.0	13.0	32.0	28.0	1649.0	93.0	93.0	-	-	-	-	-	-
300-	2	47.5	19.5	31.5	29.0	3261.5	335.8	333.8	-	2.0	-	-	-	-
TOTAL	27	13.9	6.3	20.2*	17.0*	545.1	516.8	439.1	0.9	55.3	-	0.4	0.8	20.3
JAN -3														
-100	40	12.6	4.9	18.7	15.5*	313.8	279.7	160.3	0.3	97.0	-	-	-	22.1
-150	1	21.0	8.0	17.0	14.0	635.0	38.0	38.0	-	-	-	-	-	-
-300	3	47.0	22.7	24.0	19.3	1912.3	272.6	270.3	-	2.3	-	-	-	-
300-	2	51.5	22.0	22.0	20.5	3037.5	180.3	177.4	-	0.9	-	2.0	-	-
TOTAL	46	16.7	6.9	19.2	16.0*	543.5	770.6	646.0	0.3	100.2	-	2.0	-	22.1
FEB -1														
-100	50	14.5	6.3	18.5	15.8*	406.6	734.4	666.8	0.4	59.2	-	1.5	-	6.5
-150	1	14.0	2.0	27.0	27.0	859.0	34.5	34.5	-	-	-	-	-	-
-300	5	38.2	18.4	25.8	23.2	3782.0*	606.2	603.7	-	1.3	-	-	-	1.2
300-	2	49.0	19.0	25.0	23.5	2940.5	174.0	174.0	-	-	-	-	-	-
TOTAL	58	17.7	7.7	19.5	16.9*	740.4*	1,549.1	1,479.0	0.4	60.5	-	1.5	-	7.7
FEB -2														
-100	75	13.1	4.9	19.2	16.2*	496.9	1,021.6	904.1	4.6	90.6	-	3.7	-	18.6
-150	2	21.0	5.5	24.0	18.5	310.0	35.0	35.0	-	-	-	-	-	-
-300	15	40.5	21.3	22.2*	19.4*	2075.9	1,612.4	1,599.2	-	7.6	-	-	-	5.6
300-	4	40.3	20.8	25.3	21.5	2024.5	412.9	412.1	-	-	-	-	0.8	-
TOTAL	96	18.7	8.1	20.0*	16.9*	803.4	3,081.9	2,950.4	4.6	98.2	-	3.7	0.8	24.2
FEB -3														
-100	95	12.2	4.4	19.0*	16.?*	355.6	1,006.6	964.1	1.0	28.6	2.0	3.1	-	7.8
-150	1	18.0	7.0	27.0	27.0	387.0	13.0	13.0	-	-	-	-	-	-
-300	9	44.2	23.8	27.1	24.2	2475.3	895.4	889.2	-	5.5	-	-	-	0.7
300-	9	43.9	28.2	24.6*	21.6*	2854.4	1,479.3	1,468.2	-	4.1	-	1.5	-	5.5
TOTAL	114	17.2	7.9	20.2*	17.4*	720.5	3,394.3	3,334.5	1.0	38.2	2.0	4.6	-	14.0
MAR -1														
-50	1	10.0	6.0	14.0	10.0	76.0	3.0	1.9	-	-	1.1	-	-	-
-100	125	11.5	4.0	19.0*	15.9*	406.8*	1,186.7	1,003.0	10.5	85.8	35.1	10.2	-	42.1
-150	1	15.0	3.0	25.0	22.0	567.0	30.2	30.2	-	-	-	-	-	-
-300	26	43.3	24.3	26.3*	23.3*	1865.1*	2,217.5	2,206.4	-	3.7	-	0.7	-	6.7
300-	40	51.0	31.8	27.1	23.9	2817.3*	5,516.2	5,482.7	-	20.0	-	4.4	-	9.1
TOTAL	193	24.0	12.5	21.7*	18.6*	1096.2*	8,953.6	8,724.2	10.5	109.5	36.2	15.3	-	57.9
MAR -2														
-50	1	8.0	4.0	14.0	10.0	104.0	2.1	0.4	-	-	1.2	-	-	0.5
-100	278	8.2	3.2	19.6*	16.5*	331.7	2,941.6	2,522.1	260.3	95.6	6.0	2.4	-	55.2
-150	4	17.5	4.0	24.5	21.0	801.3	114.5	114.5	-	-	-	-	-	-
-300	25	42.9	25.3	25.4	22.6	1439.5*	2,185.3	2,163.9	-	1.7	-	5.0	0.3	14.4
300-	30	49.6	32.2	27.5	24.6*	2657.2*	5,216.0	5,192.9	0.6	10.0	-	3.7	-	8.8
TOTAL	338	14.6	7.4	20.7*	17.8*	616.5*	10,459.5	9,993.8	260.9	107.3	7.2	11.1	0.3	78.9
MAR -3														
-50	1	8.0	4.0	17.0	13.0	91.0	1.9	-	1.6	-	-	-	-	0.3
-100	377	6.7	3.0	20.1*	17.0*	309.0	2,750.0	2,444.8	151.9	74.9	2.6	0.2	-	75.6
-150	9	7.6	3.0	25.2	22.3	682.0	161.6	161.1	0.5	-	-	-	-	-
-300	26	43.9	26.9	27.2*	24.1*	1604.9	2,362.5	2,353.9	-	7.5	-	0.1	-	1.0
300-	17	47.8	28.4	28.1	25.3	2712.9	2,403.3	2,391.4	-	7.4	-	3.8	-	·0.7
TOTAL	430	10.6	5.4	21.0*	17.9*	489.7	7,679.3	7,351.2	154.0	89.8	2.6	4.1	-	77.6
APR -1														
-50	6	5.7	3.2	15.8	12.3	187.3	23.6	14.5	8.3	-	-	0.3	-	0.5
-100	430	5.4*	2.6	20.1*	17.1*	320.7*	2,836.8	2,707.7	44.8	35.5	-	-	-	48.8
-150	10	5.7	2.7	25.6	22.5	574.4	84.7	84.7	-	-	-	-	-	-
-300	17	40.5	22.8	24.7*	21.7*	1669.7	1,351.4	1,340.2	-	4.7	-	-	-	6.5
300-	12	37.6	25.4	28.3*	25.0*	2740.8	1,451.6	1,443.0	-	2.7	-	0.5	-	5.4
TOTAL	475	7.5*	4.0	20.5*	17.5*	434.0*	5,748.1	5,590.1	53.1	42.9	-	0.8	-	61.2
APR -2														
-50	8	5.3	3.1	15.3	12.0	175.6	27.5	17.2	6.8	-	-	1.7	-	1.8
-100	420	6.1	3.4	19.9*	16.9*	309.8*	2,569.3	2,166.3	145.6	115.1	-	18.6	-	123.7
-150	7	8.0	4.3	24.7	22.4	492.1	95.6	92.6	3.0	-	-	-	-	-
-300	24	38.2	23.3	26.0	23.5	1848.2*	1,864.4	1,824.5	25.2	2.9	-	1.4	1.4	9.0
300-	10	46.5	32.6	25.2	22.3	2688.9	1,076.6	1,072.3	1.0	1.2	-	0.6	-	1.5
TOTAL	469	8.6	5.0	20.3*	17.4*	437.8*	5,633.4	5,172.9	181.6	119.2	-	22.3	1.4	136.0
APR -3														
-50	11	8.9	6.0	15.1	11.9	342.4	104.4	86.5	16.3	-	-	0.3	-	1.3
-100	400	5.8	3.3	20.0*	17.0*	493.9*	4,371.0	3,658.5	515.6	97.2	-	7.7	1.5	90.5
-150	9	6.1	3.3	24.8	21.6	517.7	96.8	60.4	32.0	-	-	-	-	4.4
-300	27	34.0	20.0	24.4	20.6*	1601.1	1,436.4	769.0	616.5	7.2	-	8.9	-	34.8
300-	26	44.5	27.5	27.4*	24.4*	2723.0	2,838.1	2,732.8	90.0	8.6	-	1.1	-	5.6
TOTAL	473	9.7	5.6	20.6*	17.6*	677.7*	8,846.7	7,307.2	1,270.4	113.0	-	18.0	1.5	136.6
MAY -1														
-50	10	5.5	3.0	14.7	11.5	199.0	65.9	62.5	1.1	0.3	-	1.3	-	0.7
-100	503	5.6	3.3	19.8*	16.8*	418.5*	6,020.6	5,589.7	232.3	100.4	0.1	17.3	10.1	70.7
-150	11	5.3	3.5	24.3	21.7	579.0	184.7	181.3	3.4	-	-	-	-	-
-300	59	28.3	17.8	26.1	23.2	1679.3*	3,390.0	1,443.9	1,781.4	4.5	-	40.2	-	120.0
300-	59	45.3	26.8	27.0*	24.0*	3300.5	7,757.9	7,227.3	496.1	11.7	-	15.0	0.3	7.5
TOTAL	642	11.3	6.8	21.0*	18.1*	802.5*	17,419.1	14,504.7	2,514.3	116.9	0.1	73.8	10.4	198.9

旬別・全国・屯数階層別入港船数及び陸揚量

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAY -2														
-50	15	3.8	2.3	14.4	11.3	137.5	74.5	71.3	0.6	0.5	-	0.9	-	1.2
-100	496	5.3	3.0	19.8*	16.9*	359.5*	5,192.3	4,771.9	43.9	256.9	0.9	46.1	5.9	66.7
-150	9	6.2	2.9	25.0	21.9	662.1	213.5	211.5	-	1.0	1.0	-	-	-
-300	12	33.2	16.8	24.0	21.2*	1529.5	625.1	518.6	101.0	4.5	-	0.2	-	0.8
300-	12	44.0	26.0	28.0	25.3	3218.8	1,525.9	1,518.7	-	4.3	-	2.0	-	0.9
TOTAL	544	6.7	3.8	20.0*	17.1*	448.6*	7,631.3	7,092.0	145.5	267.2	1.9	49.2	5.9	69.6
MAY -3														
-50	14	4.8	2.7	15.0	12.3	131.4	77.1	68.8	0.7	6.6	-	0.7	-	0.3
-100	545	5.7	3.4	19.8*	16.9*	389.4*	9,146.8	8,577.7	163.3	237.3	0.3	53.4	0.3	114.5
-150	13	5.8	3.5	24.1*	21.5*	684.7	399.2	389.2	-	-	-	10.0	-	-
-300	6	36.8	22.2	25.7	23.2	1933.2	328.7	98.7	220.3	1.3	-	0.4	-	8.0
300-	3	32.3	15.3	22.7	1[illegible].3	1667.3	194.3	177.4	10.0	5.7	-	-	-	1.2
TOTAL	581	6.2	3.6	19.8*	16.9*	412.7*	10,146.1	9,311.8	394.3	250.9	0.3	64.5	0.3	124.0
JUN -1														
-50	11	5.2	2.9	14.[illegible]	12.3	152.2	67.3	48.2	13.3	3.5	-	0.6	-	1.7
-100	443	6.0	3.4	19.8*	17.0*	411.7*	8,677.7	8,130.4	260.5	173.9	5.8	27.6	0.4	79.1
-150	12	5.2	2.6	24.5	21.3	673.2	403.0	403.0	-	-	-	-	-	-
-300	25	35.2	21.0	23.4	20.4	2888.7	1,797.7	297.0	1,429.1	14.7	-	45.1	-	11.8
300-	11	45.7	32.7	26.8	23.9	3974.9	1,434.7	732.2	535.8	93.9	-	69.1	-	3.7
TOTAL	502	8.3	4.9	20.2*	17.3*	615.7*	12,380.4	9,610.8	2,238.7	286.0	5.8	142.4	0.4	96.3
JUN -2														
-50	12	5.2	3.3	14.8	11.8	270.7	105.4	73.3	17.0	5.7	-	3.0	0.5	5.9
-100	436	6.8	3.8	19.8*	17.0*	483.8*	6,732.4	5,132.4	1,154.5	276.2	-	93.1	0.2	76.0
-150	10	7.4	4.2	24.8	21.4	912.5	300.8	225.7	75.1	-	-	-	-	-
-300	46	39.4	27.5	26.5*	23.6*	3651.7*	4,168.9	278.2	3,781.1	4.2	-	90.4	-	15.0
300-	34	45.9	31.[illegible]	27.4	24.1	3963.5	3,850.8	1,024.2	2,654.0	51.5	-	86.6	-	34.5
TOTAL	538	12.0	7.6	20.8*	18.0*	97[illegible].3*	15,158.3	6,733.8	7,681.7	337.6	-	273.1	0.7	131.4
JUN -3														
-50	10	11.3	7.8	16.3	13.1	439.8	119.5	96.8	14.8	3.9	-	1.3	0.3	2.4
-100	390	6.5	3.8	19.7*	16.7*	529.4*	6,015.6	4,280.4	1,130.2	382.1	0.2	68.8	10.8	143.1
-150	5	7.0	4.4	25.2	21.8	782.8	140.8	125.8	14.3	0.7	-	-	-	-
-300	20	43.1	22.7	26.0	23.4	3691.5	2,063.0	439.0	1,524.6	3.4	-	90.2	-	5.8
300-	43	45.6	32.2	27.5*	24.3*	4965.7	6,026.6	1,722.4	4,095.6	11.5	-	182.6	-	14.5
TOTAL	468	11.8	7.3	20.6*	17.7*	1080.0*	14,365.5	6,664.4	6,779.5	401.6	0.2	342.9	11.1	165.8
JUL -1														
-50	8	4.9	2.4	14.9	11.8	295.3	61.1	43.7	2.8	2.8	-	11.6	-	0.2
-100	394	6.7	3.7	19.7*	16.8*	506.2*	5,110.0	3,684.0	972.5	322.0	0.4	62.5	5.1	63.5
-150	8	7.4	4.3	24.0	20.9	845.3	190.8	115.1	74.5	-	-	-	-	1.2
-300	18	32.7	20.[illegible]	25.7	23.1*	3268.8	1,787.3	831.7	920.6	5.5	-	28.9	-	0.6
300-	19	47.4	32.4	27.9	24.7	5423.4	3,462.5	1,976.5	1,342.2	20.7	-	116.7	-	6.4
TOTAL	447	9.5	5.6	20.3*	17.4*	833.1*	10,611.7	6,651.0	3,312.6	351.0	0.4	219.7	5.1	71.9
JUL -2														
-50	8	5.0	2.1	13.9	10.9	144.1	32.8	28.7	0.4	2.1	-	0.8	0.3	0.5
-100	359	7.1	4.0	19.4*	16.5*	580.2*	5,973.5	4,305.4	1,215.4	352.7	1.0	55.9	1.1	42.0
-150	5	7.2	3.4	23.6	20.6	988.6	173.0	128.5	41.0	-	0.5	3.0	-	-
-300	26	30.8	20.0	23.7*	21.0*	3134.2	2,560.4	1,224.3	1,248.4	16.1	-	60.9	-	10.7
300-	16	36.8	26.4	27.7	24.5	4481.4	2,629.7	1,893.8	660.8	13.5	-	47.9	-	13.7
TOTAL	414	9.7	5.8	19.9*	17.0*	890.1*	11,369.4	7,580.7	3,166.0	384.4	1.5	168.5	1.4	66.9
JUL -3														
-50	11	11.1	6.9	15.4	12.3	312.6	88.2	84.1	0.6	1.1	-	1.1	-	1.3
-100	361	7.4*	3.8	19.3*	16.4*	418.7*	4,047.9	3,033.4	606.3	277.3	0.8	61.3	2.5	66.3
-150	11	7.5	3.3	24.7	21.2	707.5	249.5	149.1	98.0	-	2.0	-	-	0.4
-300	34	35.3	24.6	25.4	22.5	3552.9*	3,829.2	1,153.3	2,629.1	5.0	-	27.1	0.3	14.4
300-	30	36.7	26.3	25.7	22.8*	3856.8	3,906.3	2,152.4	1,675.5	24.2	-	34.4	-	19.8
TOTAL	447	11.6*	7.0	20.2*	17.3*	890.6*	12,127.1	6,572.3	5,009.5	307.6	2.8	123.9	2.8	102.2
AUG -1														
-50	5	5.4	2.6	13.4	9.8	113.8	15.0	13.2	0.4	0.1	-	0.5	-	0.8
-100	328	6.6	3.2	19.0*	16.2*	366.4*	2,994.6	2,631.1	89.2	204.3	-	31.5	-	38.5
-150	6	7.3	2.7	23.8	1[illegible].7	727.0*	122.5	122.5	-	-	-	-	-	-
-300	24	33.4	22.2	23.4	20.8	2762.2	2,275.3	1,300.1	950.0	9.1	-	10.5	-	5.6
300-	27	37.7	27.0	27.0	23.9	4145.9	4,107.4	2,716.0	1,301.8	41.8	-	27.0	-	20.8
TOTAL	390	10.4	6.[illegible]	19.8*	17.0*	783.3*	9,514.8	6,782.9	2,341.4	255.3	-	69.5	-	65.7
AUG -2														
-50	1	5.0	1.0	15.0	11.0	87.0	0.8	0.3	-	0.5	-	-	-	-
-100	166	6.8	3.[illegible]	19.6*	16.9*	553.0*	2,203.6	1,911.7	212.1	66.5	0.5	7.4	-	5.4
-150	5	7.4	3.2	24.2	21.2	639.2	88.3	88.3	-	-	-	-	-	-
-300	18	33.2	18.7	24.[illegible]	21.1	2447.2*	1,690.0	1,330.5	336.8	5.1	-	1.5	-	16.1
300-	18	46.1	27.1	26.3	23.2	4309.2	2,833.4	1,924.5	866.4	6.7	-	24.5	-	11.3
TOTAL	208	12.5	6.5	20.7*	17.9*	1039.7*	6,816.1	5,255.3	1,415.3	78.8	0.5	33.4	-	32.8
AUG -3														
-50	3	8.0	2.7	14.0	9.7	233.3	26.9	26.8	-	-	-	0.1	-	-
-100	246	6.6	2.7	18.9*	16.1*	325.9*	2,514.9	2,402.4	43.2	43.9	-	2.9	-	22.5
-150	5	8.8	2.2	25.6	22.6	577.4	11[illegible].4	118.4	-	-	-	-	-	-
-300	26	31.3	18.8	25.2	22.5	2272.8	3,000.9	2,558.4	424.5	1.7	-	-	-	16.3
300-	31	40.6	23.7	26.1	23.3	3912.3*	4,743.3	4,209.0	417.1	27.5	-	62.0	-	27.7
フメイ	1	-	96.0	45.0	37.0	-	393.9	388.2	-	-	-	5.7	-	-
TOTAL	312	12.1*	6.5	20.3*	17.5*	842.8*	10,798.3	9,703.2	884.8	73.1	-	70.7	-	66.5

旬別・全国・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　JUN- 5

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
SEP -1														
-50	3	5.7	3.3	12.0	9.7	152.3	20.4	16.5	3.4	-	-	-	-	0.5
-100	262	7.0	3.2	19.3*	16.5*	297.2*	3,277.4	3,163.5	6.1	76.6	-	2.3	0.3	28.6
-150	8	7.9	3.0	24.8	20.9	459.0	159.9	159.9	-	-	-	-	-	-
-300	20	35.1	19.1	22.6	19.7*	2417.9	1,815.4	1,123.2	662.7	5.9	-	6.8	-	16.8
300-	21	40.5	21.5	25.4	23.0	3619.6*	2,984.7	2,860.9	94.8	13.9	-	7.1	-	8.0
TOTAL	314	11.0	5.4	20.0*	17.2*	648.8*	8,257.8	7,324.0	767.0	96.4	-	16.2	0.3	53.9
SEP -2														
-50	3	5.3	3.0	16.0	12.0	179.7	25.1	24.2	-	0.4	-	-	-	0.5
-100	291	7.2	3.7	18.8*	16.1*	318.6*	3,854.0	3,677.7	9.5	133.7	-	5.9	-	27.2
-150	6	7.0	2.3	24.3	21.0	417.5	121.7	121.7	-	-	-	-	-	-
-300	19	33.9	19.1	24.4	21.9	2460.7	2,285.3	2,146.5	28.7	8.7	-	16.9	-	84.5
300-	21	41.1	19.7	25.8	22.6	4104.4	3,559.4	3,327.2	161.0	32.1	-	34.0	-	5.1
TOTAL	340	10.7	5.6	19.6*	16.9*	673.7*	9,845.5	9,297.3	199.2	174.9	-	56.8	-	117.3
SEP -3														
-50	5	17.6	12.2	17.4	14.4	360.6	47.8	47.8	-	-	-	-	-	-
-100	258	6.5*	3.2	19.2*	16.3*	290.2*	2,995.7	2,919.4	0.3	57.6	0.1	-	0.3	18.0
-150	6	6.5	2.8	25.8	22.8	409.3	115.8	115.8	-	-	-	-	-	-
-300	15	33.5	17.6	24.1*	21.4*	2020.5	1,444.2	1,214.1	114.5	12.1	-	16.6	-	86.9
300-	12	40.3	19.1	26.2	22.5	3267.1	1,599.7	1,372.4	217.3	2.1	-	3.9	-	4.0
TOTAL	296	9.5*	4.8	19.8*	16.9*	502.9*	6,203.2	5,669.5	332.1	71.8	0.1	20.5	0.3	108.9
OCT -1														
-50	4	8.8	4.0	15.5	13.0	76.0*	8.0	8.0	-	-	-	-	-	-
-100	177	8.0*	3.1	18.9*	15.9*	323.1*	1,301.0	1,242.7	0.3	44.1	-	2.9	-	11.0
-150	4	9.3	1.5	26.0	22.5	1093.5	77.5	77.5	-	-	-	-	-	-
-300	24	35.9	18.5	26.2*	23.8	2044.2	2,021.9	1,861.6	93.2	7.3	-	22.7	0.3	36.8
300-	9	46.4	15.9	25.4	22.6	3506.8	1,317.2	1,312.6	-	4.6	-	-	-	-
TOTAL	218	12.7*	5.3	20.1*	17.2*	669.1*	4,725.6	4,502.4	93.5	56.0	-	25.6	0.3	47.8
OCT -2														
-50	1	4.0	3.0	16.0	12.0	46.0	0.8	0.8	-	-	-	-	-	-
-100	208	7.8*	3.2	18.8*	15.8*	243.8*	1,106.3	1,048.8	0.5	35.4	1.9	0.5	-	19.2
-150	4	8.8	2.0	23.8	19.5	85.3	11.0	7.0	-	-	-	-	-	4.0
-300	33	34.4	19.5	24.9	22.6*	2047.8	2,536.6	2,131.1	312.6	20.2	-	7.2	-	65.5
300-	14	45.9	19.1	26.6	23.9	3827.9	2,064.9	2,026.6	35.3	3.0	-	-	-	-
TOTAL	260	13.3*	6.1	20.1*	17.1*	670.7*	5,719.6	5,214.3	348.4	58.6	1.9	7.7	-	88.7
OCT -3														
-50	1	7.0	5.0	10.0	8.0	104.0	4.9	2.5	-	1.9	-	-	-	0.5
-100	120	10.3	4.0	18.8*	16.0*	365.4	1,035.5	878.5	1.2	110.9	-	9.4	0.1	35.4
-150	3	13.3	2.7	25.7	23.3	799.3	44.7	28.2	-	-	-	16.5	-	-
-300	16	41.7	23.2	23.2	20.6	2407.0	1,480.0	725.9	474.0	64.3	0.2	24.7	-	190.9
300-	42	46.5	19.6	26.0	23.1*	3298.7	5,045.0	4,881.3	110.0	20.5	-	32.5	-	0.7
TOTAL	182	21.4	9.2	20.9*	18.2*	1227.5	7,610.1	6,516.4	585.2	197.6	0.2	83.1	0.1	227.5
NOV -1														
-50	2	38.0	4.5	11.5	8.5	127.5	9.0	8.7	-	-	-	0.3	-	-
-100	111	9.7*	3.9	18.3	15.1*	397.6*	1,199.4	1,085.3	5.0	87.6	3.7	4.6	-	13.2
-150	2	14.0	5.0	21.5	17.0	664.0	51.0	51.0	-	-	-	-	-	-
-300	15	48.3	22.3	21.1	18.5*	2680.6*	1,098.3	374.5	669.7	49.3	-	-	-	4.8
300-	18	48.6	20.2	26.3	23.2	3133.7	1,845.7	1,590.9	251.3	3.0	0.5	-	-	-
TOTAL	148	19.0*	7.8	19.5	16.3*	961.5*	4,203.4	3,110.4	926.0	139.9	4.2	4.9	-	18.0
NOV -2														
-100	66	11.6	5.3	17.0*	14.1*	449.7*	753.6	684.7	2.5	57.1	-	2.3	-	7.0
-300	16	41.3	20.4	22.6	20.1	2173.1	1,151.4	917.8	125.1	51.9	-	15.4	-	41.2
300-	13	48.2	21.5	27.2	23.8	3045.1	1,183.4	993.2	180.7	3.9	0.5	4.2	-	0.9
TOTAL	95	21.6	10.0	19.4*	16.5*	1102.0*	3,088.4	2,595.7	308.3	112.9	0.5	21.9	-	49.1
NOV -3														
-50	1	12.0	7.0	9.0	7.0	76.0	1.6	1.1	-	0.2	-	-	-	0.3
-100	54	12.3	5.0	16.7	14.0*	485.3	764.2	599.6	2.0	70.0	-	1.0	80.2	11.4
-150	1	21.0	8.0	18.0	15.0	893.0	30.5	30.5	-	-	-	-	-	-
-300	20	38.3	21.7	25.2	22.4*	2866.6	1,608.4	740.7	705.1	66.1	1.3	44.0	-	51.2
300-	12	49.5	20.7	25.0	21.7	3488.8	1,117.7	1,027.8	79.4	2.5	-	8.0	-	-
TOTAL	88	23.4	11.0	19.7	16.9*	1436.1	3,522.4	2,399.7	786.5	138.8	1.3	53.0	80.2	62.9
DEC -1														
-100	56	13.0	5.1	16.6*	13.8*	408.6	609.7	513.2	-	78.7	-	1.6	-	16.2
-300	26	43.7	28.5	24.7	21.8*	3756.9	2,251.3	406.1	1,750.5	65.7	4.2	20.0	-	4.8
300-	13	45.5	19.5	25.2	22.6	3709.9	1,274.8	1,107.7	152.5	6.2	-	-	-	8.4
TOTAL	95	25.9	13.5	20.0*	17.2*	1776.7	4,135.8	2,027.0	1.903.0	150.6	4.2	21.6	-	29.4
DEC -2														
-100	26	13.7	6.0	16.2	13.6	424.0	252.2	170.3	17.0	57.4	-	0.1	-	7.4
-150	1	23.0	8.0	20.0	17.0	475.0	13.7	13.7	-	-	-	-	-	-
-300	9	44.9	20.8	23.2	21.3*	2944.6	747.0	630.3	-	35.6	-	64.0	-	17.1
300-	37	48.7	22.6	26.3	23.2	4671.3	4,724.5	4,434.8	181.0	65.3	-	43.0	-	0.4
TOTAL	73	35.4	16.3	22.3	19.4*	2888.2	5,737.4	5,249.1	198.0	158.3	-	107.1	-	24.9
DEC -3														
-100	33	16.0	7.8	16.6*	14.3*	544.8	353.4	222.2	9.7	108.6	-	1.6	-	11.3
-300	43	33.9	17.7	22.0	19.4*	2065.2	2,333.2	1,866.8	363.7	94.8	0.5	5.3	-	2.1
300-	27	47.2	22.4	26.2	23.2*	5419.0	3,924.6	3,842.9	15.0	42.3	-	21.0	-	3.4
フメイ	1	98.0	60.0	41.0	38.0	9999.0	455.7	455.4	-	-	-	-	-	0.3
TOTAL	104	32.3	16.1	21.7*	19.0*	2529.8	7,066.9	6,387.3	388.4	245.7	0.5	27.9	-	17.1

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　北海道 HK- 1 JUN- 1

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
SEP -1														
-100	1	5.0	2.0	19.0	17.0	266.0	11.0	11.0	-	-	-	-	-	-
TOTAL	1	5.0	2.0	19.0	17.0	266.0	11.0	11.0	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

青森 AM- 1 JUN- 2

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
AUG -3														
-100	1	4.0	3.0	19.0	15.0	21.0	1.0	0.5	-	-	-	-	-	0.5
TOTAL	1	4.0	3.0	19.0	15.0	21.0	1.0	0.5	-	-	-	-	-	0.5

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　　　　　*** RIKUAGE　TOUKEI ***　　　　　　　　岩手　IT-　1　JUN-　3

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
JUL -2														
-100	1	6.0	3.0	22.0	18.0	692.0	22.1	11.0	10.7	-	0.4	-	-	-
TOTAL	1	6.0	3.0	22.0	18.0	692.0	22.1	11.0	10.7	-	0.4	-	-	-
JUL -3														
-100	14	7.6	3.7	20.1	17.4	297.6	132.5	117.5	13.9	0.2	0.8	-	-	0.1
-150	1	6.0	2.0	28.0	22.0	634.0	27.0	27.0	-	-	-	-	-	-
TOTAL	15	7.5	3.6	20.7	17.7	320.1	159.5	144.5	13.9	0.2	0.8	-	-	0.1
AUG -1														
-100	15	7.6	3.7	19.5	17.6*	237.2	113.5	110.4	-	1.8	-	0.2	-	1.1
-150	1	8.0	2.0	28.0	22.0	259.0	11.0	11.0	-	-	-	-	-	-
TOTAL	16	7.6	3.6	20.1	17.9*	238.6	124.5	121.4	-	1.8	-	0.2	-	1.1
AUG -2														
-100	10	6.7	2.8	20.3	17.9	394.3*	88.9	79.5	9.0	-	-	0.4	-	-
-150	1	8.0	4.0	28.0	22.0	283.0	9.0	9.0	-	-	-	-	-	-
TOTAL	11	6.8	2.9	21.0	18.3	383.2*	97.9	88.5	9.0	-	-	0.4	-	-
AUG -3														
-100	19	7.5	3.2	18.5	15.8	214.2	145.8	145.2	-	-	-	-	-	0.6
-150	1	14.0	2.0	28.0	22.0	269.0	14.0	14.0	-	-	-	-	-	-
TOTAL	20	7.9	3.1	19.0	16.1	217.0	159.8	159.2	-	-	-	-	-	0.6
SEP -1														
-100	18	7.1	3.7	19.4	16.8*	165.4	146.9	146.9	-	-	-	-	-	-
TOTAL	18	7.1	3.7	19.4	16.8*	165.4	146.9	146.9	-	-	-	-	-	-
SEP -2														
-100	11	7.2	3.5	19.2	16.5	187.9	106.8	106.3	-	-	-	-	-	0.5
-150	2	8.0	2.5	24.0	19.5	457.5	44.2	44.2	-	-	-	-	-	-
TOTAL	13	7.3	3.3	19.9	17.0	229.4	151.0	150.5	-	-	-	-	-	0.5
SEP -3														
-100	23	6.1	2.5	19.5*	16.8*	134.8	122.8	122.1	-	-	-	-	-	0.7
TOTAL	23	6.1	2.5	19.5*	16.8*	134.8	122.8	122.1	-	-	-	-	-	0.7
OCT -1														
-100	15	9.9	2.3	20.5	17.7*	102.9	43.6	43.0	-	-	-	-	-	0.6
-150	1	12.0	2.0	26.0	20.0	227.0	6.0	6.0	-	-	-	-	-	-
TOTAL	16	10.1	2.3	20.8	17.9*	110.6	49.6	49.0	-	-	-	-	-	0.6
OCT -2														
-100	11	7.8	2.6	20.4	18.2	63.7	19.5	19.5	-	-	-	-	-	-
-150	1	7.0	1.0	26.0	20.0	71.0	1.5	1.5	-	-	-	-	-	-
-300	3	14.7	7.0	25.3	21.3	1430.3	74.0	67.3	6.7	-	-	-	-	-
TOTAL	15	9.1	3.4	21.7	18.9	337.5	95.0	88.3	6.7	-	-	-	-	-
OCT -3														
-100	1	10.0	3.0	18.0	17.0	240.0	5.0	5.0	-	-	-	-	-	-
TOTAL	1	10.0	3.0	18.0	17.0	240.0	5.0	5.0	-	-	-	-	-	-
NOV -1														
-100	1	11.0	3.0	13.0	11.0	189.0	6.5	6.5	-	-	-	-	-	-
TOTAL	1	11.0	3.0	13.0	11.0	189.0	6.5	6.5	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU *** RIKUAGE TOUKEI *** 宮城 MG- 1 JUN- 5

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
FEB -2														
-100	1	25.0	15.0	13.0	13.0	431.0	7.5	-	2.2	0.1	-	1.8	-	3.4
TOTAL	1	25.0	15.0	13.0	13.0	431.0	7.5	-	2.2	0.1	-	1.8	-	3.4
MAR -3														
-100	1	6.0	5.0	16.0	14.0	195.0	3.4	0.8	-	2.6	-	-	-	-
-300	1	46.0	33.0	33.0	31.0	1869.0	116.0	116.0	-	-	-	-	-	-
TOTAL	2	26.0	19.0	24.5	22.5	1032.0	119.4	116.8	-	2.6	-	-	-	-
APR -1														
-100	1	16.0	6.0	14.0	13.0	313.0	10.5	10.5	-	-	-	-	-	-
-300	1	49.0	30.0	23.0	21.0	1289.0	70.0	70.0	-	-	-	-	-	-
TOTAL	2	32.5	18.0	18.5	17.0	801.0	80.5	80.5	-	-	-	-	-	-
MAY -2														
-150	1	8.0	3.0	26.0	23.0	1300.0	34.5	34.5	-	-	-	-	-	-
-300	1	17.0	15.0	30.0	-	1051.0	29.5	-	29.5	-	-	-	-	-
TOTAL	2	12.5	9.0	28.0	23.0*	1175.5	64.0	34.5	29.5	-	-	-	-	-
MAY -3														
-100	5	5.4	3.0	19.2	17.2	401.0	112.8	112.8	-	-	-	-	-	-
TOTAL	5	5.4	3.0	19.2	17.2	401.0	112.8	112.8	-	-	-	-	-	-
JUN -1														
-100	3	4.3	2.7	18.3	15.7	472.7	74.7	74.7	-	-	-	-	-	-
-300	2	31.5	26.5	25.0	21.5	2439.5	135.6	27.6	108.0	-	-	-	-	-
300-	2	45.0	35.5	29.0	25.5	3389.5	221.7	90.0	90.0	24.5	-	16.2	-	1.0
TOTAL	7	23.7	18.9	23.3	20.1	1868.0	432.0	192.3	198.0	24.5	-	16.2	-	1.0
JUN -2														
-100	7	7.3	5.0	18.1	15.9	469.3	102.8	74.4	27.5	-	-	0.9	-	-
-300	17	41.5	31.5	28.8	25.7	3555.2	1,586.3	81.6	1,470.4	0.2	-	27.9	-	6.2
300-	3	45.7	40.7	30.7	26.7	3588.7	380.0	144.3	209.5	-	-	25.7	-	0.5
TOTAL	27	33.1	25.7	26.3	23.3	2758.9	2,069.1	300.3	1,707.4	0.2	-	54.5	-	6.7
JUN -3														
-100	10	6.5	3.5	19.0	16.3	498.2	148.3	139.9	5.0	1.3	-	2.1	-	-
-300	2	33.5	26.5	27.5	24.0	2851.5	150.6	13.5	127.0	-	-	9.6	-	0.5
300-	5	40.2	29.2	27.8	25.2	4352.8	602.7	136.5	449.4	2.0	-	14.8	-	-
TOTAL	17	19.6	13.8	22.6	19.8	1908.8	901.6	289.9	581.4	3.3	-	26.5	-	0.5
JUL -1														
-100	8	6.8	4.0	17.6	15.5	496.5	132.2	117.0	15.2	-	-	-	-	-
-300	7	24.7	16.3	26.6	23.9	2878.6	596.8	361.0	225.9	4.5	-	5.0	-	0.4
300-	2	19.5	15.5	29.0	26.0	4085.0	164.5	57.5	107.0	-	-	-	-	-
TOTAL	17	15.6	10.4	22.6	20.2	1899.5	893.5	535.5	348.1	4.5	-	5.0	-	0.4
JUL -2														
-100	29	6.6	3.2	20.3	17.7	615.3	572.9	433.5	138.7	0.1	0.6	-	-	-
-300	1	21.0	17.0	-	-	2906.0	113.4	94.4	18.7	-	-	0.3	-	-
300-	1	28.0	23.0	33.0	30.0	6875.0	240.0	150.0	81.0	-	-	9.0	-	-
TOTAL	31	7.7	4.3	20.7*	18.1*	891.1	926.3	677.9	238.4	0.1	0.6	9.3	-	-
JUL -3														
-100	67	7.4*	3.8	19.9	17.3*	362.4	725.2	620.3	95.9	1.3	-	4.7	-	3.0
-150	6	7.7	3.2	25.2	21.2	690.3	124.5	72.8	49.3	-	2.0	-	-	0.4
-300	9	36.6	26.2	28.7	25.7	3484.3	953.6	117.2	824.4	-	-	11.0	-	1.0
300-	2	31.5	21.5	26.5	23.0	3291.5	264.2	191.9	70.3	-	-	-	-	2.0
TOTAL	84	11.2*	6.6	21.4	18.7*	790.1	2,067.5	1,002.2	1,039.9	1.3	2.0	15.7	-	6.4
AUG -1														
-100	73	7.1	3.3	20.2*	17.5*	364.5	819.5	786.6	27.8	0.5	-	1.0	-	3.6
-150	2	6.0	2.5	23.0	20.0	859.0*	44.4	44.4	-	-	-	-	-	-
-300	9	37.3	28.2	26.4	23.8	3245.9	957.1	375.1	573.2	-	-	3.5	-	5.3
300-	6	36.0	27.7	28.5	26.0	3757.7	811.9	446.6	359.3	-	-	-	-	6.0
TOTAL	90	12.0	7.4	21.4*	18.8*	890.2*	2,632.9	1,652.7	960.3	0.5	-	4.5	-	14.9
AUG -2														
-100	57	7.3	3.4	19.8	16.8	481.0	797.9	648.4	148.8	0.1	0.5	-	-	0.1
-150	3	6.3	2.3	22.0	19.0	678.0	56.3	56.3	-	-	-	-	-	-
-300	2	35.5	29.0	27.0	24.0	3264.5	244.7	129.1	106.5	-	-	-	-	9.1
300-	4	39.8	27.3	27.8	24.3	3100.3	514.0	365.0	147.0	-	-	2.0	-	-
TOTAL	66	10.1	5.5	20.6	17.6	733.0	1,612.9	1,198.8	402.3	0.1	0.5	2.0	-	9.2
AUG -3														
-50	1	9.0	4.0	16.0	12.0	340.0	19.4	19.4	-	-	-	-	-	-
-100	102	7.2	2.9	19.7	16.7*	322.1*	1,175.3	1,122.1	42.2	2.2	-	-	-	8.8
-150	2	7.0	2.0	22.5	18.5	689.5	70.3	70.3	-	-	-	-	-	-
-300	3	24.7	18.7	28.7	27.0	1943.7	272.0	256.5	10.5	-	-	-	-	5.0
300-	3	26.0	18.0	25.0	22.3	2878.7	440.7	438.7	-	-	-		-	2.0
フメイ	1	-	96.0	45.0	37.0	-	393.9	388.2			-	5.7	-	-
TOTAL	112	8.2*	4.5	20.3	17.4*	442.9*	2,371.6	2,295.2	52.7	2.2	-	5.7	-	15.8

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　宮城 MG- 3 JUN- 7

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
SEP -1														
-50	1	7.0	3.0	15.0	12.0	247.0	13.0	13.0	-	-	-	-	-	-
-100	120	7.4	3.4	19.5*	16.8*	272.9	1,549.2	1,544.6	-	-	-	-	-	4.6
-150	4	9.3	2.8	22.8	20.0	335.0	65.9	65.9	-	-	-	-	-	-
-300	9	32.7	21.3	25.7	22.2	2248.7	967.7	918.3	36.2	-	-	-	-	13.2
TOTAL	134	9.2	4.5	20.0*	17.2*	407.3	2,595.8	2,541.8	36.2	-	-	-	-	17.8
SEP -2														
-50	2	6.0	4.0	16.0	12.0	232.0	24.0	24.0	-	-	-	-	-	-
-100	133	7.2	3.7	19.1	16.2*	300.0	1,939.1	1,936.6	-	0.1	-	-	-	2.4
-150	2	7.0	2.5	25.5	21.5	337.5	34.8	34.8	-	-	-	-	-	-
-300	6	38.7	27.2	27.2	24.3	3115.0	891.2	872.0	11.8	-	-	-	-	7.4
300-	4	38.3	22.0	24.0	20.5	2771.8	516.5	515.5	-	-	-	-	-	1.0
TOTAL	147	9.3	5.2	19.6	16.7*	481.8	3,405.6	3,382.9	11.8	0.1	-	-	-	10.8
SEP -3														
-50	1	8.0	5.0	16.0	12.0	68.0	3.8	3.8	-	-	-	-	-	-
-100	107	6.9	3.6	19.3	16.5*	275.7*	1,313.8	1,307.4	-	0.3	-	-	-	6.1
-150	4	5.8	2.5	25.5	22.5	·354.8	72.1	72.1	-	-	-	-	-	-
-300	4	40.0	24.3	26.0	23.0	2730.3	491.1	472.7	16.5	-	-	-	-	1.9
300-	1	39.0	34.0	30.0	26.0	4276.0	196.8	182.2	14.1	-	-	-	-	0.5
TOTAL	117	8.3	4.6	19.8	17.0*	395.8*	2,077.6	2,038.2	30.6	0.3	-	-	-	8.5
OCT -1														
-50	1	8.0	4.0	16.0	12.0	-	0.0	-	-	-	-	-	-	-
-100	51	8.3	2.8	19.6	16.7	332.6*	328.1	323.3	-	1.3	-	-	-	3.5
-150	2	6.5	1.5	26.0	23.5	531.0	19.1	19.1	-	-	-	-	-	-
-300	4	34.8	23.5	28.0	25.5	3030.0	472.8	443.2	28.2	-	-	-	-	1.4
TOTAL	58	10.1	4.2	20.4	17.5	547.8*	820.0	785.6	28.2	1.3	-	-	-	4.9
OCT -2														
-100	62	10.4	3.8	20.6	17.9	356.1*	496.4	494.2	-	-	-	-	-	2.2
-150	2	7.0	2.5	25.5	21.5	92.5	6.1	2.1	-	-	-	-	-	4.0
-300	15	31.7	19.8	25.8	23.5*	2199.7	1,245.2	1,039.9	204.1	-	-	-	-	1.2
300-	3	37.3	25.3	29.0	25.7	3550.0	443.3	408.0	35.3	-	-	-	-	-
TOTAL	82	15.2	7.5	22.0	19.2*	809.3*	2,191.0	1,944.2	239.4	-	-	-	-	7.4
OCT -3														
-100	20	11.5	4.0	21.1	18.0	432.8	189.6	184.1	-	-	-	-	-	5.5
-150	3	13.3	2.7	25.7	23.3	799.3	44.7	28.2	-	-	-	16.5	-	-
-300	1	31.0	21.0	25.0	21.0	779.0	24.6	23.5	0.7	-	-	-	-	0.4
300-	1	45.0	22.0	23.0	18.0	2633.0	104.8	104.8	-	-	-	-	-	-
TOTAL	25	13.8	5.2	21.8	18.8	578.6	363.7	340.6	0.7	-	-	16.5	-	5.9
NOV -1														
-100	12	11.4	3.5	20.8	17.9	493.5	99.4	99.1	-	-	-	-	-	0.3
TOTAL	12	11.4	3.5	20.8	17.9	493.5	99.4	99.1	-	-	-	-	-	0.3
NOV -2														
-100	4	8.5	3.8	18.5	15.3	696.8	33.1	33.1	-	-	-	-	-	-
-300	1	49.0	20.0	22.0	20.0	3027.0	75.5	31.5	44.0	-	-	-	-	-
TOTAL	5	16.6	7.0	19.2	16.2	1162.8	108.6	64.6	44.0	-	-	-	-	-
NOV -3														
-100	1	5.0	3.0	17.0	15.0	863.0	10.9	10.9	-	-	-	-	-	-
-300	5	37.2	24.2	27.0	24.0	2863.8	324.1	24.4	295.5	-	0.8	-	-	3.4
TOTAL	6	31.8	20.7	25.3	22.5	2530.3	335.0	35.3	295.5	-	0.8	-	-	3.4
DEC -1														
-100	1	7.0	5.0	17.0	14.0	887.0	11.5	11.5	-	-	-	-	-	-
-300	14	44.4	31.7	25.4	22.4	4510.0	1,388.4	60.3	1,325.3	-	2.1	-	-	0.7
300-	1	50.0	29.0	28.0	27.0	4607.0	99.5	-	99.5	-	-	-	-	-
TOTAL	16	42.4	29.9	25.0	22.2	4289.6	1,499.4	71.8	1,424.8	-	2.1	-	-	0.7
DEC -2														
-100	1	10.0	6.0	16.0	13.0	77.0	0.7	0.7	-	-	-	-	-	-
300-	2	48.5	32.0	30.5	26.5	7206.0	352.0	171.0	181.0	-	-	-	-	-
TOTAL	3	35.7	23.3	25.7	22.0	4829.7	352.7	171.7	181.0	-	-	-	-	-
DEC -3														
-300	16	24.6	18.3	23.9	21.1	923.6	324.2	8.0	315.7	-	0.5	-	-	-
300-	1	16.0	10.0	26.0	25.0	658.0	15.0	-	15.0	-	-	-	-	-
TOTAL	17	24.1	17.8	24.0	21.3	907.9	339.2	8.0	330.7	-	0.5	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　　　　　　　*** RIKUAGE TOUKEI ***　　　　　　　　　　福島 FS- 1 JUN- 9

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ノーダ F.M.	その他 ELS
MAY -1														
-100	2	6.5	3.5	17.5	15.0	513.0	23.8	23.3	-	0.5	-	-	-	-
-300	3	21.3	15.7	26.3	24.0	1596.0	82.1	-	79.8	-	-	2.3	-	-
TOTAL	5	15.4	10.8	22.8	20.4	1162.8	105.9	23.3	79.8	0.5	-	2.3	-	-
MAY -2														
-100	2	6.0	2.0	20.5	19.5	595.0	37.6	36.8	0.8	-	-	-	-	-
-300	1	19.0	16.0	16.0	14.0	670.0	17.0	-	17.0	-	-	-	-	-
TOTAL	3	10.3	6.7	19.0	17.7	620.0	54.6	36.8	17.8	-	-	-	-	-
MAY -3														
-100	20	5.2	3.0	22.8	19.7*	610.3	608.1	608.1	-	-	-	-	-	-
-300	2	32.0	13.5	22.5	20.5	1290.0	67.3	-	65.3	-	-	0.4	-	1.6
TOTAL	22	7.6	3.9	22.8	19.8*	672.0	675.4	608.1	65.3	-	-	0.4	-	1.6
JUN -1														
-100	12	5.4	2.9	22.9	19.4*	714.6	421.4	421.4	-	-	-	-	-	-
-300	2	33.0	18.5	27.0	23.5	3306.5	145.8	3.5	142.3	-	-	-	-	-
TOTAL	14	9.4	5.1	23.5	20.0*	1084.9	567.2	424.9	142.3	-	-	-	-	-
JUN -2														
-100	21	6.1	3.2	21.9	18.8*	537.3	382.7	367.2	15.5	-	-	-	-	-
-150	4	6.8	3.8	26.0	21.8	990.5	133.9	98.9	35.0	-	-	-	-	-
-300	3	39.0	25.7	28.0	25.0	4408.3	326.1	4.5	320.5	-	-	1.1	-	-
TOTAL	28	9.7	5.7	23.1	20.0*	1016.8	842.7	470.6	371.0	-	-	1.1	-	-
JUN -3														
-100	14	7.6	3.4	21.2*	18.6*	724.9	272.4	220.8	51.6	-	-	-	-	-
300-	1	44.0	28.0	28.0	25.0	4205.0	118.0	18.0	100.0	-	-	-	-	-
TOTAL	15	10.0	5.0	21.6*	19.1*	956.9	390.4	238.8	151.6	-	-	-	-	-
JUL -1														
-100	20	7.4	4.0	22.5	19.9*	784.6	471.1	406.9	62.8	-	-	1.4	-	-
-150	1	8.0	4.0	27.0	27.0	642.0	20.7	18.7	2.0	-	-	-	-	-
-300	1	44.0	20.0	20.0	19.0	1979.0	57.0	23.1	33.9	-	-	-	-	-
TOTAL	22	9.0	4.7	22.5	20.2*	832.4	548.8	448.7	98.7	-	-	1.4	-	-
JUL -2														
-100	30	7.4	3.9	21.0	18.4*	694.5	710.1	619.6	81.0	-	-	9.5	-	-
-150	2	8.0	3.0	26.5	25.0	1428.0	97.5	62.5	35.0	-	-	-	-	-
TOTAL	32	7.4	3.8	21.3	18.8*	740.3	807.6	682.1	116.0	-	-	9.5	-	-
JUL -3														
-100	18	7.1	3.3	21.1	19.1*	462.3	255.8	225.7	28.2	-	-	-	-	1.9
-300	2	45.5	22.0	26.0	22.0	3982.5	241.4	14.0	224.6	-	-	-	-	2.8
TOTAL	20	11.0	5.2	21.6	19.4*	814.3	497.2	239.7	252.8	-	-	-	-	4.7
AUG -1														
-100	17	8.7	3.1	21.1	18.5	523.3	271.5	266.5	5.0	-	-	-	-	-
TOTAL	17	8.7	3.1	21.1	18.5	523.3	271.5	266.5	5.0	-	-	-	-	-
AUG -2														
-100	18	6.8	2.9	21.1	18.6*	886.7	353.8	340.8	13.0	-	-	-	-	-
TOTAL	18	6.8	2.9	21.1	18.6*	886.7	353.8	340.8	13.0	-	-	-	-	-
AUG -3														
-100	16	7.3	3.4	21.6	19.6*	580.3	331.0	331.0	-	-	-	-	-	-
-300	4	30.3	16.0	23.3	19.0	1909.8	327.7	246.5	79.2	-	-	-	-	2.0
TOTAL	20	11.9	5.9	21.9	19.5*	846.2	658.7	577.5	79.2	-	-	-	-	2.0
SEP -1														
-100	12	6.9	3.0	22.3	19.3	472.6	262.6	262.6	-	-	-	-	-	-
-150	1	5.0	3.0	25.0	20.0	438.0	23.5	23.5	-	-	-	-	-	-
TOTAL	13	6.8	3.0	22.5	19.4	469.9	286.1	286.1	-	-	-	-	-	-
SEP -2														
-100	19	6.9	2.9	20.2	18.6*	474.3	396.5	396.5	-	-	-	-	-	-
TOTAL	19	6.9	2.9	20.2	18.6*	474.3	396.5	396.5	-	-	-	-	-	-
SEP -3														
-100	19	7.5	3.3	20.3	18.2*	406.7	331.8	331.8	-	-	-	-	-	-
TOTAL	19	7.5	3.3	20.3	18.2*	406.7	331.8	331.8	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　*** RIKUAGE TOUKEI ***　　　福島 FS- 3 JUN- 11

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
OCT -1														
-100	5	10.8	4.4	22.2	20.2	687.4	80.9	80.9	-	-	-	-	-	-
TOTAL	5	10.8	4.4	22.2	20.2	687.4	80.9	80.9	-	-	-	-	-	-
OCT -2														
-100	4	10.8	3.0	22.7*	18.5*	446.8	32.0	32.0	-	-	-	-	-	-
-300	1	43.0	25.0	21.0	-	2076.0	70.9	39.5	28.4	-	-	-	-	3.0
TOTAL	5	17.2	7.4	22.3*	18.5*	772.6	102.9	71.5	28.4	-	-	-	-	3.0
OCT -3														
-100	11	11.5	3.1	21.3	19.2*	397.7	97.9	97.9	-	-	-	-	-	-
TOTAL	11	11.5	3.1	21.3	19.2*	397.7	97.9	97.9	-	-	-	-	-	-
NOV -1														
-100	3	10.7	3.0	23.3	19.5*	639.7	32.0	32.0	-	-	-	-	-	-
TOTAL	3	10.7	3.0	23.3	19.5*	639.7	32.0	32.0	-	-	-	-	-	-
NOV -2														
-100	1	14.0	10.0	24.0	21.0	256.0	3.5	3.5	-	-	-	-	-	-
TOTAL	1	14.0	10.0	24.0	21.0	256.0	3.5	3.5	-	-	-	-	-	-
NOV -3														
-300	1	30.0	12.0	24.0	-	1025.0	19.0	-	19.0	-	-	-	-	-
TOTAL	1	30.0	12.0	24.0	-	1025.0	19.0	-	19.0	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

茨城 IG- 1 JUN- 12

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR -1														
-300	5	42.0	25.8	29.0*	25.5*	726.0	211.8	209.2	-	1.2	-	0.2	-	1.2
TOTAL	5	42.0	25.8	29.0*	25.5*	726.0	211.8	209.2	-	1.2	-	0.2	-	1.2
MAR -2														
-300	2	45.0	27.0	28.5	24.5	591.5	64.0	63.5	-	0.2	-	-	0.3	-
TOTAL	2	45.0	27.0	28.5	24.5	591.5	64.0	63.5	-	0.2	-	-	0.3	-
MAR -3														
-300	1	52.0	24.0	31.0	31.0	648.0	3[illegible].5	38.0	-	-	-	-	-	0.5
TOTAL	1	52.0	24.0	31.0	31.0	648.0	3[illegible].5	38.0	-	-	-	-	-	0.5
APR -3														
-100	1	5.0	2.0	23.0	20.0	937.0	17.0	17.0	-	-	-	-	-	-
TOTAL	1	5.0	2.0	23.0	20.0	937.0	17.0	17.0	-	-	-	-	-	-
MAY -1														
-100	10	6.8	3.3	22.9	19.7*	681.2	173.1	168.3	0.7	0.1	-	4.0	-	-
-150	2	7.0	4.0	27.0	22.5	692.0	43.2	43.2	-	-	-	-	-	-
-300	3	25.3	18.3	28.3	24.3	1718.7	152.3	-	139.0	-	-	7.3	-	6.0
TOTAL	15	10.5	6.4	24.5	21.1*	890.1	368.6	211.5	139.7	0.1	-	11.3	-	6.0
MAY -2														
-100	8	6.9	3.6	23.1	20.3*	925.4	182.9	180.4	-	2.5	-	-	-	-
TOTAL	8	6.9	3.6	23.1	20.3*	925.4	182.9	180.4	-	2.5	-	-	-	-
MAY -3														
-100	25	5.8	3.1	22.8	20.3	648.0	779.7	779.7	-	-	-	-	-	-
-150	4	4.8	2.8	25.0	22.8	660.0	112.5	102.5	-	-	-	10.0	-	-
TOTAL	29	5.7	3.0	23.1	20.6	649.7	892.2	882.2	-	-	-	10.0	-	-
JUN -1														
-100	24	5.3	3.1	23.0	20.8*	656.3	811.6	811.6	-	-	-	-	-	-
-150	3	4.7	2.3	20.7	17.7	657.0	112.6	112.6	-	-	-	-	-	-
-300	2	41.5	30.5	29.0	24.5	2818.0	140.4	9.9	124.4	-	-	3.6	-	2.5
TOTAL	29	7.7	4.9	23.2	20.7*	805.4	1,064.6	934.1	124.4	-	-	3.6	-	2.5
JUN -2														
-100	26	6.5	3.8	22.7	20.0	627.2	511.6	426.8	83.6	-	-	1.2	-	-
-150	1	14.0	9.0	18.0	15.0	589.0	25.0	25.0	-	-	-	-	-	-
-300	5	39.4	30.6	29.8	27.0	3533.0	465.2	27.4	426.5	0.1	-	9.5	-	1.7
TOTAL	32	11.8	8.2	23.6	21.0	1080.0	1,001.8	479.2	510.1	0.1	-	10.7	-	1.7
JUN -3														
-100	26	6.8	4.0	22.3	19.0	850.5	570.2	333.9	234.9	1.4	-	-	-	-
-150	1	8.0	5.0	27.0	27.0	1139.0	33.5	21.2	12.3	-	-	-	-	-
-300	2	36.0	19.5	25.0	24.0	2753.0	170.0	55.0	94.0	-	-	21.0	-	-
TOTAL	29	8.8	5.1	22.6	19.7	991.7	773.7	410.1	341.2	1.4	-	21.0	-	-
JUL -1														
-100	26	7.6	3.9	21.8	19.4*	656.2	477.1	349.3	119.9	5.9	-	1.5	-	0.5
-150	2	8.5	5.5	23.0	18.5	694.5	32.5	21.5	11.0	-	-	-	-	-
TOTAL	28	7.7	4.0	21.9	19.3*	659.0	509.6	370.8	130.9	5.9	-	1.5	-	0.5
JUL -2														
-100	20	7.4	3.6	21.6	18.7	774.5	534.3	424.0	110.1	-	-	0.2	-	-
-150	2	6.0	3.5	18.5	15.5	694.0	41.5	32.0	6.0	-	0.5	3.0	-	-
-300	3	36.0	25.3	28.3	24.3	3487.7	302.3	54.1	244.2	-	-	3.5	-	0.5
TOTAL	25	10.7	6.2	22.2	19.1	1093.6	878.1	510.1	360.3	-	0.5	6.7	-	0.5
JUL -3														
-100	21	7.5	3.2	21.8	18.9	647.7	401.9	369.8	32.1	-	-	-	-	-
-150	2	6.0	3.0	23.0	21.5	576.0	39.7	22.7	17.0	-	-	-	-	-
-300	6	38.0	30.0	29.5	27.0	4549.4*	901.9	236.6	654.6	0.2	-	4.5	0.3	5.7
TOTAL	29	13.7	8.7	23.5	20.8	1339.3*	1,343.5	629.1	703.7	0.2	-	4.5	0.3	5.7
AUG -1														
-100	16	6.9	3.1	20.4	17.3*	618.2	267.5	264.8	-	0.5	-	-	-	2.2
-150	2	8.0	3.5	22.5	19.5	994.0	50.6	50.6	-	-	-	-	-	-
TOTAL	18	7.1	3.2	20.6	17.5*	659.9	318.1	315.4	-	0.5	-	-	-	2.2
AUG -2														
-100	14	7.2	2.8	21.6	18.9	819.9	307.0	270.5	36.5	-	-	-	-	-
-300	2	33.5	12.5	26.5	24.0	2352.5	177.1	119.6	57.5	-	-	-	-	-
TOTAL	16	10.5	4.0	22.2	19.5	1011.4	484.1	390.1	94.0	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU *** RIKUAGE TOUKEI *** 茨城 IG- 3 JUN- 14

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
AUG -3														
-100	11	7.8	2.7	19.9	17.5	496.2	162.3	162.3	-	-	-	-	-	-
-150	1	8.0	3.0	28.0	27.0	771.0	25.7	25.7	-	-	-	-	-	-
-300	7	28.7	20.7	28.6	25.7	2145.7	1,179.2	1,114.4	60.0	-	-	-	-	4.8
TOTAL	19	15.5	9.4	23.5	21.0	1118.4	1,367.2	1,302.4	60.0	-	-	-	-	4.8
SEP -1														
-100	15	8.0	2.7	22.5	20.1	486.8	302.3	302.3	-	-	-	-	-	-
-150	2	6.5	3.5	28.0	22.0	534.5	47.0	47.0	-	-	-	-	-	-
TOTAL	17	7.8	2.8	23.1	20.4	492.4	349.3	349.3	-	-	-	-	-	-
SEP -2														
-100	19	7.1	3.1	21.3	19.1	522.2	390.1	389.1	0.5	-	-	-	-	0.5
-150	1	8.0	3.0	27.0	27.0	450.0	19.5	19.5	-	-	-	-	-	-
TOTAL	20	7.1	3.1	21.6	19.5	518.6	409.6	408.6	0.5	-	-	-	-	0.5
SEP -3														
-100	19	7.3	3.1	21.6	19.2	531.3	454.0	454.0	-	-	-	-	-	-
-150	1	8.0	3.0	27.0	27.0	427.0	17.7	17.7	-	-	-	-	-	-
-300	1	37.0	14.0	22.0	18.0	2660.0	115.1	103.0	10.8	-	-	-	-	1.3
TOTAL	21	8.8	3.6	21.9	19.5	627.7	586.8	574.7	10.8	-	-	-	-	1.3
OCT -1														
-100	4	11.3	2.8	23.8	21.3	852.3	79.2	79.2	-	-	-	-	-	-
-300	8	39.0	22.8	29.3*	26.9	2754.4	919.5	860.3	57.0	-	-	-	0.3	1.9
TOTAL	12	29.8	16.1	27.3*	25.0	2120.3	998.7	939.5	57.0	-	-	-	0.3	1.9
OCT -2														
-100	5	11.2	3.0	19.2	17.0	663.2	63.0	61.5	-	-	-	-	-	1.5
-300	1	30.0	27.0	27.0	23.0	1830.0	61.4	31.4	30.0	-	-	-	-	-
TOTAL	6	14.3	7.0	20.5	18.0	857.7	124.4	92.9	30.0	-	-	-	-	1.5
OCT -3														
-100	7	12.3	2.4	22.9	20.4	435.4	61.7	61.7	-	-	-	-	-	-
TOTAL	7	12.3	2.4	22.9	20.4	435.4	61.7	61.7	-	-	-	-	-	-
NOV -1														
-100	6	13.8	1.7	23.3	20.0	472.8	51.9	51.9	-	-	-	-	-	-
-150	1	14.0	4.0	26.0	20.0	334.0	10.0	10.0	-	-	-	-	-	-
TOTAL	7	13.9	2.0	23.7	20.0	453.0	61.9	61.9	-	-	-	-	-	-
NOV -2														
-100	1	7.0	2.0	23.0	17.0	870.0	10.0	10.0	-	-	-	-	-	-
TOTAL	1	7.0	2.0	23.0	17.0	870.0	10.0	10.0	-	-	-	-	-	-
NOV -3														
-100	1	9.0	3.0	22.0	18.0	1256.0	14.0	14.0	-	-	-	-	-	-
-300	3	42.3	25.7	27.7	24.0	3125.0	226.5	49.4	176.6	-	0.5	-	-	-
TOTAL	4	34.0	20.0	26.3	22.5	2657.8	240.5	63.4	176.6	-	0.5	-	-	-
DEC -1														
-300	4	44.5	33.5	27.5	25.0	3649.0	321.5	4.6	315.2	-	1.1	-	-	0.6
TOTAL	4	44.5	33.5	27.5	25.0	3649.0	321.5	4.6	315.2	-	1.1	-	-	0.6
DEC -3														
-300	1	32.0	18.0	19.0	16.0	2331.0	52.0	4.0	48.0	-	-	-	-	-
TOTAL	1	32.0	18.0	19.0	16.0	2331.0	52.0	4.0	48.0	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　千葉 CB- 1 JUN- 16

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN -2														
-100	1	11.0	3.0	13.0	13.0	77.0	0.9	-	0.9	-	-	-	-	-
TOTAL	1	11.0	3.0	13.0	13.0	77.0	0.9	-	0.9	-	-	-	-	-
FEB -1														
-100	1	11.0	2.0	23.0	19.0	451.0	10.5	9.5	-	1.0	-	-	-	-
TOTAL	1	11.0	2.0	23.0	19.0	451.0	10.5	9.5	-	1.0	-	-	-	-
MAR -2														
-100	5	6.2	2.4	20.0	17.0*	406.6	43.0	36.6	6.0	-	-	-	-	0.4
TOTAL	5	6.2	2.4	20.0	17.0*	406.6	43.0	36.6	6.0	-	-	-	-	0.4
MAR -3														
-100	14	6.9	3.0	22.9	19.5*	370.1	83.7	82.9	0.5	-	-	-	-	0.3
-150	2	4.5	2.0	27.0	27.0	762.0	20.3	20.3	-	-	-	-	-	-
TOTAL	16	6.6	2.9	23.4	20.5*	419.1	104.0	103.2	0.5	-	-	-	-	0.3
APR -1														
-100	29	5.3	2.6	22.2	19.5	423.0	185.3	180.8	2.4	-	-	-	-	2.1
-150	2	4.0	3.0	26.5	22.0	612.5	17.4	17.4	-	-	-	-	-	-
TOTAL	31	5.2	2.6	22.5	19.6	435.2	202.7	198.2	2.4	-	-	-	-	2.1
APR -2														
-100	42	6.3	3.3	22.5	19.5	366.0	254.5	230.6	18.1	1.6	-	0.2	-	4.0
-150	2	5.5	3.5	26.5	25.0	479.0	15.8	15.8	-	-	-	-	-	-
TOTAL	44	6.3	3.3	22.7	19.8	371.2	270.3	246.4	18.1	1.6	-	0.2	-	4.0
APR -3														
-100	44	6.5	3.1	22.0	19.3	816.9*	544.0	505.0	38.4	0.1	-	-	-	0.5
-150	3	7.7	4.3	25.3	22.3	380.3	20.9	16.5	-	-	-	-	-	4.4
TOTAL	47	6.5	3.1	22.2	19.5	787.8*	564.9	521.5	38.4	0.1	-	-	-	4.9
MAY -1														
-50	1	7.0	4.0	16.0	13.0	250.0	6.8	6.8	-	-	-	-	-	-
-100	57	6.6	3.6	21.4*	18.8*	647.8*	810.9	779.1	20.6	2.8	-	-	6.0	2.4
-150	5	5.4	3.6	24.6	23.4	783.6	101.9	99.9	2.0	-	-	-	-	-
TOTAL	63	6.5	3.6	21.6*	19.0*	652.3*	919.6	885.8	22.6	2.8	-	-	6.0	2.4
MAY -2														
-50	1	6.0	4.0	16.0	13.0	281.0	5.0	5.0	-	-	-	-	-	-
-100	57	5.9	3.0	21.5	18.5	478.8	762.6	748.1	0.5	5.9	-	6.0	-	2.1
-150	3	7.0	2.7	26.7	23.0	810.7	102.5	102.5	-	-	-	-	-	-
TOTAL	61	6.0	3.0	21.7	18.7	491.8	870.1	855.6	0.5	5.9	-	6.0	-	2.1
MAY -3														
-50	3	5.7	3.3	17.3	15.0	135.3	23.2	23.2	-	-	-	-	-	-
-100	158	5.7	3.1	20.7*	18.1*	424.3	3,219.4	3,187.2	25.8	3.6	-	-	-	2.8
-150	6	5.7	3.3	23.4*	21.6*	597.8	146.0	146.0	-	-	-	-	-	-
TOTAL	167	5.7	3.1	20.7*	18.1*	425.4	3,388.6	3,356.4	25.8	3.6	-	-	-	2.8
JUN -1														
-50	4	6.0	2.8	15.3	13.3	79.0	16.7	16.7	-	-	-	-	-	-
-100	179	5.7	3.1	20.4*	17.9*	438.5	4,138.3	4,130.0	6.3	2.0	-	-	-	-
-150	7	5.7	2.6	26.3	22.7	697.4	220.4	220.4	-	-	-	-	-	-
TOTAL	190	5.7	3.0	20.5*	18.0*	440.5	4,375.4	4,367.1	6.3	2.0	-	-	-	-
JUN -2														
-50	4	6.5	3.0	16.3	13.8	261.8	41.1	41.1	-	-	-	-	-	-
-100	174	6.2	3.4	20.8*	18.1*	438.6*	2,770.2	2,588.4	167.3	14.3	-	-	-	0.2
-150	3	5.7	3.0	26.3	24.3	934.7	81.9	70.8	11.1	-	-	-	-	-
TOTAL	181	6.2	3.4	20.8*	18.1*	443.0*	2,893.2	2,700.3	178.4	14.3	-	-	-	0.2
JUN -3														
-50	2	7.0	4.0	17.0	14.0	557.0	29.3	15.1	14.2	-	-	-	-	-
-100	147	6.7	3.9	20.3*	17.6*	555.7*	2,483.7	1,846.0	581.2	40.6	-	3.4	8.0	4.5
-150	3	7.0	5.0	25.7	21.0	651.0	63.3	60.6	2.0	0.7	-	-	-	-
TOTAL	152	6.7	3.9	20.4*	17.7*	557.6*	2,576.3	1,921.7	597.4	41.3	-	3.4	8.0	4.5
JUL -1														
-50	2	5.0	2.5	17.0	14.0	329.0	18.8	18.8	-	-	-	-	-	-
-100	144	6.9	4.0	20.5	17.7*	539.2	2,062.4	1,520.1	532.3	5.6	-	1.9	-	2.5
-150	4	5.3	3.0	24.5	21.3	758.5	94.1	64.9	28.0	-	-	-	-	1.2
TOTAL	150	6.9	3.9	20.5	17.8*	542.3	2,175.3	1,603.8	560.3	5.6	-	1.9	-	3.7
JUL -2														
-50	2	7.0	3.5	17.5	14.5	175.0	14.5	14.5	-	-	-	-	-	-
-100	100	7.5	4.4	19.9	17.1*	568.6	1,946.2	1,493.2	438.5	8.4	-	3.7	-	2.4
-150	1	8.0	4.0	28.0	22.0	699.0	34.0	34.0	-	-	-	-	-	-
TOTAL	103	7.5	4.4	20.0	17.1*	562.2	1,994.7	1,541.7	438.5	8.4	-	3.7	-	2.4

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　千葉 CB- 3 JUN- 18

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JUL -3														
-50	2	7.5	4.5	18.0	14.0	238.0	15.1	15.1	-	-	-	-	-	-
-100	70	8.3	4.4	19.6	16.7	426.9	831.2	612.5	179.6	17.3	-	17.0	-	4.8
-150	1	5.0	2.0	26.0	23.0	662.0	23.7	23.7	-	-	-	-	-	-
TOTAL	73	8.2	4.3	19.6	16.7	424.9	870.0	651.3	179.6	17.3	-	17.0	-	4.8
AUG -1														
-100	51	6.5	3.1	19.5*	16.8*	405.2	583.0	570.7	9.6	0.3	-	0.4	-	2.0
TOTAL	51	6.5	3.1	19.5*	16.8*	405.2	583.0	570.7	9.6	0.3	-	0.4	-	2.0
AUG -2														
-100	19	7.1	2.6	21.2	18.8	649.4	325.3	321.5	-	2.1	-	1.2	-	0.5
-150	1	10.0	5.0	27.0	27.0	879.0	23.0	23.0	-	-	-	-	-	-
TOTAL	20	7.3	2.7	21.5	19.2	660.9	348.3	344.5	-	2.1	-	1.2	-	0.5
AUG -3														
-100	15	6.8	2.1	20.8	17.9	594.0	272.6	272.3	-	-	-	-	-	0.3
-150	1	8.0	2.0	27.0	27.0	468.0	8.4	8.4	-	-	-	-	-	-
TOTAL	16	6.9	2.1	21.2	18.4	586.1	281.0	280.7	-	-	-	-	-	0.3
SEP -1														
-100	22	6.8	2.7	20.9	18.2*	415.0	396.0	396.0	-	-	-	-	-	-
-150	1	8.0	3.0	26.0	23.0	825.0	23.5	23.5	-	-	-	-	-	-
TOTAL	23	6.8	2.7	21.1	18.5*	432.8	419.5	419.5	-	-	-	-	-	-
SEP -2														
-100	22	7.0	3.2	19.3*	16.6*	430.8	415.8	415.8	-	-	-	-	-	-
-150	1	4.0	1.0	20.0	17.0	465.0	23.2	23.2	-	-	-	-	-	-
TOTAL	23	6.8	3.1	19.4*	16.6*	432.3	439.0	439.0	-	-	-	-	-	-
SEP -3														
-100	28	5.1	2.5	19.1*	16.0*	298.6	294.8	294.0	-	0.6	-	-	-	0.2
-150	1	8.0	4.0	26.0	20.0	610.0	26.0	26.0	-	-	-	-	-	-
TOTAL	29	5.2	2.6	19.3*	16.1*	309.3	320.8	320.0	-	0.6	-	-	-	0.2
OCT -1														
-50	2	6.0	2.5	17.0	15.0	86.0	5.6	5.6	-	-	-	-	-	-
-100	18	3.8*	2.1	20.7*	16.7*	336.3	97.3	97.0	-	-	-	-	-	0.3
-150	1	12.0	1.0	26.0	23.0	3085.0	52.4	52.4	-	-	-	-	-	-
TOTAL	21	4.5*	2.0	20.6*	16.8*	443.4	155.3	155.0	-	-	-	-	-	0.3
OCT -2														
-100	25	5.6*	3.0	19.4*	15.7*	193.8	120.8	115.9	-	-	-	-	-	4.9
TOTAL	25	5.6*	3.0	19.4*	15.7*	193.8	120.8	115.9	-	-	-	-	-	4.9
OCT -3														
-100	8	11.9	2.1	22.0	20.3	418.3	69.4	69.4	-	-	-	-	-	-
TOTAL	8	11.9	2.1	22.0	20.3	418.3	69.4	69.4	-	-	-	-	-	-
NOV -1														
-100	2	10.5	2.0	23.5	20.0	310.0	10.5	10.5	-	-	-	-	-	-
300-	1	37.0	14.0	29.0	28.0	3125.0	108.0	108.0	-	-	-	-	-	-
TOTAL	3	19.3	6.0	25.3	22.7	1248.3	118.5	118.5	-	-	-	-	-	-
NOV -2														
-100	1	12.0	4.0	24.0	20.0	207.0	2.8	2.8	-	-	-	-	-	-
TOTAL	1	12.0	4.0	24.0	20.0	207.0	2.8	2.8	-	-	-	-	-	-
NOV -3														
-100	1	9.0	2.0	12.0	10.0	257.0	4.0	4.0	-	-	-	-	-	-
300-	1	41.0	1.0	29.0	28.0	5477.0	2.0	2.0	-	-	-	-	-	-
TOTAL	2	25.0	1.5	20.5	19.0	2867.0	6.0	6.0	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

神奈川 KN- 1 JUN- 20

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR -1														
-100	1	12.0	1.0	14.0	11.0	137.0	2.5	0.6	-	1.0	-	0.4	-	0.5
TOTAL	1	12.0	1.0	14.0	11.0	137.0	2.5	0.6	-	1.0	-	0.4	-	0.5
MAR -3														
-100	13	7.2	2.6	20.2	17.8*	244.2	53.0	52.0	0.7	0.1	-	-	-	0.2
TOTAL	13	7.2	2.6	20.2	17.8*	244.2	53.0	52.0	0.7	0.1	-	-	-	0.2
APR -1														
-100	10	5.0	2.7	22.4	19.9	386.0	71.2	70.2	1.0	-	-	-	-	-
TOTAL	10	5.0	2.7	22.4	19.9	386.0	71.2	70.2	1.0	-	-	-	-	-
APR -2														
-100	20	6.2	3.3	21.3	18.3	244.9	74.4	67.6	-	3.0	-	2.0	-	1.8
-150	1	6.0	2.0	28.0	22.0	244.0	6.0	6.0	-	-	-	-	-	-
TOTAL	21	6.2	3.2	21.6	18.4	244.8	80.4	73.6	-	3.0	-	2.0	-	1.8
APR -3														
-100	10	7.1	3.3	21.8	17.9	383.0	80.0	78.0	2.0	-	-	-	-	-
300-	1	38.0	3.0	20.0	15.0	70.0	2.2	-	2.0	-	-	-	-	0.2
TOTAL	11	9.9	3.3	21.6	17.6	354.5	82.2	78.0	4.0	-	-	-	-	0.2
MAY -1														
-100	11	6.8	3.4	19.5	16.5*	366.4	108.8	105.7	2.6	-	-	-	-	0.5
TOTAL	11	6.8	3.4	19.5	16.5*	366.4	108.8	105.7	2.6	-	-	-	-	0.5
MAY -2														
-100	14	6.0	2.9	19.1	16.9*	402.2	134.5	130.6	2.0	1.9	-	-	-	-
TOTAL	14	6.0	2.9	19.1	16.9*	402.2	134.5	130.6	2.0	1.9	-	-	-	-
MAY -3														
-50	1	4.0	1.0	9.0	7.0	57.0	4.0	4.0	-	-	-	-	-	-
-100	20	5.4	3.1	18.2	15.5*	263.0	251.0	242.0	7.7	0.8	-	-	-	0.5
300-	1	29.0	5.0	20.0	15.0	95.0	3.1	2.5	0.2	0.4	-	-	-	-
TOTAL	22	6.4	3.1	17.8	15.0*	246.0	258.1	248.5	7.9	1.2	-	-	-	0.5
JUN -1														
-100	8	5.8	3.0	16.5	13.8	250.5	105.2	104.1	-	0.7	-	-	-	0.4
TOTAL	8	5.8	3.0	16.5	13.8	250.5	105.2	104.1	-	0.7	-	-	-	0.4
JUN -2														
-100	13	6.5	3.1	16.8	14.3	364.4	134.5	72.9	61.4	-	-	0.2	-	-
TOTAL	13	6.5	3.1	16.8	14.3	364.4	134.5	72.9	61.4	-	-	0.2	-	-
JUN -3														
-100	14	6.4	3.4	17.7	14.7	372.0	155.7	90.0	53.6	9.0	-	2.6	-	0.5
TOTAL	14	6.4	3.4	17.7	14.7	372.0	155.7	90.0	53.6	9.0	-	2.6	-	0.5
JUL -1														
-100	10	6.5	3.4	16.7	14.2	296.2	84.3	58.2	20.9	2.0	-	1.6	-	1.6
TOTAL	10	6.5	3.4	16.7	14.2	296.2	84.3	58.2	20.9	2.0	-	1.6	-	1.6
JUL -2														
-100	8	7.9	3.5	16.5	13.3	460.9	98.7	56.2	28.9	10.7	-	2.9	-	-
TOTAL	8	7.9	3.5	16.5	13.3	460.9	98.7	56.2	28.9	10.7	-	2.9	-	-
JUL -3														
-100	6	8.5	5.0	18.0	15.5	322.8	58.0	21.4	30.3	3.6	-	1.3	-	1.4
TOTAL	6	8.5	5.0	18.0	15.5	322.8	58.0	21.4	30.3	3.6	-	1.3	-	1.4
AUG -1														
-100	2	3.5	1.5	12.0	9.5	123.5	5.3	3.8	-	1.5	-	-	-	-
TOTAL	2	3.5	1.5	12.0	9.5	123.5	5.3	3.8	-	1.5	-	-	-	-
AUG -2														
-100	1	5.0	2.0	12.0	10.0	222.0	4.3	3.5	-	-	-	0.8	-	-
TOTAL	1	5.0	2.0	12.0	10.0	222.0	4.3	3.5	-	-	-	0.8	-	-
AUG -3														
-100	1	8.0	3.0	14.0	11.0	177.0	6.7	6.7	-	-	-	-	-	-
TOTAL	1	8.0	3.0	14.0	11.0	177.0	6.7	6.7	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　*** RIKUAGE TOUKEI ***　　　神奈川 KN- 3 JUN- 22

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
SEP -3														
-100	1	8.0	5.0	13.0	10.0	398.0	16.6	16.6	-	-	-	-	-	-
TOTAL	1	8.0	5.0	13.0	10.0	398.0	16.6	16.6	-	-	-	-	-	-
OCT -1														
-100	4	2.3	1.8	15.0	11.8	99.5	7.3	7.3	-	-	-	-	-	-
TOTAL	4	2.3	1.8	15.0	11.8	99.5	7.3	7.3	-	-	-	-	-	-
OCT -2														
-100	2	3.0	3.0	15.0	12.0	112.5	3.5	3.5	-	-	-	-	-	-
TOTAL	2	3.0	3.0	15.0	12.0	112.5	3.5	3.5	-	-	-	-	-	-
OCT -3														
-100	1	4.0	4.0	15.0	12.0	10.0	0.0	-	-	-	-	-	-	-
TOTAL	1	4.0	4.0	15.0	12.0	10.0	0.0	-	-	-	-	-	-	-
NOV -1														
-100	1	10.0	1.0	11.0	8.0	63.0	1.2	0.4	-	-	-	-	-	0.8
TOTAL	1	10.0	1.0	11.0	8.0	63.0	1.2	0.4	-	-	-	-	-	0.8
NOV -2														
-100	1	7.0	1.0	11.0	8.0	10.0	0.2	0.2	-	-	-	-	-	-
TOTAL	1	7.0	1.0	11.0	8.0	10.0	0.2	0.2	-	-	-	-	-	-
NOV -3														
-100	2	10.0	5.5	15.0	12.0	272.5	6.5	6.5	-	-	-	-	-	-
TOTAL	2	10.0	5.5	15.0	12.0	272.5	6.5	6.5	-	-	-	-	-	-
DEC -1														
-100	1	4.0	4.0	15.0	12.0	45.0	0.6	0.6	-	-	-	-	-	-
TOTAL	1	4.0	4.0	15.0	12.0	45.0	0.6	0.6	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE　TOUKEI ***　　　　静岡 SO- 1　JUN- 23

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均年数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
JAN -1														
-300	1	40.0	1.0	18.0	15.0	1459.0	1.0	1.0	-	-	-	-	-	-
TOTAL	1	40.0	1.0	18.0	15.0	1459.0	1.0	1.0	-	-	-	-	-	-
JAN -2														
-100	22	10.1	5.2	19.0*	15.6*	281.7	84.1	10.0	-	52.6	-	0.4	0.8	20.3
TOTAL	22	10.1	5.2	19.0*	15.6*	281.7	84.1	10.0	-	52.6	-	0.4	0.8	20.3
JAN -3														
-100	34	12.6	5.1	18.8	15.5*	317.4	215.9	102.9	-	93.2	-	-	-	19.8
-300	1	46.0	12.0	20.0	14.0	1558.0	53.1	51.3	-	1.8	-	-	-	-
300-	2	51.5	22.0	22.0	20.5	3037.5	180.3	177.4	-	0.9	-	2.0	-	-
TOTAL	37	15.6	6.2	19.0	15.7*	497.9	449.3	331.6	-	95.9	-	2.0	-	19.8
FEB -1														
-100	24	11.8	4.8	19.1	16.1*	391.1	173.7	113.4	0.1	54.0	-	1.5	-	4.7
-300	2	33.5	16.0	22.5	20.5	1972.0	209.0	207.5	-	1.3	-	-	-	0.2
300-	1	47.0	1.0	20.0	18.0	1844.0	2.0	2.0	-	-	-	-	-	-
TOTAL	27	14.7	5.5	19.4	16.6*	562.0	384.7	322.9	0.1	55.3	-	1.5	-	4.9
FEB -2														
-100	37	11.4	4.2	19.1	16.0*	546.1	448.3	354.8	2.4	83.2	-	-	-	7.9
-300	13	40.3	21.2	21.3*	18.4*	1995.5	1,358.0	1,346.8	-	5.6	-	-	-	5.6
300-	4	40.3	20.8	25.3	21.5	2024.5	412.9	412.1	-	-	-	-	0.8	-
TOTAL	54	20.5	9.5	20.1*	17.0*	1004.6	2,219.2	2,113.7	2.4	88.8	-	-	0.8	13.5
FEB -3														
-100	32	11.5	3.5	19.2*	16.0*	601.6	443.3	424.1	0.1	12.8	-	2.7	-	3.6
-300	3	41.0	21.7	24.0	21.7	3303.3	212.5	211.2	-	0.6	-	-	-	0.7
300-	5	43.2	26.6	23.5*	20.5*	2780.6	796.5	789.2	-	4.1	-	-	-	3.2
TOTAL	40	17.7	7.7	20.0*	17.0*	1076.6	1,452.3	1,424.5	0.1	17.5	-	2.7	-	7.5
MAR -1														
-100	46	11.0	3.9	19.6	16.0*	560.2*	430.2	376.9	7.1	36.7	0.8	0.3	-	8.4
-300	10	43.0	21.9	22.5	19.3	1374.7*	742.7	739.7	-	1.6	-	0.5	-	0.9
300-	34	51.4	31.7	27.0	23.9	2805.0*	4,529.0	4,502.6	-	16.1	-	3.9	-	6.4
TOTAL	90	29.8	16.4	22.7	19.5*	1495.9*	5,701.9	5,619.2	7.1	54.4	0.8	4.7	-	15.7
MAR -2														
-100	150	6.4	2.5	19.4*	15.9*	322.8	1,026.9	745.7	243.5	20.7	-	-	-	17.0
-150	2	14.5	3.5	26.0	24.5	1168.5	67.5	67.5	-	-	-	-	-	-
-300	16	41.4	24.7	24.0	21.4	1409.5	1,271.0	1,251.5	-	0.1	-	5.0	-	14.4
300-	19	49.6	32.7	28.5	25.3	2727.9	3,601.0	3,587.1	0.6	7.8	-	1.2	-	4.3
TOTAL	187	13.9	7.5	20.8*	17.5*	669.2	5,966.4	5,651.8	244.1	28.6	-	6.2	-	35.7
MAR -3														
-100	221	5.0	2.3	20.4*	17.0*	306.2	1,218.3	1,067.2	120.9	6.3	0.7	-	-	23.2
-150	6	7.2	2.8	25.5	21.7	584.5	79.3	78.8	0.5	-	-	-	-	-
-300	18	45.7	27.4	26.0*	22.6*	1664.1	1,704.2	1,699.2	-	4.5	-	-	-	0.5
300-	11	44.8	28.6	27.1	24.5	2424.1	1,497.4	1,491.1	-	2.3	-	3.3	-	0.7
TOTAL	256	9.7	5.2	21.2*	17.9*	499.2	4,499.2	4,336.3	121.4	13.1	0.7	3.3	-	24.4
APR -1														
-100	253	4.4*	2.1	20.4*	17.2*	319.4*	1,371.9	1,336.2	19.6	0.3	-	-	-	15.8
-150	7	5.6	2.9	26.1	23.6	499.1	64.3	64.3	-	-	-	-	-	-
-300	12	40.0	23.2	23.6*	20.5*	1671.2	933.0	923.7	-	2.8	-	-	-	6.5
300-	8	41.0	26.0	28.0*	24.7*	2782.4	972.2	968.5	-	2.3	-	-	-	1.4
TOTAL	280	7.0*	3.7	20.8*	17.8*	452.7*	3,341.4	3,292.7	19.6	5.4	-	-	-	23.7
APR -2														
-100	220	5.5	3.0	19.9*	16.8*	303.6*	1,011.4	883.2	31.7	30.1	-	3.7	-	62.7
-150	2	7.5	5.0	25.0	25.0	347.5	10.0	7.0	3.0	-	-	-	-	-
-300	14	39.4	23.6	24.4	22.1	1853.5*	1,067.8	1,041.9	17.2	2.0	-	1.2	1.4	4.1
300-	10	46.5	32.6	25.2	22.3	2688.9	1,076.6	1,072.3	1.0	1.2	-	0.6	-	1.5
TOTAL	246	9.1	5.4	20.4*	17.4*	486.6*	3,165.8	3,004.4	52.9	33.3	-	5.5	1.4	68.3
APR -3														
-100	172	5.5	3.1	19.6*	16.4*	477.5*	1,631.3	1,281.4	291.7	18.3	-	0.2	0.1	39.6
-150	4	6.8	3.5	25.8	22.8	587.0	55.7	23.7	32.0	-	-	-	-	-
-300	25	33.2	20.0	24.0	20.1*	1527.2	1,216.9	550.5	616.5	7.2	-	8.9	-	33.8
300-	23	45.4	28.7	27.8*	24.7*	2925.4	2,704.9	2,601.8	88.0	8.6	-	1.1	-	5.4
TOTAL	224	12.7	7.6	21.0*	17.9*	849.6*	5,608.8	4,457.4	1,028.2	34.1	-	10.2	0.1	78.8
MAY -1														
-100	215	4.8	3.0	19.4*	16.3*	415.6*	2,089.7	1,810.9	175.5	48.2	0.1	11.0	4.1	39.9
-300	43	26.7	17.1	25.7	22.7	1578.0	2,094.1	434.4	1,562.6	4.5	-	30.6	-	62.0
300-	50	45.3	26.5	27.1	24.1*	3310.1	6,453.2	5,940.8	496.1	8.8	-	4.0	0.3	3.2
TOTAL	308	14.4	8.8	21.6*	18.5*	1064.6*	10,637.0	8,186.1	2,234.2	61.5	0.1	45.6	4.4	105.1

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU *** RIKUAGE TOUKEI *** 静岡 50- 3 JUN- 25

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAY -2														
-100	215	4.7	2.7	19.3*	16.1*	368.1*	1,967.6	1,810.9	25.5	93.5	0.9	9.2	3.3	24.3
-150	3	5.3	2.7	22.0	21.0	487.7	43.0	41.0	-	1.0	1.0	-	-	-
-300	5	36.0	14.8	22.0	19.2	1555.4	181.1	126.1	54.0	-	-	0.2	-	0.8
300-	7	47.0	27.9	27.7	24.4	3067.4	851.8	848.8	-	1.0	-	2.0	-	-
TOTAL	230	6.7	3.7	19.7*	16.5*	481.0*	3,043.5	2,826.8	79.5	95.5	1.9	11.4	3.3	25.1
MAY -3														
-100	201	5.1	3.0	19.5	16.1*	366.4*	2,684.1	2,504.8	98.3	55.4	0.3	2.6	0.3	22.4
-150	2	4.5	3.0	25.0	20.0	853.0	94.0	94.0	-	-	-	-	-	-
-300	3	35.7	24.3	26.3	24.0	2367.0	175.7	14.3	155.0	-	-	-	-	6.4
300-	2	34.0	20.5	24.0	20.0	2453.5	191.2	174.9	9.8	5.3	-	-	-	1.2
TOTAL	208	5.8	3.5	19.7	16.3*	422.4*	3,145.0	2,788.0	263.1	60.7	0.3	2.6	0.3	30.0
JUN -1														
-100	177	6.4	3.5	19.2*	16.0*	357.8*	2,597.0	2,163.9	223.0	120.7	5.8	18.5	0.4	64.7
-150	2	4.0	3.0	24.0	21.5	612.5	70.0	70.0	-	-	-	-	-	-
-300	18	35.8	19.9	22.1	19.3	2971.9	1,307.9	188.0	1,054.4	14.7	-	41.5	-	9.3
300-	9	45.9	32.1	26.3	23.6	4105.0	1,213.0	642.2	445.8	69.4	-	52.9	-	2.7
TOTAL	206	10.7	6.2	19.8*	16.7*	760.2*	5,187.9	3,064.1	1,723.2	204.8	5.8	112.9	0.4	76.7
JUN -2														
-100	156	7.6	4.2	19.0*	16.0*	544.9*	2,330.5	1,273.8	708.1	208.4	-	80.3	0.2	59.7
-150	2	8.0	4.5	23.5	19.5	885.0	60.0	31.0	29.0	-	-	-	-	-
-300	21	37.8	23.8	23.5*	20.6*	3649.9*	1,791.3	164.7	1,563.7	3.9	-	51.9	-	7.1
300-	31	45.9	31.0	27.1	23.9	3999.8	3,470.8	879.9	2,444.5	51.5	-	60.9	-	34.0
TOTAL	210	16.3	10.1	20.7*	17.7*	1369.5*	7,652.6	2,349.4	4,745.3	263.8	-	193.1	0.2	100.8
JUN -3														
-100	129	6.5	3.7	19.2*	15.9*	501.8*	1,844.0	1,217.9	184.9	267.5	-	49.1	-	124.6
-150	1	6.0	2.0	22.0	19.0	822.0	44.0	44.0	-	-	-	-	-	-
-300	14	43.4	22.7	25.4	22.9	3855.0	1,437.4	148.5	1,223.6	[illegible].4	-	59.6	-	2.3
300-	36	46.3	32.6	27.6*	24.2*	5012.0	5,111.2	1,532.6	3,389.2	9.4	-	165.5	-	14.5
TOTAL	180	17.3	10.9	21.4*	18.1*	1699.7*	8,436.6	2,943.0	4,797.7	280.3	-	274.2	-	141.4
JUL -1														
-50	1	7.0	3.0	17.0	13.0	163.0	4.1	4.1	-	-	-	-	-	-
-100	138	7.0	3.7	19.3*	15.9*	488.9*	1,523.8	945.7	208.0	269.3	0.4	51.3	0.7	48.4
-150	1	13.0	7.0	21.0	18.0	1697.0	43.5	10.0	33.5	-	-	-	-	-
-300	8	37.6	25.6	25.5	23.0*	3942.3	858.1	198.0	635.0	1.0	-	23.9	-	0.2
300-	15	50.7	34.7	27.9	24.6	5667.4	3,033.6	1,796.2	1,094.7	20.6	-	115.7	-	6.4
TOTAL	163	12.6	7.7	20.4*	17.1*	1165.2*	5,463.1	2,954.0	1,971.2	290.9	0.4	190.9	0.7	55.0
JUL -2														
-100	138	7.5	4.3	18.9*	15.8*	587.0*	1,780.5	997.5	406.8	305.9	-	32.7	0.2	37.4
-300	19	31.2	19.8	22.6	19.9*	3202.9	1,933.7	888.8	962.5	15.1	-	57.1	-	10.2
300-	13	33.7	25.5	26.9	23.7	4218.2	2,066.5	1,466.9	537.4	12.6	-	35.9	-	13.7
TOTAL	170	12.1	7.6	20.0*	16.9*	1167.3*	5,780.7	3,353.2	1,906.7	333.6	-	125.7	0.2	61.3
JUL -3														
-100	126	7.4	3.7	18.9*	15.7*	445.5*	1,305.7	804.1	199.8	217.8	-	33.1	-	50.9
-150	1	13.0	7.0	21.0	18.0	1193.0	34.6	2.9	31.7	-	-	-	-	-
-300	13	34.5	24.2	21.4	18.3	3407.2	1,366.3	419.5	925.5	4.8	-	11.6	-	4.9
300-	27	36.3	26.6	25.5	22.5*	3828.8	3,449.6	1,770.5	1,602.7	24.2	-	34.4	-	17.8
TOTAL	167	14.2	9.1	20.2*	17.1*	1246.7*	6,156.2	2,997.0	2,759.7	246.8	-	79.1	-	73.6
AUG -1														
-50	1	9.0	5.0	18.0	15.0	93.0	4.2	4.2	-	-	-	-	-	-
-100	99	6.8	3.4	18.6	15.2*	366.4*	603.6	374.7	2.4	176.0	-	25.4	-	25.1
-150	1	8.0	2.0	24.0	11.0	529.0	16.5	16.5	-	-	-	-	-	-
-300	9	33.6	20.1	21.1	18.8	2995.2	960.1	568.9	376.8	9.1	-	5.0	-	0.3
300-	20	38.1	27.2	26.1	22.8	4153.2	3,070.5	2,063.4	940.5	38.8	-	13.0	-	14.8
TOTAL	130	13.5	8.2	19.9	16.7*	1148.2*	4,654.9	3,027.7	1,319.7	223.9	-	43.4	-	40.2
AUG -2														
-100	22	7.5	3.5	18.7*	15.7*	533.8*	170.9	120.7	1.8	44.5	-	1.0	-	2.9
-300	10	31.1	18.4	23.0	19.9	2146.1	839.6	693.2	135.4	4.2	-	1.5	-	5.3
300-	13	48.2	27.8	25.8	22.9	4594.8	2,116.8	1,356.9	719.4	6.7	-	22.5	-	11.3
TOTAL	45	24.5	13.8	21.8*	19.0*	2100.1*	3,127.3	2,170.8	856.6	55.4	-	25.0	-	19.5
AUG -3														
-100	44	6.3	2.7	18.8*	15.1*	249.9*	239.1	206.3	-	28.5	-	1.0	-	3.3
-300	7	34.3	19.3	23.6	21.1	2302.1	599.0	362.5	231.4	0.6	-	-	-	4.5
300-	23	41.7	24.3	25.8	23.0	3787.2*	3,337.1	2,864.8	364.1	22.5	-	60.0	-	25.7
TOTAL	74	19.9	11.0	21.4*	18.4*	1530.3*	4,175.2	3,433.6	595.5	51.6	-	61.0	-	33.5
SEP -1														
-100	31	5.7	3.0	19.5	15.8*	232.3*	115.4	88.1	0.7	24.8	-	-	0.1	1.7
-300	9	39.8	19.7	19.7	17.0*	2955.2	790.2	147.4	626.5	5.9	-	6.8	-	3.6
300-	16	40.3	21.8	25.3	22.8	3260.4	2,171.5	2,055.7	93.8	10.4	-	3.6	-	8.0
TOTAL	56	21.0	11.1	21.2	18.1*	1558.8*	3,077.1	2,291.2	721.0	41.1	-	10.4	0.1	13.3

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　静岡 SO- 5 JUN- 27

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
SEP -2														
-100	44	7.4	4.4	19.0	15.4*	259.9	175.4	85.4	0.5	81.3	-	-	-	8.2
-300	5	24.0	11.8	20.0	17.6	910.6	192.7	169.4	16.9	4.6	-	1.8	-	-
300-	13	39.9	19.5	26.5	23.2	4152.2	2,164.8	1,935.3	161.0	30.4	-	34.0	-	4.1
TOTAL	62	15.5	8.2	20.7	17.3*	1128.5	2,532.9	2,190.1	178.4	116.3	-	35.8	-	12.3
SEP -3														
-100	36	5.5*	2.9	19.9	15.9*	218.1	177.8	151.3	0.3	22.0	0.1	-	0.3	3.8
-300	7	32.4	13.6	22.7*	20.0*	1595.3	438.5	327.8	87.2	11.7	-	11.4	-	0.4
300-	10	40.8	18.7	25.9	22.1	3358.0	1,327.1	1,117.6	203.2	2.1	-	0.8	-	3.4
TOTAL	53	15.9*	7.3	21.3*	17.6*	992.4	1,943.4	1,596.7	290.7	35.8	0.1	12.2	0.3	7.6
OCT -1														
-100	43	4.3*	2.3	19.0*	15.3*	239.8*	159.3	139.4	0.3	18.8	-	-	-	0.8
-300	5	34.4	11.8	22.2	19.4	1453.8	263.8	254.5	8.0	1.1	-	-	-	0.2
300-	8	45.9	16.1	25.0	21.8	3749.8	1,263.4	1,258.8	-	4.6	-	-	-	-
TOTAL	56	13.1*	5.2	20.2*	16.8*	860.7*	1,686.5	1,652.7	8.3	24.5	-	-	-	1.0
OCT -2														
-100	49	4.5*	2.6	18.8	14.9*	193.7*	142.4	122.5	-	13.8	1.9	-	-	4.2
-300	6	43.7	21.3	22.7	20.0	1714.0	381.0	356.1	24.4	-	-	-	-	0.5
300-	10	47.4	17.1	26.0	23.5	3755.7	1,427.1	1,424.6	-	2.5	-	-	-	-
TOTAL	65	14.9*	6.6	20.2	16.8*	903.9*	1,950.5	1,903.2	24.4	16.3	1.9	-	-	4.7
OCT -3														
-100	42	9.6	4.9	18.9*	15.3*	320.2	264.3	151.3	0.1	81.8	-	9.4	0.1	21.6
-300	8	48.5	21.0	20.8	18.1	3013.3	634.0	160.5	473.3	-	0.2	-	-	-
300-	30	46.5	18.7	26.1	23.2*	3393.2	3,720.7	3,559.3	110.0	20.5	-	30.2	-	0.7
TOTAL	80	27.3	11.7	21.8*	18.7*	1741.9	4,619.0	3,871.1	583.4	102.3	0.2	39.6	0.1	22.3
NOV -1														
-100	44	7.1*	2.8	19.1	15.2*	307.6*	301.5	253.4	-	42.4	3.7	-	-	2.0
-300	11	49.7	22.1	19.9	16.9*	3009.8	857.8	135.6	669.7	48.7	-	-	-	3.8
300-	16	48.8	20.4	25.9	22.6	3216.5	1,682.1	1,427.3	251.3	3.0	0.5	-	-	-
TOTAL	71	23.8*	9.8	20.8	17.2*	1429.2*	2,841.4	1,816.3	921.0	94.1	4.2	-	-	5.8
NOV -2														
-100	25	11.2	4.3	18.1*	14.8*	346.8*	182.0	140.9	2.5	34.4	-	1.8	-	2.4
-300	9	42.1	18.0	21.6	18.9	1984.1	487.8	385.2	81.1	18.8	-	1.0	-	1.7
300-	9	49.7	21.2	26.0	22.6	3253.0	885.5	699.8	180.7	3.6	0.5	-	-	0.9
TOTAL	43	25.7	10.7	20.6*	17.5*	1320.4*	1,555.3	1,225.9	264.3	56.8	0.5	2.8	-	5.0
NOV -3														
-100	26	11.9	4.3	17.4	14.5*	359.9	310.6	174.3	-	50.5	-	-	80.2	5.6
-300	7	41.4	17.7	23.0	20.3	2872.7	411.3	186.9	214.0	9.6	-	0.2	-	0.6
300-	10	49.9	22.2	24.1	20.6	3236.4	994.7	904.8	79.4	2.5	-	8.0	-	-
TOTAL	43	25.6	10.7	19.9	17.0*	1437.9	1,716.6	1,266.0	293.4	62.6	-	8.2	80.2	6.2
DEC -1														
-100	29	12.3	5.0	18.3*	15.1*	331.6	236.7	152.0	-	72.9	-	0.3	-	11.5
-300	7	40.4	19.9	21.6	18.6	2252.9	428.4	228.2	110.0	65.7	1.0	20.0	-	3.5
300-	9	44.0	18.1	25.0	22.2	2980.9	747.8	682.5	53.0	3.9	-	-	-	8.4
TOTAL	45	23.0	9.9	20.2*	17.1*	1160.3	1,412.9	1,062.7	163.0	142.5	1.0	20.3	-	23.4
DEC -2														
-100	13	10.9	6.0	16.2	13.5	428.3	85.0	27.3	-	54.7	-	-	-	3.0
-300	6	41.8	18.8	22.0	20.4*	2687.0	465.5	383.8	-	35.1	-	46.5	-	0.1
300-	32	48.4	22.2	26.4	23.2	4632.0	4,103.9	4,003.3	-	59.2	-	41.1	-	0.3
TOTAL	51	38.1	17.7	23.3	20.4*	3331.7	4,654.4	4,414.4	-	149.0	-	87.6	-	3.4
DEC -3														
-100	23	14.0	7.6	17.0*	14.7*	503.7	167.7	42.2	9.7	104.2	-	1.6	-	10.0
-300	17	40.7	18.0	20.0	17.4*	3037.4	1,418.6	1,340.5	-	70.7	-	5.3	-	2.1
300-	24	48.5	23.0	26.4	23.3*	5577.6	3,600.6	3,533.9	-	42.3	-	21.0	-	3.4
フメイ	1	98.0	60.0	41.0	38.0	9999.0	455.7	455.4	-	-	-	-	-	0.3
TOTAL	65	35.0	16.8	21.8*	19.1*	3185.9	5,642.6	5,372.0	9.7	217.2	-	27.9	-	15.8

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　*** RIKUAGE TOUKEI ***　　　三重 ME- 1 JUN- 29

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
FEB -3														
-100	2	16.0	8.0	20.0	17.0	154.5	10.0	[illegible].6	-	0.5	-	0.4	-	0.5
TOTAL	2	16.0	8.0	20.0	17.0	154.5	10.0	[illegible].6	-	0.5	-	0.4	-	0.5
MAR -2														
-100	25	9.9	3.9	20.5	17.6*	355.4	363.0	351.8	8.1	1.5	-	0.4	-	1.2
300-	1	58.0	34.0	24.0	21.0	1553.0	87.9	86.1	-	-	-	-	-	1.8
TOTAL	26	11.8	5.0	20.6	17.8*	401.5	450.9	437.9	8.1	1.5	-	0.4	-	3.0
MAR -3														
-100	59	7.9	3.6	20.2	17.1	292.3	530.0	493.8	27.1	4.2	-	0.2	-	4.7
300-	2	49.5	33.5	31.0	27.5	3236.0	327.5	327.5	-	-	-	-	-	-
TOTAL	61	9.3	4.6	20.6	17.4	388.8	857.5	821.3	27.1	4.2	-	0.2	-	4.7
APR -1														
-50	4	4.8	2.8	17.0	13.0	208.0	16.9	12.4	4.5	-	-	-	-	-
-100	81	5.5	3.2	20.1	17.0*	234.9	360.6	328.0	18.3	1.6	-	-	-	12.7
-150	1	10.0	1.0	20.0	16.0	1025.0	3.0	3.0	-	-	-	-	-	-
TOTAL	86	5.5	3.2	20.0	16.8*	242.8	380.5	343.4	22.8	1.6	-	-	-	12.7
APR -2														
-50	6	5.2	2.8	14.8	11.7	205.7	22.6	14.1	5.2	-	-	1.7	-	1.6
-100	76	5.7	3.9	19.8	16.8*	235.3	357.3	235.2	84.5	2.8	-	9.2	-	25.6
-150	1	11.0	4.0	23.0	19.0	599.0	17.8	17.8	-	-	-	-	-	-
TOTAL	83	5.8	3.8	19.5	16.4*	237.6	397.7	267.1	89.7	2.8	-	10.9	-	27.2
APR -3														
-50	6	4.7	2.8	14.3	11.0	290.3	41.7	25.0	15.6	-	-	0.2	-	0.9
-100	102	4.8	2.9	20.7	17.7*	433.6	1,012.6	816.5	176.2	1.3	-	3.1	-	15.5
-150	2	2.5	1.5	22.0	18.0	585.0	20.2	20.2	-	-	-	-	-	-
TOTAL	110	4.8	2.9	20.4	17.3*	428.6	1,074.5	861.7	191.8	1.3	-	3.3	-	16.4
MAY -1														
-50	3	5.0	2.7	14.3	11.0	189.7	20.7	20.7	-	-	-	-	-	-
-100	109	4.8	2.8	20.5	17.6*	300.3	1,052.6	1,035.8	9.1	0.4	-	0.7	-	6.6
-150	3	3.7	2.7	22.3	18.0	309.0	34.6	33.2	1.4	-	-	-	-	-
300-	1	37.0	25.0	32.0	29.0	3966.0	160.4	159:4	-	0.5	-	0.5	-	-
TOTAL	116	5.0	3.0	20.5	17.5*	329.3	1,268.3	1,249.1	10.5	0.9	-	1.2	-	6.6
MAY -2														
-50	8	3.5	2.1	14.3	11.0	95.4	26.2	25.7	-	-	-	-	-	0.5
-100	101	4.6	3.0	20.1	17.3*	289.2	920.2	842.0	7.6	33.5	-	24.8	-	12.3
-150	1	4.0	3.0	25.0	20.0	437.0	19.5	19.5	-	-	-	-	-	-
300-	1	47.0	28.0	37.0	34.0	5454.0	219.0	219.0	-	-	-	-	-	-
TOTAL	111	4.9	3.2	19.9	17.0*	323.1	1,184.9	1,106.2	7.6	33.5	-	24.8	-	12.8
MAY -3														
-50	2	5.0	2.5	13.0	10.0	180.0	11.2	10.5	-	0.7	-	-	-	-
-100	58	5.8	3.8	19.1*	16.3*	263.2*	538.8	395.4	19.3	47.6	-	43.3	-	33.2
TOTAL	60	5.8	3.7	18.8*	16.1*	260.3*	550.0	405.9	19.3	48.3	-	43.3	-	33.2
JUN -1														
-50	3	6.0	2.7	17.3	13.3	278.7	26.0	13.8	9.0	2.7	-	-	-	0.5
-100	22	5.8	3.4	18.8	15.9*	297.4*	259.8	205.5	31.2	11.1	-	9.1	-	2.9
TOTAL	25	5.8	3.3	18.6	15.5*	295.1*	285.8	219.3	40.2	13.8	-	9.1	-	3.4
JUN -2														
-50	4	5.0	3.3	15.0	11.5	417.5	39.3	16.2	14.6	5.0	-	2.7	-	0.8
-100	20	5.5	3.3	17.5	14.8*	377.1*	206.4	92.2	80.0	19.7	-	10.5	-	4.0
TOTAL	24	5.4	3.3	17.0	14.2*	384.4*	245.7	108.4	94.6	24.7	-	13.2	-	4.8
JUN -3														
-50	2	4.0	2.0	15.5	11.5	376.0	18.6	14.7	-	3.9	-	-	-	-
-100	28	5.8	3.9	19.3	16.3*	364.9	294.4	211.7	17.9	46.8	0.2	10.4	-	7.4
300-	1	48.0	37.0	25.0	24.0	7122.0	194.7	35.3	157.0	0.1	-	2.3	-	-
TOTAL	31	7.0	4.8	19.2	16.2*	583.5	507.7	261.7	174.9	50.8	0.2	12.7	-	7.4
JUL -1														
-50	2	4.5	1.5	16.5	12.5	567.5	26.1	11.8	-	2.8	-	11.5	-	-
-100	20	5.6	3.4	19.2	16.5*	293.9	151.5	123.3	1.9	20.2	-	4.8	-	1.3
300-	1	51.0	39.0	33.0	29.0	6582.0	160.0	18.5	140.5	-	-	1.0	-	-
TOTAL	23	7.4	4.7	19.5	16.7*	591.1	337.6	153.6	142.4	23.0	-	17.3	-	1.3
JUL -2														
-50	2	6.0	2.0	16.0	12.0	174.5	7.3	4.6	-	2.1	-	0.6	-	-
-100	13	5.5	2.5	18.0	15.8*	321.0	89.0	68.6	-	14.2	-	5.9	-	0.3
TOTAL	15	5.6	2.5	17.7	15.2*	301.5	96.3	73.2	-	16.3	-	6.5	-	0.3

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU *** RIKUAGE TOUKEI *** 示 ME- 3 JUN- 31

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ノ ダ F.M.	その他 ELS
JUL -3														
-50	2	5.5	1.0	15.5	11.5	253.0	8.8	7.0	-	1.1	-	0.7	-	-
-100	14	6.9	4.3	18.5	15.4	278.3	95.0	52.2	26.5	10.7	-	5.2	-	0.4
TOTAL	16	6.8	3.9	18.1	14.9	275.1	103.8	59.2	26.5	11.8	-	5.9	-	0.4
AUG -1														
-50	1	5.0	1.0	16.0	12.0	46.0	0.6	0.5	-	0.1	-	-	-	-
-100	19	5.6	3.3	18.8	16.1*	157.6*	58.8	48.9	-	4.7	-	4.3	-	0.9
TOTAL	20	5.6	3.2	18.7	15.8*	151.4*	59.4	49.4	-	4.8	-	4.3	-	0.9
AUG -2														
-50	1	5.0	1.0	15.0	11.0	87.0	0.8	0.3	-	0.5	-	-	-	-
-100	9	6.3	3.3	17.9	14.9	207.7	40.4	36.7	-	0.3	-	3.2	-	0.2
TOTAL	10	6.2	3.1	17.6	14.5	195.6	41.2	37.0	-	0.8	-	3.2	-	0.2
AUG -3														
-50	1	6.0	2.0	14.0	10.0	86.0	1.9	1.9	-	-	-	-	-	-
-100	1	2.0	1.0	19.0	17.0	9.0	0.2	-	-	-	-	-	-	0.2
300-	1	12.0	6.0	28.0	24.0	1684.0	77.0	77.0	-	-	-	-	-	-
TOTAL	3	6.7	3.0	20.3	17.0	593.0	79.1	78.9	-	-	-	-	-	0.2
SEP -1														
-100	1	9.0	5.0	21.0	18.0	440.0	17.6	17.6	-	-	-	-	-	-
300-	1	18.0	2.0	23.0	22.0	-	0.3	0.3	-	-	-	-	-	-
TOTAL	2	13.5	3.5	22.0	20.0	440.0*	17.9	17.9	-	-	-	-	-	-
SEP -2														
-50	1	4.0	1.0	16.0	12.0	75.0	1.1	0.2	-	0.4	-	-	-	0.5
-100	1	5.0	1.0	18.0	17.0	-	0.0	-	-	-	-	-	-	-
TOTAL	2	4.5	1.0	17.0	14.5	75.0*	1.1	0.2	-	0.4	-	-	-	0.5
SEP -3														
-100	1	7.0	4.0	17.0	15.0	230.0	5.9	5.5	-	-	-	-	-	0.4
TOTAL	1	7.0	4.0	17.0	15.0	230.0	5.9	5.5	-	-	-	-	-	0.4
OCT -1														
-100	2	8.5	3.5	14.0	14.0*	39.0*	1.2	1.2	-	-	-	-	-	-
TOTAL	2	8.5	3.5	14.0	14.0*	39.0*	1.2	1.2	-	-	-	-	-	-
OCT -2														
-50	1	4.0	3.0	16.0	12.0	46.0	0.8	0.8	-	-	-	-	-	-
-100	18	5.9	2.9	16.8	14.1*	62.3*	20.8	12.2	-	3.9	-	-	-	4.7
TOTAL	19	5.8	2.9	16.8	13.9*	61.4*	21.6	13.0	-	3.9	-	-	-	4.7
OCT -3														
300-	2	47.0	20.0	27.0	25.0	1848.0	135.5	135.5	-	-	-	-	-	-
TOTAL	2	47.0	20.0	27.0	25.0	1848.0	135.5	135.5	-	-	-	-	-	-
NOV -1														
-100	2	6.5	2.5	19.5	17.5	199.0	15.8	13.1	-	-	-	2.7	-	-
TOTAL	2	6.5	2.5	19.5	17.5	199.0	15.8	13.1	-	-	-	2.7	-	-
NOV -2														
-100	1	14.0	5.0	15.0	12.0	698.0	18.0	17.8	-	0.2	-	-	-	-
TOTAL	1	14.0	5.0	15.0	12.0	698.0	18.0	17.8	-	0.2	-	-	-	-
DEC -1														
-100	1	15.0	7.0	15.0	12.0	355.0	14.3	13.8	-	-	-	-	-	0.5
300-	1	55.0	24.0	25.0	22.0	2550.0	69.0	69.0	-	-	-	-	-	-
TOTAL	2	35.0	15.5	20.0	17.0	1452.5	83.3	82.8	-	-	-	-	-	0.5
DEC -3														
-100	2	14.5	4.5	17.0	15.0	460.5	24.8	24.8	-	-	-	-	-	-
300-	1	37.0	21.0	22.0	18.0	6239.0	170.0	170.0	-	-	-	-	-	-
TOTAL	3	22.0	10.0	18.7	16.0	2386.7	194.8	194.8	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　和歌山 WK- 1 JUN- 33

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR -3														
-100	2	5.0	4.0	25.0	24.0	622.0	19.3	19.3	-	-	-	-	-	-
TOTAL	2	5.0	4.0	25.0	24.0	622.0	19.3	19.3	-	-	-	-	-	-
APR -1														
-100	1	5.0	1.0	16.0	15.0	172.0	2.0	2.0	-	-	-	-	-	-
TOTAL	1	5.0	1.0	16.0	15.0	172.0	2.0	2.0	-	-	-	-	-	-
APR -2														
-50	1	3.0	1.0	18.0	14.0	70.0	1.0	1.0	-	-	-	-	-	-
-100	4	4.3	3.5	16.8	13.8	260.5	8.4	6.4	0.9	-	-	-	-	1.1
TOTAL	5	4.0	3.0	17.0	13.8	222.4	9.4	7.4	0.9	-	-	-	-	1.1
APR -3														
-50	1	4.0	2.0	17.0	13.0	312.0	6.7	6.7	-	-	-	-	-	-
-100	16	4.4	2.8	19.9	17.1*	253.6	95.1	94.8	0.3	-	-	-	-	-
TOTAL	17	4.4	2.8	19.7	16.9*	257.1	101.8	101.5	0.3	-	-	-	-	-
MAY -1														
-50	3	5.3	3.3	17.0	13.0	201.7	21.8	21.8	-	-	-	-	-	-
-100	18	4.7	2.9	17.9	15.0	195.1	123.9	122.5	1.4	-	-	-	-	-
TOTAL	21	4.8	3.0	17.8	14.7	196.0	145.7	144.3	1.4	-	-	-	-	-
MAY -2														
-50	3	3.7	2.3	16.3	12.7	152.3	15.6	15.6	-	-	-	-	-	-
-100	6	3.8	2.8	17.5	14.7	117.0	25.7	25.7	-	-	-	-	-	-
TOTAL	9	3.8	2.7	17.1	14.0	128.8	41.3	41.3	-	-	-	-	-	-
MAY -3														
-50	4	4.5	2.0	17.5	13.5	167.3	23.4	20.8	-	2.6	-	-	-	-
-100	5	4.6	3.2	20.0	16.6	163.4	30.9	27.1	2.7	-	-	0.8	-	0.3
TOTAL	9	4.6	2.7	18.9	15.2	165.1	54.3	47.9	2.7	2.6	-	0.8	-	0.3
JUN -2														
-100	1	7.0	5.0	21.0	19.0	703.0	33.3	28.8	4.5	-	-	-	-	-
TOTAL	1	7.0	5.0	21.0	19.0	703.0	33.3	28.8	4.5	-	-	-	-	-
JUN -3														
-100	4	6.3	3.8	16.0	14.0	348.8	40.0	37.7	1.1	-	-	1.2	-	-
TOTAL	4	6.3	3.8	16.0	14.0	348.8	40.0	37.7	1.1	-	-	1.2	-	-
JUL -1														
-100	4	5.8	3.8	17.0	14.8	377.0	53.5	39.1	11.5	2.9	-	-	-	-
TOTAL	4	5.8	3.8	17.0	14.8	377.0	53.5	39.1	11.5	2.9	-	-	-	-
JUL -2														
-100	1	10.0	7.0	15.0	13.0	390.0	10.0	4.7	-	5.3	-	-	-	-
TOTAL	1	10.0	7.0	15.0	13.0	390.0	10.0	4.7	-	5.3	-	-	-	-
JUL -3														
-100	2	9.0	5.5	18.0	15.0	67.0	3.2	0.5	-	2.7	-	-	-	-
TOTAL	2	9.0	5.5	18.0	15.0	67.0	3.2	0.5	-	2.7	-	-	-	-
AUG -1														
-100	1	8.0	2.0	17.0	14.0	209.0	9.7	6.7	3.0	-	-	-	-	-
TOTAL	1	8.0	2.0	17.0	14.0	209.0	9.7	6.7	3.0	-	-	-	-	-
OCT -2														
-100	1	6.0	4.0	24.0	22.0	132.0	2.5	2.5	-	-	-	-	-	-
TOTAL	1	6.0	4.0	24.0	22.0	132.0	2.5	2.5	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　愛媛 EH- 1 JUN- 35

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ノーダ F.M.	その他 ELS
APR -1														
-50	1	8.0	3.0	12.0	10.0	119.0	2.0	1.7	-	-	-	0.3	-	-
TOTAL	1	8.0	3.0	12.0	10.0	119.0	2.0	1.7	-	-	-	0.3	-	-
APR -3														
-50	1	8.0	4.0	12.0	10.0	90.0	2.0	1.9	-	-	-	0.1	-	-
TOTAL	1	8.0	4.0	12.0	10.0	90.0	2.0	1.9	-	-	-	0.1	-	-
MAY -1														
-50	2	5.0	2.0	12.0	10.0	169.5	7.9	6.3	-	0.3	-	1.3	-	-
TOTAL	2	5.0	2.0	12.0	10.0	169.5	7.9	6.3	-	0.3	-	1.3	-	-
MAY -2														
-50	2	2.5	1.5	12.0	10.0	206.5	20.0	18.6	-	0.5	-	0.9	-	-
TOTAL	2	2.5	1.5	12.0	10.0	206.5	20.0	18.6	-	0.5	-	0.9	-	-
MAY -3														
-50	1	5.0	3.0	12.0	10.0	29.0	1.5	1.3	-	0.2	-	-	-	-
TOTAL	1	5.0	3.0	12.0	10.0	29.0	1.5	1.3	-	0.2	-	-	-	-
JUN -1														
-50	2	2.0	2.0	14.0	12.5	103.0	9.7	8.3	-	0.8	-	0.6	-	-
TOTAL	2	2.0	2.0	14.0	12.5	103.0	9.7	8.3	-	0.8	-	0.6	-	-
JUN -2														
-50	1	3.0	3.0	13.0	11.0	108.0	3.2	2.4	-	0.7	-	0.1	-	-
TOTAL	1	3.0	3.0	13.0	11.0	108.0	3.2	2.4	-	0.7	-	0.1	-	-
JUL -1														
-50	1	5.0	2.0	14.0	12.0	82.0	1.8	1.7	-	-	-	0.1	-	-
TOTAL	1	5.0	2.0	14.0	12.0	82.0	1.8	1.7	-	-	-	0.1	-	-
JUL -2														
-50	2	4.0	1.0	13.0	10.0	154.0	7.0	6.5	-	-	-	0.2	0.3	-
TOTAL	2	4.0	1.0	13.0	10.0	154.0	7.0	6.5	-	-	-	0.2	0.3	-
JUL -3														
-50	1	4.0	1.0	11.0	8.0	85.0	2.4	2.0	-	-	-	0.4	-	-
TOTAL	1	4.0	1.0	11.0	8.0	85.0	2.4	2.0	-	-	-	0.4	-	-
AUG -1														
-50	2	4.0	1.5	11.0	7.0	158.0	6.9	6.4	-	-	-	0.5	-	-
TOTAL	2	4.0	1.5	11.0	7.0	158.0	6.9	6.4	-	-	-	0.5	-	-
AUG -3														
-50	1	9.0	2.0	12.0	7.0	274.0	5.6	5.5	-	-	-	0.1	-	-
TOTAL	1	9.0	2.0	12.0	7.0	274.0	5.6	5.5	-	-	-	0.1	-	-
NOV -1														
-50	1	66.0	1.0	11.0	7.0	110.0	2.8	2.5	-	-	-	0.3	-	-
TOTAL	1	66.0	1.0	11.0	7.0	110.0	2.8	2.5	-	-	-	0.3	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　高知 KO- 1 JUN- 37

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN -2														
-100	1	6.0	2.0	18.0	15.0	271.0	3.0	2.3	-	0.7	-	-	-	-
TOTAL	1	6.0	2.0	18.0	15.0	271.0	3.0	2.3	-	0.7	-	-	-	-
JAN -3														
-100	2	15.0	2.5	21.0	18.0	418.0	33.6	31.3	-	0.2	-	-	-	2.1
TOTAL	2	15.0	2.5	21.0	18.0	418.0	33.6	31.3	-	0.2	-	-	-	2.1
FEB -1														
-100	7	13.9	4.4	18.4	16.0*	516.1	129.8	128.7	-	0.7	-	-	-	0.4
-150	1	14.0	2.0	27.0	27.0	859.0	34.5	34.5	-	-	-	-	-	-
TOTAL	8	13.9	4.1	19.5	17.6*	559.0	164.3	163.2	-	0.7	-	-	-	0.4
FEB -2														
-100	26	14.5	5.2	20.6	17.3	513.2	408.0	398.4	-	6.2	-	1.9	-	1.5
-150	1	18.0	3.0	28.0	20.0	195.0	5.0	5.0	-	-	-	-	-	-
TOTAL	27	14.7	5.1	20.9	17.4	501.4	413.0	403.4	-	6.2	-	1.9	-	1.5
FEB -3														
-100	32	14.9	5.3	20.5	17.8*	271.7	361.1	358.2	-	2.9	-	-	-	-
-150	1	18.0	7.0	27.0	27.0	387.0	13.0	13.0	-	-	-	-	-	-
TOTAL	33	15.0	5.4	20.7	18.1*	275.2	374.1	371.2	-	2.9	-	-	-	-
MAR -1														
-100	41	14.9	4.9	20.3*	17.2*	385.0*	540.3	512.0	-	8.3	3.3	8.0	-	8.7
-150	1	15.0	3.0	25.0	22.0	567.0	30.2	30.2	-	-	-	-	-	-
TOTAL	42	14.9	4.8	20.4*	17.3*	389.4*	570.5	542.2	-	8.3	3.3	8.0	-	8.7
MAR -2														
-100	68	12.1	4.2	20.8	18.3*	372.7	1,223.0	1,192.3	0.5	21.7	-	-	-	8.5
-150	2	20.5	4.5	23.0	17.5	434.0	47.0	47.0	-	-	-	-	-	-
TOTAL	70	12.3	4.2	20.8	18.2*	374.5	1,270.0	1,239.3	0.5	21.7	-	-	-	8.5
MAR -3														
-100	37	13.6	5.3	20.0*	17.6*	410.7	585.4	560.8	0.9	16.2	-	-	-	7.5
TOTAL	37	13.6	5.3	20.0*	17.6*	410.7	585.4	560.8	0.9	16.2	-	-	-	7.5
APR -1														
-100	35	10.5	4.1	18.3*	15.9*	428.0	595.5	573.2	3.5	13.9	-	-	-	4.9
TOTAL	35	10.5	4.1	18.3*	15.9*	428.0	595.5	573.2	3.5	13.9	-	-	-	4.9
APR -2														
-100	21	9.7	4.2	19.0	16.8	432.9	322.6	297.0	2.2	18.6	-	-	-	4.8
TOTAL	21	9.7	4.2	19.0	16.8	432.9	322.6	297.0	2.2	18.6	-	-	-	4.8
APR -3														
-100	23	9.0	5.0	19.3*	16.7*	472.8	372.5	337.8	5.0	19.8	-	2.9	1.4	5.6
TOTAL	23	9.0	5.0	19.3*	16.7*	472.8	372.5	337.8	5.0	19.8	-	2.9	1.4	5.6
MAY -1														
-100	31	6.4	3.8	20.8	18.3*	294.2	405.8	399.8	4.9	-	-	-	-	1.1
-150	1	6.0	4.0	23.0	23.0	140.0	5.0	5.0	-	-	-	-	-	-
TOTAL	32	6.3	3.8	20.8	18.5*	289.3	410.8	404.8	4.9	-	-	-	-	1.1
MAY -2														
-100	47	5.5	3.0	21.3	18.8	297.6*	544.6	516.3	7.5	15.8	-	3.0	-	2.0
-150	1	7.0	4.0	28.0	22.0	327.0	14.0	14.0	-	-	-	-	-	-
TOTAL	48	5.6	3.0	21.5	18.8	298.2*	558.6	530.3	7.5	15.8	-	3.0	-	2.0
MAY -3														
-50	2	3.5	3.0	14.0	13.0	118.5	10.4	6.6	-	3.1	-	0.7	-	-
-100	9	5.7	3.6	17.3	14.2	241.9	85.7	68.2	-	11.1	-	-	-	6.4
TOTAL	11	5.3	3.5	16.7	14.0	219.5	96.1	74.3	-	14.2	-	0.7	-	6.4
JUN -3														
-100	1	6.0	4.0	13.0	9.0	260.0	9.5	9.5	-	-	-	-	-	-
TOTAL	1	6.0	4.0	13.0	9.0	260.0	9.5	9.5	-	-	-	-	-	-
AUG -1														
-100	1	4.0	1.0	16.0	14.0	195.0	3.7	3.7	-	-	-	-	-	-
TOTAL	1	4.0	1.0	16.0	14.0	195.0	3.7	3.7	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

高知 KO- 3 JUN- 39

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
AUG -2														
-100	3	3.3	2.0	15.0	12.7	499.0	23.3	18.3	-	5.0	-	-	-	-
TOTAL	3	3.3	2.0	15.0	12.7	499.0	23.3	18.3	-	5.0	-	-	-	-
SEP -1														
-100	2	11.0	4.0	17.0	14.0	267.0	19.0	15.2	1.3	1.7	-	-	-	0.8
TOTAL	2	11.0	4.0	17.0	14.0	267.0	19.0	15.2	1.3	1.7	-	-	-	0.8
SEP -3														
-100	1	3.0	2.0	15.0	13.0	279.0	5.0	5.0	-	-	-	-	-	-
TOTAL	1	3.0	2.0	15.0	13.0	279.0	5.0	5.0	-	-	-	-	-	-
NOV -2														
-100	1	5.0	3.0	17.0	15.0	238.0	3.0	2.0	-	0.5	-	-	-	0.5
TOTAL	1	5.0	3.0	17.0	15.0	238.0	3.0	2.0	-	0.5	-	-	-	0.5
NOV -3														
-100	1	13.0	6.0	15.0	11.0	478.0	16.2	15.9	-	0.1	-	-	-	0.2
TOTAL	1	13.0	6.0	15.0	11.0	478.0	16.2	15.9	-	0.1	-	-	-	0.2
DEC -2														
-100	2	17.5	6.0	15.0	13.0	252.5	15.7	14.4	-	-	-	-	-	1.3
TOTAL	2	17.5	6.0	15.0	13.0	252.5	15.7	14.4	-	-	-	-	-	1.3

旬別・県別・屯数階層別入港船数及び陸揚量

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN -3														
-100	3	11.3	5.0	16.7	14.3	260.0	27.5	26.0	-	1.5	-	-	-	-
TOTAL	3	11.3	5.0	16.7	14.3	260.0	27.5	26.0	-	1.5	-	-	-	-
FEB -1														
-100	2	17.0	6.0	17.0	15.0	419.5	27.9	24.8	-	3.0	-	-	-	0.1
TOTAL	2	17.0	6.0	17.0	15.0	419.5	27.9	24.8	-	3.0	-	-	-	0.1
FEB -2														
-100	3	8.7	3.0	15.0	12.7	241.3	18.6	11.8	-	1.0	-	-	-	5.8
TOTAL	3	8.7	3.0	15.0	12.7	241.3	18.6	11.8	-	1.0	-	-	-	5.8
FEB -3														
-100	21	6.9	2.9	16.8	14.4	176.6	80.6	63.9	0.4	11.0	1.9	-	-	3.4
TOTAL	21	6.9	2.9	16.8	14.4	176.6	80.6	63.9	0.4	11.0	1.9	-	-	3.4
MAR -1														
-50	1	10.0	6.0	14.0	10.0	76.0	3.0	1.9	-	-	1.1	-	-	-
-100	28	7.6	3.3	16.9	14.4	267.8	135.7	46.7	3.4	37.2	27.9	1.5	-	19.0
TOTAL	29	7.7	3.4	16.8	14.2	261.2	138.7	48.6	3.4	37.2	29.0	1.5	-	19.0
MAR -2														
-50	1	8.0	4.0	14.0	10.0	104.0	2.1	0.4	-	-	1.2	-	-	0.5
-100	23	6.8	4.0	17.0*	14.5*	253.8	196.2	116.5	2.2	44.2	5.8	2.0	-	25.5
TOTAL	24	6.9	4.0	16.8*	14.3*	247.6	198.3	116.9	2.2	44.2	7.0	2.0	-	26.0
MAR -3														
-50	1	8.0	4.0	17.0	13.0	91.0	1.9	-	1.6	-	-	-	-	0.3
-100	13	6.9	3.8	16.4	13.8	263.5	93.2	49.6	-	27.9	0.5	-	-	15.2
TOTAL	14	7.0	3.9	16.4	13.8	251.2	95.1	49.6	1.6	27.9	0.5	-	-	15.5
APR -1														
-100	11	9.0	4.0	16.4	13.8	369.2	146.9	122.5	-	16.3	-	-	-	8.1
TOTAL	11	9.0	4.0	16.4	13.8	369.2	146.9	122.5	-	16.3	-	-	-	8.1
APR -2														
-100	20	7.1	4.1	16.5	14.0	379.4	255.6	185.0	8.2	39.1	-	3.5	-	19.8
TOTAL	20	7.1	4.1	16.5	14.0	379.4	255.6	185.0	8.2	39.1	-	3.5	-	19.8
APR -3														
-100	8	6.1	3.4	16.4	14.0	352.1	82.5	39.8	-	28.0	-	-	-	14.7
TOTAL	8	6.1	3.4	16.4	14.0	352.1	82.5	39.8	-	28.0	-	-	-	14.7
MAY -1														
-50	1	7.0	4.0	13.0	10.0	227.0	8.7	6.9	1.1	-	-	-	-	0.7
-100	11	6.4	4.1	16.4*	14.3*	364.4	134.9	114.1	-	15.3	-	-	-	5.5
TOTAL	12	6.4	4.1	16.1*	13.9*	352.9	143.6	121.0	1.1	15.3	-	-	-	6.2
MAY -2														
-100	6	5.0	3.2	17.3	14.8	240.7	62.7	34.0	-	21.8	-	-	-	6.9
TOTAL	6	5.0	3.2	17.3	14.8	240.7	62.7	34.0	-	21.8	-	-	-	6.9
MAY -3														
-50	1	6.0	5.0	13.0	10.0	82.0	3.4	2.4	0.7	-	-	-	-	0.3
-100	2	8.0	6.0	17.0	15.0	350.5	26.8	19.2	-	7.6	-	-	-	-
TOTAL	3	7.3	5.7	15.7	13.3	261.0	30.2	21.6	0.7	7.6	-	-	-	0.3
JUN -3														
-100	8	4.5	3.4	17.5	15.0	393.8	87.0	74.2	-	9.9	-	-	-	2.9
TOTAL	8	4.5	3.4	17.5	15.0	393.8	87.0	74.2	-	9.9	-	-	-	2.9
JUL -1														
-100	21	4.0	2.4	15.0	12.8	290.5	131.0	110.1	-	11.4	-	-	4.4	5.1
TOTAL	21	4.0	2.4	15.0	12.8	290.5	131.0	110.1	-	11.4	-	-	4.4	5.1
JUL -2														
-50	2	3.0	2.0	9.0	7.0	73.0	4.0	3.1	0.4	-	-	-	-	0.5
-100	14	3.1	2.1	15.6	13.1	343.9	125.8	119.1	0.7	3.6	-	-	0.9	1.5
TOTAL	16	3.1	2.1	14.8	12.3	310.1	129.8	122.2	1.1	3.6	-	-	0.9	2.0

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

宮崎 MZ- 3 JUN- 42

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JUL -3														
-50	1	3.0	2.0	11.0	9.0	198.0	5.3	4.4	0.2	-	-	-	-	0.7
-100	14	3.6	1.9	14.6	12.1	361.8	125.3	107.7	-	12.4	-	-	2.5	2.7
TOTAL	15	3.6	1.9	14.4	11.9	350.9	130.6	112.1	0.2	12.4	-	-	2.5	3.4
AUG -1														
-50	1	5.0	4.0	11.0	8.0	114.0	3.3	2.1	0.4	-	-	-	-	0.8
-100	23	4.2	2.2	16.1	13.8	318.1	164.4	146.9	-	16.0	-	0.2	-	1.3
TOTAL	24	4.3	2.3	15.9	13.5	309.6	167.7	149.0	0.4	16.0	-	0.2	-	2.1
AUG -2														
-100	13	3.5	2.1	15.9	13.8	396.0	91.8	71.8	3.0	14.5	-	0.8	-	1.7
TOTAL	13	3.5	2.1	15.9	13.8	396.0	91.8	71.8	3.0	14.5	-	0.8	-	1.7
AUG -3														
-100	27	4.2	2.0	15.6	13.3	265.1	149.0	133.2	1.0	10.2	-	-	-	4.6
TOTAL	27	4.2	2.0	15.6	13.3	265.1	149.0	133.2	1.0	10.2	-	-	-	4.6
SEP -1														
-50	2	5.0	3.5	10.5	8.5	105.0	7.4	3.5	3.4	-	-	-	-	0.5
-100	15	5.7	2.6	15.1	13.1	272.5	142.9	111.0	-	18.8	-	-	-	13.1
TOTAL	17	5.6	2.7	14.5	12.5	252.8	150.3	114.5	3.4	18.8	-	-	-	13.6
SEP -2														
-100	18	4.7	2.9	15.1	12.9	178.4	94.4	62.0	-	19.7	-	-	-	12.7
TOTAL	18	4.7	2.9	15.1	12.9	178.4	94.4	62.0	-	19.7	-	-	-	12.7
SEP -3														
-100	10	5.1	2.9	14.1	11.7	229.9	66.2	49.7	-	10.9	-	-	-	5.6
TOTAL	10	5.1	2.9	14.1	11.7	229.9	66.2	49.7	-	10.9	-	-	-	5.6
OCT -1														
-100	13	9.0	3.9	14.5	12.2	319.7	105.5	92.0	-	8.1	-	0.8	-	4.6
TOTAL	13	9.0	3.9	14.5	12.2	319.7	105.5	92.0	-	8.1	-	0.8	-	4.6
OCT -2														
-100	17	7.8	3.6	14.6	12.4	191.0	92.7	86.4	-	5.4	-	0.5	-	0.4
TOTAL	17	7.8	3.6	14.6	12.4	191.0	92.7	86.4	-	5.4	-	0.5	-	0.4
OCT -3														
-50	1	7.0	5.0	10.0	8.0	104.0	4.9	2.5	-	1.9	-	-	-	0.5
-100	17	7.1	3.3	14.4	12.2	272.3	122.5	97.7	-	19.5	-	-	-	5.3
TOTAL	18	7.1	3.4	14.2	12.0	262.9	127.4	100.2	-	21.4	-	-	-	5.8
NOV -1														
-100	9	6.6	4.3	14.4	12.3	449.8	103.2	78.6	-	18.4	-	-	-	6.2
TOTAL	9	6.6	4.3	14.4	12.3	449.8	103.2	78.6	-	18.4	-	-	-	6.2
NOV -2														
-100	7	8.4	3.7	15.1	12.9	181.0	21.5	18.3	-	2.1	-	0.5	-	0.6
TOTAL	7	8.4	3.7	15.1	12.9	181.0	21.5	18.3	-	2.1	-	0.5	-	0.6
NOV -3														
-50	1	12.0	7.0	9.0	7.0	76.0	1.6	1.1	-	0.2	-	-	-	0.3
-100	6	8.5	4.5	16.0	13.7	397.3	51.4	46.1	-	4.7	-	-	-	0.6
TOTAL	7	9.0	4.9	15.0	12.7	351.4	53.0	47.2	-	4.9	-	-	-	0.9
DEC -1														
-100	2	5.5	4.0	15.0	13.0	105.5	3.0	1.5	-	1.1	-	-	-	0.4
TOTAL	2	5.5	4.0	15.0	13.0	105.5	3.0	1.5	-	1.1	-	-	-	0.4
DEC -2														
-100	2	10.5	4.0	13.5	11.0	216.0	11.4	10.2	-	0.2	-	-	-	1.0
TOTAL	2	10.5	4.0	13.5	11.0	216.0	11.4	10.2	-	0.2	-	-	-	1.0

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE　TOUKEI ***　　　　鹿児島 KG- 1　JUN- 44

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(千円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN -2														
-300	1	40.0	13.0	32.0	28.0	1649.0	93.0	93.0	-	-	-	-	-	-
300-	2	47.5	19.5	31.5	29.0	326[illegible].5	335.8	333.8	-	2.0	-	-	-	-
TOTAL	3	45.0	17.3	31.7	28.7	2724.0	42[illegible].8	426.8	-	2.0	-	-	-	-
JAN -3														
-150	1	21.0	8.0	17.0	14.0	635.0	38.0	38.0	-	-	-	-	-	-
-300	2	47.5	28.0	26.0	22.0	2089.5	219.5	219.0	-	0.5	-	-	-	-
TOTAL	3	38.7	21.3	23.0	19.3	1604.7	257.5	257.0	-	0.5	-	-	-	-
FEB -1														
-100	16	18.7	9.6	17.6	15.1	377.6	392.5	390.4	0.3	0.5	-	-	-	1.3
-300	3	41.3	20.0	28.0	25.0	5592.0*	397.2	396.2	-	-	-	-	-	1.0
300-	1	51.0	37.0	30.0	29.0	4037.0	172.0	172.0	-	-	-	-	-	-
TOTAL	20	23.7	12.6	19.8	17.3	1119.1*	961.7	958.6	0.3	0.5	-	-	-	2.3
FEB -2														
-100	8	16.9	6.3	17.5	15.0	320.5	139.2	139.1	-	0.1	-	-	-	-
-150	1	24.0	8.0	20.0	17.0	425.0	30.0	30.0	-	-	-	-	-	-
-300	2	41.5	22.0	27.5	25.0	2598.0	254.4	252.4	-	2.0	-	-	-	-
TOTAL	11	22.0	9.3	19.5	17.0	744.1	423.6	421.5	-	2.1	-	-	-	-
FEB -3														
-100	8	17.0	7.8	18.4	15.6	227.4	111.6	109.3	0.5	1.4	0.1	-	-	0.3
-300	5	47.2	25.6	30.0	27.2	2102.6	609.9	605.0	-	4.9	-	-	-	-
300-	4	44.8	30.3	25.8	22.8	2946.8	682.8	679.0	-	-	-	1.5	-	2.3
TOTAL	17	32.4	18.3	23.5	20.7	1418.8	1,404.3	1,393.3	0.5	6.3	0.1	1.5	-	2.6
MAR -1														
-100	9	10.4	3.9	17.6	15.0	198.9	78.0	66.8	-	2.6	3.1	-	-	5.5
-300	11	44.2	25.9	28.8	26.1	2784.1	1,263.0	1,257.5	-	0.9	-	-	-	4.6
300-	6	48.8	32.0	27.3	24.0	2884.7	987.2	980.1	-	3.9	-	0.5	-	2.7
TOTAL	26	33.6	19.7	24.6	21.8	1912.4	2,328.2	2,304.4	-	7.4	3.1	0.5	-	12.8
MAR -2														
-100	7	9.9	4.9	16.6	14.6	244.4	89.5	79.2	-	7.5	0.2	-	-	2.6
-300	7	45.7	26.1	27.7	24.9	1802.0*	850.3	848.9	-	1.4	-	-	-	-
300-	9	50.4	31.6	26.1	23.8*	2730.8*	1,382.0	1,377.1	-	0.9	-	1.3	-	2.7
TOTAL	23	36.7	21.8	23.7	21.2*	1636.6*	2,321.8	2,305.2	-	9.8	0.2	1.3	-	5.3
MAR -3														
-100	15	8.7	4.3	17.9	15.3	199.2	160.2	116.2	0.5	17.6	1.4	-	-	24.5
-150	1	16.0	6.0	20.0	17.0	1107.0	62.0	62.0	-	-	-	-	-	-
-300	6	36.7	24.8	29.0	25.8	1543.0	503.8	500.7	-	3.0	-	0.1	-	-
300-	4	55.0	25.3	29.3	26.5	3245.8	578.4	572.8	-	5.1	-	0.5	-	-
TOTAL	26	22.6	12.3	22.3	19.5	1012.9	1,304.4	1,251.7	0.5	25.7	1.4	0.6	-	24.5
APR -1														
-50	1	7.0	5.0	15.0	12.0	173.0	4.7	0.4	3.8	-	-	-	-	0.5
-100	7	11.6	6.9	16.1	13.9	286.7	87.5	78.9	-	3.4	-	-	-	5.2
-300	4	39.8	19.8	28.0	25.3	1760.5	348.4	346.5	-	1.9	-	-	-	-
300-	3	36.3	28.0	30.0	26.3	3357.7	442.0	442.0	-	-	-	-	-	-
TOTAL	15	23.7	14.4	22.0	19.3	1286.3	882.6	867.8	3.8	5.3	-	-	-	5.7
APR -2														
-50	1	8.0	7.0	15.0	12.0	101.0	3.9	2.1	1.6	-	-	-	-	0.2
-100	16	10.2	4.8	17.9	15.6	443.1	281.1	258.2	-	19.5	-	-	-	3.4
-150	1	13.0	7.0	19.0	16.0	949.0	46.0	46.0	-	-	-	-	-	-
-300	9	36.7	23.0	28.4	25.7	1836.2	725.1	712.1	8.0	0.4	-	0.2	-	4.4
TOTAL	27	19.0	11.0	21.4	18.9	913.6	1,056.1	1,018.4	9.6	19.9	-	0.2	-	8.0
APR -3														
-50	1	9.0	7.0	12.0	9.0	65.0	2.1	1.0	0.7	-	-	-	-	0.4
-100	23	9.1	5.3	17.3	14.8	578.5	535.0	487.3	2.0	29.7	-	1.5	-	14.5
-300	2	43.5	20.5	29.5	26.5	2524.5	219.5	218.5	-	-	-	-	-	1.0
300-	2	37.5	27.0	26.5	25.5	1721.5	131.0	131.0	-	-	-	-	-	-
TOTAL	28	13.6	8.0	18.6	16.2	780.8	887.6	837.8	2.7	29.7	-	1.5	-	15.9
MAY -1														
-100	39	9.6	5.3	17.4	14.9	594.1	1,097.1	1,030.2	17.5	33.1	-	1.6	-	14.7
-300	10	38.5	21.0	27.1	24.4	2178.1*	1,061.5	1,009.5	-	-	-	-	-	52.0
300-	7	48.4	29.3	25.2*	22.2*	3391.7	1,043.3	1,042.7	-	0.4	-	-	-	0.2
TOTAL	56	19.6	11.1	20.0*	17.5*	1209.3*	3,201.9	3,082.4	17.5	33.5	-	1.6	-	66.9
MAY -2														
-50	1	7.0	4.0	13.0	10.0	149.0	7.7	6.4	0.6	-	-	-	-	0.7
-100	39	8.2	5.3	17.3	14.8	304.4	543.9	437.1	-	82.0	-	3.1	2.6	19.1
-300	5	36.4	19.4	26.4	24.6	1771.2	397.5	392.5	0.5	4.5	-	-	-	-
300-	3	47.3	26.7	26.7	25.0	3643.3	398.1	395.0	-	3.1	-	-	-	-
TOTAL	48	13.5	8.1	18.7	16.4	662.6	1,347.2	1,231.0	1.1	89.6	-	3.1	2.6	19.8

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU

*** RIKUAGE TOUKEI ***

鹿児島 KG- 3 JUN- 46

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
MAY -3														
-100	40	9.7	6.0	16.8	14.4	391.6	775.5	609.5	-	110.4	-	6.7	-	48.9
-150	1	14.0	9.0	22.0	19.0	968.0	46.7	46.7	-	-	-	-	-	-
-300	1	50.0	33.0	30.0	26.0	1918.0	85.7	84.4	-	1.3	-	-	-	-
TOTAL	42	10.8	6.7	17.2	14.8	441.6	907.9	740.6	-	111.7	-	6.7	-	48.9
JUN -1														
-50	2	5.5	4.5	11.0	8.5	158.0	14.9	9.4	4.3	-	-	-	-	1.2
-100	17	8.4	5.8	16.4	14.2	337.1	259.9	209.4	-	39.4	-	-	-	11.1
-300	1	24.0	16.0	25.0	22.0	1594.0	68.0	68.0	-	-	-	-	-	-
TOTAL	20	8.9	6.2	16.3	14.1	382.1	342.8	286.8	4.3	39.4	-	-	-	12.3
JUN -2														
-50	3	4.3	3.7	13.0	10.0	141.0	21.8	13.6	2.4	-	-	0.2	0.5	5.1
-100	18	7.9	5.1	15.1	12.9	315.8	260.4	207.9	6.6	33.8	-	-	-	12.1
TOTAL	21	7.4	4.9	14.8	12.5	290.8	282.2	221.5	9.0	33.8	-	0.2	0.5	17.2
JUN -3														
-50	3	4.0	3.0	13.0	10.0	121.3	17.4	12.8	0.6	-	-	1.3	0.3	2.4
-100	9	6.9	4.3	14.7	12.6	275.1	110.4	98.8	-	5.6	-	-	2.8	3.2
-300	2	57.0	21.5	29.5	25.5	4325.5	305.0	222.0	80.0	-	-	-	-	3.0
TOTAL	14	13.4	6.5	16.4	13.9	820.8	432.8	333.6	80.6	5.6	-	1.3	3.1	8.6
JUL -1														
-50	2	4.0	3.0	10.5	8.0	162.0	10.3	7.3	2.8	-	-	-	-	0.2
-100	1	4.0	2.0	17.0	14.0	365.0	9.5	7.0	-	2.5	-	-	-	-
-300	2	35.5	17.5	26.0	23.0	2585.5	275.4	249.6	25.8	-	-	-	-	-
300-	1	50.0	25.0	21.0	20.0	3281.0	104.4	104.3	-	0.1	-	-	-	-
TOTAL	6	22.2	11.3	18.5	16.0	1523.5	399.6	368.2	28.6	2.6	-	-	-	0.2
JUL -2														
-100	4	2.8	2.0	13.0	10.5	485.0	71.3	69.5	-	1.4	-	-	-	0.4
-300	3	27.0	17.3	26.3	24.0	2421.7	211.0	187.0	23.0	1.0	-	-	-	-
300-	2	61.0	34.5	30.0	27.0	4995.5	323.2	276.9	42.4	0.9	-	3.0	-	-
TOTAL	9	23.8	14.3	21.2	18.7	2132.9	605.5	533.4	65.4	3.3	-	3.0	-	0.4
JUL -3														
-50	2	4.0	2.5	10.5	8.5	89.0	6.7	5.7	0.4	-	-	-	-	0.6
-100	7	8.3	4.3	14.9	12.4	396.4	90.9	87.1	-	2.7	-	-	-	1.1
-300	4	26.3	15.0	24.8	22.5	2720.0	366.0	366.0	-	-	-	-	-	-
300-	1	59.0	27.0	30.0	30.0	5745.0	192.5	190.0	2.5	-	-	-	-	-
TOTAL	14	16.4	8.7	18.1	16.0	1398.4	656.1	648.8	2.9	2.7	-	-	-	1.7
AUG -1														
-100	11	4.9	3.0	14.9	12.6	264.5	94.1	47.4	41.4	3.0	-	-	-	2.3
-300	6	27.2	16.3	22.3	19.5	1687.2	358.1	356.1	-	-	-	2.0	-	-
300-	1	42.0	21.0	36.0	33.0	6329.0	225.0	206.0	2.0	3.0	-	14.0	-	-
TOTAL	18	14.4	8.4	18.6	16.1	1075.7	677.2	609.5	43.4	6.0	-	16.0	-	2.3
AUG -2														
-300	3	38.3	16.3	24.0	21.3	2969.0	367.6	342.3	23.4	0.9	-	-	-	1.0
300-	1	44.0	17.0	26.0	23.0	5432.0	202.6	202.6	-	-	-	-	-	-
TOTAL	4	39.8	16.5	24.5	21.8	3584.8	570.2	544.9	23.4	0.9	-	-	-	1.0
AUG -3														
-100	8	4.9	2.9	13.8	11.8	116.3	27.6	19.8	-	1.7	-	1.9	-	4.2
-300	5	35.6	17.6	22.2	20.2	2897.4	623.0	578.5	43.4	1.1	-	-	-	-
300-	4	52.5	29.5	28.3	25.3	5932.5	888.5	828.5	53.0	5.0	-	2.0	-	-
TOTAL	17	25.1	13.5	19.6	17.4	2302.8	1,539.1	1,426.8	96.4	7.8	-	3.9	-	4.2
SEP -1														
-100	25	6.2	3.2	15.6	13.5	297.2	314.5	268.2	4.1	31.3	-	2.3	0.2	8.4
-300	2	25.0	6.5	22.0	19.5	761.0	57.5	57.5	-	-	-	-	-	-
300-	4	47.3	25.3	26.8	24.3	5056.3	812.9	804.9	1.0	3.5	-	3.5	-	-
TOTAL	31	12.7	6.3	17.5	15.3	941.2	1,184.9	1,130.6	5.1	34.8	-	5.8	0.2	8.4
SEP -2														
-100	21	9.4	5.4	16.0	13.7	321.9	315.4	267.6	8.5	30.5	-	5.9	-	2.9
-300	5	38.2	12.6	25.2	22.6	3191.2	674.0	674.0	-	-	-	-	-	-
300-	4	47.8	17.8	25.3	22.8	5282.0	878.1	876.4	-	1.7	-	-	-	-
TOTAL	30	19.3	8.3	18.8	16.4	1461.4	1,867.5	1,818.0	8.5	32.2	-	5.9	-	2.9
SEP -3														
-50	1	9.0	5.0	12.0	10.0	31.0	1.4	1.4	-	-	-	-	-	-
-100	11	8.6	4.0	15.4	13.1	396.1	187.7	163.9	-	22.9	-	-	-	0.9
-300	1	16.0	7.0	25.0	23.0	482.0	20.0	20.0	-	-	-	-	-	-
300-	1	36.0	8.0	25.0	23.0	1349.0	75.8	72.6	-	-	-	3.1	-	0.1
TOTAL	14	11.1	4.6	16.5	14.3	444.2	284.9	257.9	-	22.9	-	3.1	-	1.0
OCT -1														
-50	1	15.0	7.0	12.0	10.0	56.0	2.4	2.4	-	-	-	-	-	-
-100	20	16.3	6.7	16.6	14.1	507.6*	390.0	372.3	-	14.4	-	2.1	-	1.2
-300	6	34.7	13.8	25.0	22.2	887.2	208.2	190.2	-	-	-	18.0	-	-
300-	1	51.0	14.0	29.0	29.0	1563.0	53.8	53.8	-	-	-	-	-	-
TOTAL	28	21.4	8.5	18.6	16.2	614.3*	654.4	618.7	-	14.4	-	20.1	-	1.2

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　*** RIKUAGE TOUKEI ***　　　鹿児島 KG- 5 JUN- 48

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
OCT -2														
-100	14	12.6	4.1	15.9	13.6	243.2	112.7	98.6	0.5	12.3	-	-	-	1.3
-150	1	14.0	2.0	18.0	15.0	85.0	3.4	3.4	-	-	-	-	-	-
-300	4	49.3	19.5	26.0	23.8	2602.5	385.2	375.6	-	6.1	-	2.0	-	1.5
300-	1	57.0	21.0	26.0	22.0	5384.0	194.5	194.0	-	0.5	-	-	-	-
TOTAL	20	22.3	8.0	18.5	16.1	964.2	695.8	671.6	0.5	18.9	-	2.0	-	2.8
OCT -3														
-100	13	12.2	4.5	15.2	13.2	468.5	225.1	211.4	1.1	9.6	-	-	-	3.0
-300	2	39.0	18.5	27.5	24.0	2098.0	153.6	148.3	-	5.3	-	-	-	-
300-	8	45.4	21.8	24.8	22.3	3120.9	870.0	867.7	-	-	-	2.3	-	-
TOTAL	23	26.1	11.7	19.6	17.3	1532.8	1,248.7	1,227.4	1.1	14.9	-	2.3	-	3.0
NOV -1														
-50	1	10.0	8.0	12.0	10.0	145.0	6.2	6.2	-	-	-	-	-	-
-100	30	12.7	6.4	15.7	13.2	461.9	557.9	522.3	5.0	24.8	-	1.9	-	3.9
-150	1	14.0	6.0	17.0	14.0	994.0	41.0	41.0	-	-	-	-	-	-
-300	4	44.5	22.8	24.5	22.5	1473.3*	240.5	238.9	-	0.6	-	-	-	1.0
300-	1	56.0	24.0	31.0	28.0	1817.0	55.6	55.6	-	-	-	-	-	-
TOTAL	37	17.3	8.6	17.0	14.5	589.8*	901.2	864.0	5.0	25.4	-	1.9	-	4.9
NOV -2														
-100	23	14.2	7.4	15.3	13.0	580.0	465.5	442.1	-	19.9	-	-	-	3.5
-300	4	43.3	22.0	23.8	21.3	2125.3	273.8	272.1	-	1.7	-	-	-	-
300-	4	44.8	22.3	30.0	26.5	2577.3	297.9	293.4	-	0.3	-	4.2	-	-
TOTAL	31	21.9	11.2	18.3	15.8	1037.1	1,037.2	1,007.6	-	21.9	-	4.2	-	3.5
NOV -3														
-100	14	16.4	6.9	16.2	13.7	756.9	343.0	326.8	2.0	8.3	-	1.0	-	4.9
-150	1	21.0	8.0	18.0	15.0	893.0	30.5	30.5	-	-	-	-	-	-
-300	1	43.0	18.0	25.0	22.0	2822.0	83.0	75.0	-	-	-	8.0	-	-
300-	1	54.0	25.0	30.0	26.0	4024.0	121.0	121.0	-	-	-	-	-	-
TOTAL	17	20.4	8.6	17.6	15.0	1078.6	577.5	553.3	2.0	8.3	-	9.0	-	4.9
DEC -1														
-100	21	15.6	5.4	14.7	12.4	553.7	342.3	333.8	-	3.4	-	1.3	-	3.8
-300	1	54.0	25.0	25.0	-	4173.0	113.0	113.0	-	-	-	-	-	-
300-	2	45.0	19.0	25.0	22.5	7122.0	358.5	356.2	-	2.3	-	-	-	-
TOTAL	24	19.6	7.3	16.0	13.3*	1251.9	813.8	803.0	-	5.7	-	1.3	-	3.8
DEC -2														
-100	8	18.6	6.4	17.3	14.5	555.3	139.4	117.7	17.0	2.5	-	0.1	-	2.1
-150	1	23.0	8.0	20.0	17.0	475.0	13.7	13.7	-	-	-	-	-	-
-300	3	51.0	24.7	25.7	22.7	3459.7	281.5	246.5	-	0.5	-	17.5	-	17.0
300-	3	51.7	21.0	23.0	20.7	3400.0	268.6	260.5	-	6.1	-	1.9	-	0.1
TOTAL	15	32.0	13.1	20.3	17.5	1699.7	703.2	638.4	17.0	9.1	-	19.5	-	19.2
DEC -3														
-100	8	22.1	9.1	15.5	13.3	684.3	160.9	155.2	-	4.4	-	-	-	1.3
-300	9	38.0	15.9	23.0	20.4	2228.7	538.4	514.3	-	24.1	-	-	-	-
300-	1	56.0	21.0	27.0	25.0	5555.0	139.0	139.0	-	-	-	-	-	-
TOTAL	18	31.9	13.2	19.9	17.5	1727.1	838.3	808.5	-	28.5	-	-	-	1.3

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　*** RIKUAGE TOUKEI ***　　沖縄 ON- 1 JUN- 50

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
FEB -3														
-300	1	39.0	21.0	22.0	17.0	1855.0	73.0	73.0	-	-	-	-	-	-
TOTAL	1	39.0	21.0	22.0	17.0	1855.0	73.0	73.0	-	-	-	-	-	-
APR -3														
-50	2	24.5	18.0	19.5	16.5	778.5	51.9	51.9	-	-	-	-	-	-
TOTAL	2	24.5	18.0	19.5	16.5	778.5	51.9	51.9	-	-	-	-	-	-
JUN -3														
-50	3	26.3	19.0	19.7	16.7	722.7	54.2	54.2	-	-	-	-	-	-
TOTAL	3	26.3	19.0	19.7	16.7	722.7	54.2	54.2	-	-	-	-	-	-
JUL -3														
-50	3	27.0	19.0	19.7	16.7	665.3	49.9	49.9	-	-	-	-	-	-
TOTAL	3	27.0	19.0	19.7	16.7	665.3	49.9	49.9	-	-	-	-	-	-
SEP -3														
-50	3	23.7	17.0	19.7	16.7	568.0	42.6	42.6	-	-	-	-	-	-
TOTAL	3	23.7	17.0	19.7	16.7	568.0	42.6	42.6	-	-	-	-	-	-

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　外 国 FR- 1 JUN- 51

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR -2														
300-	1	32.0	28.0	25.0	23.0	1828.0	145.1	142.6	-	1.3	-	1.2	-	-
TOTAL	1	32.0	28.0	25.0	23.0	1828.0	145.1	142.6	-	1.3	-	1.2	-	-
APR -1														
300-	1	14.0	13.0	25.0	23.0	558.0	37.4	32.5	-	0.4	-	0.5	-	4.0
TOTAL	1	14.0	13.0	25.0	23.0	558.0	37.4	32.5	-	0.4	-	0.5	-	4.0
MAY -1														
300-	1	31.0	27.0	25.0	23.0	1516.0	101.0	84.4	-	2.0	-	10.5	-	4.1
TOTAL	1	31.0	27.0	25.0	23.0	1516.0	101.0	84.4	-	2.0	-	10.5	-	4.1
MAY -2														
300-	1	10.0	9.0	25.0	23.0	769.0	57.0	55.9	-	0.2	-	-	-	0.9
TOTAL	1	10.0	9.0	25.0	23.0	769.0	57.0	55.9	-	0.2	-	-	-	0.9
SEP -2														
-300	3	33.7	26.0	25.0	23.0	2518.0	527.4	431.1	-	4.1	-	15.1	-	77.1
TOTAL	3	33.7	26.0	25.0	23.0	2518.0	527.4	431.1	-	4.1	-	15.1	-	77.1
SEP -3														
-300	2	31.0	25.5	25.0	23.0	2538.5	379.5	290.6	-	0.4	-	5.2	-	83.3
TOTAL	2	31.0	25.5	25.0	23.0	2538.5	379.5	290.6	-	0.4	-	5.2	-	83.3
OCT -1														
-300	1	30.0	25.0	25.0	23.0	2313.0	157.6	113.4	-	6.2	-	4.7	-	33.3
TOTAL	1	30.0	25.0	25.0	23.0	2313.0	157.6	113.4	-	6.2	-	4.7	-	33.3
OCT -2														
-300	2	25.5	21.5	25.0	23.0	1537.0	223.4	144.8	-	14.1	-	5.2	-	59.3
TOTAL	2	25.5	21.5	25.0	23.0	1537.0	223.4	144.8	-	14.1	-	5.2	-	59.3
OCT -3														
-300	5	34.0	29.0	25.0	23.0	1886.2	667.8	393.6	-	59.0	-	24.7	-	190.5
TOTAL	5	34.0	29.0	25.0	23.0	1886.2	667.8	393.6	-	59.0	-	24.7	-	190.5
NOV -2														
-300	2	30.0	28.5	25.0	23.0	2692.0	314.3	229.0	-	31.4	-	14.4	-	39.5
TOTAL	2	30.0	28.5	25.0	23.0	2692.0	314.3	229.0	-	31.4	-	14.4	-	39.5
NOV -3														
-300	3	30.0	27.3	25.0	23.0	3227.3	544.5	405.0	-	56.5	-	35.8	-	47.2
TOTAL	3	30.0	27.3	25.0	23.0	3227.3	544.5	405.0	-	56.5	-	35.8	-	47.2

旬別・県別・屯数階層別入港船数及び陸揚量

JUN-BETU　　　　*** RIKUAGE　TOUKEI ***　　　　不明 - 1　JUN- 5[illegible]

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN -3														
-100	1	11.0	4.0	18.0	15.0	146.0	2.7	0.1	0.3	2.1	-	-	-	0.2
TOTAL	1	11.0	4.0	18.0	15.0	146.0	2.7	0.1	0.3	2.1	-	-	-	0.2
MAR -3														
-100	2	3.5	2.0	16.5	13.0	76.5	3.5	2.2	1.3	-	-	-	-	-
TOTAL	2	3.5	2.0	16.5	13.0	76.5	3.5	2.2	1.3	-	-	-	-	-
APR -1														
-100	2	3.0	2.0	20.0	15.5	203.0	5.4	5.4	-	-	-	-	-	-
TOTAL	2	3.0	2.0	20.0	15.5	203.0	5.4	5.4	-	-	-	-	-	-
APR -2														
-100	1	4.0	2.0	22.0	17.0	348.0	4.0	3.1	-	0.4	-	-	-	0.5
-300	1	35.0	20.0	26.0	23.0	1887.0	71.5	70.5	-	0.5	-	-	-	0.5
TOTAL	2	19.5	11.0	24.0	20.0	1117.5	75.5	73.6	-	0.9	-	-	-	1.0
APR -3														
-100	1	7.0	3.0	19.0	15.0	63.0	1.0	0.9	-	-	-	-	-	0.1
TOTAL	1	7.0	3.0	19.0	15.0	6[illegible].0	1.0	0.9	-	-	-	-	-	0.1
MAY -2														
-100	1	6.0	3.0	17.0	15.0	443.0	10.0	10.0	-	-	-	-	-	-
TOTAL	1	6.0	3.0	17.0	15.0	443.0	10.0	10.0	-	-	-	-	-	-
MAY -3														
-100	2	6.5	3.5	17.0*	12.0*	45[illegible].5	34.0	23.7	9.5	0.8	-	-	-	-
TOTAL	2	6.5	3.5	17.0*	12.0*	45[illegible].5	34.0	23.7	9.5	0.8	-	-	-	-
JUN -1														
-100	1	8.0	3.0	18.0	14.0	187.0	9.8	9.8	-	-	-	-	-	-
TOTAL	1	8.0	3.0	18.0	14.0	187.0	9.8	9.8	-	-	-	-	-	-
JUL -1														
-100	2	4.0	2.5	21.0	17.0	338.5	13.6	7.3	-	2.2	-	-	-	4.1
TOTAL	2	4.0	2.5	21.0	17.0	338.5	13.6	7.3	-	2.2	-	-	-	4.1
JUL -2														
-100	1	4.0	3.0	22.0	17.0	575.0	12.6	8.5	-	3.1	-	1.0	-	-
TOTAL	1	4.0	3.0	22.0	17.0	575.0	12.6	8.5	-	3.1	-	1.0	-	-
JUL -3														
-100	2	5.5	2.5	17.0	14.0	526.0	23.2	14.6	-	8.6	-	-	-	-
TOTAL	2	5.5	2.5	17.0	14.0	526.0	23.2	14.6	-	8.6	-	-	-	-
AUG -2														
-300	1	33.0	21.0	24.0	21.0	-	61.0	46.3	14.0	-	-	-	-	0.7
TOTAL	1	33.0	21.0	24.0	21.0	-	61.0	46.3	14.0	-	-	-	-	0.7
AUG -3														
-100	1	5.0	2.0	18.0	16.0	23[illegible].0	4.3	3.0	-	1.3	-	-	-	-
TOTAL	1	5.0	2.0	18.0	16.0	23[illegible].0	4.3	3.0	-	1.3	-	-	-	-
SEP -2														
-100	3	6.7	3.3	17.7	17.0*	199.0	20.5	18.4	-	2.1	-	-	-	-
TOTAL	3	6.7	3.3	17.7	17.0*	199.0	20.5	18.4	-	2.1	-	-	-	-
SEP -3														
-100	2	7.5	4.0	17.5	15.0*	32[illegible].0	19.3	18.1	-	0.9	-	-	-	0.3
TOTAL	2	7.5	4.0	17.5	15.0*	32[illegible].0	19.3	18.1	-	0.9	-	-	-	0.3
OCT -1														
-100	2	3.5	2.0	21.0	17.0	279.0	8.6	7.1	-	1.5	-	-	-	-
TOTAL	2	3.5	2.0	21.0	17.0	279.0	8.6	7.1	-	1.5	-	-	-	-
OCT -2														
-300	1	32.0	25.0	20.0	-	2619.0	95.5	76.5	19.0	-	-	-	-	-
TOTAL	1	32.0	25.0	20.0	-	2619.0	95.5	76.5	19.0	-	-	-	-	-
OCT -3														
300-	1	53.0	25.0	32.0	28.0	5454.0	214.0	214.0	-	-	-	-	-	-
TOTAL	1	53.0	25.0	32.0	28.0	5454.0	214.0	214.0	-	-	-	-	-	-
NOV -1														
-100	1	14.0	6.0	16.0	14.0	480.0	19.5	17.5	-	2.0	-	-	-	-
TOTAL	1	14.0	6.0	16.0	14.0	480.0	19.5	17.5	-	2.0	-	-	-	-
NOV -2														
-100	1	9.0	2.0	22.0	19.0	1233.0	14.0	14.0	-	-	-	-	-	-
TOTAL	1	9.0	2.0	22.0	19.0	1233.0	14.0	14.0	-	-	-	-	-	-
NOV -3														
-100	2	9.5	5.5	16.0	15.0*	235.0	7.6	1.1	-	6.4	-	-	-	0.1
TOTAL	2	9.5	5.5	16.0	15.0*	235.0	7.6	1.1	-	6.4	-	-	-	0.1
DEC -1														
-100	1	9.0	5.0	14.0	10.0	137.0	1.3	-	-	1.3	-	-	-	-
TOTAL	1	9.0	5.0	14.0	10.0	137.0	1.3	-	-	1.3	-	-	-	-

月別・全国・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　*** RIKUAGE　TOUKEI ***　　　　TSUKI- 1

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN														
-100	64	11.6	4.9	18.7*	15.5*	298.4	367.7	172.6	1.2	150.3	-	0.4	0.8	42.4
-150	1	21.0	8.0	17.0	14.0	635.0	38.0	38.0	-	-	-	-	-	-
-300	5	44.2	16.4	24.4	20.2	1769.0	366.6	364.3	-	2.3	-	-	-	-
300-	4	49.5	20.8	26.8	24.8	3149.5	516.1	511.2	-	2.9	-	2.0	-	-
TOTAL	74	16.0	6.6	19.5*	16.3*	556.4	1,288.4	1,086.1	1.2	155.5	-	2.4	0.8	42.4
FEB														
-100	220	13.0	5.0	19.0*	16.1*	415.4	2,762.6	2,535.0	6.0	178.4	2.0	8.3	-	32.9
-150	4	18.5	5.0	25.5	22.8	466.5	82.5	82.5	-	-	-	-	-	-
-300	29	41.2	21.6	24.5*	21.7*	2448.0*	3,114.0	3,092.1	-	14.4	-	-	-	7.5
300-	15	43.6	25.0	24.9*	21.9*	2644.6	2,066.2	2,054.3	-	4.1	-	1.5	0.8	5.5
TOTAL	268	17.9	7.9	20.0*	17.1*	754.5*	8,025.3	7,763.9	6.0	196.9	2.0	9.8	0.8	45.9
MAR														
-50	3	8.7	4.7	15.0	11.0	90.3	7.0	2.3	1.6	-	2.3	-	-	0.8
-100	780	8.0	3.2	19.8*	16.7*	332.6*	6,878.3	5,969.9	422.7	256.3	43.7	12.8	-	172.9
-150	14	10.9	3.3	25.0	21.9	707.9	306.3	305.8	0.5	-	-	-	-	-
-300	77	43.4	25.5	26.3*	23.3*	1638.7*	6,765.3	6,724.2	-	12.9	-	5.8	0.3	22.1
300-	87	49.9	31.3	27.4	24.4*	2741.8*	13,135.5	13,067.0	0.6	37.4	-	11.9	-	18.6
TOTAL	961	14.7	7.6	21.0*	18.0*	654.3*	27,092.4	26,069.2	425.4	306.6	46.0	30.5	0.3	214.4
APR														
-50	25	7.0	4.4	15.3	12.0	251.8	155.5	118.2	31.4	-	-	2.3	-	3.6
-100	1250	5.8*	3.1	20.0*	17.0*	372.4*	9,777.1	8,532.5	706.0	247.8	-	26.3	1.5	263.0
-150	26	6.5	3.3	25.1	22.2	532.6	277.1	237.7	35.0	-	-	-	-	4.4
-300	68	37.1	21.9	25.0*	21.9*	1703.3*	4,652.2	3,933.7	641.7	14.8	-	10.3	1.4	50.3
300-	48	43.2	28.1	27.1*	24.1*	2720.3	5,366.3	5,248.1	91.0	12.5	-	2.2	-	12.5
TOTAL	1417	8.6*	4.9	20.5*	17.5*	516.6*	20,228.2	18,070.2	1,505.1	275.1	-	41.1	2.9	333.8
MAY														
-50	39	4.6	2.6	14.7	11.7	151.1	217.5	202.6	2.4	7.4	-	2.9	-	2.2
-100	1544	5.5	3.2	19.8*	16.9*	389.2*	20,359.7	18,939.3	439.5	594.6	1.3	116.8	16.3	251.9
-150	33	5.8	3.3	24.4*	21.7*	643.3	797.4	782.0	3.4	1.0	1.0	10.0	-	-
-300	77	29.7	18.0	25.7	22.9*	1675.7*	4,343.8	2,061.2	2,102.7	10.3	-	40.8	-	128.8
300-	74	44.5	26.2	27.0*	23.9*	3221.0	9,478.1	8,923.4	506.1	21.7	-	17.0	0.3	9.6
TOTAL	1767	8.2	4.8	20.3*	17.4*	565.4*	35,196.5	30,908.5	3,054.1	635.0	2.3	187.5	16.6	392.5
JUN														
-50	33	7.0	4.5	15.2	12.4	282.4	292.2	218.3	45.1	13.1	-	4.9	0.8	10.0
-100	1269	6.4	3.6	19.8*	16.9*	472.6*	21,425.7	17,543.2	2,545.2	832.2	6.0	189.5	11.4	298.2
-150	27	6.3	3.5	24.7	21.4	782.1	844.6	754.5	89.4	0.7	-	-	-	-
-300	91	39.1	24.7	25.5*	22.6*	3448.6*	8,029.6	1,014.2	6,734.8	22.3	-	225.7	-	32.6
300-	88	45.7	32.1	27.4*	24.2*	4454.6	11,312.1	3,478.8	7,285.4	156.9	-	338.3	-	52.7
TOTAL	1508	10.7	6.6	20.5*	17.7*	888.9*	41,904.2	23,009.0	16,699.9	1,025.2	6.0	758.4	12.2	393.5
JUL														
-50	27	7.4	4.1	14.8	11.7	257.6	182.1	156.5	3.8	6.0	-	13.5	0.3	2.0
-100	1114	7.1*	3.8	19.4*	16.6*	501.7*	15,131.4	11,022.8	2,794.2	952.0	2.2	179.7	8.7	171.8
-150	24	7.4	3.6	24.3	21.0	812.0	613.3	392.7	213.5	-	2.5	3.0	-	1.6
-300	78	33.2	22.2	24.9*	22.2*	3345.1*	8,176.9	3,209.3	4,798.1	26.6	-	116.9	0.3	25.7
300-	65	39.9	28.1	26.9	23.8*	4468.5	9,998.5	6,022.7	3,678.5	58.4	-	199.0	-	39.9
TOTAL	1308	10.3*	6.1	20.1*	17.3*	870.8*	34,102.2	20,804.0	11,488.1	1,043.0	4.7	512.1	9.3	241.0
AUG														
-50	9	6.2	2.4	13.8	9.9	150.7	42.7	40.3	0.4	0.6	-	0.6	-	0.8
-100	740	6.7	3.0	19.1*	16.3*	394.8*	7.713.1	6,945.2	344.5	314.7	0.5	41.8	-	66.4
-150	16	7.8	2.7	24.5	20.7	647.9*	329.2	329.2	-	-	-	-	-	-
-300	68	32.5	20.0	24.3	21.6	2492.3*	6,966.2	5,189.0	1,711.3	15.9	-	12.0	-	38.0
300-	76	40.9	25.7	26.4	23.5	4091.7*	11,684.1	8,849.5	2,585.3	76.0	-	113.5	-	59.8
ﾌﾒｲ	1	-	96.0	45.0	37.0	-	393.9	388.2	-	-	-	5.7	-	-
TOTAL	910	11.5*	6.3	20.2*	17.4*	862.3*	27,129.2	21,741.4	4,641.5	407.2	0.5	173.6	-	165.0
SEP														
-50	11	11.0	7.3	15.5	12.5	254.5	93.3	88.5	3.4	0.4	-	-	-	1.0
-100	811	6.9*	3.4	19.1*	16.3*	302.6*	10,127.1	9,760.6	15.9	267.9	0.1	8.2	0.6	73.8
-150	20	7.2	2.8	25.0	21.5	431.7	397.4	397.4	-	-	-	-	-	-
-300	54	34.2	18.7	23.6*	21.0*	2322.5	5,544.9	4,483.8	805.9	26.7	-	40.3	-	188.2
300-	54	40.7	20.2	25.7	22.7	3731.9*	8,143.8	7,560.5	473.1	48.1	-	45.0	-	17.1
TOTAL	950	10.4*	5.3	19.8*	17.0*	612.2*	24,306.5	22,290.8	1,298.3	343.1	0.1	93.5	0.6	280.1
OCT														
-50	6	7.7	4.0	14.7	12.0	75.6*	13.7	11.3	-	1.9	-	-	-	0.5
-100	505	8.5*	3.4	18.9*	15.9*	300.7*	3,442.8	3,170.0	2.0	190.4	1.9	12.8	0.1	65.6
-150	11	10.2	2.0	25.1	21.6	646.6	133.2	112.7	-	-	-	16.5	-	4.0
-300	73	36.5	20.0	24.9*	22.5*	2125.4	6,038.5	4,718.6	879.8	91.8	0.2	54.6	0.3	293.2
300-	65	46.3	19.0	26.0	23.2*	3441.5	8,427.1	8,220.5	145.3	28.1	-	32.5	-	0.7
TOTAL	660	15.4*	6.7	20.3*	17.4*	827.1*	18,055.3	16,233.1	1,027.1	312.2	2.1	116.4	0.4	364.0
NOV														
-50	3	29.3	5.3	10.7	8.0	110.3	10.6	9.8	-	0.2	-	0.3	-	0.3
-100	231	10.9*	4.6	17.5*	14.6*	433.4*	2,717.2	2,369.6	9.5	214.7	3.7	7.9	80.2	31.6
-150	3	16.3	6.0	20.3	16.3	740.3	81.5	81.5	-	-	-	-	-	-
-300	51	42.2	21.5	23.2	20.5*	2592.6*	3,858.1	2,033.0	1,499.9	167.3	1.3	59.4	-	97.2
300-	43	48.7	20.7	26.2	23.0	3206.0	4,146.8	3,611.9	511.4	9.4	1.0	12.2	-	0.9
TOTAL	331	20.9*	9.3	19.5*	16.5*	1130.1*	10,814.2	8,105.8	2,020.8	391.6	6.0	79.8	80.2	130.0
DEC														
-100	115	14.0	6.1	16.5*	13.9*	451.2	1,215.3	905.7	26.7	244.7	-	3.3	-	34.9
-150	1	23.0	8.0	20.0	17.0	475.0	13.7	13.7	-	-	-	-	-	-
-300	78	38.4	21.6	23.1	20.4*	2730.5	5,331.5	2,903.2	2,114.2	196.1	4.7	89.3	-	24.0
300-	77	47.6	22.0	26.1	23.1*	4771.2	9,923.9	9,385.4	348.5	113.8	-	64.0	-	12.2
ﾌﾒｲ	1	98.0	60.0	41.0	38.0	9999.0	455.7	455.4	-	-	-	-	-	0.3
TOTAL	272	30.9	15.3	21.3*	18.5*	2362.9	16,940.1	13,663.4	2,489.4	554.6	4.7	156.6	-	71.4

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　　*** RIKUAGE TOUKEI ***　　　　　北海道 HK- 1 TSUKI- 1

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
SEP														
-100	1	5.0	2.0	19.0	17.0	266.0	11.0	11.0	-	-	-	-	-	-
TOTAL	1	5.0	2.0	19.0	17.0	266.0	11.0	11.0	-	-	-	-	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　*** RIKUAGE TOUKEI ***　　青森 AM- 1 TSUKI- 2

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
AUG														
-100	1	4.0	3.0	19.0	15.0	21.0	1.0	0.5	-	-	-	-	-	0.5
TOTAL	1	4.0	3.0	19.0	15.0	21.0	1.0	0.5	-	-	-	-	-	0.5

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　*** RIKUAGE TOUKEI ***　　岩手 IT- 1 TSUKI- 3

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JUL														
-100	15	7.5	3.7	20.3	17.5	323.9	154.6	128.5	24.6	0.2	1.2	-	-	0.1
-150	1	6.0	2.0	28.0	22.0	634.0	27.0	27.0	-	-	-	-	-	-
TOTAL	16	7.4	3.6	20.8	17.8	343.3	181.6	155.5	24.6	0.2	1.2	-	-	0.1
AUG														
-100	44	7.4	3.3	19.3	16.9*	259.9*	34[redacted].2	335.1	9.0	1.8	-	0.6	-	1.7
-150	3	10.0	2.7	28.0	22.0	270.3	34.0	34.0	-	-	-	-	-	-
TOTAL	47	7.5	3.2	19.8	17.2*	260.6*	382.2	369.1	9.0	1.8	-	0.6	-	1.7
SEP														
-100	52	6.7	3.1	19.4*	16.8*	156.7	376.5	375.3	-	-	-	-	-	1.2
-150	2	8.0	2.5	24.0	19.5	457.5	44.2	44.2	-	-	-	-	-	-
TOTAL	54	6.7	3.1	19.5*	16.9*	167.8	420.7	419.5	-	-	-	-	-	1.2
OCT														
-100	27	9.1	2.5	20.3	17.9*	92.0	68.1	67.5	-	-	-	-	-	0.6
-150	2	9.5	1.5	26.0	20.0	149.0	7.5	7.5	-	-	-	-	-	-
-300	3	14.7	7.0	25.3	21.3	1430.3	74.0	67.3	6.7	-	-	-	-	-
TOTAL	32	9.6	2.8	21.2	18.4*	221.0	149.6	142.3	6.7	-	-	-	-	0.6
NOV														
-100	1	11.0	3.0	13.0	11.0	189.0	6.5	6.5	-	-	-	-	-	-
TOTAL	1	11.0	3.0	13.0	11.0	189.0	6.5	6.5	-	-	-	-	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU   *** RIKUAGE TOUKEI ***   宮城 MG- 1 TSUKI- 4

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
FEB														
-100	1	25.0	15.0	13.0	13.0	431.0	7.5	-	2.2	0.1	-	1.8	-	3.4
TOTAL	1	25.0	15.0	13.0	13.0	431.0	7.5	-	2.2	0.1	-	1.8	-	3.4
MAR														
-100	1	6.0	5.0	16.0	14.0	195.0	3.4	0.8	-	2.6	-	-	-	-
-300	1	46.0	33.0	33.0	31.0	1869.0	116.0	116.0	-	-	-	-	-	-
TOTAL	2	26.0	19.0	24.5	22.5	1032.0	119.4	116.8	-	2.6	-	-	-	-
APR														
-100	1	16.0	6.0	14.0	13.0	313.0	10.5	10.5	-	-	-	-	-	-
-300	1	49.0	30.0	23.0	21.0	1289.0	70.0	70.0	-	-	-	-	-	-
TOTAL	2	32.5	18.0	18.5	17.0	801.0	80.5	80.5	-	-	-	-	-	-
MAY														
-100	5	5.4	3.0	19.2	17.2	401.0	112.8	112.8	-	-	-	-	-	-
-150	1	8.0	3.0	26.0	23.0	1300.0	34.5	34.5	-	-	-	-	-	-
-300	1	17.0	15.0	30.0	-	1051.0	29.5	-	29.5	-	-	-	-	-
TOTAL	7	7.4	4.7	21.7	18.2*	622.3	176.8	147.3	29.5	-	-	-	-	-
JUN														
-100	20	6.5	3.9	18.6	16.1	484.3	325.8	289.0	32.5	1.3	-	3.0	-	-
-300	21	59.8	30.6	28.3	25.1	3382.0	1,872.5	122.7	1,705.4	0.2	-	37.5	-	6.7
300-	10	42.8	33.9	28.9	25.7	3930.9	1,204.4	370.8	748.9	26.5	-	56.7	-	1.5
TOTAL	51	27.3	20.8	24.6	21.7	2355.2	3,402.7	782.5	2,486.8	28.0	-	97.2	-	8.2
JUL														
-100	104	7.1*	3.6	19.8	17.3*	443.3	1,430.3	1,170.8	249.8	1.4	0.6	4.7	-	3.0
-150	5	7.7	3.2	25.2	21.2	690.3	124.5	72.8	49.3	-	2.0	-	-	0.4
-300	17	30.8	21.6	27.8*	24.9*	3200.9	1,663.8	572.6	1,069.0	4.5	-	16.3	-	1.4
300-	5	26.0	19.4	28.8	25.6	4325.6	668.7	399.4	258.3	-	-	9.0	-	2.0
TOTAL	132	10.9*	6.5	21.4*	18.7*	956.7	3,887.3	2,215.6	1,626.4	5.9	2.6	30.0	-	6.8
AUG														
-50	1	9.0	4.0	16.0	12.0	340.0	19.4	19.4	-	-	-	-	-	-
-100	232	7.2	3.1	19.9*	17.0*	374.7*	2,792.7	2,557.1	218.8	2.8	0.5	1.0	-	12.5
-150	7	6.4	2.3	22.4	19.1	712.0*	171.0	171.0	-	-	-	-	-	-
-300	14	34.4	26.3	27.0	24.5	2969.5	1,473.8	760.7	690.2	-	-	3.5	-	19.4
300-	13	34.8	25.3	27.5	24.6	3352.5	1,766.6	1,250.3	506.3	-	-	2.0	-	8.0
ﾌﾒｲ	1	-	96.0	45.0	37.0	-	393.9	388.2	-	-	-	5.7	-	-
TOTAL	268	10.0*	5.7	20.8*	17.9*	665.4*	6,617.4	5,146.7	1,415.3	2.8	0.5	12.2	-	39.9
SEP														
-50	4	6.8	4.0	15.8	12.0	194.8	40.8	40.8	-	-	-	-	-	-
-100	360	7.2	3.6	19.3*	16.5*	283.8*	4,802.1	4,788.6	-	0.4	-	-	-	13.1
-150	10	7.4	2.6	24.4	21.3	343.4	172.8	172.8	-	-	-	-	-	-
-300	19	36.1	23.8	26.2	23.1	2623.6	2,350.0	2,263.0	64.5	-	-	-	-	22.5
300-	5	38.4	24.4	25.2	21.6	3072.6	713.3	697.7	14.1	-	-	-	-	1.5
TOTAL	398	9.0	4.8	19.8*	16.9*	431.5*	8,079.0	7,962.9	78.6	0.4	-	-	-	37.1
OCT														
-50	1	8.0	4.0	16.0	12.0	-	0.0	-	-	-	-	-	-	-
-100	133	9.8	3.4	20.3	17.5	359.7*	1,014.1	1,001.6	-	1.3	-	-	-	11.2
-150	7	9.6	2.3	25.7	22.9	520.7	69.9	49.4	-	-	-	16.5	-	4.0
-300	20	32.3	20.6	26.2	23.8*	2294.7	1,742.6	1,506.6	233.0	-	-	-	-	3.0
300-	4	39.3	24.5	27.5	23.8	3320.8	548.1	512.8	35.3	-	-	-	-	-
TOTAL	165	13.2	6.0	21.4	18.5*	686.7*	3,374.7	3,070.4	268.3	1.3	-	16.5	-	18.2
NOV														
-100	17	10.4	3.5	20.0	17.1	563.1	143.4	143.1	-	-	-	-	-	0.3
-300	6	39.2	23.5	26.2	23.3	2891.0	399.6	55.9	339.5	-	0.8	-	-	3.4
TOTAL	23	17.9	8.7	21.6	18.7	1170.3	543.0	199.0	339.5	-	0.8	-	-	3.7
DEC														
-100	2	8.5	5.5	16.5	13.5	482.0	12.2	12.2	-	-	-	-	-	-
-300	30	33.8	24.5	24.6	21.7	2597.2	1,712.6	68.3	1,641.0	-	2.6	-	-	0.7
300-	4	40.8	25.8	28.8	26.3	4919.3	466.5	171.0	295.5	-	-	-	-	-
TOTAL	36	33.2	23.6	24.6	21.8	2737.7	2,191.3	251.5	1,936.5	-	2.6	-	-	0.7

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU

*** RIKUAGE TOUKEI ***

福島 FS- 1 TSUKI- 6

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAY														
-100	24	5.4	2.9	22.2	19.3*	600.9	669.5	668.2	0.8	0.5	-	-	-	-
-300	6	24.5	15.0	23.3	21.2	1339.7	166.4	-	162.1	-	-	2.7	-	1.6
TOTAL	30	9.2	5.3	22.4	19.7*	748.6	835.9	668.2	162.9	0.5	-	2.7	-	1.6
JUN														
-100	47	6.4	3.2	21.9*	18.9*	638.4	1,076.5	1,009.4	67.1	-	-	-	-	-
-150	4	6.8	3.8	26.0	21.8	990.5	133.9	98.9	35.0	-	-	-	-	-
-300	5	36.6	22.8	27.6	24.4	3967.6	471.9	8.0	462.8	-	-	1.1	-	-
300-	1	44.0	28.0	28.0	25.0	4205.0	118.0	18.0	100.0	-	-	-	-	-
TOTAL	57	9.7	5.4	22.8*	19.8*	1017.8	1,800.3	1,134.3	664.9	-	-	1.1	-	-
JUL														
-100	68	7.3	3.8	21.5	19.0*	659.5	1,437.0	1,252.2	172.0	-	-	10.9	-	1.9
-150	3	8.0	3.3	26.7	25.7	1166.0	118.2	81.2	37.0	-	-	-	-	-
-300	3	45.0	21.3	24.0	21.0	3314.7	298.4	37.1	258.5	-	-	-	-	2.8
TOTAL	74	8.9	4.5	31.8	19.4*	787.7	1,853.6	1,370.5	467.5	-	-	10.9	-	4.7
AUG														
-100	51	7.6	3.1	21.3	18.9*	669.4	956.3	938.3	18.0	-	-	-	-	-
-300	4	30.3	16.0	23.3	19.0	1909.8	327.7	246.5	79.2	-	-	-	-	2.0
TOTAL	55	9.2	4.0	21.4	18.9*	759.6	1,284.0	1,184.8	97.2	-	-	-	-	2.0
SEP														
-100	50	7.2	3.1	20.7	18.6*	448.2	990.9	990.9	-	-	-	-	-	-
-150	1	5.0	3.0	25.0	20.0	438.0	23.5	23.5	-	-	-	-	-	-
TOTAL	51	7.1	3.1	20.8	18.7*	448.0	1,014.4	1,014.4	-	-	-	-	-	-
OCT														
-100	20	11.2	3.4	21.7*	19.4*	480.0	210.8	210.8	-	-	-	-	-	-
-300	1	43.0	25.0	21.0	-	2076.0	70.9	39.5	28.4	-	-	-	-	3.0
TOTAL	21	12.7	4.4	21.7*	19.4*	556.0	281.7	250.3	28.4	-	-	-	-	3.0
NOV														
-100	4	11.5	4.8	23.5	20.0*	543.8	35.5	35.5	-	-	-	-	-	-
-300	1	30.0	12.0	24.0	-	1025.0	19.0	-	19.0	-	-	-	-	-
TOTAL	5	15.2	6.2	23.6	20.0*	640.0	54.5	35.5	19.0	-	-	-	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　*** RIKUAGE TOUKEI ***　　茨城 IG- 1 TSUKI- 7

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソ-ダ F.M.	その他 ELS
MAR														
-300	8	44.0	25.9	29.1*	26.0*	682.6	314.3	310.7	-	1.4	-	0.2	0.3	1.7
TOTAL	8	44.0	25.9	29.1*	26.0*	682.6	314.3	310.7	-	1.4	-	0.2	0.3	1.7
APR														
-100	1	5.0	2.0	23.0	20.0	937.0	17.0	17.0	-	-	-	-	-	-
TOTAL	1	5.0	2.0	23.0	20.0	937.0	17.0	17.0	-	-	-	-	-	-
MAY														
-100	43	6.2	3.2	22.9	20.1*	707.3	1,135.7	1,128.4	0.7	2.6	-	4.0	-	-
-150	6	5.5	3.2	25.7	22.7	670.7	155.7	145.7	-	-	-	10.0	-	-
-300	3	25.3	18.3	28.3	24.3	1718.7	152.3	-	139.0	-	-	7.3	-	6.0
TOTAL	52	7.3	4.1	23.5	20.7*	761.5	1,443.7	1,274.1	139.7	2.6	-	21.3	-	6.0
JUN														
-100	76	6.2	3.7	22.6	19.9*	712.8	1,893.4	1,572.3	318.5	1.4	-	1.2	-	-
-150	5	7.2	4.2	21.4	19.0	739.8	171.1	158.8	12.3	-	-	-	-	-
-300	9	39.1	28.1	28.6	25.8	3200.8	775.6	92.3	644.9	0.1	-	34.1	-	4.2
TOTAL	90	9.5	6.1	23.2	20.5*	963.1	2,840.1	1,823.4	975.7	1.5	-	35.3	-	4.2
JUL														
-100	67	7.5	3.6	21.7	19.0*	688.9	1,413.3	1,143.1	262.1	5.9	-	1.7	-	0.5
-150	6	6.8	4.0	21.5	18.5	654.8	113.7	76.2	34.0	-	0.5	3.0	-	-
-300	9	37.3	28.4	29.1	26.1	4151.3*	1,204.2	290.7	898.8	0.2	-	8.0	0.3	6.2
TOTAL	82	10.7	6.4	22.5	19.8*	1028.3*	2,731.2	1,510.0	1,194.9	6.1	0.5	12.7	0.3	6.7
AUG														
-100	41	7.3	2.9	20.7	17.9*	654.3	736.8	697.6	36.5	0.5	-	-	-	2.2
-150	3	8.0	3.3	24.3	22.0	919.7	76.3	76.3	-	-	-	-	-	-
-300	9	29.8	18.9	28.1	25.3	2191.7	1,356.3	1,234.0	117.5	-	-	-	-	4.8
TOTAL	53	11.1	5.6	22.1	19.4*	930.4	2,169.4	2,007.9	154.0	0.5	-	-	-	7.0
SEP														
-100	53	7.4	3.0	21.8	19.4	515.4	1,146.4	1,145.4	0.5	-	-	-	-	0.5
-150	4	7.3	3.3	27.5	24.5	486.5	84.2	84.2	-	-	-	-	-	-
-300	1	37.0	14.0	22.0	18.0	2660.0	115.1	103.0	10.8	-	-	-	-	1.3
TOTAL	58	7.9	3.2	22.2	19.7	550.4	1,345.7	1,332.6	11.3	-	-	-	-	1.8
OCT														
-100	16	11.7	2.7	21.9	19.6	610.8	203.9	202.4	-	-	-	-	-	1.5
-300	9	38.0	23.2	29.0*	26.4	2651.7	980.9	891.7	87.0	-	-	-	0.3	1.9
TOTAL	25	21.2	10.1	24.3*	22.0	1345.5	1,184.8	1,094.1	87.0	-	-	-	0.3	3.4
NOV														
-100	8	12.4	1.9	23.1	19.4	620.4	75.9	75.9	-	-	-	-	-	-
-150	1	14.0	4.0	26.0	20.0	334.0	10.0	10.0	-	-	-	-	-	-
-300	3	42.3	25.7	27.7	24.0	3125.0	226.5	49.4	176.6	-	0.5	-	-	-
TOTAL	12	20.0	8.0	24.5	20.6	1222.7	312.4	135.3	176.6	-	0.5	-	-	-
DEC														
-300	5	42.0	30.4	25.8	23.2	3385.4	373.5	8.6	363.2	-	1.1	-	-	0.6
TOTAL	5	42.0	30.4	25.8	23.2	3385.4	373.5	8.6	363.2	-	1.1	-	-	0.6

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　*** RIKUAGE　TOUKEI ***　　　　千葉　CB-　1 TSUKI-　9

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均年数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ノダ F.M.	その他 ELS
JAN														
-100	1	11.0	3.0	13.0	13.0	77.0	0.9	-	0.9	-	-	-	-	-
TOTAL	1	11.0	3.0	13.0	13.0	77.0	0.9	-	0.9	-	-	-	-	-
FEB														
-100	1	11.0	2.0	23.0	19.0	451.0	10.5	9.5	-	1.0	-	-	-	-
TOTAL	1	11.0	2.0	23.0	19.0	451.0	10.5	9.5	-	1.0	-	-	-	-
MAR														
-100	19	6.7	2.8	22.1	18.9*	379.7	126.7	119.5	6.5	-	-	-	-	0.7
-150	2	4.5	2.0	27.0	27.0	762.0	20.3	20.3	-	-	-	-	-	-
TOTAL	21	6.5	2.8	22.6	19.8*	416.1	147.0	139.8	6.5	-	-	-	-	0.7
APR														
-100	115	6.1	3.0	22.2	19.4	548.2*	983.8	916.4	58.9	1.7	-	0.2	-	6.6
-150	7	6.0	3.7	26.0	23.0	474.9	54.1	49.7	-	-	-	-	-	4.4
TOTAL	122	6.1	3.1	22.4	19.6	544.0*	1,037.9	966.1	58.9	1.7	-	0.2	-	11.0
MAY														
-50	5	6.0	3.6	16.8	14.2	187.4	35.0	35.0	-	-	-	-	-	-
-100	272	5.9	3.2	21.0*	18.3*	482.0*	4,792.9	4,714.4	46.9	12.3	-	6.0	6.0	7.3
-150	14	5.9	3.3	24.6*	22.6*	709.8	350.4	348.4	2.0	-	-	-	-	-
TOTAL	291	5.9	3.2	21.1*	18.5*	487.9*	5,178.3	5,097.8	48.9	12.3	-	6.0	6.0	7.3
JUN														
-50	10	6.4	3.1	16.0	13.6	247.7	87.1	72.9	14.2	-	-	-	-	-
-100	500	6.2	3.4	20.5*	17.9*	472.9*	9,392.2	8,564.4	754.8	56.9	-	3.4	8.0	4.7
-150	13	6.0	3.2	26.2	22.7	741.5	365.6	351.8	13.1	0.7	-	-	-	-
TOTAL	523	6.2	3.4	20.6*	17.9*	475.3*	9,844.9	8,989.1	782.1	57.6	-	3.4	8.0	4.7
JUL														
-50	6	6.5	3.5	17.5	14.2	247.3	48.4	48.4	-	-	-	-	-	-
-100	314	7.4	4.2	20.1	17.3*	523.5	4,839.8	3,625.8	1,150.4	31.3	-	22.6	-	9.7
-150	6	5.7	3.0	25.3	21.7	732.5	151.8	122.6	28.0	-	-	-	-	1.2
TOTAL	326	7.4	4.2	20.2	17.3*	522.3	5,040.0	3,796.8	1,178.4	31.3	-	22.6	-	10.9
AUG														
-100	85	6.7	2.8	20.1*	17.5*	493.1	1,180.9	1,164.5	9.6	2.4	-	1.6	-	2.8
-150	2	9.0	3.5	27.0	27.0	673.5	31.4	31.4	-	-	-	-	-	-
TOTAL	87	6.7	2.8	20.3*	17.7*	497.3	1,212.3	1,195.9	9.6	2.4	-	1.6	-	2.8
SEP														
-100	72	6.2	2.8	19.7*	16.9*	374.6	1,106.6	1,105.8	-	0.6	-	-	-	0.2
-150	3	6.7	2.7	24.0	20.0	633.3	72.7	72.7	-	-	-	-	-	-
TOTAL	75	6.2	2.8	19.9*	17.0*	384.9	1,179.3	1,178.5	-	0.6	-	-	-	0.2
OCT														
-50	2	6.0	2.5	17.0	15.0	86.0	5.6	5.6	-	-	-	-	-	-
-100	51	6.0*	2.5	20.3*	16.8*	279.3	287.5	282.3	-	-	-	-	-	5.2
-150	1	12.0	1.0	26.0	23.0	3085.0	52.4	52.4	-	-	-	-	-	-
TOTAL	54	6.1*	2.5	20.2*	16.9*	324.1	345.5	340.3	-	-	-	-	-	5.2
NOV														
-100	4	10.5	2.5	20.8	17.5	271.0	17.3	17.3	-	-	-	-	-	-
300-	2	39.0	7.5	29.0	28.0	4301.0	110.0	110.0	-	-	-	-	-	-
TOTAL	6	20.0	4.2	23.5	21.0	1614.3	127.3	127.3	-	-	-	-	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　　　　　　　*** RIKUAGE　TOUKEI ***　　　　　　　　　　神奈川 KN- 1 TSUKI- 11

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR														
-100	14	7.6	2.5	19.7	17.3*	236.6	55.5	52.6	0.7	1.1	-	0.4	-	0.7
TOTAL	14	7.6	2.5	19.7	17.3*	236.6	55.5	52.6	0.7	1.1	-	0.4	-	0.7
APR														
-100	40	6.1	3.2	21.7	18.6	314.7	225.6	215.8	3.0	3.0	-	2.0	-	1.8
-150	1	6.0	2.0	28.0	22.0	244.0	6.0	6.0	-	-	-	-	-	-
300-	1	38.0	3.0	20.0	15.0	70.0	2.2	-	2.0	-	-	-	-	0.2
TOTAL	42	6.9	3.1	21.8	18.6	307.2	233.8	221.8	5.0	3.0	-	2.0	-	2.0
MAY														
-50	1	4.0	1.0	9.0	7.0	57.0	4.0	4.0	-	-	-	-	-	-
-100	45	5.9	3.1	18.8	16.1*	331.6	494.3	478.3	12.3	2.7	-	-	-	1.0
300-	1	29.0	5.0	20.0	15.0	95.0	3.1	2.5	0.2	0.4	-	-	-	-
TOTAL	47	6.4	3.1	18.6	15.9*	320.7	501.4	484.8	12.5	3.1	-	-	-	1.0
JUN														
-100	35	6.3	3.2	17.1	14.3	341.4	395.4	267.0	115.0	9.7	-	2.8	-	0.9
TOTAL	35	6.3	3.2	17.1	14.3	341.4	395.4	267.0	115.0	9.7	-	2.8	-	0.9
JUL														
-100	24	7.5	3.8	17.0	14.2	357.8	241.0	135.8	80.1	16.3	-	5.8	-	3.0
TOTAL	24	7.5	3.8	17.0	14.2	357.8	241.0	135.8	80.1	16.3	-	5.8	-	3.0
AUG														
-100	4	5.0	2.0	12.5	10.0	161.5	16.3	14.0	-	1.5	-	0.8	-	-
TOTAL	4	5.0	2.0	12.5	10.0	161.5	16.3	14.0	-	1.5	-	0.8	-	-
SEP														
-100	1	8.0	5.0	13.0	10.0	398.0	16.6	16.6	-	-	-	-	-	-
TOTAL	1	8.0	5.0	13.0	10.0	398.0	16.6	16.6	-	-	-	-	-	-
OCT														
-100	7	2.7	2.4	15.0	11.9	90.4	10.8	10.8	-	-	-	-	-	-
TOTAL	7	2.7	2.4	15.0	11.9	90.4	10.8	10.8	-	-	-	-	-	-
NOV														
-100	4	9.3	3.3	13.0	10.0	154.5	7.9	7.1	-	-	-	-	-	0.8
TOTAL	4	9.3	3.3	13.0	10.0	154.5	7.9	7.1	-	-	-	-	-	0.8
DEC														
-100	1	4.0	4.0	15.0	12.0	45.0	0.6	0.6	-	-	-	-	-	-
TOTAL	1	4.0	4.0	15.0	12.0	45.0	0.6	0.6	-	-	-	-	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　*** RIKUAGE TOUKEI ***　　　静岡 SO- 1 TSUKI- 13

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN														
-100	56	11.6	5.1	18.9*	15.5*	303.4	300.0	112.9	-	145.8	-	0.4	0.8	40.1
-300	2	43.0	6.5	19.0	14.5	1508.5	54.1	52.3	-	1.8	-	-	-	-
300-	2	51.5	22.0	22.0	20.5	3037.5	180.3	177.4	-	0.9	-	2.0	-	-
TOTAL	60	14.0	5.7	19.0*	15.7*	434.7	534.4	342.6	-	148.5	-	2.4	0.8	40.1
FEB														
-100	93	11.5	4.1	19.1*	16.0*	525.2	1,065.3	892.3	2.6	150.0	-	4.2	-	16.2
-300	18	39.7	20.7	21.9*	19.3*	2210.9	1,779.5	1,765.5	-	7.5	-	-	-	6.5
300-	10	42.4	21.7	23.9*	20.7*	2384.5	1,211.4	1,203.3	-	4.1	-	-	0.8	3.2
TOTAL	121	18.3	8.0	19.9*	16.9*	929.6	4,056.2	3,861.1	2.6	161.6	-	4.2	0.8	25.9
MAR														
-100	417	6.2	2.5	19.9*	16.5*	339.6*	2,675.4	2,189.8	371.5	63.7	1.5	0.3	-	48.6
-150	8	9.0	3.0	25.6	22.4	730.5	146.8	146.3	0.5	-	-	-	-	-
-300	44	43.5	25.2	24.4*	21.4*	1508.8*	3,717.9	3,690.4	-	6.2	-	5.5	-	15.8
300-	64	49.8	31.5	27.5	24.4	2715.3*	9,627.4	9,580.8	0.6	26.2	-	8.4	-	11.4
TOTAL	533	14.5	7.9	21.3*	18.0*	722.8*	16,167.5	15,607.3	372.6	96.1	1.5	14.2	-	75.8
APR														
-100	645	5.1*	2.7	20.0*	16.9*	356.4*	4,014.6	3,500.8	343.0	48.7	-	3.9	0.1	118.1
-150	13	6.2	3.4	25.8	23.5	502.8	130.0	95.0	35.0	-	-	-	-	-
-300	51	36.5	21.7	24.0*	20.8*	1646.6*	3,217.7	2,516.1	633.7	12.0	-	10.1	1.4	44.4
300-	41	44.8	29.1	27.2*	24.1*	2839.8	4,753.7	4,642.6	89.0	12.1	-	1.7	-	8.3
TOTAL	750	9.4*	5.4	20.7*	17.7*	582.8*	12,116.0	10,754.5	1,100.7	72.8	-	15.7	1.5	170.8
MAY														
-100	631	4.9	2.9	19.4*	16.2*	383.7*	6,741.4	6,126.6	299.3	197.1	1.3	22.8	7.7	86.6
-150	5	5.0	2.8	23.2	20.6	633.8	137.0	135.0	-	1.0	1.0	-	-	-
-300	51	28.1	17.3	25.3	22.5	1622.2	2,450.9	574.8	1,771.6	4.5	-	30.8	-	69.2
300-	59	45.1	26.4	27.1	24.0*	3252.2	7,496.2	6,964.5	505.9	15.1	-	6.0	0.3	4.4
TOTAL	746	9.7	5.8	20.4*	17.3*	707.4*	16,825.5	13,800.9	2,576.8	217.7	2.3	59.6	8.0	160.2
JUN														
-100	462	6.8	3.8	19.1*	15.9*	461.1*	6,771.5	4,655.6	1,116.0	596.6	5.8	147.9	0.6	249.0
-150	5	6.0	3.4	23.4	20.2	763.4	174.0	145.0	29.0	-	-	-	-	-
-300	53	38.6	22.2	23.5*	20.8*	3470.4*	4,536.6	501.2	3,841.7	22.0	-	153.0	-	18.7
300-	76	46.1	31.9	27.2*	24.0*	4491.7	9,795.0	3,054.7	6,279.5	130.3	-	279.3	-	51.2
TOTAL	596	14.6	9.0	20.6*	17.5*	1257.5*	21,277.1	8,356.5	11,266.2	748.9	5.8	580.2	0.6	318.9
JUL														
-50	1	7.0	3.0	17.0	13.0	163.0	4.1	4.1	-	-	-	-	-	-
-100	402	7.3	3.9	19.0*	15.8*	509.3*	4,610.0	2,747.3	814.6	793.0	0.4	117.1	0.9	136.7
-150	2	13.0	7.0	21.0	18.0	1445.0	78.1	12.9	65.2	-	-	-	-	-
-300	40	33.5	22.4	22.8	19.9*	3417.2	4,158.1	1,506.3	2,523.0	20.9	-	92.6	-	15.3
300-	55	39.6	28.6	26.5	23.4*	4422.3	8,549.7	5,033.6	3,234.8	57.4	-	186.0	-	37.9
TOTAL	500	13.0	8.1	20.2*	17.0*	1193.2*	17,400.0	9,304.2	6,637.6	871.3	0.4	395.7	0.9	189.9
AUG														
-50	1	9.0	5.0	18.0	15.0	93.0	4.2	4.2	-	-	-	-	-	-
-100	165	6.8	3.2	18.6*	15.3*	357.1*	1,013.6	701.7	4.2	249.0	-	27.4	-	31.3
-150	1	8.0	2.0	24.0	11.0	529.0	16.5	16.5	-	-	-	-	-	-
-300	26	32.8	19.2	22.5	19.8	2482.0	2,398.7	1,624.6	743.6	13.9	-	6.5	-	10.1
300-	56	41.9	26.1	25.9	22.9	4111.2*	8,524.4	6,285.1	2,024.0	68.0	-	95.5	-	51.8
TOTAL	249	17.4	10.1	20.7*	17.6*	1433.7*	11,957.4	8,632.1	2,771.8	330.9	-	129.4	-	93.2
SEP														
-100	111	6.3*	3.5	19.4	15.7*	238.7*	468.6	324.8	1.5	128.1	0.1	-	0.4	13.7
-300	21	33.6	15.8	20.7*	18.1*	2015.1	1,421.4	644.6	730.6	22.2	-	20.0	-	4.0
300-	39	40.3	20.2	25.8	22.7	3582.7	5,663.4	5,108.6	458.0	42.9	-	38.4	-	15.5
TOTAL	171	17.5*	8.9	21.0*	17.7*	1225.3*	7,553.4	6,078.0	1,190.1	193.2	0.1	58.4	0.4	33.2
OCT														
-100	134	6.1*	3.2	18.9*	15.2*	249.1*	566.0	413.2	0.4	114.4	1.9	9.4	0.1	26.6
-300	19	43.3	18.7	21.7	19.1	2192.6	1,278.8	771.1	505.7	1.1	0.2	-	-	0.7
300-	48	46.6	18.0	25.9	23.0*	3528.2	6,411.2	6,242.7	110.0	27.6	-	30.2	-	0.7
TOTAL	201	19.4*	8.2	20.9*	17.6*	1230.5*	8,256.0	7,427.0	616.1	143.1	2.1	39.6	0.1	28.0
NOV														
-100	95	9.6*	3.6	18.4*	14.9*	332.9*	794.1	568.6	2.5	127.3	3.7	1.8	80.2	10.0
-300	27	45.0	19.6	21.3	18.5*	2632.4	1,756.9	707.7	964.8	77.1	-	1.2	-	6.1
300-	35	49.3	21.1	25.4	22.0	3231.6	3,562.3	3,031.9	511.4	9.1	1.0	8.0	-	0.9
TOTAL	157	24.8*	10.3	20.5*	17.2*	1401.8*	6,113.3	4,308.2	1,478.7	213.5	4.7	11.0	80.2	17.0
DEC														
-100	65	12.6	6.1	17.4*	14.6*	411.8	489.4	221.5	9.7	231.8	-	1.9	-	24.5
-300	30	40.9	18.6	20.8	18.2*	2784.3	2,312.5	1,952.5	110.0	171.5	1.0	71.8	-	5.7
300-	65	47.9	21.9	26.2	23.1*	4752.5	8,452.3	8,219.7	53.0	105.4	-	62.1	-	12.1
ﾌﾒｲ	1	98.0	60.0	41.0	38.0	9999.0	455.7	455.4	-	-	-	-	-	0.3
TOTAL	161	32.6	15.2	21.8*	18.9*	2665.9	11,709.9	10,849.1	172.7	508.7	1.0	135.8	-	42.6

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　*** RIKUAGE TOUKEI ***　　三重 ME- 1 TSUKI- 15

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
FEB														
-100	2	16.0	8.0	20.0	17.0	154.5	10.0	8.6	-	0.5	-	0.4	-	0.5
TOTAL	2	16.0	8.0	20.0	17.0	154.5	10.0	8.6	-	0.5	-	0.4	-	0.5
MAR														
-100	84	8.5	3.7	20.3	17.3*	311.1	893.0	845.6	35.2	5.7	-	0.6	-	5.9
300-	3	52.3	33.7	28.7	25.3	2675.0	415.4	413.6	-	-	-	-	-	1.8
TOTAL	87	10.0	4.7	20.6	17.5*	392.6	1,308.4	1,259.2	35.2	5.7	-	0.6	-	7.7
APR														
-50	16	4.9	2.8	15.2	11.8	238.0	81.2	51.5	25.3	-	-	1.9	-	2.5
-100	259	5.3	3.3	20.3	17.2*	313.3	1,730.5	1,379.7	279.0	5.7	-	12.3	-	53.8
-150	4	6.5	2.0	21.8	17.8	698.5	41.0	41.0	-	-	-	-	-	-
TOTAL	279	5.3	3.3	20.0	16.9*	314.5	1,852.7	1,472.2	304.3	5.7	-	14.2	-	56.3
MAY														
-50	13	4.1	2.3	14.1	10.8	130.2	58.1	56.9	-	0.7	-	-	-	0.5
-100	268	4.9	3.1	20.1*	17.2*	288.2*	2,511.6	2,273.2	36.0	81.5	-	68.8	-	52.1
-150	4	3.8	2.8	23.0	18.5	341.0	54.1	52.7	1.4	-	-	-	-	-
300-	2	42.0	26.5	34.5	31.5	4710.0	379.4	378.4	-	0.5	-	0.5	-	-
TOTAL	287	5.1	3.2	19.9*	17.0*	312.7*	3,003.2	2,761.2	37.4	82.7	-	69.3	-	52.6
JUN														
-50	9	5.1	2.8	15.9	12.1	362.0	83.9	44.7	23.6	11.6	-	2.7	-	1.3
-100	70	5.7	3.6	18.6	15.7*	347.0*	760.6	509.4	129.1	77.6	0.2	30.0	-	14.3
300-	1	48.0	37.0	25.0	24.0	7122.0	194.7	35.3	157.0	0.1	-	2.3	-	-
TOTAL	80	6.1	3.9	18.4	15.4*	436.7*	1,039.2	589.4	309.7	89.3	0.2	35.0	-	15.6
JUL														
-50	6	5.3	1.5	16.0	12.0	331.7	42.2	23.4	-	6.0	-	12.8	-	-
-100	47	6.0	3.4	18.6	15.9*	296.7	335.5	244.1	28.4	45.1	-	15.9	-	2.0
300-	1	51.0	39.0	33.0	29.0	6582.0	160.0	18.5	140.5	-	-	1.0	-	-
TOTAL	54	6.7	3.9	18.6	15.7*	417.0	537.7	286.0	168.9	51.1	-	29.7	-	2.0
AUG														
-50	3	5.3	1.3	15.0	11.0	73.0	3.3	2.7	-	0.6	-	-	-	-
-100	29	5.7	3.2	18.5	15.7*	168.8*	99.4	85.6	-	5.0	-	7.5	-	1.3
300-	1	12.0	6.0	28.0	24.0	1684.0	77.0	77.0	-	-	-	-	-	-
TOTAL	33	5.9	3.1	18.5	15.5*	208.4*	179.7	165.3	-	5.6	-	7.5	-	1.3
SEP														
-50	1	4.0	1.0	16.0	12.0	75.0	1.1	0.2	-	0.4	-	-	-	0.5
-100	3	7.0	3.3	18.7	16.7	335.0*	23.5	23.1	-	-	-	-	-	0.4
300-	1	18.0	2.0	23.0	22.0	-	0.3	0.3	-	-	-	-	-	-
TOTAL	5	8.6	2.6	19.0	16.8	248.3*	24.9	23.6	-	0.4	-	-	-	0.9
OCT														
-50	1	4.0	3.0	16.0	12.0	46.0	0.8	0.8	-	-	-	-	-	-
-100	20	6.2	3.0	16.6	14.1*	60.9*	22.0	13.4	-	3.9	-	-	-	4.7
300-	2	47.0	20.0	27.0	25.0	1848.0	135.5	135.5	-	-	-	-	-	-
TOTAL	23	9.6	4.4	17.4	15.0*	238.9*	158.3	149.7	-	3.9	-	-	-	4.7
NOV														
-100	3	9.0	3.3	18.0	15.7	365.3	33.8	30.9	-	0.2	-	2.7	-	-
TOTAL	3	9.0	3.3	18.0	15.7	365.3	33.8	30.9	-	0.2	-	2.7	-	-
DEC														
-100	3	14.7	5.3	16.3	14.0	425.3	39.1	38.6	-	-	-	-	-	0.5
300-	2	46.0	22.5	23.5	20.0	4394.5	239.0	239.0	-	-	-	-	-	-
TOTAL	5	27.2	12.2	19.2	16.4	2013.0	278.1	277.6	-	-	-	-	-	0.5

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　*** RIKUAGE TOUKEI ***　　　　和歌山 WK- 1 TSUKI- 17

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR														
-100	2	5.0	4.0	25.0	24.0	622.0	19.3	19.3	-	-	-	-	-	-
TOTAL	2	5.0	4.0	25.0	24.0	622.0	19.3	19.3	-	-	-	-	-	-
APR														
-50	2	3.5	1.5	17.5	13.5	191.0	7.7	7.7	-	-	-	-	-	-
-100	21	4.4	2.9	19.1	16.4*	251.0	105.5	103.2	1.2	-	-	-	-	1.1
TOTAL	23	4.3	2.7	19.0	16.1*	245.8	113.2	110.9	1.2	-	-	-	-	1.1
MAY														
-50	10	4.5	2.5	17.0	13.1	173.1	60.8	58.2	-	2.6	-	-	-	-
-100	29	4.5	3.0	18.2	15.2	173.4	180.5	175.3	4.1	-	-	0.8	-	0.3
TOTAL	39	4.5	2.8	17.9	14.7	173.4	241.3	233.5	4.1	2.6	-	0.8	-	0.3
JUN														
-100	5	6.4	4.0	17.0	15.0	419.6	73.3	66.5	5.6	-	-	1.2	-	-
TOTAL	5	6.4	4.0	17.0	15.0	419.6	73.3	66.5	5.6	-	-	1.2	-	-
JUL														
-100	7	7.3	4.7	17.0	14.6	290.3	66.7	44.3	11.5	10.9	-	-	-	-
TOTAL	7	7.3	4.7	17.0	14.6	290.3	66.7	44.3	11.5	10.9	-	-	-	-
AUG														
-100	1	8.0	2.0	17.0	14.0	209.0	9.7	6.7	3.0	-	-	-	-	-
TOTAL	1	8.0	2.0	17.0	14.0	209.0	9.7	6.7	3.0	-	-	-	-	-
OCT														
-100	1	6.0	4.0	24.0	22.0	132.0	2.5	2.5	-	-	-	-	-	-
TOTAL	1	6.0	4.0	24.0	22.0	132.0	2.5	2.5	-	-	-	-	-	-
APR														
-50	2	8.0	3.5	12.0	10.0	104.5	4.0	3.6	-	-	-	0.4	-	-
TOTAL	2	8.0	3.5	12.0	10.0	104.5	4.0	3.6	-	-	-	0.4	-	-
MAY														
-50	5	4.0	2.0	12.0	10.0	156.2	29.4	26.2	-	1.0	-	2.2	-	-
TOTAL	5	4.0	2.0	12.0	10.0	156.2	29.4	26.2	-	1.0	-	2.2	-	-
JUN														
-50	3	2.3	2.3	13.7	12.0	104.7	12.9	10.7	-	1.5	-	0.7	-	-
TOTAL	3	2.3	2.3	13.7	12.0	104.7	12.9	10.7	-	1.5	-	0.7	-	-
JUL														
-50	4	4.3	1.3	12.8	10.0	118.8	11.2	10.2	-	-	-	0.7	0.3	-
TOTAL	4	4.3	1.3	12.8	10.0	118.8	11.2	10.2	-	-	-	0.7	0.3	-
AUG														
-50	3	5.7	1.7	11.3	7.0	196.7	12.5	11.9	-	-	-	0.6	-	-
TOTAL	3	5.7	1.7	11.3	7.0	196.7	12.5	11.9	-	-	-	0.6	-	-
NOV														
-50	1	66.0	1.0	11.0	7.0	110.0	2.8	2.5	-	-	-	0.3	-	-
TOTAL	1	66.0	1.0	11.0	7.0	110.0	2.8	2.5	-	-	-	0.3	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　*** RIKUAGE TOUKEI ***　　高知 KO- 1 TSUKI- 19

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
JAN														
-100	3	12.0	2.3	20.0	17.0	369.0	36.6	33.6	-	0.9	-	-	-	2.1
TOTAL	3	12.0	2.3	20.0	17.0	369.0	36.6	33.6	-	0.9	-	-	-	2.1
FEB														
-100	65	14.6	5.2	20.3	17.4*	394.6	898.9	885.3	-	9.8	-	1.9	-	1.9
-150	3	16.7	4.0	27.3	24.7	480.3	52.5	52.5	-	-	-	-	-	-
TOTAL	68	14.7	5.1	20.6	17.8*	398.4	951.4	937.8	-	9.8	-	1.9	-	1.9
MAR														
-100	146	13.3	4.7	20.4*	17.8*	385.8*	2,348.7	2,265.1	1.4	46.2	3.3	8.0	-	24.7
-150	3	18.7	4.0	23.7	19.0	478.3	77.2	77.2	-	-	-	-	-	-
TOTAL	149	13.4	4.7	20.5*	17.8*	387.7*	2,425.9	2,342.3	1.4	46.2	3.3	8.0	-	24.7
APR														
-100	79	9.8	4.4	18.8*	16.4*	442.3	1,290.6	1,208.0	10.7	52.3	-	2.9	1.4	15.3
TOTAL	79	9.8	4.4	18.8*	16.4*	442.3	1,290.6	1,208.0	10.7	52.3	-	2.9	1.4	15.3
MAY														
-50	2	3.5	3.0	14.0	13.0	118.5	10.4	6.6	-	3.1	-	0.7	-	-
-100	87	5.8	3.3	20.7	18.1*	290.5*	1,036.1	984.3	12.4	26.9	-	3.0	-	9.5
-150	2	6.5	4.0	25.5	22.5	233.5	19.0	19.0	-	-	-	-	-	-
TOTAL	91	5.8	3.3	20.7	18.1*	285.4*	1,065.5	1,009.9	12.4	30.0	-	3.7	-	9.5
JUN														
-100	1	6.0	4.0	13.0	9.0	260.0	9.5	9.5	-	-	-	-	-	-
TOTAL	1	6.0	4.0	13.0	9.0	260.0	9.5	9.5	-	-	-	-	-	-
AUG														
-100	4	3.5	1.8	15.3	13.0	423.0	27.0	22.0	-	5.0	-	-	-	-
TOTAL	4	3.5	1.8	15.3	13.0	423.0	27.0	22.0	-	5.0	-	-	-	-
SEP														
-100	3	8.3	3.3	16.3	13.7	271.0	24.0	20.2	1.3	1.7	-	-	-	0.8
TOTAL	3	8.3	3.3	16.3	13.7	271.0	24.0	20.2	1.3	1.7	-	-	-	0.8
NOV														
-100	2	9.0	4.5	16.0	13.0	358.0	19.2	17.9	-	0.6	-	-	-	0.7
TOTAL	2	9.0	4.5	16.0	13.0	358.0	19.2	17.9	-	0.6	-	-	-	0.7
DEC														
-100	2	17.5	6.0	15.0	13.0	252.5	15.7	14.4	-	-	-	-	-	1.3
TOTAL	2	17.5	6.0	15.0	13.0	252.5	15.7	14.4	-	-	-	-	-	1.3

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　　　　　*** RIKUAGE　TOUKEI ***　　　　　　　　宮崎　MZ-　1 TSUKI- 21

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN														
-100	3	11.3	5.0	16.7	14.3	260.0	27.5	26.0	-	1.5	-	-	-	-
TOTAL	3	11.3	5.0	16.7	14.3	260.0	27.5	26.0	-	1.5	-	-	-	-
FEB														
-100	26	7.8	3.2	16.6	14.2	202.7	127.1	100.5	0.4	15.0	1.9	-	-	9.3
TOTAL	26	7.8	3.2	16.6	14.2	202.7	127.1	100.5	0.4	15.0	1.9	-	-	9.3
MAR														
-50	3	8.7	4.7	15.0	11.0	90.3	7.0	2.3	1.6	-	2.3	-	-	0.8
-100	64	7.2	3.6	16.8*	14.3*	261.9	425.1	212.8	5.6	109.3	34.2	3.5	-	59.7
TOTAL	67	7.3	3.7	16.7*	14.2*	254.2	432.1	215.1	7.2	109.3	36.5	3.5	-	60.5
APR														
-100	39	7.4	3.9	16.4	13.9	370.9	485.0	347.3	8.2	83.4	-	3.5	-	42.6
TOTAL	39	7.4	3.9	16.4	13.9	370.9	485.0	347.3	8.2	83.4	-	3.5	-	42.6
MAY														
-50	2	6.5	4.5	13.0	10.0	154.5	12.1	9.3	1.8	-	-	-	-	1.0
-100	19	6.1	4.0	16.8*	14.6*	323.8	224.4	167.3	-	44.7	-	-	-	12.4
TOTAL	21	6.1	4.0	16.4*	14.1*	307.7	236.5	176.6	1.8	44.7	-	-	-	13.4
JUN														
-100	8	4.5	3.4	17.5	15.0	393.8	87.0	74.2	-	9.9	-	-	-	2.9
TOTAL	8	4.5	3.4	17.5	15.0	393.8	87.0	74.2	-	9.9	-	-	-	2.9
JUL														
-50	3	3.0	2.0	9.7	7.7	114.7	9.3	7.5	0.6	-	-	-	-	1.2
-100	49	3.6	2.2	15.1	12.7	326.1	382.1	336.9	0.7	27.4	-	-	7.8	9.3
TOTAL	52	3.6	2.2	14.8	12.4	313.9	391.4	344.4	1.3	27.4	-	-	7.8	10.5
AUG														
-50	1	5.0	4.0	11.0	8.0	114.0	3.3	2.1	0.4	-	-	-	-	0.8
-100	63	4.0	2.1	15.8	13.6	311.5	405.2	351.9	4.0	40.7	-	1.0	-	7.6
TOTAL	64	4.1	2.1	15.8	13.5	308.4	408.5	354.0	4.4	40.7	-	1.0	-	8.4
SEP														
-50	2	5.0	3.5	10.5	8.5	105.0	7.4	3.5	3.4	-	-	-	-	0.5
-100	43	5.2	2.8	14.9	12.7	223.2	303.5	222.7	-	49.4	-	-	-	31.4
TOTAL	45	5.2	2.8	14.7	12.5	218.0	310.9	226.2	3.4	49.4	-	-	-	31.9
OCT														
-50	1	7.0	5.0	10.0	8.0	104.0	4.9	2.5	-	1.9	-	-	-	0.5
-100	47	7.9	3.6	14.5	12.3	256.0	320.7	276.1	-	33.0	-	1.3	-	10.3
TOTAL	48	7.9	3.6	14.4	12.2	252.8	325.6	278.6	-	34.9	-	1.3	-	10.8
NOV														
-50	1	12.0	7.0	9.0	7.0	76.0	1.6	1.1	-	0.2	-	-	-	0.3
-100	22	7.7	4.2	15.1	12.9	350.0	176.1	143.0	-	25.2	-	0.5	-	7.4
TOTAL	23	7.9	4.3	14.8	12.6	338.0	177.7	144.1	-	25.4	-	0.5	-	7.7
DEC														
-100	4	8.0	4.0	14.3	12.0	160.8	14.4	11.7	-	1.3	-	-	-	1.4
TOTAL	4	8.0	4.0	14.3	12.0	160.8	14.4	11.7	-	1.3	-	-	-	1.4

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU *** RIKUAGE TOUKEI *** 鹿児島 KG- 1 TSUKI- 23

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN														
-150	1	21.0	8.0	17.0	14.0	635.0	38.0	38.0	-	-	-	-	-	-
-300	3	45.0	23.0	28.0	24.0	1942.7	312.5	312.0	-	0.5	-	-	-	-
300-	2	47.5	19.5	31.5	29.0	3261.5	335.8	333.8	-	2.0	-	-	-	-
TOTAL	6	41.8	19.3	27.3	24.0	2164.3	686.3	683.8	-	2.5	-	-	-	-
FEB														
-100	32	17.8	8.3	17.8	15.2	325.8	643.3	638.8	0.8	2.0	0.1	-	-	1.6
-150	1	24.0	8.0	20.0	17.0	425.0	30.0	30.0	-	-	-	-	-	-
-300	10	44.3	23.2	28.9	26.1	2988.1*	1,261.5	1,253.6	-	6.9	-	-	-	1.0
300-	5	46.0	31.6	26.6	24.0	3164.8	854.8	851.0	-	-	-	1.5	-	2.3
TOTAL	48	26.4	13.8	21.0	18.4	1139.7*	2,789.6	2,773.4	0.8	8.9	0.1	1.5	-	4.9
MAR														
-100	31	9.5	4.3	17.5	15.1	209.3	327.7	262.2	0.5	27.7	4.7	-	-	32.6
-150	1	16.0	6.0	20.0	17.0	1107.0	62.0	62.0	-	-	-	-	-	-
-300	24	42.8	25.7	28.5	25.7	2204.1*	2,617.1	2,607.1	-	5.3	-	0.1	-	4.6
300-	19	50.9	30.4	27.2	24.4*	2896.5*	2,947.6	2,930.0	-	9.9	-	2.3	-	5.4
TOTAL	75	30.7	17.8	23.5	20.8*	1512.7*	5,954.4	5,861.3	0.5	42.9	4.7	2.4	-	42.6
APR														
-50	3	8.0	6.3	14.0	11.0	113.0	10.7	3.5	6.1	-	-	-	-	1.1
-100	46	9.8	5.3	17.3	15.0	487.0	903.6	824.4	2.0	52.6	-	1.5	-	23.1
-150	1	13.0	7.0	19.0	16.0	949.0	46.0	46.0	-	-	-	-	-	-
-300	15	38.4	21.8	28.5	25.7	1907.8	1,293.0	1,277.1	8.0	2.3	-	0.2	-	5.4
300-	5	36.8	27.6	28.6	26.0	2703.2	573.0	573.0	-	-	-	-	-	-
TOTAL	70	17.9	10.5	20.4	17.9	940.3	2,826.3	2,724.0	16.1	54.9	-	1.7	-	29.6
MAY														
-50	1	7.0	4.0	13.0	10.0	149.0	7.7	6.4	0.6	-	-	-	-	0.7
-100	118	9.2	5.6	17.1	14.7	429.7	2,416.5	2,076.8	17.5	225.5	-	11.4	2.6	82.7
-150	1	14.0	9.0	22.0	19.0	968.0	46.7	46.7	-	-	-	-	-	-
-300	16	38.6	21.3	27.1	24.6	2025.1*	1,544.7	1,486.4	0.5	5.8	-	-	-	52.0
300-	10	48.1	28.5	25.7*	23.1*	3467.2	1,441.4	1,437.7	-	3.5	-	-	-	0.2
TOTAL	146	15.1	8.9	18.8*	16.3*	806.0*	5,457.0	5,054.0	18.6	234.8	-	11.4	2.6	135.6
JUN														
-50	8	4.5	3.6	12.5	9.6	137.9	54.1	35.8	7.3	-	-	1.5	0.8	8.7
-100	44	7.9	5.2	15.5	13.3	315.7	630.7	516.1	6.6	78.8	-	-	2.8	26.4
-300	3	46.0	19.7	28.0	24.3	3415.0	373.0	290.0	80.0	-	-	-	-	3.0
TOTAL	55	9.5	5.8	15.8	13.4	458.9	1,057.8	841.9	93.9	78.8	-	1.5	3.6	38.1
JUL														
-50	4	4.0	2.8	10.5	8.3	125.5	17.0	13.0	3.2	-	-	-	-	0.8
-100	12	6.1	3.3	14.4	11.9	423.3	171.7	163.6	-	6.6	-	-	-	1.5
-300	9	28.6	16.3	25.6	23.1	2590.7	852.4	802.6	48.8	1.0	-	-	-	-
300-	4	57.8	30.3	27.8	26.0	4754.3	620.1	571.2	44.9	1.0	-	3.0	-	-
TOTAL	29	19.9	11.0	19.2	16.8	1652.2	1,661.2	1,550.4	96.9	8.6	-	3.0	-	2.3
AUG														
-100	19	4.9	2.9	14.4	12.3	202.1	121.7	67.2	41.4	4.7	-	1.9	-	6.5
-300	14	32.6	16.8	22.6	20.1	2394.1	1,348.7	1,276.9	66.8	2.0	-	2.0	-	1.0
300-	6	49.3	26.0	29.2	26.2	5915.2	1,316.1	1,237.1	55.0	8.0	-	16.0	-	-
TOTAL	39	21.7	11.5	19.6	17.2	1867.9	2,786.5	2,581.2	163.2	14.7	-	19.9	-	7.5
SEP														
-50	1	9.0	5.0	12.0	10.0	31.0	1.4	1.4	-	-	-	-	-	-
-100	57	7.9	4.2	15.7	13.5	325.4	817.6	699.7	12.6	84.7	-	8.2	0.2	12.2
-300	8	32.1	10.4	24.4	21.9	2245.0	751.5	751.5	-	-	-	-	-	-
300-	9	46.2	20.0	25.9	23.4	4744.7	1,766.8	1,753.9	1.0	5.2	-	6.6	-	0.1
TOTAL	75	15.1	6.7	17.8	15.5	1056.5	3,337.3	3,206.5	13.6	89.9	-	14.8	0.2	12.3
OCT														
-50	1	15.0	7.0	12.0	10.0	56.0	2.4	2.4	-	-	-	-	-	-
-100	47	14.1	5.3	16.0	13.7	416.1*	727.8	682.3	1.6	36.3	-	2.1	-	5.5
-150	1	14.0	2.0	18.0	15.0	85.0	3.4	3.4	-	-	-	-	-	-
-300	12	40.3	16.5	25.8	23.0	1660.8	747.0	714.1	-	11.4	-	20.0	-	1.5
300-	10	47.1	20.9	25.3	22.9	3191.4	1,118.3	1,115.5	-	0.5	-	2.3	-	-
TOTAL	71	23.2	9.4	18.9	16.5	1016.1*	2,598.9	2,517.7	1.6	48.2	-	24.4	-	7.0
NOV														
-50	1	10.0	8.0	12.0	10.0	145.0	6.2	6.2	-	-	-	-	-	-
-100	67	14.0	6.8	15.7	13.2	564.1	1,366.4	1,291.2	7.0	53.0	-	2.9	-	12.3
-150	2	17.5	7.0	17.5	14.5	943.5	71.5	71.5	-	-	-	-	-	-
-300	9	43.8	21.9	24.2	21.9	1967.9*	597.3	586.0	-	2.3	-	8.0	-	1.0
300-	6	48.2	23.0	30.2	26.7	2691.7	474.5	470.0	-	0.3	-	4.2	-	-
TOTAL	85	19.6	9.6	17.6	15.1	853.8*	2,515.9	2,424.9	7.0	55.6	-	15.1	-	13.3
DEC														
-100	37	17.6	6.4	15.4	13.1	582.3	642.6	606.7	17.0	10.3	-	1.4	-	7.2
-150	1	23.0	8.0	20.0	17.0	475.0	13.7	13.7	-	-	-	-	-	-
-300	13	42.2	18.6	23.8	21.0*	2662.3	932.9	873.8	-	24.6	-	17.5	-	17.0
300-	6	50.2	20.3	24.3	22.0	4999.8	766.1	755.7	-	8.4	-	1.9	-	0.1
TOTAL	57	26.8	10.7	18.3	15.8*	1519.8	2,355.3	2,249.9	17.0	43.3	-	20.8	-	24.3

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU

*** RIKUAGE TOUKEI ***

沖縄 ON- 1 TSUKI- 25

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
FEB														
-300	1	39.0	21.0	22.0	17.0	1855.0	73.0	73.0	-	-	-	-	-	-
TOTAL	1	39.0	21.0	22.0	17.0	1855.0	73.0	73.0	-	-	-	-	-	-
APR														
-50	2	24.5	18.0	19.5	16.5	778.5	51.9	51.9	-	-	-	-	-	-
TOTAL	2	24.5	18.0	19.5	16.5	778.5	51.9	51.9	-	-	-	-	-	-
JUN														
-50	3	26.3	19.0	19.7	16.7	722.7	54.2	54.2	-	-	-	-	-	-
TOTAL	3	26.3	19.0	19.7	16.7	722.7	54.2	54.2	-	-	-	-	-	-
JUL														
-50	3	27.0	19.0	19.7	16.7	665.3	49.9	49.9	-	-	-	-	-	-
TOTAL	3	27.0	19.0	19.7	16.7	665.3	49.9	49.9	-	-	-	-	-	-
SEP														
-50	3	23.7	17.0	19.7	16.7	568.0	42.6	42.6	-	-	-	-	-	-
TOTAL	3	23.7	17.0	19.7	16.7	568.0	42.6	42.6	-	-	-	-	-	-

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU　　　　*** RIKUAGE TOUKEI ***　　　　外国 FR- 1 TSUKI- 26

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
MAR														
300-	1	32.0	28.0	25.0	23.0	1828.0	145.1	142.6	-	1.3	-	1.2	-	-
TOTAL	1	32.0	28.0	25.0	23.0	1828.0	145.1	142.6	-	1.3	-	1.2	-	-
APR														
300-	1	14.0	13.0	25.0	23.0	558.0	37.4	32.5	-	0.4	-	0.5	-	4.0
TOTAL	1	14.0	13.0	25.0	23.0	558.0	37.4	32.5	-	0.4	-	0.5	-	4.0
MAY														
300-	2	20.5	18.0	25.0	23.0	1142.5	158.0	140.3	-	2.2	-	10.5	-	5.0
TOTAL	2	20.5	18.0	25.0	23.0	1142.5	158.0	140.3	-	2.2	-	10.5	-	5.0
SEP														
-300	5	32.6	25.8	25.0	23.0	2526.2	906.9	721.7	-	4.5	-	20.3	-	160.4
TOTAL	5	32.6	25.8	25.0	23.0	2526.2	906.9	721.7	-	4.5	-	20.3	-	160.4
OCT														
-300	8	31.4	26.6	25.0	23.0	1852.3	1,048.8	651.8	-	79.3	-	34.6	-	283.1
TOTAL	8	31.4	26.6	25.0	23.0	1852.3	1,048.8	651.8	-	79.3	-	34.6	-	283.1
NOV														
-300	5	30.0	27.8	25.0	23.0	3013.2	858.8	634.0	-	87.9	-	50.2	-	86.7
TOTAL	5	30.0	27.8	25.0	23.0	3013.2	858.8	634.0	-	87.9	-	50.2	-	86.7

月別・県別・屯数階層別入港船数及び陸揚量

TSUKI-BETU *** RIKUAGE TOUKEI ***

不明 - 1 TSUKI- 27

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
JAN														
-100	1	11.0	4.0	18.0	15.0	146.0	2.7	0.1	0.3	2.1	-	-	-	0.2
TOTAL	1	11.0	4.0	18.0	15.0	146.0	2.7	0.1	0.3	2.1	-	-	-	0.2
MAR														
-100	2	3.5	2.0	16.5	13.0	76.5	3.5	2.2	1.3	-	-	-	-	-
TOTAL	2	3.5	2.0	16.5	13.0	76.5	3.5	2.2	1.3	-	-	-	-	-
APR														
-100	4	4.3	2.3	20.3	15.8	204.3	10.4	9.4	-	0.4	-	-	-	0.6
-300	1	35.0	20.0	26.0	23.0	1887.0	71.5	70.5	-	0.5	-	-	-	0.5
TOTAL	5	10.4	5.8	21.4	17.2	540.8	81.9	79.9	-	0.9	-	-	-	1.1
MAY														
-100	3	6.3	3.3	17.0*	13.5*	453.3	44.0	33.7	9.5	0.8	-	-	-	-
TOTAL	3	6.3	3.3	17.0*	13.5*	453.3	44.0	33.7	9.5	0.8	-	-	-	-
JUN														
-100	1	8.0	3.0	18.0	14.0	187.0	9.8	9.8	-	-	-	-	-	-
TOTAL	1	8.0	3.0	18.0	14.0	187.0	9.8	9.8	-	-	-	-	-	-
JUL														
-100	5	4.6	2.6	19.6	15.8	460.8	49.4	30.4	-	13.9	-	1.0	-	4.1
TOTAL	5	4.6	2.6	19.6	15.8	460.8	49.4	30.4	-	13.9	-	1.0	-	4.1
AUG														
-100	1	5.0	2.0	18.0	16.0	230.0	4.3	3.0	-	1.3	-	-	-	-
-300	1	33.0	21.0	24.0	21.0	-	61.0	46.3	14.0	-	-	-	-	0.7
TOTAL	2	19.0	11.5	21.0	18.5	230.0*	65.3	49.3	14.0	1.3	-	-	-	0.7
SEP														
-100	5	7.0	3.6	17.6	16.3*	250.6	39.8	36.5	-	3.0	-	-	-	0.3
TOTAL	5	7.0	3.6	17.6	16.3*	250.6	39.8	36.5	-	3.0	-	-	-	0.3
OCT														
-100	2	3.5	2.0	21.0	17.0	279.0	8.6	7.1	-	1.5	-	-	-	-
-300	1	32.0	25.0	20.0	-	2619.0	95.5	76.5	19.0	-	-	-	-	-
300-	1	53.0	25.0	32.0	28.0	5454.0	214.0	214.0	-	-	-	-	-	-
TOTAL	4	23.0	13.5	23.5	20.7*	2157.8	318.1	297.6	19.0	1.5	-	-	-	-
NOV														
-100	4	10.5	4.8	17.5	16.0*	545.8	41.1	32.6	-	8.4	-	-	-	0.1
TOTAL	4	10.5	4.8	17.5	16.0*	545.8	41.1	32.6	-	8.4	-	-	-	0.1
DEC														
-100	1	9.0	5.0	14.0	10.0	137.0	1.3	-	-	1.3	-	-	-	-
TOTAL	1	9.0	5.0	14.0	10.0	137.0	1.3	-	-	1.3	-	-	-	-

年・全国・屯数階層別入港船数及び陸揚量

NEN-BETU　　*** RIKUAGE TOUKEI ***　　NEN- 1

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	156	7.2	4.0	14.9	11.8	216.8*	1,014.6	847.8	88.1	29.6	2.3	24.5	1.1	21.2
-100	8643	7.0*	3.5	19.5*	16.6*	397.5*	101,918.0	87,866.4	7,313.4	4,444.0	61.4	607.8	119.6	1,505.4
-150	180	7.8	3.3	24.6*	21.4*	649.5*	3,914.2	3,527.7	341.8	1.7	3.5	29.5	-	10.0
-300	749	36.8	21.5	24.7*	22.0*	2432.3*	63,187.6	39,726.6	21,288.4	601.4	6.2	655.1	2.3	907.6
300-	696	44.9	25.8	26.7*	23.6*	3714.3*	94,198.5	76,933.3	15,625.2	569.3	1.0	839.1	1.1	229.5
フメイ	2	98.0*	78.0	43.0	37.5	9999.0*	849.6	843.6	-	-	-	5.7	-	0.3
TOTAL	10426	11.7*	6.3	20.3*	17.4*	768.6*	265,082.5	209,745.4	44,656.9	5,646.0	74.4	2,161.7	124.1	2,674.0

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　*** RIKUAGE TOUKEI ***

北海道 HK- 1 NEN- 1

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-100	1	5.0	2.0	19.0	17.0	266.0	11.0	11.0	-	-	-	-	-	-
TOTAL	1	5.0	2.0	19.0	17.0	266.0	11.0	11.0	-	-	-	-	-	-

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　青森 AM- 1 NEN- 2

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-100	1	4.0	3.0	19.0	15.0	21.0	1.0	0.5	-	-	-	-	-	0.5
TOTAL	1	4.0	3.0	19.0	15.0	21.0	1.0	0.5	-	-	-	-	-	0.5

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU

*** RIKUAGE TOUKEI ***

岩手 IT- 1 NEN- 3

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均年数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
-100	139	7.5	3.1	19.6*	17.0*	194.6*	953.9	912.9	33.6	2.0	1.2	0.6	-	3.6
-150	8	8.9	2.3	26.5	20.9	332.3	112.7	112.7	-	-	-	-	-	-
-300	3	14.7	7.0	25.3	21.3	1430.3	74.0	67.3	6.7	-	-	-	-	-
TOTAL	150	7.7	3.1	20.1*	17.3*	226.9*	1,140.6	1,092.9	40.3	2.0	1.2	0.6	-	3.6

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　宮城 MG- 1 NEN- 4

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	6	7.3	4.0	15.8	12.0	223.8*	60.2	60.2	-	-	-	-	-	-
-100	876	7.6*	3.5	19.6*	16.9*	349.5*	10,654.8	10,086.5	503.3	9.9	1.1	10.5	-	43.5
-200	31	7.7	2.6	24.5	21.2	559.8*	572.7	500.5	49.3	-	2.0	16.5	-	4.4
-300	130	34.9	24.6	26.5*	23.6*	2786.3	11,430.4	5,535.8	5,772.1	4.7	3.4	57.3	-	57.1
300-	41	37.1	26.5	27.8	24.7	3727.9	5,367.6	3,402.0	1,858.4	26.5	-	67.7	-	13.0
フメイ	1	-	96.0	45.0	37.0	-	393.9	388.2	-	-	-	5.7	-	-
TOTAL	1085	12.0*	6.9	20.9*	18.1*	778.7*	28,479.6	19,973.2	8,183.1	41.1	6.5	157.7	-	118.0

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　*** RIKUAGE TOUKEI ***　　　福島 FS- 1 NEN- 5

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-100	264	7.3	3.3	21.5*	19.0*	597.0	5,376.5	5,105.3	257.9	0.5	-	10.9	-	1.9
-150	8	7.0	3.5	26.1	23.0	987.3	275.6	203.6	72.0	-	-	-	-	-
-300	20	33.0	18.5	24.4	21.6*	2428.0	1,354.3	331.1	1,010.0	-	-	3.8	-	9.4
300-	1	44.0	28.0	28.0	25.0	4205.0	118.0	18.0	100.0	-	-	-	-	-
TOTAL	293	9.2	4.4	21.8*	19.3*	744.9	7,124.4	5,658.0	1,439.9	0.5	-	14.7	-	11.3

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　*** RIKUAGE TOUKEI ***　　　茨城 IG- 1 NEN- 6

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-100	305	7.3	3.3	22.0	19.4*	657.6	6,622.4	5,982.1	618.3	10.4	-	6.9	-	4.7
-150	25	7.1	3.6	24.0	21.0	667.6	611 0	551.2	46.3	-	0.5	13.0	-	-
-300	56	37.5	24.9	28.3*	25.3*	2639.7*	5,498.7	2,980.4	2,437.8	1.7	1.6	49.6	0.9	26.7
TOTAL	386	11.7	6.4	23.0*	20.3*	941.4*	12,732.1	9,513.7	3,102.4	12.1	2.1	69.5	0.9	31.4

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU

*** RIKUAGE TOUKEI ***

千葉 CB- 1 NEN- 7

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
ST	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	23	6.3	3.3	16.7	14.0	220.4	176.1	161.9	14.2	-	-	-	-	-
-100	1434	6.4*	3.4	20.6*	17.9*	478.9*	22,739.1	20,519.9	2,028.0	106.2	-	33.8	14.0	37.2
-150	48	6.1	3.2	25.5*	22.8*	732.3	1,098.7	1,049.3	43.1	0.7	-	-	-	5.6
300-	2	39.0	7.5	29.0	28.0	4301.0	110.0	110.0	-	-	-	-	-	-
TOTAL	1507	6.5*	3.4	20.7*	18.0*	488.2*	24,123.9	21,841.1	2,085.3	106.9	-	33.8	14.0	42.8

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　*** RIKUAGE TOUKEI ***　　神奈川 KN- 1 NEN- 8

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
-50	1	4.0	1.0	9.0	7.0	57.0	4.0	4.0	-	-	-	-	-	-
-100	175	6.3	3.1	18.5	15.6*	306.8	1,464.0	1,198.6	211.1	34.3	-	11.8	-	8.2
-150	1	6.0	2.0	28.0	22.0	244.0	6.0	6.0	-	-	-	-	-	-
300-	2	33.5	4.0	20.0	15.0	82.5	5.3	2.5	2.2	0.4	-	-	-	0.2
TOTAL	179	6.6	3.1	18.5	15.6*	302.6	1,479.3	1,211.1	213.3	34.7	-	11.8	-	8.4

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　静岡 SO- 1 NEN- 9

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
-50	2	8.0	4.0	17.5	14.0	128.0	8.3	8.3	-	-	-	-	-	-
-100	3276	6.4*	3.3	19.4*	16.1*	388.7*	29,509.9	22,455.1	2,965.3	2,845.5	14.7	337.1	90.8	801.4
-150	34	7.1	3.4	24.7	21.6	670.2	682.4	550.7	129.7	1.0	1.0	-	-	-
-300	382	37.2	20.5	23.1*	20.2*	2356.2*	29,083.1	16,307.1	11,824.7	360.7	1.2	391.5	1.4	196.5
300-	550	45.2	26.0	26.5*	23.4*	3742.9*	74,227.3	59,544.9	13,266.2	499.1	1.0	717.6	1.1	197.4
フメイ	1	98.0	60.0	41.0	38.0	9999.0	455.7	455.4	-	-	-	-	-	0.3
TOTAL	4245	14.3*	7.8	20.7*	17.5*	1012.6*	133,966.7	99,321.5	28,185.9	3,706.3	17.9	1,446.2	93.3	1,195.6

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　*** RIKUAGE TOUKEI ***　　三重 ME- 1 NEN- 10

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	49	4.8	2.4	15.1	11.6	226.3	270.6	180.2	48.9	19.3	-	17.4	-	4.8
-100	788	5.7	3.3	19.8*	16.9*	296.1*	6,459.0	5,452.2	507.7	225.2	0.2	138.2	-	135.5
-150	8	5.1	2.4	22.4	18.1	519.8	95.1	93.7	1.4	-	-	-	-	-
300-	13	42.8	24.8	28.1	25.2	3776.5*	1,601.3	1,297.6	297.5	0.6	-	3.8	-	1.8
TOTAL	858	6.2	3.6	19.6*	16.7*	343.5*	8,426.0	7,023.7	855.5	245.1	0.2	159.4	-	142.1

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　*** RIKUAGE TOUKEI ***　　和歌山 WK- 1 NEN- 11

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	12	4.3	2.3	17.1	13.2	176.1	68.5	65.9	-	2.6	-	-	-	-
-100	66	5.0	3.2	18.5	15.8*	242.7	457.5	417.8	25.4	10.9	-	2.0	-	1.4
TOTAL	78	4.9	3.1	18.3	15.4*	232.4	526.0	483.7	25.4	13.5	-	2.0	-	1.4

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　*** RIKUAGE TOUKEI ***　　愛媛 EH- 1 NEN- 12

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	18	7.9	1.9	12.3	9.7	137.7	72.8	65.1	-	2.5	-	4.9	0.3	-
TOTAL	18	7.9	1.9	12.3	9.7	137.7	72.8	65.1	-	2.5	-	4.9	0.3	-

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　　　　　　　*** RIKUAGE　TOUKEI ***

高知　KO-　1　　NE[redacted]-　13

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚[redacted]計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	2	3.5	3.0	14.0	13.0	118.5	10.4	6.6	-	3.1	-	0.7	-	-
-100	392	11.0	4.3	20.0*	17.4*	375.9*	5.706.3	5,460.3	25.8	143.4	3.3	15.8	1.4	56.3
-150	8	14.9	4.0	25.5	22.0	417.9	148.7	148.7	-	-	-	-	-	-
TOTAL	402	11.0	4.3	20.1*	17.4*	375.5*	5.865.4	5,615.6	25.8	146.5	3.3	16.5	1.4	56.3

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　宮崎 MZ- 1 NEN- 14

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	13	6.3	4.0	11.6	8.9	109.8	45.6	28.3	7.8	2.1	2.3	-	-	5.1
-100	387	6.1	3.2	15.6*	13.4*	289.8	2,978.1	2,270.4	18.9	440.8	36.1	9.8	7.8	194.3
TOTAL	400	6.1	3.2	15.6*	13.3*	284.0	3,023.7	2,298.7	26.7	442.9	38.4	9.8	7.8	199.4

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　*** RIKUAGE TOUKEI ***　　鹿児島 KG- 1 NEN- 15

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	19	6.2	4.4	12.3	9.6	122.4	99.5	68.7	17.2	-	-	1.5	0.8	11.3
-100	510	11.0	5.5	16.3	14.0	412.3*	8,769.6	7,829.0	107.0	582.2	4.8	29.4	5.6	211.6
-150	9	17.8	6.9	19.0	16.0	725.7	311.3	311.3	-	-	-	-	-	-
-300	136	39.2	20.2	26.3	23.6*	2255.5*	12,631.6	12,231.1	204.1	62.1	-	47.8	-	86.5
300-	82	48.3	25.9	27.0*	24.4*	3678.3*	12,214.5	12,028.9	100:9	38.8	-	37.8	-	8.1
TOTAL	756	20.1	10.4	19.2*	16.7*	1085.8*	34,026.5	32,469.0	429.2	683.1	4.8	116.5	6.4	317.5

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　*** RIKUAGE TOUKEI ***　　　沖縄 ON- 1 NEN- 16

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-50	11	25.5	18.3	19.6	16.6	675.0	198.6	198.6	-	-	-	-	-	-
-300	1	39.0	21.0	22.0	17.0	1855.0	73.0	73.0	-	-	-	-	-	-
TOTAL	12	26.6	18.5	19.8	16.7	773.3	271.6	271.6	-	-	-	-	-	-

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　外国 FR- 1 NEN- 17

屯数階層	隻数	平均航海日数	平均操業日数	平均乗組員数	平均竿数	平均陸揚金額(万円)	陸揚量計	カツオ	ビンナガ	キハダ	クロマグロ	メバチ	ソーダ	その他
GT	NB	ND	DO	NC	NP	ME	TOTAL	S.J.	ALB.	Y.F.	B.F.	B.E	F.M.	ELS
-300	18	31.3	26.7	25.0	23.0	2361.9	2,814.5	2,007.5	-	171.7	-	105.1	-	530.2
300-	4	21.8	19.3	25.0	23 0	1167.8	340.5	315.4	-	3.9	-	12.2	-	9.0
TOTAL	22	29.6	25.4	25.0	23.0	2144.8	3,155.0	2,322.9	-	175.6	-	117.3	-	539.2

年・全国及び県別・屯数階層別入港船数及び陸揚量

NEN-BETU　　　　*** RIKUAGE TOUKEI ***　　　　不明 - 1 NEN- 18

屯数階層 GT	隻数 NB	平均航海日数 ND	平均操業日数 DO	平均乗組員数 NC	平均竿数 NP	平均陸揚金額(万円) ME	陸揚量計 TOTAL	カツオ S.J.	ビンナガ ALB.	キハダ Y.F.	クロマグロ B.F.	メバチ B.E	ソーダ F.M.	その他 ELS
-100	29	6.3	3.1	18.4*	15.2*	321.7	214.9	164.8	11.1	32.7	-	1.0	-	5.3
-300	3	33.3	22.0	23.3	22.0*	2253.0*	228.0	193.3	33.0	0.5	-	-	-	1.2
300-	1	53.0	25.0	32.0	28.0	5454.0	214.0	214.0	-	-	-	-	-	-
TOTAL	33	10.2	5.5	19.3*	16.2*	602.8*	656.9	572.1	44.1	33.2	-	1.0	-	6.5